

7 REFERENCES

1. Cooper JF: Resolving LAL test interferences. *Journal of Parenteral Science and Technology* 1990; 44(1): 13-15.
2. Novitsky TJ: Endotoxins, Facts and Fiction. LAL Update 1998 9/98; 4.
3. Berzofsky RN: Applications of LAL in Pharmaceuticals and Medical Devices. In: Gupta AP, ed. *Immunology of Insects and other Arthropods*. Boca Raton, Ann Arbor, London: Library of Congress Cataloging-in-Publication Data, 1991; 430-444.
4. Rietschel ET, Brade H: Bakterielle Endotoxine. *Spektrum der Wissenschaft* 1993; January: 34-42.
5. Urbaschek R, Becker KP: Endotoxinnachweis im Plasma: Spezifität und Aussagekraft für Entwicklung und Prognose einer Sepsis. *Infusionsther Transfusionsmed* 1993; 20: 16-20.
6. Flad H-D, Loppnow H, Rietschel ET, Ulmer AJ: Pathomechanismen der Sepsis. *Hygiene und Mikrobiologie* 1997; 1/97: 25-27.
7. Rietschel ET, Ulmer AJ: Bakterielle Endotoxine und Peptidoglykan als Sepsis-Induktoren. *Hygiene und Mikrobiologie* 1997; 1/97(1): 23-24.
8. Takayama K, Din ZZ, Mukerjee P: Physical state of biologically active lipopolysaccharide. In: Levin J, Alving CR, Munford RS, et al., eds. *Bacterial Endotoxins: Lipopolysaccharides from genes to therapy*. New York: A John Wiley & Sons, inc., 1995; 183-193.
9. Olenchock SA: Airborne Endotoxin. In: Hurst CJ, ed. *Environmental Microbiology*. Washington, D.C.: American Society for Microbiology, 1996; 661-665.
10. Prytz H, Holst-Christensen J, Korner B, Liehr H: Portal venous and systemic endotoxaemia in patients without liver disease and systemic endotoxaemia in patients with cirrhosis. *Scand J Gastroenterol* 1976; 11(8): 857-63.
11. Urbaschek R, Urbaschek B: Aspects of beneficial endotoxin-mediated effects. *Klin Wochenschr* 1982; 60(14): 746-8.
12. Nowotny A: *Beneficial Effects of Endotoxins*, Plenum Press ed. New York, 1983.
13. Rylander R: Endotoxins in the environment. From genes to therapy: Wiley-Liss, Inc., 1995; 79-90.
14. Brigham KL, Meyrick B: Endotoxin and lung injury. *Am Rev Respir Dis* 1986; 133: 913-927.
15. Rylander R: Health effects of cotton dust exposures. *American Journal of Industrial Medicine* 1990; 17: 39-45.
16. Jagielo PJ, Thorne PS, Watt JL, Frees KL, Quinn TJ, Schwartz DA: Grain dust and endotoxin inhalation challenges produce similar inflammatory responses in normal subjects. *Chest* 1996; 110(1): 263-270.
17. Michel O, Kips J, Duchateau J, et al.: Severity of asthma is related to endotoxin in house dust. *Am J Respir Crit Care Med* 1996; 154(6 Pt 1): 1641-6.
18. Milton KD, Wypii D, Kriebel D, Walter MD, Hammond SK, Evans JS: Endotoxin exposure-response in a fiberglass manufacturing facility. *American Journal of Industrial Medicine* 1996; 29(1): 3-13.
19. Schwartz DA, Thorne PS, Yagla SJ, et al.: The role of endotoxin in grain dust-induced lung disease. *Am J Respir Crit Care Med* 1995; 152(2): 603-8.
20. Castellan RM, Olenchock SA, Kinsley KB, Hankinson JL: Inhaled endotoxin and decreased spirometric values. An exposure-response relation for cotton dust. *New England Journal of Medicine* 1987; 317: 605-610.

21. Douwes J, Versloot P, Hollander A, Heederik D, Doekes G: Influence of various dust sampling and extraction methods on the measurement of airborne endotoxin. *Applied and Environmental Microbiology* 1995; 61(5): 1763-1769.
22. Flaherty DK, Deck FH, Hood MA, et al.: A *Cytophaga* species endotoxin as a putative agent of occupation-related lung disease. *Infection and Immunity* 1984; 43(1): 213-216.
23. Gordon T, Galdanes K, Brosseau L: Comparison of sampling media for endotoxin-contaminated aerosols. *Applied Occupational Environmental Hygiene* 1992; 7(7): 472-477.
24. Haglund P, Rylander R: Exposure to cotton dust in an experimental card room. *Br. J. Ind. Med.* 1984; 41: 340-345.
25. Kennedy SM, Christiani DC, Eisen EA, et al.: Cotton dust and endotoxin exposure-response relationship in cotton textile workers. *Am. Rev. Resp. Dis.* 1987; 135: 194-200.
26. Mårtensson L, Gradowska W, Larsson L: Use of gas chromatography-mass spectrometry versus the *Limulus* amoebocyte lysate test for the determination of airborne endotoxin in confined swine buildings. *International Journal of Aerobiologia* 1997; 13: 99-107.
27. Milton DK, Amsel J, Reed CE, et al.: Cross-sectional follow-up of a flu-like respiratory illness among fiberglass manufacturing employees: Endotoxin exposure associated with two distinct sequelae. *American Journal of Industrial Medicine* 1995; 24: 469-488.
28. Milton DK, Johnson DK, Park JH: Environmental endotoxin measurement: interference and sources of variation in the *Limulus* assay of house dust. *Am Ind Hyg Assoc J* 1997; 58(12): 861-7.
29. Morris NM, Catalano EA, Berni RJ: 3-Hydroxymyristic acid as a measure of endotoxin in cotton lint and dust. *Am. Ind. Hyg. Assoc. J.* 1988; 49(2): 81-88.
30. Olenchock SA, Lewis DM, Mull JC: Effects of different extraction protocols on endotoxin analyses of airborne grain dusts. *Scand. J. Work. Environ. Health* 1989; 15(6): 430-435.
31. Olenchock SA, Christiani DC, Mull JC, Ting-Ting Y, Pei-Lian L: Airborne endotoxin concentrations in various work areas within two cotton mills in the People's Republic of China. *Biomedical and Environmental Sciences* 1990; 3: 443-451.
32. Pependorf W: Report on Agents. *American Journal of Industrial Medicine* 1986; 10: 251-259.
33. Rask-Andersen A, Malmberg P, Lundholm M: Endotoxin levels in farming: absence of symptoms despite high exposure levels. *British Journal of Industrial Medicine* 1989; 46: 412-416.
34. Schimberg RW, Uitti J, Kotimaa M, Sarantila R: Airborne particulate matter, fungi, bacteria, and endotoxins in fur farming. *Staub - Reinhaltung der Luft* 1992; 85: 457-460.
35. Schwartz DA, Donham KJ, Olenchock SA, et al.: Determinants of longitudinal changes in spirometric function among swine confinement operators and farmers. *Am. J. Respir. Crit. Care. Med.* 1995; 151: 47-53.
36. Smid T, Heederik D, Mensink G, Houba R, Boleij JSM: Exposure to dust, endotoxins, and fungi in the animal feed industry. *Am. Ind. Hyg. Assoc. J.* 1992; 53(6): 362-368.
37. Smid T, Heederik D, Houba R, Quanjer PH: Dust- and endotoxin-related respiratory effects in the animal feed industry. *Am. Rev. Resp. Dis.* 1992; 146: 1474-1479.
38. Sonesson A, Larsson L, Schütz A, Hagmar L, Hallberg T: Comparison of the *Limulus* amoebocyte lysate test and gas chromatography-mass spectrometry for measuring lipopolysaccharides (endotoxins) in airborne dust from poultry-processing industries. *Applied and Environmental Microbiology* 1990; 56(5): 1271-1278.
39. Zejda JE, Barber E, Dosman JA, et al.: Respiratory health status in swine producers relates to endotoxin exposure in the presence of low dust levels. *J. O. M.* 1994; 36(1): 49-56.

40. Nielsen BH, Breum NO: Exposure to air contaminants in chicken catching. *Am Ind Hyg Assoc J* 1995; 56(8): 804-8.
41. Rylander R, Lundholm M: Bacterial contamination of cotton and cotton dust and effects on the lung. *Br J Ind Med* 1978; 35(3): 204-7.
42. Rylander R, Haglind P, Lundholm M: Endotoxin in cotton dust and respiratory function decrement among cotton workers in an experimental cardroom. *Am Rev Respir Dis* 1985; 131(2): 209-13.
43. Saraf A, Larsson L, Burge H, Milton D: Quantification of ergosterol and 3-hydroxy fatty acids in settled house dust by gas chromatography-mass spectrometry: comparison with fungal culture and determination of endotoxin by a *Limulus* ameocyte lysate assay. *Appl Environ Microbiol* 1997; 63(7): 2554-9.
44. Simpson JC, Niven RM, Pickering CA, Fletcher AM, Oldham LA, Francis HM: Prevalence and predictors of work related respiratory symptoms in workers exposed to organic dusts. *Occup Environ Med* 1998; 55(10): 668-72.
45. Sigsgaard T, Malmros P, Nersting L, Petersen C: Respiratory disorders and atopy in Danish refuse workers. *Am J Respir Crit Care Med* 1994; 149(6): 1407-12.
46. Flaherty DK, Deck FH, Cooper J, et al.: Bacterial endotoxin, isolated from a water spray air humidification system as a putative agent of occupation-related lung disease. *Infection and Immunity* 1984; 43(1): 206-212.
47. Rylander R: Microbial Cell Wall Constituents in Indoor Air and their Relation to Disease. *Indoor Air* 1998(Supplement 4): 59-65.
48. Rylander R, Haglind P, Lundholm M, Mattsby I, Stenqvist K: Humidifier fever and endotoxin exposure. *Clin Allergy* 1978; 8(5): 511-6.
49. Rylander R, Haglind P: Airborne endtoxins and humidifier disease. *Clinical Allergy* 1984; 14: 109-112.
50. Tyndall RL, Lehmann ES, Bowmann EK, Milton DK, Barbaree JM: Home Humidifiers as a potential source of exposure to microbial pathogens, endotoxins, and allergens. *Indoor Air* 1995 1995; 5: 171-178.
51. Zock JP, Hollander A, Heederik D, Douwes J: Acute lung function changes and low endotoxin exposures in the potato processing industry. *Am J Ind Med* 1998; 33(4): 384-91.
52. Anonym: Indoor air quality research. EURO Reports and Studies 103, Copenhagen, 1986.
53. Anonym: Indoor air pollutants: exposure and health effects. Euro Reports and Studies 78, Copenhagen, 1983.
54. Bourbeau J, Brisson C, Allaire S: Prevalence of the sick building syndrome symptoms in office workers before and after being exposed to a building with an improved ventilation system. *Occup Environ Med* 1996; 53(3): 204-10.
55. Teeuw B: Sick building syndrome - the role of airborne microorganisims and endotoxin [Dissertation]. Universit at Utrecht; 1993.
56. Weary ME, Wallin RF: The rabbit pyrogen test. *Lab Anim Sci* 1973; 23(5): 677-81.
57. Pharmacopeia US: Pyrogen Test, Vol. 18. Easton, Pa.: Mack Publishing Co., 1970.
58. Pharmacopeia E: Kommentar, Vol. 1 +2. Frankfurt/M.: Govi-Verlag GmbH, 1976.
59. Levin J, Bang FB: A Description of Cellular coagulation in the *Limulus*. *Bulletin of Johns Hopkins Hospital* 1964; 115(4): 337-45.
60. Levin J, Bang FB: The Role of Endotoxin in the Extracellular Coagulation of *Limulus* Blood. *Bulletin of Johns Hopkins Hospital* 1964; 115: 265-74.
61. Levin J, Bang FB: Clottable Protein in *Limulus*: Its Localization and Kinetics of Its Coagulation by Endotoxin. *Thrombosis et Diathesis Haemorrhagica* 1968; 19(Mar 31): 186-197.

62. Ikemura K, Tanaka H, Yoshioka T, Sugimoto T: [Interference in endotoxin and fungal polysaccharide assays from blood products and antimicrobial agents]. *Rinsho Byori* 1990; 38(1): 87-92.
63. Obayashi T, Tamura H, Tanaka S, et al.: A new chromogenic endotoxin-specific assay using recombinated limulus coagulation enzymes and its clinical applications. *Clin Chim Acta* 1985; 149(1): 55-65.
64. Milton DK: LAL Activation by Glucanes. , Personal Correspondence 2001.
65. Bioproducts BI: LAL Workshop Heidelberg. : Bio Whittaker Partnership branch Germany Boehringer Ingelheim Bioproducts, 1997.
66. Endosafe: Limulus Amebocyte Lysate (LAL). . Charleston, SC, USA: Endosafe, Inc., 1996.
67. Twohy CW, Duran AP, Munson TE: Endotoxin contamination of parenteral drugs and radiopharmaceuticals as determined by the Limulus amebocyte lysate method. *Journal of Parenteral Science and Technology* 1984; 38(5): 190-201.
68. Pedersen MR, Hansen EW, Christensen JD: Detection of lipopolysaccharide in the picogram range of tissue culture media by a kinetic chromogenic Limulus Amebocyte Lysate assay. *Journal of Clinical Pharmacy and Therapeutics* 1994; 19: 189-194.
69. Galanos C, Lüderitz O: Lipopolysaccharide: properties of an amphipathic molecule. In: Rietschel E, ed. *Chemistry of endotoxin*. New York: Elsevier, 1984; 46-58.
70. Ditter B, Becker KP, Urbaschek R, Urbaschek B: [Quantitative endotoxin determination. Automated kinetic Limulus amebocyte lysate microtiter test with measurement of sample-related interferences]. *Arzneimittelforschung* 1983; 33(5): 681-7.
71. FDA: Interim Guidance for Human and Veterinary Drug Products and Biologicals: Kinetic LAL Techiques. . Rockville MD: Food and drug administration, Department of Health & Human Services, 1991.
72. Milton DK, Gere RJ, Feldman HA, Greaves IA: Endotoxin Measurement: Aerosol sampling and application of a new Limulus method. *Am. Ind. Hyg. Assoc. J.* 1990; 51(6): 331-337.
73. Hollander A, Heederik D, Versloot P, Douwes J: Inhibition and enhancement in the analysis of airborne endotoxin levels in various occupational environments. *Am Ind Hyg Assoc J* 1993; 54(11): 647-653.
74. Milton DK, Feldman HA, Neuberg DS, Bruckner RJ, Greaves IA: Environmental endotoxin measurement: the Kinetic Limulus Assay with Resistant-parallel-line Estimation. *Environmental Research* 1992; 57(2): 212-230.
75. Friberger P: The design of a reliable endotoxin test. *Prog Clin Biol Res* 1985; 189: 139-49.
76. DuBose DA, Lemaire M, Basamania K, Rowlands J: Comparison of plasma extraction techniques in preparation of samples for endotoxin testing by the Limulus amoebocyte lysate test. *J Clin Microbiol* 1980; 11(1): 68-72.
77. Takagi K, Moriya A, Tamura H, et al.: Quantitative measurement of endotoxin in human blood using synthetic chromogenic substrate for horseshoe crab clotting enzyme: a comparison of methods of blood sampling and treatment. *Thromb Res* 1981; 23(1-2): 51-7.
78. Levin J, Poore TE, Zauber NP, Oser RS: Detection of endotoxin in the blood of patients with sepsis due to gram-negative bacteria. *N Engl J Med* 1970; 283(24): 1313-6.
79. Levin J, Tomasulo PA, Oser RS: Detection of endotoxin in human blood and demonstration of an inhibitor. *J Lab Clin Med* 1970; 75(6): 903-11.

80. Hollander VP, Harding WC: A sensitive spectrophotometric method for measurement of plasma endotoxin. *Biochem Med* 1976; 15(1): 28-33.
81. Duner KI: The importance of the quality of water in *Limulus* Amebocyte Lysate tests. *PDA J Pharm Sci Technol* 1995; 49(3): 119-21.
82. BioWhittaker: LAL Testing Made Easy. . Walkersville, MD: BioWhittaker, 1995.
83. Communication P: LAL Workshop. : Boehringer Ingelheim, 1997.
84. Fuhrhop J-H: Der hydrophobe Effekt. In: Fuhrhop J-H, ed. *Bio-organische Chemie*. Stuttgart, 1982; 174-181.
85. Gail L, Jensch U-E: Measurement and calculation of endotoxin inactivation by dry heat. New York, 1987. (S.W. Watson JLaTJN, ed. *Detection of Bacterial Endotoxins with the Limulus Amebocyte Lysate Test*).
86. Tsuji K, Harrison SJ: Dry-heat destruction of lipopolysaccharide: dry-heat destruction kinetics. *Appl Environ Microbiol* 1978; 36(5): 710-4.
87. Avis KE, Jewell RC, Ludwig JD: Studies on the thermal destruction of *Escherichia coli* endotoxin. *Journal of Parenteral Science and Technology* 1987; 41(2): 49-56.
88. Ludwig JD, Avis KE: Validation of a heating cell for precisely controlled studies on the thermal destruction of endotoxin in glass. *Journal of Parenteral Science and Technology* 1988; 42(1): 9-14.
89. Ludwig JD, Avis KE: Dry heat inactivation of endotoxin on the surface of glass. *Journal of Parenteral Science and Technology* 1990; 44(1): 4-19.
90. Nakata T: Destruction of challenged endotoxin in a dry heat oven. *Journal of Pharmaceutical Science & Technology* 1994; 48(2): 59-63.
91. Aurell CA, Wistrom AO: Critical aggregation concentrations of gram-negative bacterial lipopolysaccharides (LPS). *Biochem Biophys Res Commun* 1998; 253(1): 119-23.
92. Alberts B, Bray D, Lewis J, Raff M, Keith R, Watson JD: *Die Lipid-Doppelschicht. Molekularbiologie der Zelle*: VCH; 326-335.
93. Pfüller U: *Mizellare Solubilisation. Mizellen-Vesikel-Mikroemulsionen*. Berlin: Springer-Verlag; 23-35.
94. USP: United States Pharmacopeial Convention, Inc. *United States Pharmacopeia*, vol XXII, 1990; 1706.
95. Reynolds SJ, Milton DK: Comparison of methods for analysis of airborne endotoxin. *Appl. Occup. Environ. Hyg.* 1993; 8(9): 761-767.
96. Tsuji K, Harrison SJ: *Limulus* amebocyte lysate - a means to monitor inactivation of lipopolysaccharide. *Prog Clin Biol Res* 1979; 29: 367-78.
97. Csako G, Tsai CM, Hochstein HD, Elin RJ: The concentration, physical state, and purity of bacterial endotoxin affect its detoxification by ionizing radiation. *Radiat Res* 1986; 108(2): 158-66.
98. Csako G, Tsai CM, Slomiany BL, Herp A, Elin RJ: Modification of the chemical composition and structure of the U.S. Reference Standard Endotoxin (RSE) by ⁶⁰Co radiation. *Radiat Res* 1986; 105(3): 283-95.
99. Csako G, Suba EA, Tsai CM, Mocca LF, Elin RJ: Dose-dependent changes in the antigenicity of bacterial endotoxin exposed to ionizing radiation. *J Clin Lab Immunol* 1987; 24(4): 193-8.
100. Laitinen S, Kangas J, Kotimaa M, et al.: Workers' exposure to airborne bacteria and endotoxins at industrial wastewater treatment plants. *Am. ind. Hyg. Assoc. J.* 1994; 55(11): 1055-1060.

- 101.** Teeuw KB, Vandenbroucke-Grauls CM, Verhoef J: Airborne gram-negative bacteria and endotoxin in sick building syndrome. A study in Dutch governmental office buildings. *Arch Intern Med* 1994; 154(20): 2339-45.
- 102.** Thorne PS, Reynolds SJ, Milton DK, et al.: Field evaluation of endotoxin air sampling assay methods. *Am Ind Hyg Assoc J* 1997; 58(11): 792-9.
- 103.** Walters M, Milton D, Larsson L, Ford T: Airborne environmental endotoxin: a cross-validation of sampling and analysis techniques. *Applied and Environmental Microbiology* 1994; 60(3): 996-1005.
- 104.** Laitinen SK: Importance of sampling, extraction and preservation for the quantitation of biologically active endoto. *Ann Agric Environ Med* 1999; 6(1): 33-38.
- 105.** Rylander R, Morey P: Airborne endotoxin in industries processing vegetable fibers. *Am. Ind. Hyg. Assoc. J.* 1982; 43(11): 811-812.
- 106.** Netherlands HCot: Endotoxins. . Rijswijk: Health Council of the Netherlands: Dutch Expert Committee on Occupational Standards (DECOS), 1998; 1-82.
- 107.** Brown JS: An ultrasonic cleaning bath in general practice. *Practitioner* 1988; 232(1446): 377.
- 108.** Burkhart NW, Crawford J: Critical steps in instrument cleaning: removing debris after sonication. *J Am Dent Assoc* 1997; 128(4): 456-63.
- 109.** Novitsky TJ: Standard Curves: Long vs. Short; Curved vs. Straight-Which is better? *LAL Update* 1998 12/98; 4.
- 110.** Milton DK: Personal Communication. , 1998.
- 111.** Administration FaD: Limulus Amebocyte, Additional Standards. *Fed. Reg.* 38, vol Part 273. USA, 1973; 26130-26132.
- 112.** McCullough KZ: Variability in the LAL test. *Journal of Parenteral Science and Technology* 1990; 44(1): 19-21.
- 113.** Piotrowicz BI, McCartney AC: Chromogenic Limulus amoebocyte lysate assay for endotoxin: comparison of three commercial products. *Med Lab Sci* 1987; 44(1): 89-91.
- 114.** Nawata M, Minobe S, Hase M, Watanabe T, Sato S, Tosa T: Specific assay for endotoxin using immobilized histidine, Limulus amoebocyte lysate and a chromogenic substrate. *Journal of Chromatography* 1992; 597(1-2): 415-424.
- 115.** Milton DK: Reduction of Sample and LAL-Reagent Volume., *Personal Correspondence*, 2001.
- 116.** Urbaschek B: [The pathogenetic significance of endotoxins in infections with gram negative bacteria (proceedings)]. *Zentralbl Bakteriol [Orig A]* 1976; 235(1-3): 26-35.
- 117.** Donham K, Haglund P, Peterson Y, Rylander R, Belin L: Environmental and health studies of farm workers in Swedish swine confinement buildings. *Br J Ind Med* 1989; 46(1): 31-7.
- 118.** Herbert A, Carvalheiro M, Rubenowitz E, Bake B, Rylander R: Reduction of alveolar-capillary diffusion after inhalation of endotoxin in normal subjects. *Chest* 1992; 102(4): 1095-8.
- 119.** Kennedy SM, Christiani DC, Eisen EA, et al.: Cotton dust and endotoxin exposure-response relationships in cotton textile workers. *Am Rev Respir Dis* 1987; 135(1): 194-200.