

7. Literatur

1. AAOS: The Bulletin of the American Academy of Orthopaedic Surgeons. 2000; 48: 6
2. Aglietti P, Baldini A, Buzzi R, Lup D, De Luca L: Comparison of mobile-bearing and fixed-bearing total knee arthroplasty. *J Arthroplasty* 2005; 20: 145-153
3. Altmann R, Asch E, Bloch D, Bole G, Borenstein D, Brandt K, Christy W, Cooke TD, Greenwald R, Hochberg M: Development of criteria for the classification and reporting of osteoarthritis. *Arthritis Rheum* 1986; 29: 1039-1049
4. Amstutz H, Campbell P, Kossovsky N, Clarke I: Mechanism and clinical significance of wear debris-induced osteolysis. *Clin Orthop* 1992; 276: 7-17
5. Baer W: Arthroplasty with the aid of animal membrane. *Am J Orthop Surg* 1918; 16: 171
6. Barnes LC, Scott RD: Der unikondyläre Gelenkersatz. in: Eulert J, Hassenpflug J: *Praxis der Knieendoprothetik*. Springer Verlag, Berlin Heidelberg, 97-106, 2001
7. Bengtson S, Knutson K: The infected knee arthroplasties. A 6-year follow-up of 357 cases. *Acta Orthop Scand* 1991; 62: 301-311
8. Black J: The future of polyethylene. *J Bone Joint Surg* 1987; 60(B): 303-306
9. Black J: An overview of the biological performance of materials for orthopaedic implants. *Bull Hosp Joint Dis* 1997; 38: 65-66
10. Blauth W, Donner K: Zur Geschichte der Arthroplastik. *Z Orthop* 1979; 117: 997-1006
11. Blömer W: Knieendoprothetik. Herstellerische Probleme und technologische Entwicklungen. *Orthopäde* 2000; 29: 688-696
12. Brodie BC: *Pathologische und chirurgische Beobachtungen über die Krankheiten der Gelenke*. Hahn Verlag, Hannover, 1821
13. Buchelt M, Liskutin J, Wanivenhaus A: Gleitachsenendoprothese bei schweren instabilen Gonarthrosen und als Revisionsprothese. *Z Orthop* 1996; 134: 246-253
14. Büchel FF, Pappas MJ: The New Jersey Low Contact Stress Knee Replacement System: Biomechanical rationale and review of the first 123 cemented cases. *Arch Orthop Trauma Surg* 1986; 105: 197-204

15. Büchel FF, Pappas MJ: New Jersey Low Contact Stress knee replacement system: Ten-Year Evaluation of Meniscal Bearings. *Orthop Clin North Am* 1989; 20: 147-177
16. Campell W: Interposition of vitallium plates in arthroplasties of the knee, Preliminary report. *Am J Surg* 1940; 639-641
17. Charnley J: The bonding of prosthesis to bone by cement. *J Bone Joint Surg* 1964; 46(B): 518-529
18. Charnley J: The long-term results in low friction arthroplasty as a primary intervention. *J Bone Joint Surg* 1972; 54(B): 61-76
19. Charnley J: Low friction arthroplasty of the hip. Springer Verlag, Berlin, Heidelberg, NewYork, 1979
20. Chiu KY, Ng TP, Tang WM, Lam P (2001): Bilateral total knee arthroplasty: one mobile-bearing and one fixed-bearing. *J Orthop Surg* 9: 45-50
21. Confalonieri N, Manzotti A, Pullen C (2004): Comparison of a mobile with a fixed tibial bearing unicompartimental knee prosthesis: a prospective randomized trial using a dedicated outcome score. *Knee* 11: 357-362
22. Dennis DA, Komistek EF, Colwell CE, Ranawat CS, Scott RD, Thornhill TS, Lapp MA: In vivo anteroposterior femorotibial translation of total knee arthroplasty: a multicenter analysis. *Clin Orthop* 1998; 356: 47-57
23. DePalma AF: Diseases of the knee. JB Lippincott Co, Philadelphia, London, Montreal, 1954
24. Dörre E, Dawhil W: Mechanical and tribological properties of ceramic endoprostheses (totalhips). *Biomed Tech* 1978; 23: 305-310
25. Dorn U, Kiss H: Zementiert - Zementfrei? in: Eulert J, Hassenpflug J: Praxis der Knieendoprothetik. Springer Verlag, Berlin Heidelberg, 159-167, 2001
26. Drees P, Decking J, Freijawi N, Delank S, Kreitner KF, Eckardt A: Arthrose und Osteoporose. Wirklich eine inverse Relation? *Z Orthop* 2005; 143: 161-169
27. Eckhardt H, Braunsperger OJ: Nachuntersuchung unserer Schlittenendoprothesen nach 8-11 Jahren. Analyse der Fehlschläge, Darstellung der Rückzugsmöglichkeiten. *Orthopäde* 2000; 29 (Suppl.1): 16-18
28. Felli L, Rainuzzi R, Pegoli L, Pipino F: The TACK knee prosthesis. Analayis of a uniform case series. *Orthopäde* 29 (Suppl.): 34-37
29. Felson DT: Osteoarthritis. *Rheum Dis Clin North Am* 1990; 16: 499-512

30. Felson DT, Zhang Y: An update on the epidemiology of knee and hip osteoarthritis with a view to prevention. *Arthritis Rheum* 1998; 41: 1343-355
31. Felson TD, Lawrence RC, Dieppe PA, Hirsch R, Helmick CG, Jordan JA, Kington RS, Lane NE, Nevitt MC, Zhang Y, Sowers M, McAlindon T, Spector TD, Poole AR, Yanovski SZ, Brandt KD, Fries JF: Orthoarthritis: New Insights. Part I: The disease and its risk factors. *Ann Intern Med* 2000a; 133: 635-646
32. Felson TD, Lawrence RC, Hochberg MC, McAlindon T, Dieppe PA, Minor MA, Blair SN, Berman BM, Fries JF, Weinberger M, Lorig KR, Jacobs JJ, Goldberg V: Osteoarthritis: New Insights, Part 2: Treatment Approaches, *Ann Intern Med* 2000b; 133: 726-737
33. Freund DA, Dittus RS: Assessing and improving outcome of total knee replacement: final report/Patient Outcome Research Team (PORT). AHCPR Publication-No. 97-N 015, 1997
34. Freeman MA, Todd RC, Bamert P, Day WH: ICLH arthroplasty of the knee: 1968-1977. *J Bone Joint Surg* 1978; 60(B): 339-344.
35. Freeman MA, Bradley GW, Revell PA: Observations upon the interface between bone and polymethylacrylate cement. *J Bone Joint Surg* 1982; 64(B): 489-493
36. Freeman MAR, MacInnes T, Revell PA: The histology of "reactive lines" in well-fixed components. *J Arthroplasty* 2003; 18: 224-226
37. Frick H, Leonhardt H, Starck D: Allgemeine Anatomie. Spezielle Anatomie I, Thieme Verlag, Stuttgart, Band 1, 364-365, 1992
38. Früh HJ, Ascherl R, Hipp E: Tribological properties of carbon fiber-reinforced plastic. Experimental and clinical results. *Orthopäde* 1997; 26: 152-159
39. Fuchs G: Totale Kniegelenkrotationsendoprothesen. *Orthopäde* 2000; 29 (Suppl.1): 48-49
40. Fuchs S, Jerosch J: Knieendoprothetik - eine Standortbestimmung. *Unfallchirurg* 1996; 99: 958-963
41. Gesundheitsbericht für Deutschland, 1998
42. Gleeson RE, Evans R, Ackroyd CE, Newman JH: Fixed or mobile bearing unicompartmental knee replacement? A comparative cohort study. *Knee* 2004; 11: 379-384
43. Goodfellow J, O'Connor J: The mechanics of the knee and prosthesis design. *J Bone Joint Surg* (1978); 60(B): 358-369

44. Grodzki T, Haak H, Behrent R, Merk H, Krauspe R: Prospektiv randomisierte Vergleichsstudie frühfunktioneller Ergebnisse zweier Kniegelenksendoprothesensysteme - Rotationsplateau versus fixiertes Polyethyleninlay. *Z Orthop* 2001; 139: 393-396
45. Grood E, Suntay W: A joint coordinate system for the clinical description of three-dimensional motions: application to the knee. *J Biomech Eng* 1983; 105: 136-144
46. Gunston FH: Polycentric knee arthroplasty. Prosthetic simulation of normal knee movement. *J Bone Joint Surg* 1971; 53(B): 272-277
47. Haas BD, Komistek RD, Dennis DA: In vivo kinematics of the low contact stress rotating platform total knee. *Orthopedics* 2002; 25 (Suppl. 2): 219-226
48. Hackenbroch M: Die Arthrosis deformans der Hüfte. Thieme Verlag, Leipzig, 1943
49. Hackenbroch M: Arthrosen. Basiswissen zu Klinik, Diagnostik und Therapie. Thieme Verlag, Stuttgart, 29-45, 2002
50. Hamelynck KJ: Vor- und Nachteile mobiler Komponenten in der Kniegelenktotalendoprothetik. in: Eulert J, Hassenpflug J: Praxis der Knieendoprothetik, Springer Verlag, Berlin Heidelberg, 129-135, 2001
51. Hanslik L, Scholz J: Die Bedeutung der Form und Oberflächengestaltung für die Stabilität zementfrei implantierter Gelenkprothesen. *Biomed Tech* 1983; 28: 292-297
52. Harman MK, Markovich Gd, Banks SAS, Hodge WA: Wear patterns on tibial plateau from varus and valgus osteoarthritic knees. *Clin Orthop* 1998; 352: 149-158
53. Hedley A, Gruen T, Ruoff D: Revision of failed total hip arthroplasties with un cemented porous-coated anatomic components. *Clin Orthop* 1988; 235: 79-90
54. Hellwig CW: Knieschlittenendoprothesen (Ergebnisse von 104 Implantationen in 15 Jahren). Med. Diss. Universität Ulm, 1990
55. Holmberg S, Thelin A, Thelin N: Knee osteoarthritis and body mass index: a population-based case-control study. *Scand J Rheumatol* 2005; 34: 59-64
56. Huang CH, Ma HM, Lee YM, Ho FY: Long-term results of low contact stress mobile-bearing total knee replacements. *Clin Orthop Rel Res* 2003; 416: 265-270
57. Insall JN, Ranawat CS, Scott WN, Walker P: Total condylar knee replacement: preliminary report 1976. *Clin Orthop Rel* 2001; 388: 3-6
58. Insall JN, Tria AJ, Scott WN: The total condylar knee prosthesis: the first 5 years. *Clin Orthop* 1979; 145: 68-77

59. Insall JN, Lachiewicz PF, Burstein AH: The posterior stabilized condylar prosthesis: a modification of the total condylar design. *J Bone Joint Surg* 1982; 64(A): 1317-1323
60. Insall JN, Dorr LD, Scott R, Scott WN: Rationale of the knee society clinical rating system. *Clin Orthop* 1989; 248: 13-14
61. Jakob RP, Stäubli HU: Kniegelenk und Kreuzbänder. Springer, Berlin, Heidelberg, 1990
62. Kaper BP, Smith PN, Bourne RB, Rorabeck CH, Robertson D: Medium term results of a mobile bearing total knee replacement. *Clin Orthop* 1999; 367: 201-209
63. Kaufmann J, Mueller A, Voigt A, Carl HD, Gursche A, Zacher J, Stein G, Hein G: Hydroxypyridinium collagen crosslinks in serum, urine, synovial fluid and synovial tissue in patients with rheumatoid arthritis compared with osteoarthritis. *Rheumatology* 2003; 42: 314-320
64. Keblish PA, Schrei C, Ward M: Evaluation of 275 Low Contact Stress (LCS) total knee replacements with 2- to 8-year follow up. *Orthop Int* 1993; 1: 168-174
65. Klüber D, Baars GW: Metal-backed Schlittenendoprothese. Indikationen und Ergebnisse. *Orthopäde* 2000; 29 (Suppl.) 11-15
66. Knutson K, Lindstrand A, Lidgren L: Survival of knee arthroplasties: A nation-wide multicentre investigation of 8000 cases. *J Bone Joint Surg* 1986; 68(B): 795-803
67. König A, Scheidler M, Rader C, Haase M, Eulert J: Ist die Verwendung des Knee Society Roentgenographic Evaluation and Scoring System zur radiologischen Kontrolle von Knieendoprothesen sinnvoll? *Z Orthop* 1998; 136: 70-76
68. Komistek RD, Dennis DA, Mabe JA: Die in-vivo-Bestimmung der patellofemorale Entkoppelung und der linearen Impulskräfte. *Orthopäde* 1998; 27: 612-618
69. Kohn D, Rupp S: Alloarthroplastik des Kniegelenkes. *Orthopäde* 1999; 27: 975-995
70. Kreuzsch-Brinker R: Komplette Oberflächenersatz-TEP des Knies. Differenzierte Indikation. *Orthopäde* 2000; 29 (Suppl.1): 19-24
71. Kummer B: Anatomie und Biomechanik des Kniegelenkmensiscus. *Langenbecks Arch Chir* 1987; 372: 241-246
72. Lanz J, Wachsmuth W: Praktische Anatomie: Bein und Statik. Springer Verlag, Berlin, 1972
73. Lidgren L, Knutson K, Robertson O: Annual Report 2004. The Swedish Knee Arthroplasty Register, SKAR.

74. Haas BD, Komistek RD, Dennis DA: In vivo kinematics of the low contact stress rotating platform total knee. *Orthopedics* 2002; 25 (Suppl.): 219-226
75. MacIntosh DL: Hemiarthroplasty of the knee using a space occupying prosthesis for painful varus and valgus deformities. *J Bone Joint Surg* 1958; 40(A): 1431
76. Madry H, Kohn D: Konservative Therapie der Kniegelenkarthrose. *Unfallchirurg* 2004; 107: 689-700
77. Machertz F: Guepar total knee prosthesis. *Clin.Orthop* 1973; 94: 211-221
78. Majnoni d'Intignano JM: Articulations totales en résine acrylique. *Rev Orthop* 1950; 36: 535-537
79. McKeever D: Patellar prosthesis. *J Bone Joint Surg* 1955; 37(A): 1074-1084
80. McKeever D: The Classic Tibial Plateau Prosthesis. *Clin Orthop* 1985; 192: 3-12
81. Mehrotra C, Remington PL, Naimi TS, Washington W, Miller R: Trends in total knee replacement surgeries and implications for public health, 1990-2000. *Public Health Report* 2005; 120: 278-282
82. Menschik A: Mechanik des Kniegelenkes. 1. Teil. *Z Orthop* 1974; 112: 481-495
83. Menschik A: Die Kinematik des Kniegelenkes und Hinweise auf den allgemeinen gesetzmäßigen Aufbau der Wirbeltiergelenke. *Hefte Unfallheilkd* 1975; 126; 212-220
84. Menschik A: Einführung in die Kinematik des Kniegelenkes unter Berücksichtigung allgemeiner Gesichtspunkte. *Akt Probl Chir Orthop* 1981; 15: 10-18
85. Merle d'Aubigne R: Cotation chiffrée de la fonction de la hanche. *Rev Chir Orthop* 1990; 76: 371-374
86. Meyer H: Die Mechanik des Kniegelenkes. *Arch Anat Physiol Wiss Med* 1853; 497-547
87. Mittelmeier W, Hauschild M, Gradinger R: Knieendoprothesen - Fortschritte und Fragen. *Fortschr Med* 1999; 117: 91-99
88. Mockel G, Perka C, Gäbler J, Zippel H: Frühfunktionelle postoperative Unterschiede zwischen Knieendoprothesen mit rotierendem und festem Gleitlager - eine ganganalytische Studie. *Z Orthop* 2004; 142: 40-45
89. Murray D: Total knee replacement with a variable axis knee prosthesis. *Orthop Clin North Am* 1982; 13: 155-172

90. Murray D: History of total knee replacement. Laskin RS: Total Knee Replacement. Springer Verlag, London, 3-15, 1991
91. Netter F: Netters Orthopädie. Thieme Verlag, Stuttgart, 302-310, 2001
92. Noyes F, Grood E, Torzilli P: Current concepts review. The definitions of terms for motion and position of the knee and injuries of the ligaments. J Bone Joint Surg 1989; 71(A): 465-472
93. Oakeshott R, Stiehl JB, Komistek RA, Anderson DT, Haas BD: Kniematic analysis of a posterior cruciate retaining mobile-bearing total knee arthroplasty. J Arthroplasty 2003; 18: 1029-1037
94. Oehme S, Plaaß U: 10 Jahre Erfahrung mit der PFC-Knieendoprothese. Orthopäde 2000; 29 (Suppl.): 28-53
95. Oliviera SA, Felson DT, Reed JI, Cirillo PA, Walker AM: Incidence of symptomatic hand, hip and knee osteoarthritis among patients in a maintenance organization. Arthritis Rheum 1995; 38: 1134-1141
96. Ostendorf U, Bloebaum R, Dufek P: Knochenintegration der Metallspongiosa II (ESKA). Qualitative und quantitative Analyse. Orthop Prax 2001; 25: 99-102
97. Pappas MJ: In-vitro testing of New Jersey knee replacement system and incongruent knee prosthesis using the New Jersey knee simulator. Biomedical Engineering Corp. Report, Appendix I, "Stress Calculations.", January 1979
98. Pinskerova V, Iwaki H, Freeman MAR: The shapes and relative movements of the femur and tibia at the knee. Orthopäde 2000; 29: 3-5
99. Pinskerova V, Iwaki H, Freeman MAR: The shapes and relative movements of the femur and tibia in the unloaded cadaveric knee: a study using MRI as an anatomic tool. in: Insall JN, Scott WN (Eds.): Surgery of the knee. 3rd Edition, Churchill Livingstone, New York, 255-283, 2001
100. Platt G, Pepler C: Mould Arthroplasty of the Knee. A Ten-Year Follow-up Study. J Bone Joint Surg 1969; 51(B): 76-87
101. Pope H, Fleming B: Knee Biomechanics and Materials. in: Laskin R: Total knee replacement, Springer Verlag, New York, 25-39, 1990
102. Price AJ, Rees JL, Beard D, Juszczak E, Carter S, White S, de Steiger R, Dodd FAF, Gibbons M, McLardy-Smith P, Goodfellow JW, Murray DW: A mobile-bearing total knee prosthesis compared with a fixed-bearing prosthesis. J Bone Joint Surg 2003; 85(B): 62-67

103. Pullig O, Pfander D, Swoboda B: Molekulare Grundlagen der Arthroseinduktion und -progression. *Orthopäde* 2001; 30: 825-833
104. Putti V: Arthroplasty. *Am J Orthop Surg* 1921; 19: 421
105. Ranawat CS, Shine JJ: Duocondylar total knee arthroplasty. *Clin Orthop* 1973; 94: 185-195
106. Ranawat AS, Rossi R, Lorti I, Rasquinha VJ, Rodriguez JA, Ranawat CS: Comparison of the PFC Sigma fixed-bearing and rotating-platform total knee arthroplasty in the same patient. Short-term results. *J Arthroplasty* 2004; 19: 35-39
107. Rauschmann MA, Habermann B, Thomann KD: Der Weg vom Malum coxae senile zum Begriff der Arthrosis deformans. *Orthopäde* 2001; 30: 815-824
108. Rees JL, Beard DJ, Price AJ, Gill HS, McLardy-Smith P, Dodd CAF, Murray DW: Real in vivo kinematic differences between mobile-bearing and fixed-bearing total knee arthroplasties. *Clin Orthop Rel Res* 2005; 432: 204-209
109. Rice JC, Cowin SC, Bowman JA: On the dependence of the elasticity and strength of cancellous bone on apparent density. *J Biomech* 1988; 21: 155-168
110. Riedel J: Langzeitergebnisse nach Implantation der zementfrei zu verankern- den metallspöngiösen S&G Gleitachsenendoprothese. Med. Diss., Universität Berlin, 1996
111. Ritschl P, Zweymüller K, Lukeschitsch G: Analyse und Ergebnisse nach Austauschoperationen von gelockerten zementierten Hüftendoprothesen. *Z Orthop* 1986; 124: 256-261
112. Röhrli SM: Wear and Fixation of the Acetabular Component. In vivo evaluation of different polyethylenes and modes of fixation in total hip arthroplasty. Orthopaedics Department of Surgical and Perioperative Sciences, Umea, Sweden, 2004
113. Salzmann G: Patientenauswahl und Differentialindikation. Eulert J, Hassenpflug J: Praxis der Knieendoprothetik. Springer Verlag, Berlin Heidelberg, 1-4, 2001
114. Sansone V, Da Gama-Malcher M: Mobile-bearing total knee prosthesis. A 5- to 9-year follow-up of the first 110 consecutive arthroplasties. *J Arthroplasty* 2004; 19: 678-685
115. Schunck J, Jerosch J: Knieendoprothetik. Mobiles vs. fixes Gleitlager. *Orthopäde* 2003; 32: 477-483
116. Schroeder-Boersch H: Gelenkmechanik und das Design moderner Knieprothesen - Zeit zum Umdenken! *Z Orthop* 2001; 139: 3-7

117. Scott RD: Duopatellar total knee replacement: the Brigham experience. *Orthop Clin North Am* 1982; 13: 89-102
118. Scott RD, Thornhill TS: Press-fit condylar total knee replacement. *Orthop Clin North Am* 1989; 20: 89-95
119. Shaw NE, Chatterlee RK: Manchester knee arthroplasty. *J Bone Joint Surg* 1978; 60(B): 310-314
120. Shiers G: Arthroplasty of the knee: Preliminary report of a new method. *J Bone Joint Surg* 1954; 36: 553
121. Simon JP, Fabry G.: An overview of implant materials. *Acta Orthop Belg* 1991; 57: 1-5
122. Stiehl JB, Voorhorst PE: Total knee arthroplasty with a mobile-bearing prosthesis: comparison of retention and sacrifice of the posterior cruciate ligament in cementless implants. *Am J Orthop* 1999; 4: 223-228
123. Streicher RM, Thomsen M: Polyethylen als Implantatwerkstoff. *Orthopäde* 2003; 32: 23-31
124. Stuhler T: Kritische Gedanken zur unicondylären Knieprothese. *TraumaLinc* 2000; 2: 4-12
125. Stukenburg-Colsman C, Ostermeier S, Hurschler C, Wirth CJ: Tibiofemoral contact stress after total knee arthroplasty. Comparison of fixed and mobile-bearing inlay designs. *Acta Orthop Scand* 2002; 73: 638-646
126. Swoboda B: Aspekte der epidemiologischen Arthroseforschung. *Orthopäde* 2001; 30: 834-840
127. Swoboda B, Kladny B, Liebig K: Fortgeschrittene Gonarthrose: was läßt sich operativ erreichen? *Geriatric Praxis* 1998; 12: 27-32
128. Teichthal AJ, Wluka AE, Proietto J, Cicuttini FM: Obesity and the female sex, risk factors for knee osteoarthritis that may be attributable to systemic or local leptin biosynthesis and its cellular effects. *Med Hypotheses* 2005; 65: 312-315
129. Thomas W, Bove F, Scholz J, Grundei H: Maßnahmen zur biomechanisch korrekten Positionierung von Kniegelenkendoprothesen. *Biomed Tech* 1999; 44: 339-344
130. Thomsen M, Everbeck V: Von Abrieb, Korrosion und Reibung. *Orthopäde* 2003; 32:1

131. Todo S, Kadoya Y, Moilanen T, Kobayashi A, Yamano Y, Iwaki H, Fremann MA: Anteroposterior and rotational movement of femur during knee flexion. *Clin Orthop* 1999; 362: 162-170
132. Townley C: Articular-plate replacement arthroplasty for the knee joint. *Clin Orthop* 1964; 36: 77-85
133. Townley C: Total knee arthroplasty. A personal retrospective and prospective review. *Clin Orthop* 1988; 236: 8-22
134. Townley C: The anatomic total knee: Rational surgical technique and long term results. Presented at AAOS Annual Meeting, Anaheim, 1993
135. Vertullo CJ, Easley ME, Scott WN, Insall JN: Mobile bearings in primary knee arthroplasty. *J Am Acad Orthop Surg* 2001; 9: 355-364
136. Virchow R: Zur Geschichte der Arthritis deformans. *Arch pathol Anat Physiol klin Med* 1969; 47: 298-303
137. Walldius B: Arthroplasty of the knee joint using an acrylic prosthesis. *Acta Orthop Scand* 1953; 21: 21
138. Wang H, Simpson KJ, Chamnongkitch S, Kinsey T, Mahoney OM: A biomechanical comparison between the single-axis and multi-axis total knee arthroplasty systems for the stand-to-sit movement. *Clin Biomech* 2005; 20: 428-433
139. Watanabe T, Yamazaki T, Sugamoto K, Tomita T, Hashimoto H, Maeda D, Tamura S, Ochi T, Yoshikawa H: In vivo kinematics of mobile-bearing knee arthroplasty in deep knee bending motion. *J Orthop Res* 2004; 22: 1044-1049
140. Watanabe T, Tomita T, Fujii M, Hashimoto J, Sugamoto K, Yoshikawa H: Comparison between mobile-bearing and fixed-bearing knees in bilateral total knee replacements. *Int Orthop* 2005; 29: 179-181
141. Waugh W: Knee Replacement 1978. *J Bone Joint Surg* 1978; 60(B): 301-303
142. Wessinghage D: Themistokles Gluck. 100 years artificial joint replacement. *Z Orthop* 1991; 129: 383-388
143. Willert HG, Semlitsch M, Peltier LF: Tissue reactions to plastic and metallic wear products of joint endoprostheses. *Clin Orthop* 1996; 1: 4-14
144. Wirth CJ: Degenerative Erkrankungen, Praxis der Orthopädie. Thieme Verlag, Stuttgart, Band II, 515-526, 2001
145. Witt A, Rettig H, Schlegel K: Orthopädie in Praxis und Klinik. Spezielle Orthopädie. Verlag Hans Huber, Band VII, Teil 1, 7.1-7.19, 1987

146. Witzel U: Biomechanische und tribologische Aspekte der Kniegelenkendoprothetik. in: Eulert J, Hassenpflug J: Praxis der Knieendoprothetik. Springer Verlag, Berlin Heidelberg, 19-32, 2001
147. Wolff J.: Das Gesetz der Transformation der Knochen. Hirschwald Verlag, Berlin, 1892
148. Woolson ST, Northrop GD: Mobile- vs. fixed-bearing total knee arthroplasty. A clinical and radiologic study. J Arthroplasty 2004; 19: 135-140
149. Young H: Use of a hinged Vittalium Prosthesis for arthroplasty of the knee. J Bone Joint Surg 1963; 45(A): 1627-1642
150. Zhang Y, McAlindon TE, Hannan MT, Chaisson CE, Klein R, Wilson PW, Felson DT: Estrogen replacement therapy and worsening of radiographic knee osteoarthritis: The Framingham Study. Arthritis Rheum 41: 1867-1873
151. Zinck M, Sellckau R (2000): Rotationsknieendoprothese ENDO-Modell. Geführter Oberflächenersatz mit Sti(e)l. Orthopäde 29 (Suppl.): 38-42