

8 Literaturverzeichnis

- [1] G. F. Joyce, L. E. Orgel, in R. F. Gesteland, J. F. Atkins (Eds.): *The RNA World*, Cold Spring Harbor Laboratory Press, New York 1993, p. 1-25.
- [2] S. Altman; Enzymatische Spaltung von RNA durch RNA (Nobel-Vortrag), *Angew. Chemie* **1990**, *102*, 735-744.
- [3] T. R. Cech; Selbstspießen und enzymatische Aktivität einer intervenierenden Sequenz der RNA von Tetrahymena (Nobel-Vortrag), *Angew. Chemie* **1990**, *102*, 745-755.
- [4] R. G. Kumelis, L. W. McLaughlin; Mechanisms of ribozyme-mediated RNA cleavage, *Chem. Rev.* **1998**, *98*, 1027-1044.
- [5] R. G. Pearson; Acids and bases, *Science* **1966**, *151*, 172-177.
- [6] R. H. Symons; Plant pathogenic RNAs and RNA catalysis, *Nuc. Acids Res.* **1997**, *25*, 2684-2689.
- [7] G. A. Prody, J. T. Bakos, J. M. Buzayan, I. R. Schneider, G. Bruening; Autolytic processing of dimeric plant virus satellite RNA, *Science* **1986**, *231*, 1577-1580.
- [8] D. E. Ruffner, G. D. Stormo, O. C. Uhlenbeck; Sequence requirement of the hammerhead RNA self-cleavage reaction, *Biochemistry* **1990**, *29*, 10695-10702.
- [9] D. B. McKay; Structure and function of the hammerhead ribozyme: a unfinished story, *RNA* **1996**, *2*, 395-403.
- [10] K. J. Hertel, A. Pardi, O. C. Uhlenbeck, M. Koizumi, E. Ohtsuka, S. Uesugi, R. Cedergren, F. Eckstein, W. L. Gerlach, R. Hodgson, R. H. Symons; Numbering system for the Hammerhead Ribozyme, *Nuc. Acids Res.* **1992**, *20*, 3252.
- [11] S. C. Dahm, O. C. Uhlenbeck; Role of divalent methyl ions in the hammerhead RNA cleavage reaction, *Biochemistry* **1991**, *30*, 9464-9469.
- [12] M. Warashina, Y. Tagaki, S. Sawata, D. M. Zhou, T. Kuwabara, K. Taira; Entropically driven enhancement of cleavage activity of a DNA-armed hammerhead ribozyme: mechanism of action of hammerhead ribozymes, *J. Org. Chem.* **1997**, *62*, 9138-9147.
- [13] B. W. Pontius, W. B. Lott, P. H. v. Hippel; Observations on catalysis by hammerhead ribozymes are consistent with a two-divalent-metal-ion mechanism, *Biochemistry* **1997**, *94*, 2290-2294.
- [14] A. L. Feig, G. E. Ammons, O. C. Uhlenbeck; Cryoenzymology of the hammerhead ribozyme, *RNA* **1998**, *4*, 1251-1258.
- [15] R. A. Torres, T. C. Bruice; Molecular dynamics study displays near in-line attack conformations in the hammerhead ribozyme self-cleavage reaction, *Proc. Natl. Sci. USA* **1998**, *95*, 11077-11082.
- [16] D.-M. Zhou, Q.-C. He, J.-M. Zhou, K. Taira; Explanation by a putative triester-like mechanism for the thio effects and Mn²⁺ rescues in reactions catalyzed by a hammerhead ribozyme, *FEBS letters* **1998**, *431*, 154-160.
- [17] W. B. Lott, B. W. Pontius, P. H. von Hippel; A two-metal ion mechanism operates in the hammerhead ribozyme-mediated cleavage of an RNA substrate, *Proc. Natl. Acad. Sci. USA* **1998**, *95*, 542-547.

- [18] D.-M. Zhou, L.-H. Zhang, K. Taira; Explanation by the double-metal-ion mechanism of catalysis for the differential metal ion effects on the cleavage rates of 5'-oxy and 5'-thio substrates by a hammerhead ribozyme, *Proc. Natl. Acad. Sci. USA* **1997**, *94*, 14343-14348.
- [19] M. Kataoka, Y. Hayakawa; A convenient method for the synthesis of N-free 5'-O-(p,p'-dimethoxytrityl)-2'-deoxyribonucleotides via the 5'-O-selective tritylation of the parent substances, *J. Org. Chem.* **1999**, *64*, 6087-6089.
- [20] D. B. McKay, J. E. Wedekind, *The RNA World*, Cold Spring Harbor Laboratory Press **1999**, p. 265-286.
- [21] B. Murray, H. Szöke, A. Szöke, W. G. Scott; Capture and visualization of a catalytic RNA enzyme-product complex using crystal lattice trapping and X-ray holographic reconstruction, *Mol. Cell* **2000**, *5*, 279-287.
- [22] W. G. Scott, J. B. Murray, J. R. P. Arnold, B. L. Stoddard, A. Klug; Capturing the structure of a catalytic RNA intermediate: the hammerhead ribozyme, *Science* **1996**, *274*, 2065-2069.
- [23] W. G. Scott, J. T. Finch, A. Klug; The crystal structure of an all-RNA hammerhead ribozyme: a proposed mechanism for RNA catalytic cleavage, *Cell* **1995**, *81*, 991-1002.
- [24] J. B. Murray, D. P. Terwey, L. Maloney, A. Karpeisky, N. Usman, L. Beigelmann, W. G. Scott; The structural basis of hammerhead ribozyme self-cleavage, *Cell* **1998**, *92*, 665-673.
- [25] A. L. Feig, W. G. Scott, O. C. Uhlenbeck; Inhibition of the hammerhead ribozyme cleavage reaction by site-specific binding of Tb(III), *Science* **1998**, *279*, 81-84.
- [26] T. Hermann, P. Auffinger, W. G. Scott, E. Westhof; Evidence for hydroxide ion binding two magnesium ions at the site of the hammerhead ribozyme, *Nuc. Acids Res.* **1997**, *25*, 3421-3427.
- [27] H. W. Pley, K. M. Flaherty, D. B. McKay; Three-dimensional structure of a hammerhead ribozyme, *Nature* **1994**, *372*, 68-74.
- [28] M. Zoumadakis, M. Tabler; Comparative analysis of cleavage rates after systematic permutation of the NUX consensus target motif for hammerhead ribozymes, *Nuc. Acids Res.* **1995**, *23*, 1192-1196.
- [29] T. Shimayama, S. Nishikawa, K. Taira; Generality of the NUX rule: kinetic analysis of the results of systematic mutations in the trinucleotide at the cleavage site of hammerhead ribozymes, *Biochemistry* **1995**, *34*, 3649-3654.
- [30] A. R. Kore, N. K. Vaish, U. Kutzke, F. Eckstein; Sequence specificity of the hammerhead ribozyme revisited; the NHH rule, *Nuc. Acid Res.* **1998**, *26*, 4116-4120.
- [31] M. J. Fedor, O. C. Uhlenbeck; Kinetics of intermolecular cleavage by hammerhead ribozymes, *Biochemistry* **1992**, *31*, 12042-12054.
- [32] B. Clouet-D'Orval, O. C. Uhlenbeck; Kinetic characterization of two I/II form hammerhead ribozymes, *RNA* **1996**, *2*, 483-491.
- [33] A. Peracchi, L. Beigelman, S. E.C., O. C. Uhlenbeck, D. Herschlag; Involvement of a specific metal ion in the transition of the hammerhead ribozyme to its catalytic conformation, *J. Biol. Chem.* **1997**, *272*, 26822-26826.
- [34] D. M. Long, F. J. LaRiviere, O. C. Uhlenbeck; Divalent metal ions and the internal equilibrium of the hammerhead ribozyme, *Biochemistry* **1995**, *34*, 14435-14440.
- [35] T. K. Stage-Zimmermann, O. C. Uhlenbeck; Hammerhead ribozyme kinetics, *RNA* **1998**, *4*, 875-889.
- [36] D.-M. Zhou, K. Taira; The hydrolyses of RNA: From theoretical calculations to the hammerhead ribozyme-mediated cleavage of RNA, *Chem. Rev.* **1998**, *98*, 991-1026.

- [37] R. Cosstick, J. S. Vyle; Synthesis and phosphorous-sulfur bond cleavage of 3'-thiothymidyl(3'-5')-thymidin, *J. Chem. Soc., Chem. Comm.* **1988**, 992-993.
- [38] X. Liu, C. B. Reese; 3'-Thiouridylyl-(3'->5')-uridine, *Tetrahedron Lett.* **1996**, 37, 925-928.
- [39] L. B. Weinstein, D. J. Earnshaw, Cosstick, R., T. R. Cech; Synthesis and characterization of an RNA dinucleotide containing a 3'-phosphorothiolate linkage, *J. Am. Chem. Soc.* **1996**, 118, 10341-10350.
- [40] R. Cosstick, J. S. Vyle; Synthesis and properties of dithymidine phosphate analogues containing 3'-thiothymidine, *Nuc. Acid Res.* **1990**, 18, 829-835.
- [41] L. Conway, M. Wickens; Modification interference analysis of reactions using RNA substrates, *Meth. Enzymol.* **1989**, 180, 369-379.
- [42] F. Eckstein; Nucleoside phosphorothioates, *Ann. Rev. Biochem.* **1985**, 54, 367-402.
- [43] D. E. Ruffner, O. C. Uhlenbeck; Thiophosphate interference experiments locate phosphates important for the hammerhead self-cleavage reaction, *Nuc. Acids Res.* **1990**, 18, 6025-6029.
- [44] R. Knöll, R. Bald, J. P. Fürste; Complete identification of nonbridging phosphate oxygens in hammerhead cleavage, *RNA* **1997**, 3, 132-140.
- [45] R. K. Gaur, G. Krupp; Modification interference approach to detect ribose moieties important for the optimal activity of a ribozyme, *Nuc. Acids Res.* **1993**, 21, 21-26.
- [46] L. Ortoleva-Donnelly, M. Kronman, S. A. Strobel; Identifying RNA minor groove tertiary contacts by nucleotide analogue interference mapping with N2-methylguanosine, *Biochemistry* **1998**, 37, 12933-12942.
- [47] S. A. Strobel, K. Shetty; Defining the chemical groups essential for Tetrahymena group I intron function by nucleotide analog interference mapping, *Proc. Natl. Acad. Sci. USA* **1997**, 94, 2903-2908.
- [48] S. A. Strobel; Ribozyme chemogenetics, *Biopolymers* **1998**, 48, 65-81.
- [49] S. A. Strobel; A chemogenetic approach to RNA function/structure analysis, *Curr. Opin. Struc. Biol.* **1999**, 9, 342-356.
- [50] M. Ora, J. Järvi, M. Oivanen, H. Lönnberg; Hydrolytic reactions of the phosphorodithioate analogue of uridylyl(3',5')uridine: kinetics and mechanism for the cleavage, desulfurization, and isomerization of the internucleosidic linkage, *J. Org. Chem.* **2000**, 65, 2651-2657.
- [51] S. P. Ryder, S. A. Strobel; Nucleotide analog interference mapping of the hairpin ribozyme: implications for secondary and tertiary structure formation, *J. Mol. Biol.* **1999**, 291, 295-311.
- [52] S. P. Ryder, S. A. Strobel; Nucleotide analog interference mapping, *Methods* **1999**, 18, 38-50.
- [53] S. L. Beaucage, M. H. Caruthers; Deoxynucleoside phosphoramidites - a new class of key intermediates for deoxypolynucleotide synthesis, *Tet. Lett.* **1981**, 22, 1859-1862.
- [54] S. Sun, A. Yoshida, J. A. Piccirilli; Synthesis of 3'-thioribonucleosides and their incorporation of oligoribonucleotides via phosphoramidites chemistry, *RNA* **1997**, 3, 1352-1363.
- [55] A. M. Ozols, A. V. Azhayev, N. B. Dyatkina, A. A. Krayevsky; Aminonucleotides and their derivatives: VI. A new synthesis of 1,2,5-tri-O-acyl-3-azido-3-deoxy-b-d-ribofuranose, *Communications* **1980**, 557-559.
- [56] X. Li, D. M. Andrews, R. Cosstick; Synthesis of a dinucleoside 3'-S-phosphorothiolate containing 2'-deoxy-3'-thiothymidine, *Tetrahedron* **1992**, 48, 2729-2738.
- [57] Z. Shabarova, A. Bogdanov, *Advanced Organic Chemistry of nucleic acids*, VCH Verlagsgesellschaft, Weinheim 1994.

- [58] B. Sproat, F. Colonna, B. Mullah, D. Tsou, A. Andrus, A. Hampel, R. Vinayak; An efficient method for the isolation and purification of oligoribonucleotides, *Nucleosides & Nucleotides* **1995**, *14*, 255-273.
- [59] C. Vargeese, J. Carter, J. Yegge, S. Krivjansky, A. Settle, E. Kropp, K. Peterson, W. Pieken; Efficient activation of nucleoside phosphoramidites with 4,5-dicyanoimidazole during oligonucleotide synthesis, *Nuc. Acid res.* **1998**, *26*, 1046-1050.
- [60] F. Wincott, A. DiRenzo, C. Shaffer, S. Grimm, D. Tracz, C. Workman, D. Sweedler, C. Gonzalez, S. Scaringe, N. Usman; Synthesis, deprotection, analysis and purification of RNA and ribozymes, *Nuc. Acids Res.* **1995**, *23*, 2677-2684.
- [61] R. E. J. Farrell, *RNA Methodologies: A Laboratory Guide for Isolation and Charakterization*, Academic Press Limited, London 1993.
- [62] G. D. Fasman, *CRC Handbook of Biochemistry and Molecular Biology, Nucleic Acids Volume I*, CRC Press, Cleveland, Ohio 1975.
- [63] D. M. Gray, S. W. Hung, K. H. Johnson; Absorption and circular dichroism spectroscopy of nucleic acid duplexes and triplexes, *Methods Enzymol.* **1995**, *246*, 19-34.
- [64] T. E. England, O. C. Uhlenbeck; 3'-Terminal labeling of RNA with T4 RNA ligase, *Nature* **1978**, *275*, 560-561.
- [65] J. Y. Yang, J. P. Perreault, D. Labuda, N. Usman, R. Cedergren; Mixed RNA/DNA polymers are cleaved by the hammerhead ribozyme, *Biochemistry* **1990**, *29*, 11156-11160.
- [66] H. Tanaka, H. Hosaka, R. Takahashi, Y. Imamura, K. Takai, S. Yokohama, H. Takaku; Importance of specific purine-pyrimidine amino and hydroxyl groups for efficient cleavage by a hammerhead ribozyme, *Nuc. Acids Symp. Ser.* **1993**, 175-176.
- [67] L. Beigelmann, J. A. McSwiggen, K. G. Draper, C. Gonzales, K. Jensen, A. M. Karpeisky, A. S. M. Modak, J. Matulic-Adamic, A. B. DiRenzo, P. Haeberli, D. Sweeler, D. Tracz, S. Grimm, F. E. Wincott, V. G. Thackray, N. Usman; Chemical modification of hammerhead ribozymes. Catalytic activity and nuclease resistance, *J. Biol. Chem.* **1995**, *270*, 25702-25708.
- [68] A. R. Kore, F. Eckstein; Hammerhead ribozyme mechanism: a ribonucleotide 5' to the substrate cleavage site is not essential, *Biochemistry* **1999**, *38*, 10915-10918.
- [69] J. P. Horwitz, J. Chua, Urbanski, J.A., M. Noel; Nucleosides. III. 1-(2'-Deoxy-3',5'-epoxy-b-d-threopentofuranosyl)thymidine, *J. Org. Chem.* **1963**, *28*, 942-944.
- [70] A. Yoshida, S. Sun, J. A. Piccirilli; A new metal ion interaction in the Tetrahymena ribozyme reaction revealed by double sulfur substitution, *Nat. Struct. Biol.* **1999**, *6*, 318-321.
- [71] J. A. Piccirilli, J. S. Vyle, M. H. Caruthers, T. R. Cech; Metal ion catalysis in the Tetrahymena ribozyme reaction, *Nature* **1993**, *361*, 85-88.
- [72] J. S. Vyle, B. A. Connolly, D. Kemp, R. Cosstick; Sequenz- and strand-specific cleavage of oligodeoxyribonucleotides and DNA containing 3'-thiothymidine, *Biochemistry* **1992**, *31*, 3012-3018.
- [73] E. J. Sontheimer, S. Sun, J. A. Piccirilli; Metal ion catalysis during splicing of premessenger RNA, *Nature* **1997**, *388*, 801-805.
- [74] X. Li, G. K. #Scott, A. D. Baxter, R. J. Taylor, J. S. Vyle; Application of the Michaelis-Arbusov reaction to the synthesis of internucleotide 3'-S-phosphorothiolate linkages, *J.Chem. Soc., Perkin Trans. I* **1994**, 2123-2129.

- [75] A. P. Higson, G. K. Scott, D. J. Earnshaw, A. D. Baxter, R. A. Taylor, R. Cosstick; Synthesis and structure of S-nucleosidyl S-aryl disulfides and their reaction with phosphites, *Tetrahedron* **1996**, *52*, 1027-1034.
- [76] J. S. Vyle, X. Li, R. Cosstick; New methods for the synthesis of 3'-S-phosphorothiolate internucleotide linkages, *Tetrahedron Lett.* **1992**, *33*, 3017-3020.
- [77] R. Cosstick, J. S. Vyle; Solid phase synthesis of oligonucleotides containing 3'-thiothymidine, *Tet.Lett.* **1989**, *30*, 4693-4696.
- [78] R. Vinayak, F. Colonna, D. Tsou, B. Mullah, A. Andrus, B. Sproat; Large scale chemical synthesis and purification of RNA, *Nuc. Acids Symp. Ser.* **1994**, *31*, 165-166.
- [79] Y. Hayakawa, M. Kataoka, R. Noyori; Benzimidazolium triflate as an efficient promoter for nucleotide synthesis via the phosphoramidite method, *J. Org. Chem.* **1996**, *61*, 7996-7997.
- [80] J. E. Wedekind, D. B. McKay; Crystallographic Structures of the Hammerhead Ribozyme: Relationship to Ribozyme Folding and Catalysis, *Annu. Rev. Biophys. Biomol. Struct.* **1998**, *27*, 475-502.
- [81] L. Beigelmann, A. Karpeisky, J. Matulic-Adamic, P. Haeberli, D. Sweeler, N. Usman; Synthesis of 2'-modified nucleotides and their incorporation into hammerhead ribozymes, *Nuc. Acid Res.* **1995**, *23*, 4434-4442.
- [82] J. Yang, N. Usman, P. Chartrand, R. Cedergren; Minimum requirement for catalysis by the RNA hammerhead domain, *Biochemistry* **1992**, *31*, 5005-5009.
- [83] G. S. Hammond; A correlation of reaction states, *J. Am. Soc. Chem.* **1955**, *77*, 334-338.
- [84] M. M. P. Ng, F. Benseler, T. Tuschl, F. Eckstein; Isoguanosine substitution of conserved adenosines in the hammerhead ribozyme, *Biochemistry* **1994**, *33*, 12119-12126.
- [85] D. J. Fu, L. W. McLaughlin; Importance of specific adenosine N7-nitrogens for efficient cleavage by a hammerhead ribozyme. A model for magnesium binding, *Biochemistry* **1992**, *31*, 10941-10949.
- [86] D. J. Fu, S. B. Rajur, L. W. McLaughlin; Importance of specific guanosine N7-nitrogens and purine amino groups for efficient cleavage by a hammerhead ribozyme, *Biochemistry* **1993**, *32*, 10629-10637.
- [87] T. Tuschl, M. M. P. Ng, W. Pieken, F. Benseler, F. Eckstein; Importance of exocyclic base functional groups of central core guanosines for hammerhead ribozyme activity, *Biochemistry* **1993**, *32*, 11658-11668.
- [88] J. B. Murray, A. A. Seyhan, N. G. Walter, J. M. Burke, W. G. Scott; The hammerhead, hairpin, and VS ribozymes are catalytically proficient in monovalent cations alone, *Chemistry & Biology* **1998**, *5*, 587-595.