

9 Literaturverzeichnis

- Abels, C., Karrer, S., Baumler, W., Goetz, A. E., Landthaler, M. und Szeimies, R. M. (1998). "Indocyanine green and laser light for the treatment of AIDS-associated cutaneous Kaposi's sarcoma." Br J Cancer 77(6): 1021-4.
- Achilefu, S., Dorshow, R. B., Bugaj, J. E. und Rajagopalan, R. (2000). "Novel receptor-targeted fluorescent contrast agents for in vivo tumor imaging." Invest Radiol 35(8): 479-85.
- Ackermann, G. (2001). Photophysikalische Grundlagen zur Fluoreszenzdiagnostik von Tumoren der Haut. Naturwissenschaftliche Fakultät III- Biologie und Vorklinische Medizin. Regensburg, Universität Regensburg. Dissertation.
- Alsalameh, S., Jerez, R., Bujia, J., Haeupl, T., Kalden, J. R. und Burmester, G. R. (1992). "Role of cytokines and growth factors in joint destruction processes." Rev Med Chil 120(12): 1400-10.
- Andriopoulos, N. A., Mestecky, J., Miller, E. J. und Bennett, J. C. (1976). "Antibodies to human native and denatured collagens in synovial fluids of patients with rheumatoid arthritis." Clin Immunol Immunopathol 6(2): 209-12.
- Ankerst, J., Montàñ, S., Svanberg, K. und Svanberg, S. (1984). "Laser-induced fluorescence studies of hematoporphyrin derivate (HpD) in normal and tumor tissue of rat." Appl Spectrosc 38: 890-96.
- Backhaus, M., Kamradt, T., Sandrock, D., Loreck, D., Fritz, J., Wolf, K., Raber, H., Hamm, B., Burmester, G. und Bollow, M. (1999). "Arthritis of the finger joints: a comprehensive approach comparing conventional radiography, scintigraphy, ultrasound, and contrast-enhanced magnetic resonance imaging." Arthritis & Rheumatism 42(6): 1232-45.
- Backhaus, M., Sandrock, D. und Schmidt, W. A. (2002). "Imaging in rheumatology." Dtsch Med Wochenschr 127(37): 1897-903.
- Bashir, A., Gray, M. L., Boutin, R. D. und Burstein, D. (1997). "Glycosaminoglycan in articular cartilage: in vivo assessment with delayed Gd(DTPA)(2)-enhanced MR imaging." Radiology 205(2): 551-8.
- Baumgartner, R., Huber, R. M., Schulz, H., Stepp, H., Rick, K., Gamarra, F., Leberig, A. und Roth, C. (1996). "Inhalation of 5-aminolevulinic acid: a new technique for fluorescence detection of early stage lung cancer." J Photochem Photobiol B 36(2): 169-74.

- Becker, A., Riefke, B., Ebert, B., Sukowski, U., Rinneberg, H., Semmler, W. und Licha, K. (2000). "Macromolecular contrast agents for optical imaging of tumors: comparison of indotricarbocyanine-labeled human serum albumin and transferrin." Photochem Photobiol 72(2): 234-41.
- Becker, R. und Stiehl, P. (1996). "Connections between antigen presenting cells (synovial dendritic cells) and various histologic types of synovial membrane in rheumatoid arthritis." Verh Dtsch Ges Pathol 80: 328.
- Beckmann, N., Bruttel, K., Schuurman, H. und Mir, A. (1998). "Effects of Sandimmune neoral on collagen-induced arthritis in DA rats: characterization by high resolution three-dimensional magnetic resonance imaging and by histology." J Magn Reson 131(1): 8-16.
- Bernhard, J. und Villiger, P. M. (2001). "Rheumatoide Arthritis: Pathogenese und Pathologie." Schweiz Med Forum 8: 179-183.
- Boehm, T., Hochmuth, A., Malich, A., Reichenbach, J. R., Fleck, M. und Kaiser, W. A. (2001). "Contrast-enhanced near-infrared laser mammography with a prototype breast scanner: feasibility study with tissue phantoms and preliminary results of imaging experimental tumors." Invest Radiol 36(10): 573-81.
- Bradley, E. und Barr, J. (1968). "Determination of blood volume using indocyanine green (cardio-green) dye." Life Sci (7): 1001-7.
- Bremer, C., Ntziachristos, V. und Weissleder, R. (2003). "Optical-based molecular imaging: contrast agents and potential medical applications." Eur Radiol 13(2): 231-43.
- Brooker, L. (1955). "Some recent developments in the chemistry of photographic sensitizing dyes." Experientia Suppl 2: 229-57.
- Brower, A. C. (1990). "Use of the radiograph to measure the course of rheumatoid arthritis. The gold standard versus fool's gold." Arthritis Rheum 33(3): 316-24.
- Buttner, A., Bauer, M., Schulz-Wendland, R., Eibner, K., Wortmann, J. und Klingenbeck, K. (1993). "Laser mammography with NIR light." Gynaekol Geburtshilfliche Rundsch 33 Suppl 1: 299-300.
- Caesar, J., Shaldon, S., Chiandussi, L., Guevara, L. und Sherlock, S. (1961). "The use of indocyanine green in the measurement of hepatic blood flow and as a test of hepatic function." Clin Sci 21: 43-57.
- Caulfield, J. P., Hein, A., Dynesius-Trentham, R. und Trentham, D. E. (1982). "Morphologic demonstration of two stages in the development of type II collagen-induced arthritis." Lab Invest 46(3): 321-43.

- Cherrick, G., Stein, S., Leevy, C. und Davidson, C. (1960). "Indocyanine green: Observations on its physical properties, plasma decay and hepatic extraction." J Clin Invst 39: 592-600.
- Colville-Nash, P. R. und Scott, D. L. (1992). "Angiogenesis and rheumatoid arthritis: pathogenic and therapeutic implications." Ann Rheum Dis 51(7): 919-25.
- Cothren, R. M., Sivak, M. V., Jr., Van Dam, J., Petras, R. E., Fitzmaurice, M., Crawford, J. M., Wu, J., Brennan, J. F., Rava, R. P., Manoharan, R. und Feld, M. S. (1996). "Detection of dysplasia at colonoscopy using laser-induced fluorescence: a blinded study." Gastrointest Endosc 44(2): 168-76.
- Craandijk, A. und van Beek, C. (1976). "Indocyanine green fluorescence angiography of the choroid." Br J Ophthalmol 60: 377-85.
- de Li, X., Beauvoit, B., White, R., Nioka, S., Chance, B. und Yodh, A. G. (1995). "Tumor Localisation Using Fluorescence of Indocyanine Green (ICG) In Rat Models." SPIE 2389: 789-97.
- Denk, H., Bruder, E. und Heitz, P. U. (2001). Gelenke. Pathologie. Herausgeber: Böcker, W., Denk, H. und Heitz, P. U. München -Jena, Urban & Fischer: 984-95.
- Durie, F. H., Fava, R. A. und Noelle, R. J. (1994). "Collagen-induced arthritis as a model of rheumatoid arthritis." Clin Immunol Immunopathol 73(1): 11-8.
- Ebert, B., Sukowski, U., Grosenick, D., Wabnitz, H., Moesta, K. T., Licha, K., Becker, A., Semmler, W., Schlag, P. M. und Rinneberg, H. (2001). "Near-infrared fluorescent dyes for enhanced contrast in optical mammography: phantom experiments." J Biomed Opt 6(2): 134-40.
- Emery, P. (1994). "Early rheumatoid arthritis: therapeutic strategies." Scand J Rheumatol Suppl 100: 3-7.
- Ernst, J., Wienands, K., St. Mayer- Schlagintweit, E., van de Flierdt, G., Luttke, K., Westerburg, K. und Albrecht, H. J. (2000). Diagnostik mit bildgebenden Verfahren. Rheumatologie in Praxis und Klinik. Miehle, W., Fehr, K., Schattenkirchner, M. und Tillmann, K. Stuttgart- New York, Georg Thieme Verlag. 2: 179-211.
- Eyre, D. (2002). "Collagen of articular cartilage." Arthritis Res 4(1): 30-5.
- Fehr, K. (2000). Allgemeine und organbezogene sowie spezielle Labordiagnostik. Rheumatologie in Praxis und Klinik. Fehr, K., Miehle, W., Schattenkirchner, M. und Tillmann, K. Stuttgart, Thieme. 2: 129-179.
- Fehr, K. (2000). Rheumatoide Arthritis - Ätiologie und Pathogenese. Rheumatologie in Praxis und Klinik. Miehle, W., Fehr, K., Schattenkirchner, M. und Tillmann, K. Stuttgart- New York, Georg Thieme Verlag: 425-463.

- Felix, R. (1997). Magnevist. Eine Monographie. Magnevist. Eine Monographie. Felix, R., Heshiki, A. und Hricak, H. Berlin, Blackwell Science Verlag.
- Fischer, T., Wojner, I., Taupitz, M., Bollow, M., Licha, K. und Hamm, B. (2002). Detection of Inflammatory Rheumatic Joint Processes and Assesment of ActivityUsing Dye-enhanced Laser-induced Fluorescence: Establishment of a New Imaging Technique in an Animal Model. RSNA 2002, 88th Scientific Assembly and Annual Meeting, Chicago.
- Fox, I. und Wood, E. (1960). "Indocyanine green: physical and physiologic properties." Mayo Clin Proc 35: 732-44.
- Fritsch, C., Becker-Wegerich, P. M., Menke, H., Ruzicka, T., Goerz, G. und Olbrisch, R. R. (1997). "Successful surgery of multiple recurrent basal cell carcinomas guided by photodynamic diagnosis." Aesthetic Plast Surg 21(6): 437-9.
- Fritsch, C., Becker-Wegerich, P. M., Schulte, K. W., Neuse, W., Lehmann, P., Ruzicka, T. und Goerz, G. (1996). "Photodynamic therapy and breast-plasty of an extensive superficial trunk skin basalioma of the breast. An effective combination therapy with photodynamic diagnosis." Hautarzt 47(6): 438-42.
- Griffiths, M. M., Eichwald, E. J., Martin, J. H., Smith, C. B. und DeWitt, C. W. (1981). "Immunogenetic control of experimental type II collagen-induced arthritis. I. Susceptibility and resistance among inbred strains of rats." Arthritis Rheum 24(6): 781-9.
- Grosenick, D., Moesta, K. T., Wabnitz, H., Mucke, J., Stroszczynski, C., Macdonald, R., Schlag, P. M. und Rinneberg, H. (2003). "Time-domain optical mammography: initial clinical results on detection and characterization of breast tumors." Appl Opt 42(16): 3170-86.
- Haglund, M. M., Berger, M. S. und Hochman, D. W. (1996). "Enhanced optical imaging of human gliomas and tumor margins." Neurosurgery 38(2): 308-17.
- Hansch, A., Frey, O., Sauner, D., Hilger, I., Haas, M., Malich, A., Brauer, R. und Kaiser, W. A. (2004). "In vivo imaging of experimental arthritis with near-infrared fluorescence." Arthritis Rheum 50(3): 961-7.
- Harries, M. L., Lam, S., MacAulay, C., Qu, J. und Palcic, B. (1995). "Diagnostic imaging of the larynx: autofluorescence of laryngeal tumours using the helium-cadmium laser." J Laryngol Otol 109(2): 108-10.
- Harris, E. D. (1997). Rheumatoid arthritis. Philadelphia, Saunders.
- Hein, G., Bolwin, R., Eidner, T., Frank, S., Oelzner, P. und Sprott, H. (1995). "Update Rheumatologie." Med Klinik 90(4): 231-239.

- Hermann, E., Yu, D. T., Meyer zum Buschenfelde, K. H. und Fleischer, B. (1993). "HLA-B27-restricted CD8 T cells derived from synovial fluids of patients with reactive arthritis and ankylosing spondylitis." Lancet 342(8872): 646-50.
- Jain, R. K. (1988). "Determinants of tumor blood flow: a review." Cancer Res 48(10): 2641-58.
- James, W. H. (1993). "Rheumatoid arthritis, the contraceptive pill, and androgens." Ann Rheum Dis 52(6): 470-4.
- Jewell, F. und Watt, I. (1996). "Arthritis: imaging and therapy. Past, present and future." Radiologe 36(8): 646-56.
- Jiang, Y., Zhao, J. J., Tang, H., Wendland, M. F., Roberts, T. P., Lauffer, R. B. und Genant, H. K. (2002). "MRI of antigen-induced arthritis in rabbits: improved contrast and disease characterization with the blood pool agent MS-325." Acad Radiol 9 Suppl 2: S480.
- Kennedy, J. C., Pottier, R. H. und Pross, D. C. (1990). "Photodynamic therapy with endogenous protoporphyrin IX: basic principles and present clinical experience." J Photochem Photobiol B 6(1-2): 143-8.
- Kinne, R. W., Emmrich, F., Bail, H., Kladny, B., Schaser, K., Stoss, H. und Mohr, W. (1995). "Expression of activation markers of the rheumatoid arthritis synovial membrane: comment on the article by Qu et al." Arthritis Rheum 38(9): 1346-8.
- Klose, A. D. und Hielscher, A. H. (1999). "Iterative reconstruction scheme for optical tomography based on the equation of radiative transfer." Med Phys 26(8): 1698-707.
- König, H., Sieper, J. und Wolf, K. J. (1990). "Rheumatoid arthritis: evaluation of hypervascular and fibrous pannus with dynamic MR imaging enhanced with Gd-DTPA." Radiology 176(2): 473-7.
- Konttinen, Y. T., Reitamo, S., Ranki, A., Hayry, P., Kankaanapaa, U. und Wegelius, O. (1981). "Characterization of the immunocompetent cells of rheumatoid synovium from tissue sections and eluates." Arthritis Rheum 24(1): 71-9.
- Kriegmair, M., Baumgartner, R., Knuchel, R., Ehsan, A., Steinbach, P., Lumper, W., Hofstadter, F. und Hofstetter, A. (1994). "Photodynamic diagnosis of urothelial neoplasms after intravesicular instillation of 5-aminolevulinic acid." Urologe A 33(4): 270-5.
- Kriegmair, M., Baumgartner, R., Knuchel, R., Stepp, H., Hofstadter, F. und Hofstetter, A. (1996). "Detection of early bladder cancer by 5-aminolevulinic acid induced porphyrin fluorescence." J Urol 155(1): 105-10..

- Lam, S., MacAulay, C., Hung, J., LeRiche, J., Profio, A. E. und Palcic, B. (1993). "Detection of dysplasia and carcinoma in situ with a lung imaging fluorescence endoscope device." J Thorac Cardiovasc Surg 105(6): 1035-40.
- Leunig, A., Rick, K., Stepp, H., Gutmann, R., Alwin, G., Baumgartner, R. und Feyh, J. (1996). "Fluorescence imaging and spectroscopy of 5-aminolevulinic acid induced protoporphyrin IX for the detection of neoplastic lesions in the oral cavity." Am J Surg 172(6): 674-7.
- Licha, K. (2003). Persönliche Mitteilung. Schering-AG. Berlin.
- Licha, K., Riefke, B., Ntziachristos, V., Becker, A., Chance, B. und Semmler, W. (2000). "Hydrophilic cyanine dyes as contrast agents for near-infrared tumor imaging: synthesis, photophysical properties and spectroscopic in vivo characterization." Photochem Photobiol 72(3): 392-8.
- Löscher, W. (2002). Analgetika. Pharmakotherapie bei Haus- und Nutztieren. Löscher, W., Ungemach, F. R. und Kroker, R. Berlin, Parey Buchverlag im Blackwell Verlag GmbH: 78-93.
- Mapp, P. I. (1995). "Innervation of the synovium." Ann Rheum Dis 54(5): 398-403.
- Miehle, W. und Zacher, J. (1999). Rheumatoide Arthritis. Stuttgart, Georg Thieme Verlag.
- Mohr, W. (1996). "The pathogenesis of joint destruction in chronic polyarthritis." Radiologe 36(8): 593-9.
- Mohr, W. (2000). Pathologische Anatomie - Peripherie Gelenke und Wirbelsäule. Rheumatologie in Praxis und Klinik. Miehle, W., Fehr, K., Schattenkirchner, M. und Tillmann, K. Stuttgart- New York, Georg Thieme Verlag: 63-89.
- Mohr, W. (2003). "Polymorphonuclear granulocytes in rheumatic tissue destruction VIII. Considerations on the inflammatory cartilage destruction in chronic arthritides in comparison with liver injuries by PMN's." Z Rheumatol 62(6): 539-46.
- Mohr, W. und Menninger, H. (1980). "Polymorphonuclear granulocytes at the pannus- cartilage junction in rheumatoid arthritis." Arthritis Rheum 23(12): 1413-14.
- Morgan, K., Clague, R. B., Shaw, M. J. und Holt, P. J. (1980). "Native type II collagen-induced arthritis in the rat. I. Incidence and humoral response to collagen." Ann Rheum Dis 39(3): 285-90.
- Mulherin, D., Fitzgerald, O. und Bresnihan, B. (1996). "Synovial tissue macrophage populations and articular damage in rheumatoid arthritis." Arthritis Rheum 39(1): 115-24.
- Mundinger, A., Moser, E. und Langer, M. (1993). "Imaging in rheumatoid arthritis." Immun Infekt 21(3): 64-8.

- Ntziachristos, V., Tung, C. H., Bremer, C. und Weissleder, R. (2002). "Fluorescence molecular tomography resolves protease activity in vivo." Nat Med 8(7): 757-60.
- Ntziachristos, V., Yodh, A. G., Schnall, M. und Chance, B. (2000). "Concurrent MRI and diffuse optical tomography of breast after indocyanine green enhancement." Proc Natl Acad Sci U S A 97(6): 2767-72.
- Ortner, M. A., Ebert, B., Hein, E., Zumbusch, K., Nolte, D., Sukowski, U., Weber-Eibel, J., Fleige, B., Dietel, M., Stolte, M., Oberhuber, G., Porschen, R., Klump, B., Hortnagl, H., Lochs, H. und Rinneberg, H. (2003). "Time gated fluorescence spectroscopy in Barrett's oesophagus." Gut 52(1): 28-33.
- Ostergaard, M. und Karllund, M. (2001). "Importance of timing of post-contrast MRI in rheumatoid arthritis: what happens during the first 60 minutes after IV gadolinium-DTPA?" Ann Rheum Dis 60(11): 1050-4.
- Ostergaard, M., Stoltenberg, M., Lovgreen-Nielsen, P., Volck, B., Sonne-Holm, S. und Lorenzen, I. (1998). "Quantification of synovitis by MRI: correlation between dynamic and static gadolinium-enhanced magnetic resonance imaging and microscopic and macroscopic signs of synovial inflammation." Magn Reson Imaging 16(7): 743-54.
- Paleolog, E. (1997). "Target effector role of vascular endothelium in the inflammatory response: insights from the clinical trial of anti-TNF alpha antibody in rheumatoid arthritis." Mol Pathol 50(5): 225-33.
- Panjehpour, M., Overholt, B. F., Schmidhammer, J. L., Farris, C., Buckley, P. F. und Vo-Dinh, T. (1995). "Spectroscopic diagnosis of esophageal cancer: new classification model, improved measurement system." Gastrointest Endosc 41(6): 577-81.
- Parmelee, D. J., Walovitch, R. C., Ouellet, H. S. und Lauffer, R. B. (1997). "Preclinical evaluation of the pharmacokinetics, biodistribution, and elimination of MS-325, a blood pool agent for magnetic resonance imaging." Invest Radiol 32(12): 741-7.
- Platt, P. N. (1983). "The role of the laboratory in rheumatology. Examination of synovial fluid." Clin Rheum Dis 9(1): 51-67.
- Prapavat, V., Runge, W., Mans, J., Krause, A., Beuthan, J. und Muller, G. (1997). "The development of a finger joint phantom for the optical simulation of early inflammatory rheumatic changes." Biomed Tech (Berl) 42(11): 319-26.
- Reiser, M. F. und Naegele, M. (1993). "Inflammatory joint disease: static and dynamic gadolinium-enhanced MR imaging." J Magn Reson Imaging 3(1): 307-10.

- Remmers, E. F., Joe, B., Griffiths, M. M., Dobbins, D. E., Dracheva, S. V., Hashiramoto, A., Furuya, T., Salstrom, J. L., Wang, J., Gulko, P. S., Cannon, G. W. und Wilder, R. L. (2002). "Modulation of multiple experimental arthritis models by collagen-induced arthritis quantitative trait loci isolated in congenic rat lines: different effects of non-major histocompatibility complex quantitative trait loci in males and females." Arthritis Rheum 46(8): 2225-34.
- Reynolds, J. S., Troy, T. L., Mayer, R. H., Thompson, A. B., Waters, D. J., Cornell, K. K., Snyder, P. W. und Sevick-Muraca, E. M. (1999). "Imaging of spontaneous canine mammary tumors using fluorescent contrast agents." Photochem Photobiol 70(1): 87-94.
- Rick, K., Sroka, R., Stepp, H., Kriegmair, M., Huber, R. M., Jacob, K. und Baumgartner, R. (1997). "Pharmacokinetics of 5-aminolevulinic acid-induced protoporphyrin IX in skin and blood." J Photochem Photobiol B 40(3): 313-9.
- Riefke, B., Licha, K. und Semmler, W. (1996). "In vivo characterisation of cyanine dyes as contrast agents for near-infrared imaging." SPIE 2927: 199-208.
- Riefke, B., Licha, K. und Semmler, W. (1997). "Contrast media for optical mammography." Radiologe 37(9): 749-55.
- Romeis, B. (1989). Mikroskopische Technik. München, Urban und Schwarzenberg.
- Roberts, D. J. und Cairnduff, F. (1995). "Photodynamic therapy of primary skin cancer: a review." Br J Plast Surg 48(6): 360-70.
- Roughley, P. J. und Lee, E. R. (1994). "Cartilage proteoglycans: structure and potential functions." Microsc Res Tech 28(5): 385-97.
- Scheel, A. K., Krause, A., Rheinbaben, I. M., Metzger, G., Rost, H., Tresp, V., Mayer, P., Reuss-Borst, M. und Muller, G. A. (2002). "Assessment of proximal finger joint inflammation in patients with rheumatoid arthritis, using a novel laser-based imaging technique." Arthritis Rheum 46(5): 1177-84.
- Schicha, H. (1993). Nuklearmedizin Compact Lehrbuch. Stuttgart, Schattauer.
- Schneckenburger, H. (2003). Grundlagen der Fluoreszenzdiagnostik und photodynamischen Therapie. Klinische Fluoreszenzdiagnostik und Photodynamische Therapie.
- Szeimies, R. M., Jocham, D. und Landthaler, M. Berlin, Wien, Blackwell Verlag: 15-28.
- Sloboda, A. E., Birnbaum, J. E., Oronsky, A. L. und Kerwar, S. S. (1981). "Studies on type II collagen-induced polyarthritis in rats. Effect of antiinflammatory and antirheumatic agents." Arthritis Rheum 24(4): 616-24.

- Stiehl, P. und Geiler, G. (1974). "Morphological activity estimation of rheumatoid arthritis: a comparative study of synovial fluid and synovial membrane." Z Rheumatol 33(1): 54-62.
- Stuart, J. M., Cremer, M. A., Kang, A. H. und Townes, A. S. (1979). "Collagen-induced arthritis in rats. Evaluation of early immunologic events." Arthritis Rheum 22(12): 1344-51.
- Stuart, J. M., Townes, A. S. und Kang, A. H. (1982). "The role of collagen autoimmunity in animal models and human diseases." J Invest Dermatol 79 Suppl 1: 121s-127s.
- Sutterer, W. F., Hardin, R. W., Benson, R. W., Krovetz, L. J. und Schiebler, G. L. (1966). "Optical behavior of indocyanine green dye in blood and in aqueous solution." Am Heart J 72: 345-50.
- Taneja, V., Taneja, N., Paisansinsup, T., Behrens, M., Griffiths, M., Luthra, H. und David, C. S. (2002). "CD4 and CD8 T cells in susceptibility/protection to collagen-induced arthritis in HLA-DQ8-transgenic mice: implications for rheumatoid arthritis." J Immunol 168(11): 5867-75.
- Taupitz, M. (2004). Persönliche Mitteilung. Mitte, C. C. Berlin.
- Trentham, D. E. (1982). "Collagen arthritis as a relevant model for rheumatoid arthritis." Arthritis Rheum 25(8): 911-6.
- Trentham, D. E., Dynesius, R. A., Rocklin, R. E. und David, J. R. (1978). "Cellular sensitivity to collagen in rheumatoid arthritis." N Engl J Med 299(7): 327-32.
- Trentham, D. E., Townes, A. S. und Kang, A. H. (1977). "Autoimmunity to type II collagen an experimental model of arthritis." J Exp Med 146(3): 857-68.
- Trentham, D. E., Townes, A. S., Kang, A. H. und David, J. R. (1978). "Humoral and cellular sensitivity to collagen in type II collagen-induced arthritis in rats." J Clin Invest 61(1): 89-96.
- Vargas, G., Chan, K. F., Thomsen, S. L. und Welch, A. J. (2001). "Use of osmotically active agents to alter optical properties of tissue: effects on the detected fluorescence signal measured through skin." Lasers Surg Med 29(3): 213-20.
- Wagner, S. (2004). Persönliche Mitteilung. Berlin.
- Webber, J., Kessel, D. und Fromm, D. (1997). "Side effects and photosensitization of human tissues after aminolevulinic acid." J Surg Res 68(1): 31-7.
- Weissleder, R., Tung, C. H., Mahmood, U. und Bogdanov, A., Jr. (1999). "In vivo imaging of tumors with protease-activated near-infrared fluorescent probes." Nat Biotechnol 17(4): 375-8.

- Wilke, W. S., Sweeney, T. J. und Calabrese, L. H. (1993). "Early, aggressive therapy for rheumatoid arthritis: concerns, descriptions, and estimate of outcome." Semin Arthritis Rheum 23(2 Suppl 1): 26-41.
- Wojner (2004). Laser-induzierte Fluoreszenz-Diagnostik zur Detektion entzündlicher Gelenkveränderungen: Etablierung einer neuen Methode am Modell der Maus. Veterinärmedizin. Berlin, FU-Berlin. Dissertation (in press).
- Wollenhaupt, J. und Zeidler, H. (1993). "Early chronic polyarthritis. Possibilities and limits of inhibition of joint destruction." Internist (Berl) 34(4): 307-15.
- Wooley, P. H., Luthra, H. S., Stuart, J. M. und David, C. S. (1981). "Type II collagen-induced arthritis in mice. I. Major histocompatibility complex (I region) linkage and antibody correlates." J Exp Med 154(3): 688-700.
- Zaak, D., Hungerhuber, E., Schneede, P., Stepp, H., Frimberger, D., Corvin, S., Schmeller, N., Kriegmair, M., Hofstetter, A., Knuechel, R. und Knochel, R. (2002). "Role of 5-aminolevulinic acid in the detection of urothelial premalignant lesions." Cancer 95(6): 1234-8.
- Zink, A., Mau, W. und Schneider, M. (2001). "Übersicht: Epidemiologische und sozialmedizinische Aspekte entzündlich-rheumatischer Systemerkrankungen." Der Internist 42(2): 211-222.
- Zschabitz, A., Stofft, E., Reichling, T., Rude, J. und Kramer, M. D. (1988). "Morphology of synovial cells of the human in organ and explant cultures." Z Rheumatol 47(1): 30-6.