

## 8. Literatur

- Ahmadian A, Gharizadeh B, Gustafsson AC, Sterky F, Nyren P, Uhlen M, Lundeberg J. (2000) Single-nucleotide polymorphism analysis by pyrosequencing. *Anal Biochem* **10**;280(1):103-10
- Altshuler D, Daly M, Kruglyak L. (2000) Guilt by association. *Nat Genet.*; **26**(2):135-7.
- Anderson S., Bankier AT, Barrell BG, de Bruijn MH, Coulson AR, Drouin J, Eperon IC, Nierlich DP, Roe BA, Sanger F, Schreier PH, Smith AJ, Staden R, Young IG. (1981) Sequence and organization of the human mitochondrial genome. *Nature* **9**;290(5806):457-65
- Batzer MA, Gudi VA, Mena JC, Foltz DW, Herrera RJ, Deininger PL. (1991) Amplification dynamics of human-specific (HS) Alu family members. *Nucleic Acids Res.* **11**;19(13):3619-23.
- Beier M., Hoheisel JD (2000) Production by quantitative photolithographic synthesis of individually quality checked DNA microarrays. *Nucleic Acids Res* **15**;28(4):E11.
- Benters R., Niemeyer CM, Drutschmann D, Blohm D, Wohrle D. (2002) DNA microarrays with PAMAM dendritic linker systems. *Nucleic Acids Res.* **15**;30(2):E10.
- Benters R., Niemeyer CM, Wohrle D. (2001) Dendrimer-activated solid supports for nucleic acid and protein microarrays. *Chembiochem.* **3**;2(9):686-94.
- Bertina RM., Koeleman BP, Koster T, Rosendaal FR, Dirven RJ, de Ronde H, van der Velden PA, Reitsma PH. (1994) Mutation in blood coagulation factor V associated with resistance to activated protein C. *Nature*. **5**;369(6475):64-7.
- Bogenhagen D., Clayton DA (1974) The number of mitochondrial deoxyribonucleic acid genomes in mouse L and human HeLa cells. Quantitative isolation of mitochondrial deoxyribonucleic acid. *J Biol Chem* **25**;249(24):7991-5

- Botstein D., White RL, Skolnick M, Davis RW. (1980) Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *Am J Hum Genet* ;**32**(3):314-31
- Braun A., Little, D. P. & Koster, H. (1997) Detecting *CFTR* gene mutations by using primer oligo base extension and mass spectrometry. *Clin. Chem.* **43**, 1151–1158.
- Brookes, A.J. (1999) The essence of SNPs. *Gene*, **234**, 177-186.
- Brown PO, Botstein D. (1999) Exploring the new world of the genome with DNA microarrays. *Nat Genet.* **21**(1 Suppl):33-7.
- Buetow KH., Edmonson M, MacDonald R, Clifford R, Yip P, Kelley J, Little DP, Strausberg R, Koester H, Cantor CR, Braun A. (2001) High-throughput development and characterization of a genomewide collection of gene-based single nucleotide polymorphism markers by chip-based matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. *Proc Natl Acad Sci.* **16**;98(2):581-4.
- Butler, J.M. and Levin,B.C. (1998) Forensic applications of mitochondrial DNA. *TIBTECH*, 16, 158-162.
- Cargill,M., Altshuler,D., Ireland,J., Sklar,P., Ardlie,K., Patil,N., Lane,C.R., Lim,E.P. Kalyanaraman,N., Nemesh,J. et al. (1999) Characterization of single-nucleotide polymorphisms in coding regions of human genes. *Nature Genet.*, **22**, 231-238.
- Cho RJ., Mindrinos M, Richards DR, Sapolsky RJ, Anderson M, Drenkard E, Dewdney J, Reuber TL, Stammers M, Federspiel N, Theologis A, Yang WH, Hubbell E, Au M, Chung EY, Lashkari D, Lemieux B, Dean C, Lipshutz RJ, Ausubel FM, Davis RW, Oefner PJ. (1999) Genome-wide mapping with biallelic markers in *Arabidopsis thaliana*. *Nat Genet.*;**23**(2):203-7.
- Collins, A., Lonjou, C. & Morton, N. E. (1999) Genetic epidemiology of single-nucleotide polymorphisms. *Proc. Natl Acad. Sci. USA* **96**, 15173–15177.

- Conner BJ., Reyes AA, Morin C, Itakura K, Teplitz RL, Wallace RB. (1983) Detection of sickle cell beta S-globin allele by hybridization with synthetic oligonucleotides. *Proc Natl Acad Sci.* ;**80**(1):278-82.
- Cooper, D.N., B.A. Smith, H.J. Cooke, S. Niemann, and J. Schmidtke. (1985). An estimate of unique DNA sequence heterozygosity in the human genome. *Hum. Genet.* **69**: 201-205.
- Cronin MT, Fucini RV, Kim SM, Masino RS, Wespi RM, Miyada CG. (1996) Cystic fibrosis mutation detection by hybridization to light-generated DNA probe arrays. *Hum Mutat.*;**7**(3):244-55.
- Croteau DL., Bohr VA. (1997) Repair of oxidative damage to nuclear and mitochondrial DNA in mammalian cells. *J Biol Chem* **10**;272(41):25409-12
- Cuthbert AP., Fisher SA, Mirza MM, King K, Hampe J, Croucher PJ, Mascheretti S, Sanderson J, Forbes A, Mansfield J, Schreiber S, Lewis CM, Mathew CG. (2002 ) The contribution of NOD2 gene mutations to the risk and site of disease in inflammatory bowel disease. *Gastroenterology*. ;**122**(4):867-74.
- Davignon, J., Gregg, R. E. & Sing, C. F. (1988) Apolipoprotein E polymorphism and atherosclerosis. *Arteriosclerosis* **8**,1–21.
- Day, DJ., P.W. Speiser, P.C. White, and F. Barany. (1995). Detection of steroid 21-hydroxylase alleles using gene-specific PCR and a multiplexed ligation detection reaction. *Genomics*, **29**: 152-162.
- Deininger PL, Slagel VK. (1988) Recently amplified Alu family members share a common parental Alu sequence. *Mol Cell Biol.* 8(10):4566-9.
- Dubiley, S., Kirillov,E., Mirzabekov,A. (1999) Polymorphism analysis and gene detection by minisequencing on an array of gel-immobilized primers. *Nucleic Acids Res.*, **27**, e19.
- Duggan DJ, Bittner M, Chen Y, Meltzer P, Trent JM. (1999) Expression profiling using cDNA microarrays. *Nat Genet.*;**21**(1 Suppl):10-4..

- Epstein JR., Lee M, Walt DR. (2002) High-density fiber-optic genosensor microsphere array capable of zeptomole detection limits. *Anal Chem.* 15;74(8):1836-40.
- Ermolaeva O, Rastogi M. (1998) Data management and analysis for gene expression arrays. *Nat Gen*; **20**; 19-23.
- Fan JB., Chen X, Halushka MK, Berno A, Huang X, Ryder T, Lipshutz RJ, Lockhart DJ, Chakravarti (2000) A. Parallel genotyping of human SNPs using generic high-density oligonucleotide tag arrays. *Genome Res.*; **10**(6):853-60.
- Favis R, Day JP, Gerry NP, Phelan C, Narod S, Barany F. (2000) Universal DNA array detection of small insertions and deletions in BRCA1 and BRCA2. *Nat Biotechnol.* **18**(5):561-4.
- Giles RE, Blanc H, Cann HM, Wallace DC. (1980) Maternal inheritance of human mitochondrial DNA. *Proc Natl Acad Sci U S A.* **77**(11):6715-9.
- Ginther C., Issel-Tarver L, King MC. (1992) Identifying individuals by sequencing mitochondrial DNA from teeth. *Nat Genet* **2**(2):135-8
- Grompe M., (1993) The rapid detection of unknown mutations in nucleic acids. *Nat Genet* ; **5**(2):111-7
- Grossman, P.D., W. Bloch, E. Brinson, C.C. Chang, F.A. Eggerding, S. Fung, D.A. Iovannisci, S. Woo, and E.S. Winn-Deen. (1994) High-density multiplex detection of nucleic acid sequences: Oligonucleotide ligation assay and sequence-coded separation. *Nucleic Acids Res.* **22**: 4527-4534.
- Gunderson,K.L., Huang,X.C., Morris,M.S., Lipshutz,R.J., Lockhart,D.J., Chee,M.S. (1998) Mutation detection by ligation to complete n-mer DNA arrays. *Genome Res.*, **8**, 1142-1153.
- Guo, Z., Guilfoyle,R.A., Thiel,A.J., Wang,R., Smith,L.M. (1994) Direct fluorescence analysis of genetic polymorphisms by hybridization with oligonucleotide arrays on glass supports. *Nucleic Acids Res.*, **22**, 5456-5465.

- Hacia JG, Sun B, Hunt N, Edgemon K, Mosbrook D, Robbins C, Fodor SP, Tagle DA, Collins FS. (1998) Strategies for mutational analysis of the large multiexon ATM gene using high-density oligonucleotide arrays. *Genome Res.* **8**(12):1245-58.
- Hacia, J.G. (1999a) Resequencing and mutational analysis using oligonucleotide microarrays. *Nature Genet.*, **21**, 42-47.
- Hacia, J.G., Brody,L.C., Chee,M.,S., Fodor,S.P.A., Collins,F.S. (1996) Detection of heterozygous mutations in BRCA1 using high density oligonucleotide arrays and two-colour fluorescence analysis. *Nature Genet.*, **14**, 441-447.
- Hacia, J.G., Fan,J.B., Ryder,O., Jin,L., Edgemon,K., Ghandour,G., Mayer,R.A., Sun,B., Hsie,L., Robbins,C.M. (1999b) Determination of ancestral alleles for human single-nucleotide polymorphisms using high-density oligonucleotide arrays., *Nature Genet.*, **22**, 164-167.
- Halushka M.K., Fan,J.B., Bentley,K., Hsie,L., Shen,N., Weder,A., Cooper,R., Lipshutz,R., Chakravarti,A. (1999) Patterns of single-nucleotide polymorphisms in candidate genes for blood-pressure homeostasis. *Nature Genet.*, **22**, 239-247.
- Hampe J., Cuthbert A, Croucher PJ, Mirza MM, Mascheretti S, Fisher S, Frenzel H, King K, Hasselmeyer A, MacPherson AJ, Bridger S, van Deventer S, Forbes A, Nikolaus S, Lennard-Jones JE, Foelsch UR, Krawczak M, Lewis C, Schreiber S, Mathew CG. (2001) Association between insertion mutation in NOD2 gene and Crohn's disease in German and British populations. *Lancet.* **16**;357(9272):1925-8.
- Hampe J., Frenzel H, Mirza MM, Croucher PJ, Cuthbert A, Mascheretti S, Huse K, Platzer M, Bridger S, Meyer B, Nurnberg P, Stokkers P, Krawczak M, Mathew CG, Curran M, Schreiber S. (2002) Evidence for a NOD2-independent susceptibility locus for inflammatory bowel disease on chromosome 16p. *Proc Natl Acad Sci.* **8**;99(1):321-6.

- Han M., Gao, X., Su, J. Z. & Nie, S. (2001) Quantum-dot-tagged microbeads for multiplexed optical coding of biomolecules. *Nature Biotechnol.* **19**, 631–635.
- Hanninen P., Soini A, Meltola N, Soini J, Soukka J, Soini E. (2000) A new microvolume technique for bioaffinity assays using two-photon excitation. *Nat Biotechnol.*; **18**(5):548-50.
- Hayashi J, Ohta S, Kikuchi A, Takemitsu M, Goto Y, Nonaka I. (1991) Introduction of disease-related mitochondrial DNA deletions into HeLa cells lacking mitochondrial DNA results in mitochondrial dysfunction. *Proc Natl Acad Sci.* **88**(23):10614-8.
- Healey BG., Matson, R. S. & Walt, D. R. (1997) Fiberoptic DNA sensor array capable of detecting point mutations. *Anal. Biochem.* **251**, 270–279.
- Hofmann, S., Jaksch,M., Bezold,R., Mertens,S., Aholt,S., Paprotta,A., Gerbitz,K.D. (1997) Population genetics and disease susceptibility: characterization of central European haplogroups by mtDNA gene mutations, correlation with D loop variants and association with disease. *Hum. Mol. Genet.*, **6**,1835-1846.
- Holliday R., Grigg GW.(1993) DNA methylation and mutation. *Mutat Res.* **285**(1):61-7
- Hopgood R., Sullivan KM, Gill P. (1992) Strategies for automated sequencing of human mitochondrial DNA directly from PCR products. *Biotechniques* **13**(1):82-92
- Howell WM, Jobs M, Gyllensten U, Brookes AJ. (1999) Dynamic allele-specific hybridization. A new method for scoring single nucleotide polymorphisms. *Nat Biotechnol.* **17**(1):87-8.
- Huang, M.M., Arnheim, N., Goodman, M.F. (1992) Extension of base mispairs by Taq DNA polymerase: implications for single nucleotide discrimination in PCR. *Nucleic Acids Res.*, **20**, 4567-4573.

- Hugot JP., Chamaillard M, Zouali H, Lesage S, Cezard JP, Belaiche J, Almer S, Tysk C, O'Morain CA, Gassull M, Binder V, Finkel Y, Cortot A, Modigliani R, Laurent-Puig P, Gower-Rousseau C, Macry J, Colombel JF, Sahbatou M, Thomas G. (2001) Association of NOD2 leucine-rich repeat variants with susceptibility to Crohn's disease. *Nature*. **31**:411(6837):599-603.
- Irizarry K., Kustanovich V, Li C, Brown N, Nelson S, Wong W, Lee CJ. (2000) Genome-wide analysis of single-nucleotide polymorphisms in human expressed sequences. *Nat Genet* **26**(2):233-6
- Johnston, M. (1998): Gene Chips: Array of hope for understanding gene regulation. *Current Biology* **8**: R171-R174
- Keen J., Lester D., Inglehearn C., Curtis A, and Bhattacharya S. (1991) Rapid detection of single base mismatches as heteroduplexes on Hydrolink gels. *Trends Genet.* **7**: 5
- King MP., Attardi G. (1989) Human cells lacking mtDNA: repopulation with exogenous mitochondria by complementation. *Science* **27**:246(4929):500-3
- Kruglyak,L. (1997) The use of a genetic map of biallelic markers in linkage studies. *Nature Genet.*, **17**, 21-24.
- Kruglyak,L. (1999) Prospects for whole-genome linkage disequilibrium mapping of common disease genes. *Nat. Genet.*, **22**, 139-144.
- Kurosaki K, Matsushita T, Ueda S. (1993) Individual DNA identification from ancient human remains. *Am J Hum Genet.* **53**(3):638-43.
- Landegren, U., M. Nilsson & P.-Y. Kwok (1998): Reading bits of genetic information: methodes for single-nucleotide polymorphism analysis. *Genome Res.* **8**: 769-776
- Landegren, U., R. Kaiser, J. Sanders, and L. Hood. (1988). A ligase-mediated gene detection technique. *Science* **241**: 1077–1080.

- Lehrach, H., R. Drmanac, J. D. Hoheisel, Z. Larin, G. G. Lennon, A. P. Monaco, D. Nizetic, G. Zehetner & A. Poustka (1990): Hybridisation fingerprinting in genome mapping and sequencing. *Genome Analysis 1: Genetic and Physical Mapping*, *Cold Spring Harbor Laboratory Press*, **39**.
- Lesage S., Zouali H, Cezard JP, Colombel JF, Belaiche J, Almer S, Tysk C, O'Morain C, Gassull M, Binder V, Finkel Y, Modigliani R, Gower-Rousseau C, Macry J, Merlin F, Chamaillard M, Jannot AS, Thomas G, Hugot JP. (2002) CARD15/NOD2 mutational analysis and genotype-phenotype correlation in 612 patients with inflammatory bowel disease. *Am J Hum Genet.*; **70**(4):845-57.
- Liang, M.H. and Wong, L.J. (1998) Yield of mtDNA mutation analysis in 2,000 patients. *Am. J. Med. Genet.*, **77**, 395-400.
- Lipshutz R. J., Fodor S. P.A., Gingras T. R., Lockhart D.J. (1999) High density synthetic oligonucleotide arrays. *Nature Genetics supplement* **21**: 20 - 24
- Liu Y, Phelan J, Go RC, Prchal JF, Prchal JT. (1997) Rapid determination of clonality by detection of two closely-linked X chromosome exonic polymorphisms using allele-specific PCR. *J Clin Invest.* **99**(8):1984-90.
- Livak KJ, Marmaro J, Todd JA. (1995) Towards fully automated genome-wide polymorphism screening. *Nat Genet.* **9**(4):341-2.
- Lou, J., D.E. Bergstrom, and F. Barany. (1996) Improving the fidelity of *Thermus thermophilus* DNA ligase. *Nucleic Acids Res.* **24**: 3071-3078.
- Lucito R., West J, Reiner A, Alexander J, Esposito D, Mishra B, Powers S, Norton L, Wigler M. (2000) Detecting gene copy number fluctuations in tumor cells by microarray analysis of genomic representations. *Genome Res.*; **10**(11):1726-36.

- Maier, E., H. Roest & H. Lehrach (1994): Hybridisation techniques on gridded high density DNA and in situ colony filters based on fluorescence detection. *Nucleic Acids Res.* **22**: 3423-3424
- Marshall,A. and Hodgson,J. (1998) DNA chips: an array of possibilities. *Nature Biotechnol.*, Jan; **16**(1):27-31
- Maury CP., (1995)Molecular pathogenesis of beta-amyloidosis in Alzheimer's disease and other cerebral amyloidoses. *Lab Inves* ; **72**(1):4-16
- McCarthy J.J. and Hilfiker,R. (2000) The use of single-nucleotide polymorphism maps in pharmacogenomics. *Nat. Biotechnol.*, **18**, 505-508.
- Medintz I., Wong WW, Berti L, Shiow L, Tom J, Scherer J, Sensabaugh G, Mathies RA. (2001) High-performance multiplex SNP analysis of three hemochromatosis-related mutations with capillary array electrophoresis microplates. *Genome Res.*; **11**(3):413-21.
- Myakishev, MV., Khripin, Y., Hu, S. & Hamer, D. H. (2001) Hightthroughput SNP genotyping by allele-specific PCR with universal energy-transfer-labeled primers. *Genome Res.* **11**, 163–169
- Myers RM, Fischer SG, Maniatis T, Lerman LS. (1985) Modification of the melting properties of duplex DNA by attachment of a GC-rich DNA sequence as determined by denaturing gradient gel electrophoresis. *Nucleic Acids Res.* **13**(9):3111-29.
- Newton, C.R., A. Graham, L.E. Heptinstall, S.J. Powell, C. Summers, N. Kalsheker, J.C. Smith, and A.F. Markham. (1989). Analysis of any point mutation in DNA. The amplification refractory mutation system (ARMS). *Nucleic Acids Res.* **17**: 2503-2516.
- Nguyen, H.K., Fournier,O., Asseline,U., Dupret,D., Nguyen,T.T. (1999) Smoothing of the thermal stability of DNA duplexes by using modified nucleosides and chaotropic agents. *Nucleic Acids Res.*, **27**, 1492-1498.

- Nickerson DA, Kaiser R, Lappin S, Stewart J, Hood L, Landegren U. (1990) Automated DNA diagnostics using an ELISA-based oligonucleotide ligation assay. *Proc Natl Acad Sci U S A.* **87**(22):8923-7.
- Nielsen,R. (2000) Estimation of population parameters and recombination rates from single nucleotide polymorphisms. *Genetics*, **154**, 931-942.
- Nikiforov, T.T., Rendle,R.B., Goelet,P., Rogers,Y.H., Kotewicz,M.L., Anderson,S., Trainor,G.L., Knapp,M.R. (1994) Genetic Bit Analysis: a solid phase method for typing single nucleotide polymorphisms. *Nucleic Acids Res.*, **22**, 4167-4175.
- Nizetic D, Gellen L, Hamvas RM, Mott R, Grigoriev A, Vatcheva R, Zehetner G, Yaspo ML, Dutriaux A, Lopes C. (1994) An integrated YAC-overlap and 'cosmid-pocket' map of the human chromosome 21. *Hum Mol Genet* **3**(5):759-70
- Parik, J., M. Kwiatkowski, A. Lagerkvist, M. Lagerström-Fermér, M. Samiotaki, J. Stewart, G. Glad, M. Mendel-Hartvig, and U. Landegren. (1993) A manifold support for molecular genetic reactions. *Anal. Biochem.* **211**: 144-150.
- Pastinen, T., Partanen, J. & Syvanen, A. C. (1996) Multiplex, fluorescent, solid-phase minisequencing for efficient screening of DNA sequence variation. *Clin. Chem.* **42**, 1391–1397.
- Pastinen,T., Kurg,A., Metspalu,A., Peltonen,L., Syvänen,A.C. (1997) Minisequencing: a specific tool for DNA analysis and diagnostics on oligonucleotide arrays. *Genome Res.*, **7**, 606-614.
- Pastinen,T., Raitio,M., Lindroos,K., Tainola,P., Peltonen,L., Syvänen,A.C. (2000) A system for specific, high-throughput genotyping by allele-specific primer extension on microarrays. *Genome Res.*, **10**, 1031-1042.
- Patil N., Berno AJ, Hinds DA, Barrett WA, Doshi JM, Hacker CR, Kautzer CR, Lee DH, Marjoribanks C, McDonough DP, Nguyen BT, Norris MC, Sheehan JB, Shen N, Stern D, Stokowski RP, Thomas DJ, Trulson MO, Vyas KR, Frazer KA, Fodor SP, Cox DR. (2001) Blocks of limited haplotype diversity

- revealed by high-resolution scanning of human chromosome 21. *Science*. **23**;294(5547):1719-23.
- Pease, A., C., D. Solas, E. J. Sullivan, M. T. Cronin, C. P. Holmes & S. P. A. Fodor (1994): Light-generated oligonucleotide arrays for rapid DNA sequence analysis. *Prog. Natl. Acad. Sci. USA* **91**: 5022-5026
- Piercy R, Sullivan KM, Benson N, Gill P. (1993) The application of mitochondrial DNA typing to the study of white Caucasian genetic identification. *Int J Legal Med.* **106**(2):85-90.
- Raitio M, Lindroos K, Laukkanen M, Pastinen T, Sistonen P, Sajantila A, Syvanen AC. (2001) Y-chromosomal SNPs in Finno-Ugric-speaking populations analyzed by minisequencing on microarrays. *Genome Res*;11(3):471-82.
- Ramsay, G., (1998): DNA chips: state-of-the-art. *Nature Biotechnol.* **16**: 40-44
- Reich DE., Cargill M, Bolk S, Ireland J, Sabeti PC, Richter DJ, Lavery T, Kouyoumjian R, Farhadian SF, Ward R, Lander ES. (2001) Linkage disequilibrium in the human genome. *Nature*. **10**;411(6834):199-204.
- Riesner D., Steger G, Wiese U, Wulfert M, Heibey M, Henco K. (1992) Temperature-gradient gel electrophoresis for the detection of polymorphic DNA and for quantitative polymerase chain reaction. *Electrophoresis*;**13**(9-10):632-6
- Rioux JD., Daly MJ, Silverberg MS, Lindblad K, Steinhart H, Cohen Z, Delmonte T, Kocher K, Miller K, Guschwan S, Kulbokas EJ, O'Leary S, Winchester E, Dewar K, Green T, Stone V, Chow C, Cohen A, Langelier D, Lapointe G, Gaudet D, Faith J, Branco N, Bull SB, McLeod RS, Griffiths AM, Bitton A, Greenberg GR, Lander ES, Siminovitch KA, Hudson TJ. (2001) Genetic variation in the 5q31 cytokine gene cluster confers susceptibility to Crohn disease. *Nat Genet.* ;**29**(2):223-8.
- Risch, N. & Merikangas, K. (1996) The future of genetic studies of complex human diseases. *Science* **273**, 1516–1517.

- Roberts, L. (2000) Human genome research. SNP mappers confront reality and find it daunting. *Science* **287**, 1898–1899.
- Ronaghi M, Uhlen M, Nyren P. (1998) A sequencing method based on real-time pyrophosphate. *Science*. **281**(5375):363, 365.
- Ronaghi M. (2001) Pyrosequencing sheds light on DNA sequencing. *Genome Res.* **11**(1):3-11.
- Roses AD., (2000) Causes or consequences of inflammation and pathological signs of Alzheimer disease. *Neurobiol Aging*; **21**(3):423-5
- Ross PL., Lee, K. & Belgrader, P. (1997) Discrimination of singlenucleotide polymorphisms in human DNA using peptide nucleic acid probes detected by MALDI-TOF mass spectrometry. *Anal. Chem.* **69**, 4197–4202.
- Ross, P., Hall, L., Smirnov, I. & Haff, L. High level multiplex genotyping by MALDI-TOF mass spectrometry. (1998) *Nature Biotechnol.* **16**, 1347–1351.
- Sachidanandam R., Weissman D, Schmidt SC, Kakol JM, Stein LD, Marth G, Sherry S, Mullikin JC, Mortimore BJ, Willey DL, Hunt SE, Cole CG, Coggill PC, Rice CM, Ning Z, Rogers J, Bentley DR, Kwok PY, Mardis ER, Yeh RT, Schultz B, Cook L, Davenport R, Dante M, Fulton L, Hillier L, Waterston RH, McPherson JD, Gilman B, Schaffner S, Van Etten WJ, Reich D, Higgins J, Daly MJ, Blumenstiel B, Baldwin J, Stange-Thomann N, Zody MC, Linton L, Lander ES, Altshuler D. (2001) A map of human genome sequence variation containing 1.42 million single nucleotide polymorphisms. *Nature*. **15**;409(6822):928-33.
- Saiki R.K., Scharf S., Faloona F., Mullis K.B., Horn G.T., Erlich, H.A., Arnheim N. (1985) Enzymatic amplification of beta-globin genomic sequences an restriction site analysis for diagnosis of sickle cell anemia. *Science* **230**(4732): 1350-1354

- Samiotaki, M., M. Kwiatkowski, J. Parik, and U. Landegren. (1994) Dual-color detection of DNA sequence variants by ligase-mediated analysis. *Genomics* **20**: 238-242.
- Sanger F, Nicklen S, Coulson AR. (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A.* **74**(12):5463-7.
- Sauer S., Lechner D, Berlin K, Lehrach H, Escary JL, Fox N, Gut IG. (2000) A novel procedure for efficient genotyping of single nucleotide polymorphisms. *Nucleic Acids Res.* **1**;28(5):E13.
- Savatier P., Trabuchet G, Faure C, Chebloune Y, Gouy M, Verdier G, Nigon VM. (1985) Evolution of the primate beta-globin gene region. High rate of variation in CpG dinucleotides and in short repeated sequences between man and chimpanzee. *J Mol Biol* **5**;182(1):21-9
- Schafer, A.J. & J. R. Hawkins (1998): DNA variation and the future of human genetics. *Nature Biotechnol.* **16**: 33-39
- Schork, NJ., Cardon, L. R. & Xu, X. (1998) The future of genetic epidemiology. *Trends Genet.* **14**, 266–272.
- Snijders AM., Nowak N, Segraves R, Blackwood S, Brown N, Conroy J, Hamilton G, Hindle AK, Huey B, Kimura K, Law S, Myambo K, Palmer J, Ylstra B, Yue JP, Gray JW, Jain AN, Pinkel D, Albertson DG. (2001) Assembly of microarrays for genome-wide measurement of DNA copy number. *Nat Genet.* **29**(3):263-4.
- Solinas-Toldo S., Lampel S, Stilgenbauer S, Nickolenko J, Benner A, Dohner H, Cremer T, Lichter P. (1997) Matrix-based comparative genomic hybridization: biochips to screen for genomic imbalances. *Genes Chromosomes Cancer.* **20**(4):399-407.

- Sommers, S.S., J.D. Cassady, J.L. Sobell, and C.D.K. Bottema. (1989) A novel method for detecting point mutations or polymorphisms and its application to population screening for carriers of phenylketonuria. *Mayo Clin. Proc.* **64**: 1361-1372.
- Sosnowski, R.G., Tu,E., Butler,W.F., O'Connel,J.P., Heller,M.J. (1997) Rapid determination of single base mismatch mutations in DNA hybrids by direct electric field control. *Proc. Natl. Acad. Sci. USA*, **94**, 1119-1123.
- Southern E, Mir K, Shchepinov M. (1999) Molecular interactions on microarrays. *Nat Genet.* **21**(1 Suppl):5-9.
- Southern,E.M., Maskos,U., Elder,J.K. (1992) Analyzing and comparing nucleic acid sequences by hybridization to arrays of oligonucleotides: evaluation using experimental models. *Genomics*, **13**, 1008-1017.
- Stoneking M. (2001) Single nucleotide polymorphisms. From the evolutionary past...*Nature*. **15**;409(6822):821-2. No abstract available.
- Sullivan KM, Hopgood R, Gill P. (1992) Identification of human remains by amplification and automated sequencing of mitochondrial DNA. *Int J Legal Med.* **105**(2):83-6.
- Syvänen, A.C., K. Aalto-Setälä, L. Harju, K. Kontula, and H. Söderlund. (1990). A primer-guided nucleotide incorporation assay in the genotyping of apolipoprotein E. *Genomics* **8**: 684-692.
- Taton TA., Mirkin, C. A. & Letsinger, R. L. (2000) Scanometric DNA array detection with nanoparticle probes. *Science* **289**, 1757–1760.
- The Genome Sequencing Consortium, (2001). McPherson JD, Marra M, Hillier L, Waterston RH, Chinwalla A, Wallis J, Sekhon M, Wylie K, Mardis ER, Wilson RK, et al. A physical map of the human genome. *Nature*. **409**(6822):934-41.

- Tilib, SV., Strizhkov, B. N. & Mirzabekov, A. D. (2001) Integration of multiple PCR amplifications and DNA mutation analyses by using oligonucleotide microchip. *Anal. Biochem.* **292**, 155–160.
- Tully, G., Sullivan, K. M., Nixon, P., Stones, R. E. & Gill, P. (1996) Rapid detection of mitochondrial sequence polymorphisms using multiplex solid-phase fluorescent minisequencing. *Genomics* **34**, 107– 113.
- Tyagi, S. and F.R. Kramer. (1996) Molecular beacons: Probes that fluoresce upon hybridization. *Nature Biotechnol.* **14**: 303-308.
- Tyagi, S., D.P. Bratu, and F.R. Kramer. (1998) Multicolor molecular beacons for allele discrimination. *Nature Biotechnol.* **16**: 49-53.
- Veltman JA., Schoenmakers EF, Eussen BH, Janssen I, Merkx G, van Cleef B, van Ravenswaaij CM, Brunner HG, Smeets D, van Kessel AG. (2002) High-throughput analysis of subtelomeric chromosome rearrangements by use of array-based comparative genomic hybridization. *Am J Hum Genet.* ;**70**(5):1269-76.
- Venter J.C., Adams M.D., Myers E.W., Li P.W., Mural R.J., Sutton G.G., Smith H.O., Yandell M., Evans C.A., Holt R.A., Gocayne J.D., et al. (2001) The Sequence of the Human Genome. *Science* **291**: 1304-1351.
- Vigilant L, Pennington R, Harpending H, Kocher TD, Wilson AC. (1989) Mitochondrial DNA sequences in single hairs from a southern African population *Proc Natl Acad Sci.* **86**(23):9350-4.
- Wallace DC. (1992) Mitochondrial genetics: a paradigm for aging and degenerative diseases. *Science*. **256**(5057):628-32.
- Wallace DC. (1994) Mitochondrial DNA sequence variation in human evolution and disease. *Proc Natl Acad Sci .* **13**;91(19):8739-46.

- Wallace DC. (1995). 1994 William Allan Award Address. Mitochondrial DNA variation in human evolution, degenerative disease, and aging. *Am J Hum Genet.* **57**(2):201-23.
- Wallace DC. (1999) Mitochondrial diseases in man and mouse. *Science.* **283**(5407):1482-8.
- Wang D.G., Fan,J.B., Siao,C.J., Berno,A., Young,P., Sapolsky,R., Ghandour,G., Perkins,N., Winchester,E., Spencer,J. (1998) Large-scale identification, mapping, and genotyping of single-nucleotide polymorphisms in the human genome. *Science,* **280**, 1077-1082.
- Wessendorf S., Fritz B, Wrobel G, Nessling M, Lampel S, Goettel D, Kuepper M, Joos S, Hopman T, Kokocinski F, Dohner H, Bentz M, Schwaenen C, Lichter P. (2002) Automated screening for genomic imbalances using matrix-based comparative genomic hybridization. *Lab Invest.* ;**82**(1):47-60.
- Westin L., Xu X, Miller C, Wang L, Edman CF, Nerenberg M. (2000) Anchored multiplex amplification on a microelectronic chip array. *Nat Biotechnol.*; **18**(2):199-204.
- Winzeler,E.A., Richards,D.R., Conway,A.R., Goldstein,A.L., Kalman,S., McCullough,M.J., McCusker, J.H., Stevens,D.A., Wodicka,L., Lockhart,D.J. et al. (1998) Direct allelic variation scanning of the yeast genome. *Science,* **281**, 1194-1197.
- Woolley AT., Guillemette, C., Li Cheung, C., Housman, D. E. & Lieber, C. M. (2000) Direct haplotyping of kilobase-size DNA using carbon nanotube probes. *Nature Biotechnol.* **18**, 760–763
- Wu, D.Y., and R.B. Wallace. (1989). Specificity of the nick-closing activity of bacteriophage T4 DNA ligase. *Gene* **76**: 245–254.
- Zhao,L.P., Aragaki,C., Hsu,L., Quiaoit,F. (1998) Mapping of complex traits by single-nucleotide polymorphisms. *Am. J. Hum. Genet.*, **63**, 225-240.