

## (9) References

1. Piotrowski, G., et al., *Non-invasive methods of atrial function evaluation in heart diseases*. Med Sci Monit, 2000. **6**(4): p. 827-39.
2. Toma, Y., et al., *Left atrial filling in normal human subjects: relation between left atrial contraction and left atrial early filling*. Cardiovasc Res, 1987. **21**(4): p. 255-9.
3. Miyaguchi, K., et al., *Role of left atrial booster pump function in a worsening course of congestive heart failure*. Jpn Circ J, 1992. **56**(5): p. 509-17.
4. Korup, E., E. Toft, and K. Rasmussen, *Plasma atrial natriuretic peptide is related to systolic but not diastolic myocardial function. Determination by echocardiography 24 h after myocardial infarction*. Eur Heart J, 1995. **16**(4): p. 485-9.
5. de Bold, A.J., B.G. Bruneau, and M.L. Kurosaki de Bold, *Mechanical and neuroendocrine regulation of the endocrine heart*. Cardiovasc Res, 1996. **31**(1): p. 7-18.
6. Ruskoaho, H., et al., *Mechanisms of mechanical load-induced atrial natriuretic peptide secretion: role of endothelin, nitric oxide, and angiotensin II*. J Mol Med, 1997. **75**(11-12): p. 876-85.
7. Maack, T., *Cardiovascular receptors as drug targets*. Eur omega Conferences' *Cardiovascular receptors as drug targets*. Institut Pasteur, Paris, France, 3-4 October 1996. Mol Med Today, 1997. **3**(3): p. 101-2.
8. Prioli, A., et al., *Increasing degrees of left ventricular filling impairment modulate left atrial function in humans*. Am J Cardiol, 1998. **82**(6): p. 756-61.

9. Matsuda, Y., et al., *Assessment of left atrial function in patients with hypertensive heart disease*. Hypertension, 1986. **8**(9): p. 779-85.
10. Matsuda, Y., et al., *Importance of left atrial function in patients with myocardial infarction*. Circulation, 1983. **67**(3): p. 566-71.
11. Sigwart, U., et al., *Left atrial function in acute transient left ventricular ischemia produced during percutaneous transluminal coronary angioplasty of the left anterior descending coronary artery*. Am J Cardiol, 1990. **65**(5): p. 282-6.
12. Stefanadis, C., J. Dernellis, and P. Toutouzas, *Evaluation of the Left Atrial Performance Using Acoustic Quantification*. Echocardiography, 1999. **16**(1): p. 117-125.
13. Kagawa, K., et al., [Left atrial function during left ventricular diastole evaluated by left atrial angiography and left ventriculography]. J Cardiol, 1994. **24**(4): p. 317-25.
14. Lange, P.E., et al., *Left and right ventricular adaptation to right ventricular overload before and after surgical repair of tetralogy of Fallot*. Am J Cardiol, 1982. **50**(4): p. 786-94.
15. Ghai, A., et al., *Left ventricular dysfunction is a risk factor for sudden cardiac death in adults late after repair of tetralogy of Fallot*. J Am Coll Cardiol, 2002. **40**(9): p. 1675-80.
16. Carvalho, J.S., et al., *Exercise capacity after complete repair of tetralogy of Fallot: deleterious effects of residual pulmonary regurgitation*. Br Heart J, 1992. **67**(6): p. 470-3.
17. Hausdorf, G., et al., *Left ventricular contractile state after surgical correction of*

- tetralogy of Fallot: risk factors for late left ventricular dysfunction.* Pediatr Cardiol, 1990. **11**(2): p. 61-8.
18. de Ruijter, F.T., et al., *Right ventricular dysfunction and pulmonary valve replacement after correction of tetralogy of Fallot.* Ann Thorac Surg, 2002. **73**(6): p. 1794-800; discussion 1800.
19. Gatzoulis, M.A., et al., *Risk factors for arrhythmia and sudden cardiac death late after repair of tetralogy of Fallot: a multicentre study.* Lancet, 2000. **356**(9234): p. 975-81.
20. Grant, C., I.L. Bunnell, and D.G. Greene, *The Reservoir Function of the Left Atrium During Ventricular Systole. An Angiocardiographic Study of Atrial Stroke Volume and Work.* Am J Med, 1964. **37**: p. 36-43.
21. Castello, R., et al., *Comparison of transthoracic and transesophageal echocardiography for assessment of left-sided valvular regurgitation.* Am J Cardiol, 1991. **68**(17): p. 1677-80.
22. Barbier, P., et al., *Left atrial relaxation and left ventricular systolic function determine left atrial reservoir function.* Circulation, 1999. **100**(4): p. 427-36.
23. Fujii, K., et al., *Effect of left ventricular contractile performance on passive left atrial filling--clinical study using radionuclide angiography.* Clin Cardiol, 1994. **17**(5): p. 258-62.
24. Smiseth, O.A., et al., *The pulmonary venous systolic flow pulse--its origin and relationship to left atrial pressure.* J Am Coll Cardiol, 1999. **34**(3): p. 802-9.
25. Rahimtoola, S.H., et al., *Left atrial transport function in myocardial infarction.*

- Importance of its booster pump function.* Am J Med, 1975. **59**(5): p. 686-94.
26. Marino, P., et al., *The left atrial volume curve can be assessed from pulmonary vein and mitral valve velocity tracings.* Am Heart J, 1994. **127**(4 Pt 1): p. 886-98.
27. Hitch, D.C. and S.P. Nolan, *Descriptive analysis of instantaneous left atrial volume--with special reference to left atrial function.* J Surg Res, 1981. **30**(2): p. 110-20.
28. Recordati, G., et al., *Instantaneous dimensional changes of the right atrium of the cat.* J Appl Physiol, 1974. **36**(6): p. 686-92.
29. Robinson, T.F., S.M. Factor, and E.H. Sonnenblick, *The heart as a suction pump.* Sci Am, 1986. **254**(6): p. 84-91.
30. Yamaguchi, M., et al., *Study on left atrial contractile performance--participation of Frank-Starling mechanism.* Jpn Circ J, 1987. **51**(9): p. 1001-9.
31. Rambaldi, R., et al., *Doppler tissue imaging in the new era of digital echocardiography.* G Ital Cardiol, 1997. **27**(8): p. 827-39.
32. Isaaz, K., et al., *Doppler echocardiographic measurement of low velocity motion of the left ventricular posterior wall.* Am J Cardiol, 1989. **64**(1): p. 66-75.
33. Galiuto, L., G. Ignone, and A.N. DeMaria, *Contraction and relaxation velocities of the normal left ventricle using pulsed-wave tissue Doppler echocardiography.* Am J Cardiol, 1998. **81**(5): p. 609-14.
34. Palka, P., et al., *Age-related transmural peak mean velocities and peak velocity gradients by Doppler myocardial imaging in normal subjects.* Eur Heart J, 1996. **17**(6): p. 940-50.

35. Donovan, C.L., W.F. Armstrong, and D.S. Bach, *Quantitative Doppler tissue imaging of the left ventricular myocardium: validation in normal subjects*. Am Heart J, 1995. **130**(1): p. 100-4.
36. Wilkenshoff, U.M., et al., *Regional mean systolic myocardial velocity estimation by real-time color Doppler myocardial imaging: a new technique for quantifying regional systolic function*. J Am Soc Echocardiogr, 1998. **11**(7): p. 683-92.
37. Oki, T., et al., *Clinical application of pulsed Doppler tissue imaging for assessing abnormal left ventricular relaxation*. Am J Cardiol, 1997. **79**(7): p. 921-8.
38. Garcia-Fernandez, M.A., et al., *Regional diastolic function in ischaemic heart disease using pulsed wave Doppler tissue imaging*. Eur Heart J, 1999. **20**(7): p. 496-505.
39. von Bibra, H., et al., *Regional diastolic function by pulsed Doppler myocardial mapping for the detection of left ventricular ischemia during pharmacologic stress testing: a comparison with stress echocardiography and perfusion scintigraphy*. J Am Coll Cardiol, 2000. **36**(2): p. 444-52.
40. Miyatake, K., et al., *New method for evaluating left ventricular wall motion by color-coded tissue Doppler imaging: in vitro and in vivo studies*. J Am Coll Cardiol, 1995. **25**(3): p. 717-24.
41. McDonald, I.G., *The shape and movements of the human left ventricle during systole. A study by cineangiography and by cineradiography of epicardial markers*. Am J Cardiol, 1970. **26**(3): p. 221-30.
42. Slager, C.J., et al., *Quantitative assessment of regional left ventricular motion using*

- endocardial landmarks.* J Am Coll Cardiol, 1986. **7**(2): p. 317-26.
43. Mirsky, I. and W.W. Parmley, *Assessment of passive elastic stiffness for isolated heart muscle and the intact heart.* Circ Res, 1973. **33**(2): p. 233-43.
44. Heimdal, A., et al., *Real-time strain rate imaging of the left ventricle by ultrasound.* J Am Soc Echocardiogr, 1998. **11**(11): p. 1013-9.
45. Weidemann, F., B. Eyskens, and G.R. Sutherland, *New ultrasound methods to quantify regional myocardial function in children with heart disease.* Pediatr Cardiol, 2002. **23**(3): p. 292-306.
46. Weidemann, F., et al., *Quantification of regional right and left ventricular function by ultrasonic strain rate and strain indexes after surgical repair of tetralogy of Fallot.* Am J Cardiol, 2002. **90**(2): p. 133-8.
47. Rademakers, F.E., et al., *Relation of regional cross-fiber shortening to wall thickening in the intact heart. Three-dimensional strain analysis by NMR tagging.* Circulation, 1994. **89**(3): p. 1174-82.
48. Axel, L., *Noninvasive measurement of cardiac strain with MRI.* Adv Exp Med Biol, 1997. **430**: p. 249-56.
49. Voigt, J.U., H. von Bibra, and W.G. Daniel, *[New techniques for the quantification of myocardial function: acoustic quantification, color kinesis, tissue Doppler and "strain rate imaging"].* Z Kardiol, 2000. **89**(Suppl 1): p. 97-103.
50. Voigt, J.U., et al., *Strain rate imaging for the assessment of preload-dependent changes in regional left ventricular diastolic longitudinal function.* J Am Soc Echocardiogr, 2002. **15**(1): p. 13-9.

51. Yu, C.M., et al., *Evidence of atrial mechanical dysfunction by acoustic quantification in abnormal relaxation and restrictive filling patterns of diastolic dysfunction in patients with coronary artery disease*. Eur J Echocardiogr, 2003. **4**(4): p. 272-8.
52. Jarvinen, V.M., et al., *A simplified method for the determination of left atrial size and function using cine magnetic resonance imaging*. Magn Reson Imaging, 1996. **14**(3): p. 215-26.
53. Vogel, M., et al., *Comparison of transthoracic three dimensional echocardiography with magnetic resonance imaging in the assessment of right ventricular volume and mass*. Heart, 1997. **78**(2): p. 127-30.
54. Gatzoulis, M.A., et al., *Right ventricular diastolic function 15 to 35 years after repair of tetralogy of Fallot. Restrictive physiology predicts superior exercise performance*. Circulation, 1995. **91**(6): p. 1775-81.
55. Norgard, G., et al., *Does restrictive right ventricular physiology in the early postoperative period predict subsequent right ventricular restriction after repair of tetralogy of Fallot?* Heart, 1998. **79**(5): p. 481-4.
56. Hashimoto, I., et al., *Myocardial strain rate is a superior method for evaluation of left ventricular subendocardial function compared with tissue Doppler imaging*. J Am Coll Cardiol, 2003. **42**(9): p. 1574-83.
57. Matre, K., et al., *In vitro evaluation of ultrasound Doppler strain rate imaging: modification for measurement in a slowly moving tissue phantom*. Ultrasound Med Biol, 2003. **29**(12): p. 1725-34.

58. Yip, G., et al., *Clinical applications of strain rate imaging*. J Am Soc Echocardiogr, 2003. **16**(12): p. 1334-42.
59. Li, X., et al., *Strain rate acceleration yields a better index for evaluating left ventricular contractile function as compared with tissue velocity acceleration during isovolumic contraction time: an in vivo study*. J Am Soc Echocardiogr, 2003. **16**(12): p. 1211-6.
60. Okamoto, M., et al., *Determinants of left atrial systolic time intervals--assessment by pulsed Doppler echocardiography*. Jpn Circ J, 1991. **55**(3): p. 232-7.
61. Wang, Y.P., et al., *Effects of volume loading, propranolol, and heart rate changes on pump function and systolic time intervals of the left atrium in open-chest dogs*. Acta Cardiol, 1993. **48**(3): p. 245-62.
62. Ewert, P., et al., *[Acute left heart failure after interventional occlusion of an atrial septal defect]*. Z Kardiol, 2001. **90**(5): p. 362-6.
63. Ewert, P., et al., *Masked left ventricular restriction in elderly patients with atrial septal defects: a contraindication for closure?* Catheter Cardiovasc Interv, 2001. **52**(2): p. 177-80.
64. Davies, H., et al., *Abnormal left heart function after operation for atrial septal defect*. Br Heart J, 1970. **32**(6): p. 747-53.
65. Brookes, C.I., et al., *Validation of a new intraoperative technique to evaluate load-independent indices of right ventricular performance in patients undergoing cardiac operations*. J Thorac Cardiovasc Surg, 1998. **116**(3): p. 468-76.
66. Pai, R.G., et al., *Usefulness of systolic excursion of the mitral anulus as an index of*

- left ventricular systolic function.* Am J Cardiol, 1991. **67**(2): p. 222-4.
67. Hanseus, K.C., et al., *Analysis of atrioventricular plane movements by Doppler tissue imaging and M-mode in children with atrial septal defects before and after surgical and device closure.* Pediatr Cardiol, 2002. **23**(2): p. 152-9.
68. Dhillon, R., et al., *Transcatheter closure of atrial septal defect preserves right ventricular function.* Heart, 2002. **87**(5): p. 461-5.
69. Bert, A.A., et al., *Right ventricular function after normothermic versus hypothermic cardiopulmonary bypass*  
*Depression and recovery of right ventricular function after cardiopulmonary bypass.* J Thorac Cardiovasc Surg, 1993. **106**(6): p. 988-96.
70. Stein, K.L., et al., *Depression and recovery of right ventricular function after cardiopulmonary bypass.* Crit Care Med, 1990. **18**(11): p. 1197-200.
71. Kaul, S., et al., *Assessment of right ventricular function using two-dimensional echocardiography.* Am Heart J, 1984. **107**(3): p. 526-31.
72. Carr-White, G.S., et al., *Right ventricular function after pulmonary autograft replacement of the aortic valve.* Circulation, 1999. **100**(19 Suppl): p. II36-41.
73. Eyskens, B., et al., *Homograft insertion for pulmonary regurgitation after repair of tetralogy of fallot improves cardiorespiratory exercise performance.* Am J Cardiol, 2000. **85**(2): p. 221-5.
74. Therrien, J., et al., *Pulmonary valve replacement in adults late after repair of tetralogy of fallot: are we operating too late?* J Am Coll Cardiol, 2000. **36**(5): p. 1670-5.

75. Gatzoulis, M.A., et al., *Right and left ventricular systolic function late after repair of tetralogy of Fallot*. Am J Cardiol, 2000. **86**(12): p. 1352-7.
76. Promphan, W., et al., *The right and left ventricular function after surgical correction with pericardial monocusp in tetralogy of fallot: mid-term result*. J Med Assoc Thai, 2002. **85**(Suppl 4): p. S1266-74.
77. Kono, T., et al., *Left atrial contribution to ventricular filling during the course of evolving heart failure*. Circulation, 1992. **86**(4): p. 1317-22.
78. Rossi, A., P. Zardini, and P. Marino, *Modulation of left atrial function by ventricular filling impairment*. Heart Fail Rev, 2000. **5**(4): p. 325-31.
79. Krymsky, L.D., *Pathologic anatomy of congenital heart disease*. Circulation, 1965. **32**(5): p. 814-27.
80. Modi, P., et al., *Pathology-related troponin I release and clinical outcome after pediatric open heart surgery*. J Card Surg, 2003. **18**(4): p. 295-300.
81. Schachner, A., et al., *Myocardial protection in infant open heart surgery*. Scand J Thorac Cardiovasc Surg, 1983. **17**(2): p. 101-7.
82. Warner, K.G., et al., *Restoration of the pulmonary valve reduces right ventricular volume overload after previous repair of tetralogy of Fallot*. Circulation, 1993. **88**(5 Pt 2): p. II189-97.
83. Akiba, T., et al., *Left and right ventricular volume characteristics in tetralogy of Fallot and their relationship to arterial oxygen saturation and age*. *Restoration of the pulmonary valve reduces right ventricular volume overload after previous repair of tetralogy of Fallot*. Acta Paediatr Jpn, 1996. **38**(6): p. 657-60.

84. Munkhammar, P., et al., *Early age at repair prevents restrictive right ventricular (RV) physiology after surgery for tetralogy of Fallot (TOF): diastolic RV function after TOF repair in infancy*. J Am Coll Cardiol, 1998. **32**(4): p. 1083-7.
85. Shimizu, S., et al., *[Assessment of left ventricular function by pressure-volume loop in VSD and TOF before and after operation]*. Nippon Kyobu Geka Gakkai Zasshi, 1997. **45**(12): p. 1961-7.
86. Yasuoka, K., et al., *Tei Index Determined by Tissue Doppler Imaging in Patients with Pulmonary Regurgitation After Repair of Tetralogy of Fallot*  
*Value of the new Doppler-derived myocardial performance index for the evaluation of right and left ventricular function following repair of tetralogy of fallot*  
*Regional wall motion and abnormalities of electrical depolarization and repolarization in patients after surgical repair of tetralogy of Fallot*  
*[Assessment of left ventricular function by pressure-volume loop in VSD and TOF before and after operation]*. Pediatr Cardiol, 2003. **4**(5): p. 4.
87. Davlouros, P.A., et al., *Right ventricular function in adults with repaired tetralogy of Fallot assessed with cardiovascular magnetic resonance imaging: detrimental role of right ventricular outflow aneurysms or akinesia and adverse right-to-left ventricular interaction*. J Am Coll Cardiol, 2002. **40**(11): p. 2044-52.
88. Vogel, M., et al., *Regional wall motion and abnormalities of electrical depolarization and repolarization in patients after surgical repair of tetralogy of Fallot*. Circulation, 2001. **103**(12): p. 1669-73.