

# Bibliography

- [1] <http://www.epa.gov/globalwarming/climate/index.html>.
- [2] Mukund R. Patel, *Wind and Solar Power Systems*, US. Merchant Marine Academy Kings Point, New York, CRC Press 1942.
- [3] M. A. Green, K. Emery, D. L. King, S. Igari, and W. Warta, *Solar cell efficiency table (version 25)*, Prog. Phot. Res. Appl. 13 (2005) pp. 49.
- [4] Yoshihiro hamakawa, *Thin-Film solar cells: Next generation photovoltaics and its applications*, Springer-Verlag Berlin Heidelberg Nwe York, 2003
- [5] M.A. Green, *Solar Cells*, Prentice-Hall Series in Solid State Physical Electronics, edited by , Nick Holonyak Jr. (Prentice-Hall, Englewood Cliffs, NJ, 1982).
- [6] Jasenek, A. Rau, U. Hahn, T. Hanna, G. Schmidt, M. Hartmann, M. Schock, H W. Werner, J H. Schattat, B. Kraft, S. Schmid, K-H. Bolse, W., *Defect generation in polycrystalline Cu(In,Ga)Se<sub>2</sub> by high-energy electron irradiation*, Appl. Phys. A, Mat. Sciences & Proc. 60 (1995) pp. 677 - 680.
- [7] C. H. Henry, *Limiting efficiencies of ideal single and multiple energy gap terrestrial solar cells*, J. Appl. Phys. 51 (1980) pp. 4494 - 4500.
- [8] Ortwin Schenker, PhD Thesis, (2002).
- [9] D. Young, J. Keane, A. Duda, J. AbuShama, C. Perkins, M. Romero, and R. Noufi, *Improved preformance in ZnO/CdS/CuGaSe<sub>2</sub> thin films solar cells*, Prog. Photo. volt: Res. Appl. 11 (2003) pp. 535.
- [10] J. AbuShama, R. Noufi, S. Johnston, S. Ward, X. Wu, *Improved performance in CuInSe<sub>2</sub> and surface-modified CuGaSe<sub>2</sub> solar cells*, Proc. of the 31st IEEE Photovoltaic Specialists Conference and Exhibition, Florida, USA (2005).
- [11] M. Contreras and J. AbuShama Private communication.
- [12] K. Siemer, J. Klaer, I. Luck, Bruns J., R. Klenk and D. Bräunig, *Efficient CuInS<sub>2</sub> solar cells from a rapid thermal process (RTP)*, Sol. Mat. Energ. & Sol. Cells 67, (2001) pp. 159-166
- [13] J. L. Shay and J. H. Wernick, *Ternary chalcopyrite semiconductors: growth, electronic properties and applications* (Pergamon, Oxford, 1974).
- [14] J. E. Jaffe and Alex Zunger, *Electronic structure of the ternary chalcopyrite semiconductors CuAlS<sub>2</sub>, CuGaS<sub>2</sub>, CuInS<sub>2</sub>, CuAlSe<sub>2</sub>, CuGaSe<sub>2</sub>, and CuInSe<sub>2</sub>*, Phys. Rev. B 28 (1983) pp. 5822-5847.

- [15] C. L. Burdick and J. H. Ellis, *The crystal structure of chalcopyrite determined by X-rays*, J. Am. Chem. Soc. 39 (1917) pp. 2518
- [16] G. Donnay, L. M. Corliss, G. Donnay, J. D. H., N. Elliot and J. M. Hastings, *Symmetry of magnetic structures: Magnetic structure of chalcopyrite*, Phys. Rev 12 (1958) pp. 1917-1923
- [17] I. V. Bodnar, I. T. Bodnar and A. A. Vipolin, Cryst. Res. Technol 19 (1984) pp. 1553
- [18] M. Robbins, J. C. Phillips, and V. G. Lambrecht, Jr., *Solid solution formation in the systems CuM<sub>111</sub>X<sub>2</sub>-AgM<sub>111</sub>X<sub>2</sub> where M<sub>111</sub> = aluminum, gallium, indium and X<sub>2</sub> = sulfur or selenium*, J. Phys. Chem. Solids 34, (1973) 1205-1209.
- [19] A. A. Vipolin, *Semiconductor A<sup>2</sup>B<sup>4</sup>C<sub>2</sub><sup>5</sup>*, edited by N. A. Goryunova and Yu A. Valov (Soviet Radio, Moscow, 1974) pp. 52.
- [20] Svein Stølen and Tor Grande, *Chemical Thermodynamics of Materials: Macroscopic and Microscopic Aspects*, John Wiley & Sons, (2004) Ltd. ISBN: 0-471-49230-2.
- [21] J.C. Mikkelsen, *Ternary phase relations of the chalcopyrite compound CuGaSe<sub>2</sub>*, J. Electron Mater. 10 (1981) pp. 541-558.
- [22] S.-H. Wei and Alex Zunger, *Role of metal d states in II-VI semiconductors*, Phys. Rev. B 37 (1983) pp. 8958–8981.
- [23] D. E. Aspnes and J. E. Rowe, *High-resolution interband-energy measurements from electroreflectance spectra*, Phys. Rev. Lett. 27, (1971) pp. 188–190.
- [24] Su-Huai Wei, S. B. Zhang, and Alex Zunger, *Band structure and stability of zinc-blende-based semiconductor polytypes*, Phys. Rev. B 59, (1999) pp. R2478–R2481.
- [25] J. J. Hopfield, *Fine structure in the optical absorption edge of anisotropic crystals*, J. Phys. Chem. Solids 15 (1960) pp. 97.
- [26] B. Tell and P. M. Bridenbaugh, Phys. Rev. B. 12, (1975) pp. 3330.
- [27] S. Chichibu, T. Mizutani, K. Murakami, T. Shioda, T. Kurafumi, H. Nakanishi, S. Niki, P. J. Fons and A. Yamada, J. Appl. Phys. 83 (1998) pp. 3678
- [28] Y. P. Varshni, *Temperature dependence of the energy gap in Semiconductors*, Physica 34 (1967) pp 149-154.
- [29] J.A. Groenik and P. H. Janse, *A generalized approach to the defect chemistry of the ternary compounds*, Z. Phys. Chem. 110 (1983) pp. 17-18.
- [30] H. Neumann, *Vacancy formation enthalpies in A<sup>I</sup>B<sup>III</sup>C<sub>2</sub><sup>VI</sup> chalcopyrite semiconductors*, Cryst. Res. Technol. 18 (1983) pp 901-906.
- [31] S. Lany and A. Zunger *Anion vacancies as a source of persistent photoconductivity in II-VI and chalcopyrite semiconductors*, Phys. Rev. B 72, (2005) pp 035215-035227

- [32] S. B. Zhang, S. H. Wei and A. Zunger, *Stabilization of ternary compounds via ordered arrays of defect pairs*, Phys. Rev. B, 57(1998) pp. 9642.
- [33] S. Siebentritt, *Wide gap chalcopyrites: material properties and solar cells*, Thin Solid 403-404 (2002) pp. 1-8
- [34] W. Walukiewicz, *Mechanism of Scottky barrier formation: The role of amphoteric native defects*, J. Vac. Sci. Technol. B, 5 (1987) pp 1062–1067.
- [35] S. B. Zhang and John E. Northrup, *Chemical potential dependence of defect formation energies in GaAs: Application to Ga self-diffusion*, Phys. Rev. Lett., 67 (1991) pp. 2339–2342.
- [36] S. H. Wei, S. B. Zhang, and A. Zunger. Appl. Phys. Lett. 72 (1998) pp. 3199
- [37] J. H. Schön, J. Oestreich, O. Schenker, H. Riazi-Nejad, M. Klenk, N. Fabre, E. Arushanov and E. Bucher, *n-type conduction in Ge-doped CuGaSe<sub>2</sub>*, Appl. Phys. Lett., 75 (1999) pp. 2969-2971.
- [38] S. B. Zhang, Su-Huai Wei, and Alex Zunger, *A phenomenological model for systematization and prediction of doping limits in II-VI and I-III-VI<sub>2</sub> compounds*, J. Appl. Phys. 83 (1998) pp. 3192-3196.
- [39] B.J. Shklovskii and A.L. Efros, *Electronic properties of doped semiconductors*, Berlin, Springer, 1984.
- [40] Timothy H. Gfroerer, *Photoluminescence in analysis of surfaces and interfaces*, Encyclopedia of analytical chemistry, R. A. Meyers (Ed), (2000) pp. 9209-9231.
- [41] P. J. Dean, *Photoluminescence as a diagnostic of semiconductors*, Prog. Cryst. Growth Charact. 5 (1982) pp. 89-174
- [42] D. M. Eagles, *Optical absorption and recombination radiation in semiconductors due to transitions between hydrogen-like acceptor impurity levels and the conduction band*, J. Phys. Chem. Solids 16 (1960) pp. 76.
- [43] C. Richard Brundle, Charles A. Evans, Jr, Shaun Wilson, *Encyclopedia Of Material Characterization: surface, interface, thin films*, (1992) Butterworth- Heinemann.
- [44] M. Rusu, S. Wiesner, D. Fuertes Marrón, A. Meeder, S. Doka, W. Bohne, S. Lindner, Th. Schedel-Niedrig, Ch. Giesen, M. Heuken, M. Ch. Lux-Steiner, *CuGaSe<sub>2</sub> thin films prepared by a novel CCSVT technique for photovoltaic application*, Thin Solid Films 451-452 (2004) pp. 556-561.
- [45] M. Saad, H. Riazi, E. Bucher, M.Ch. Lux-Steiner, *CuGaSe<sub>2</sub> solar cells with 9.7% power conversion efficiency*, Applied Physics A: Materials Science & Processing, 62 (1996) pp. 181 - 185.
- [46] D.L. Young, J. Keane, A. Duda, J. A.M. AbuShama, C.L. Perkins, M. Romero, R. Noufi, *Improved performance ZnO/CdS/CuGaSe<sub>2</sub> thin-film solar cells*, Prog. Photovolt: Res. Appl. 11 (2003) pp. 535-541.

- [47] M.A. Contreras, A.M. Gabor, A.L. Tennant, A. Asher, J.R. Tuttle, R. Noufi, *16.4% total-area conversion efficiency thin-film polycrystalline MgF/ZnO/CdS/Cu(In,Ga)Se<sub>2</sub>/Mo solar cell*, Prog. Photovolt: Res. Appl. 2 (1994) pp. 287-292.
- [48] V. Nadenau, D. Hariskos, H.W. Schock, M. Krejci, F.J.Haug, A. N. Tiwari, H. Zogg and G. Kostorz, *Microstructural study of the CdS/CuGaSe<sub>2</sub> interfacial region in CuGaSe<sub>2</sub> thin film solar cells*, J. Appl. Phys. 85, pp. 534-542.
- [49] M. Nishtani, T. Negamy, M. Terauchi, T. Hirao, *Preparation and characterization of CuInSe<sub>2</sub> thin films by molecular-beam deposition method*, Jpn. J. Appl. Phys. 31 (1992) pp. 192-196.
- [50] D. Fischer, N. Meyer, M. Kuczmic, M. Beck, A. Jäger-Waldau, M.Ch. Lux-Steiner, *CVD of CuGaSe<sub>2</sub> for thin film solar cells with various transport agents*, Sol Energy Mater. Sol. Cells 67 (2001) pp. 105.-112
- [51] K. Guenoun, K. Djessas, and G. Massé, *Temperature distribution and transport mode in a close-space vapor transport reactor for CuInSe<sub>2</sub> depositions*, J. Appl. Phys. 84 (1998) pp. 589-595.
- [52] G. Massé, K. Djessas, *Close-space vapour transport of CuInSe<sub>2</sub>, CuGaSe<sub>2</sub> and Cu(Ga, In)Se<sub>2</sub>* Thin Solid Films 226 (1993) pp. 254-258
- [53] A. Zouaoui, M. Lachab, M. L. Hidalgo, A. Chaffa, C. Llinarès and N. Kesri, *Structural, compositional and photoluminescence characteristics of CuInSe<sub>2</sub> thin films prepared by close-space vapor transport*, Thin Solid Films 339 (1999) pp. 10-18.
- [54] S.Ch. Park, S.H. Kwon, J.S. Song, B.T. Ahn, *Electrical properties of CuInSe<sub>2</sub> films prepared by evaporation of Cu<sub>2</sub>Se and In<sub>2</sub>Se<sub>3</sub> compounds*, Sol Energy Mater. Sol. Cells 50 (1998) pp. 43-49.
- [55] S.Ch. Park, D.Y. Lee, B.T. Ahn, K.H. Yoon, J. Song, *Fabrication of CuInSe<sub>2</sub> films and solar cells by the sequential evaporation of In<sub>2</sub>Se<sub>3</sub> and Cu<sub>2</sub>Se binary compounds*, Sol Energy Mater. Sol. Cells 69 (2001) pp. 99-105.
- [56] O. Schenker, M. Klenk, E. Bucher, *Some results from CuGaSe<sub>2</sub> solar cells prepared by rapid thermal processing*, Thin Solid Films 361-362 (2000) pp. 454-457.
- [57] Patent DE 102 08 911.6
- [58] H. Jitsukawa, H. Matsushita, T. Takizawa, *Phase diagrams of the (Cu<sub>2</sub>Se, CuSe)-CuGaSe<sub>2</sub> system and the crystal growth of CuGaSe<sub>2</sub> by the solution method*, J. Crystal Growth 186 (1998) pp. 587-593.
- [59] R. Klenk, T. Walter, D. Schmid, and H.W. Schock. *Growth mechanism and diffusion in multinary and multilayer chalcopyrite thin films*. Jap. J. Appl. Phys., 32-3 (1993) pp. 57
- [60] M. S. Branch 1 , P. R. Berndt , A. W. L. Leitch , J. Weber , J. R. Botha, *An investigation into the ordering of metal atoms in CuGaS<sub>2</sub> grown by MOVPE*.

- [61] D.K. Schroder, *Semiconductor material and device characterisation*, John Wiley & Sons Inc., 1990.
- [62] J.I. Pankove, *Optical processes in semiconductors*, New York Dover, 1976.
- [63] M. I. Alonso, M. Garriga, C. A. Durante Rincón, E. Hernandez, M. León, *Optical functions of chalcopyrite CuIn<sub>x</sub>Ga<sub>1-x</sub>Se<sub>2</sub> alloys*, Appl. Phys. A 74, (2002) pp. 659-664.
- [64] D. Fisher, T. Dylla, N. Meyer, M.E. Beck, A. Jäger-Waldau, M.Ch. Lux-Steiner, *CVD of CuGaSe<sub>2</sub> for thin film solar cells employing two binary sources*, Thin Solid Films 387 (2001) pp. 63-66.
- [65] J.L. Shay, B. Tell, H.M. Kasper, L.M. Shiavone, *p-d Hybridization of the valence bands of I-III-VI<sub>2</sub> compounds*, Phys. Rev. B 5 (1972) 5003-5005.
- [66] M. Klenk, O. Schenker, V. Alberts, U. Probst, E. Bucher, *Material properties of CuGaSe<sub>2</sub> absorber films prepared by rapid thermal annealing of stacked elemental layers*, J. Phys. D: Appl. Phys. 36 (2003) pp. 2531-2537.
- [67] D. Fuertes Marrón, A. Meeder, U. Bloeck, P. Schubert-Bischoff, N. Pfänder, R. Würz, S.M. Babu, Th. Schedel-Niedrig, M.Ch. Lux-Steiner, *Microstructural properties of CVD-grown CuGaSe<sub>2</sub> based thin film solar cells*, Thin Solid Films 431-432 (2003) pp. 237.
- [68] M. Saad, H. Riazi, E. Bucher, M.Ch. Lux-Steiner, *CuGaSe<sub>2</sub> solar cells with 9.7% power conversion efficiency*, Applied Physics A: Materials Science & Processing, 62 (1996) pp. 181 - 185.
- [69] M.I. Alonso, M. Garriga, C.A. Durante Rincon, E. Hernández, M. León, *Optical functions of chalcopyrite CuGa<sub>x</sub>In<sub>1-x</sub>Se<sub>2</sub> alloys*, Appl. Phys. A 74 (2002) pp. 659 - 664.
- [70] James Ziegler, *SRIM, the stopping and range of ions in matter*, <http://www.srim.org/>.
- [71] J. H. Schön, J. Oestreich, O. Schenker, H. Riazi-Nejad, M. Klenk, N. Fabre, E. Arushanov and E. Bucher, *n-type conduction in Ge-doped CuGaSe<sub>2</sub>*, Appl. Phys. Lett., 75 (1999) pp. 2969-2971.
- [72] S.Doka, M.Rusu, A.Meeder, E.Arushanov, N.Fabre, A.Fiechter, Th. Schedel-Niedrig, M.Ch. Lux-Steiner, *Effects of Ge- implantation on the photoluminescence of CuGaSe<sub>2</sub> thin films*, FMater. Res. Soc. Symp. Proc. Vol. 865, 2005 MRS.
- [73] A. Bauchknet, S. Siebentritt, J. Albert, and M. C. Lux-Steiner, *Radiative recombination via intrinsic defects in Cu<sub>x</sub>Ga<sub>y</sub>Se<sub>2</sub>*, J. Appl. Phys. 89 (2000) pp. 4391.
- [74] A. Meeder, D. Fuertes Marrón, V. Tezlevan, E. Arushanov, A. Rumberg, T. Schedel-Niedrig and M. Ch. Lux-Steiner, *Radiative recombination in CVT-grown CuGaSe<sub>2</sub> single crystals and thin films*, Thin Solid Films, 431-432, 1 (2003) pp. 214-218
- [75] M. Dworzak, A. Hoffmann, T. Riemann, J. Christen, I. Beckers, S. Siebentritt, *Relaxation and radiative recombination dynamics in CuGaSe<sub>2</sub>*, Spring meeting of the european materials research society

- [76] Susanne Siebentritt, Inge Beckers, Till Riemann, Jürgen Christen, Axel Hoffmann, and Matthias Dworzak, *Reconciliation of luminescence and Hall measurements on the ternary semiconductor CuGaSe<sub>2</sub>*, Appl. Phys. Lett. 86, (2005) pp. 091909.
- [77] Eliam Zacks and A. Halperin, *Dependence of the peak energy of the pair-photoluminescence band on excitation intensity*, Phys. Rev. B 6 (1972), pp. 3072–3075.
- [78] S. Siebentritt and S. Schuler, *Defect and transport in the wide gap chalcopyrite*, J. Phys. Chem. Solids 64 (2003) pp. 1621-1626.
- [79] S. Schuler, S. Siebentritt, S. Nishiwaki, N. Rega, J. Beckmann, S. Brehme and M. C. Lux-Steiner, *Self-compensation of intrinsic defects in the ternary semiconductor CuGaSe<sub>2</sub>*, Phys. Rev. B. 45 (1992) pp. 8989-8994.
- [80] M. Rusu, S. Doka, A. Meeder, R. Würz, E. Strub, J. Röhrich, U. Blöck, P. Schubert-Bischoff, W. Bohne, Th. Schedel-Niedrig and M.Ch. Lux-Steiner, *Structural peculiarities of CCSVT-grown CuGaSe<sub>2</sub> thin films*, Thin Solid Films 480-481, (2005) pp. 352-357.
- [81] M. Rusu, S. Doka, C.A. Kaufmann, N. Grigorieva, Th. Schedel-Niedrig and M.Ch. Lux-Steiner, *Solar cells based on CCSVT-grown CuGaSe<sub>2</sub> absorber and device properties*, Thin Solid Films 480-481, (2005) pp. 341-346.
- [82] T. Schmidt, K. Lischka and W. Zulehner, *Excitation power dependence of the near-band edge photoluminescence of semiconductors*, Phys. Rev. B. 45 (1992) pp. 8989-8994.
- [83] D. Curie, *Luminescence in Crystals*, Methuen, London, 1963, p. 206.
- [84] M. Klenk, O. Schenker, V. Alberts, U. Probst, E. Bucher, J. Phys. D: Appl. Phys. 36 (2003) 2531.
- [85] R. Würz, D. Fuentes Marrón, A. Meeder, A. Rumberg, S. M. Babu, Th. Schedel-Niedrig, U. Bloeck, P. Schubert Bischoff, and M. Ch. Lux-Steiner, Thin Solid Films 431, (2003) pp. 398.
- [86] Patent No. DE 102 47 735.3.
- [87] International patent No. PCT/DE03/03371.
- [88] R. Würz, A. Meeder, D. Fuertes Marrón, and Th. Schedel-Niedrig, A. Knop-Gericke, K. Lips, *Native oxidation of CuGaSe<sub>2</sub> crystals and thin films studied by electron paramagnetic resonance and photoelectron spectroscopy*, Phys. Rev. B 70, (2004) pp. 205321.
- [89] M. Birkholz, P. Kanschat, T. Weiss, M. Czerwensky, and K Lips, *Low-temperature electron-paramagnetic-resonance study of extrinsic and intrinsic defects in CuGaSe<sub>2</sub>*, Phys. Rev. B 59 (1999) , pp. 12268-12271.
- [90] M. Birkholz, P. Kanschat, T. Weiss, and K. Lips, *Electron-paramagnetic resonance (EPR) and light-induced EPR investigations of CuGaSe<sub>2</sub>*, Thin Solid Films 361 (2000) pp. 243-247.

- [91] S. D. Setzler, M. Moldovan, Zhonghai Yu, T. H. Meyers, N. C. Giles, L. E. Halliburton, *Observation of singly ionized selenium vacancies in ZnSe grown by molecular beam epitaxy*, Appl. Phys. Lett. 70 (1997) pp. 2274.
- [92] T. Nishi, Y. Katsumata, K. Sato, and H. Miyake, *ESR and PL characterization of point defects in CuGaSe<sub>2</sub>, single crystals*, Sol. Energy Mater. Sol. Cells 67 (2001) pp. 273-278.
- [93] G. K. Padam, G. L. Malhotra, S. K. Gupta, *Study of intrinsic defects in vacuum/air annealed CuInSe<sub>2</sub>*, Sol. Ener. Mat. & Sol. Cells 22 (1991) pp. 303-318.
- [94] N. Nishikawa, I. Aksenov, T. Shinzato, T. Sakamoto, K. Sato, *ESR and optical studies of CuInS<sub>2</sub> single crystals*, Jpn. J. Appl. Phys., 34 (1995) pp. L975-L977.
- [95] K. Sato, N. Nishikawa, I. Akesenov, T. Shinzato and H. Nakanishi, *Effect of fermi level motion on the optical, ESR and transport properties of CuInSe<sub>2</sub>*, Jpn. J. Appl. Phys. 35 (1996), pp. 2061–2067.
- [96] V. Aubin, L. Binet, P. Stallworth, J. F. Guillemeot, *ESR and NMR studies of CuInSe<sub>2</sub> crystals having controlled component activities*, J. Phys. and Chem. of Sol. 64 (2003) pp. 2061-2067.
- [97] H. Okada, H.-S. Lee, A. Wakahara, A. Yoshida, T. Ohshima and T. Kamiya, *Study of electron irradiation-induced defects in CuInSe<sub>2</sub> and CuIn<sub>x</sub>Ga<sub>1-x</sub>Se<sub>2</sub> by electron spin resonance*, Sol. Ener. Mat. & Sol. Cells 90 (2006) pp. 93-99.
- [98] T. Nishi, G. A. Medvedkin, Y. Katsumata, K. Sato, and H. Miyake, Jpn. J. Appl. Phys., Part 1 40 (2001) pp. 59.
- [99] L. M. Roth, B. Lax and S. Zwerdling, *Theory of optical magneto-absorption effects in semiconductors*, Phys. Rev. 114 (1959) pp. 90-104.