

7 Anhang

7.1 Klinisch-diagnostische Daten

Tabelle 34: Inzidenz der pulmonalen Infektionen durch *M. tuberculosis* und NTM in Berlin

Jahr	Einwohner in Tsd.*	Pulmonale Tbc.*			Anzahl TBC/ 10.000 Einw.	<i>M. tb.</i> in Hh	NTM in Hh ⁺	Anzahl NTM/ 10.000 Einw.*
		gesamt	mit bakt. Nachweis	ohne bakt. Nachweis				
1986	1879,2	791	364	427	4,2	119 ¹	4 ¹	-
1987	2012,7	682	326	356	3,4	213	4	0,020
1988	2068,3	661	308	353	3,2	228	2	0,010
1989	2130,5	694	335	359	3,3	204	3	0,014
1990	2157,9	664	333	331	3,1	250	4	0,019
1991	2164,9	627	358	269	2,9	234	2	0,009
1992	2171,7	559	348	211	2,6	185	6	0,028
1993	2176,4	539	353	186	2,5	192	6	0,028
1994	2170,9	489	302	187	2,3	202	5	0,023
1995	2170,3	426	278	148	2,0	283	3	0,014
1996	2162,0	485	248	137	2,2	173	8	0,037
1997	2139,7	338	228	110	1,6	186	4	0,019
1998	2124,8	297	231	66	1,4	195	5	0,024

* in Westberlin

[†] nur Westberliner Patienten, eigene Berechnungen

1 für den Zeitraum 8-12/1986

Quelle: Statistische Jahrbücher Berlin

Anmerkung:

im Statistischen Jahrbuch ist die Abnahme der Inzidenz der Tuberkulose auch für Gesamtberlin dokumentiert.

Tabelle 35: Prädisponierende Faktoren bei den erwachsenen Patienten

Spezies	<i>M. avium</i> complex	<i>M. xenopi</i>	<i>M. kansasii</i> * 11 (8/3)	<i>M. szulgai</i>	<i>M. malmoense</i>	<i>M. chelonae</i>	<i>M. simiae</i>	<i>M. gordonaee</i>	<i>M. celatum</i>	<i>M. shimoidei</i>	<i>M. heckeshorn.</i>
Anzahl (m/w)	18 (11/7)	15 (12/3)	11 (8/3)	4 (4/0)	4 (4/0)	2 (1/1)	2 (0/2)	0/1	0/1	1/0	0/1
COLD	8 (5/3)	10 (8/2)	3 (2/1)	2 (2/0)	4	0/1	1	1	1	1	0
Z. n. Tbc	8 (5/3)	3 (2/1)	2 (1/1)	2 (2/0)	1	0	0	1	0	0	0
Emphysem	7 (7/0)	7 (5/2)	3 (2/1)	3 (3/0)	2	0	2	0	1	1	0
Bronchiektasien	5 (1/4)	0	2 (2/0)	0	0	0/1	0	0	0	0	0
M. Bechterew	0	1/0	1/0	0	1/0	0	0	0	0	0	0
chr. interst. Lungenerkrankung	0/1	0	1/0	0	0	0	0	0	0	0	0
Maligne Erkrankungen	0/1	2(2/0)	1/0	0	0	0	0	0	0	0	0
Bronchial-Ca	0/1	1/0	0	0	0	0	0	0	0	0	0
Nikotinabusus	8 (7/1)	15 (12/3)	7 (6/1)	4	4	0	0	0	1	1	0
Alkoholabusus	3 (3/0)	6 (5/1)	3 (3/0)	1	2	0	1	0	0	0	0
Diabetes mellitus	0/1	0	0	0	0	0	0	0	0	0	0
Alter >/= 70J	4 (1/3)	1/0	1/0	0	1/0	2 (1/1)	0/1	0/1	0	0	0
andere	0	0/1 ¹	1/0	1 ²	0	2 (1/1) ^{2/3}	1 ⁴	0	0	0	0

* Die prädisponierenden Erkrankungen eines Patienten konnten nicht erhoben werden.

1 Multiple Sklerose

2 Marasmus

3 Refluxkrankheit bei Hiatushernie

4 37kg, chron. Pankreatitis

Anmerkung: Die prädisponierenden Erkrankungen der Kinder sind im Abschnitt 4.2.5 beschrieben.

Tabelle 36: Klinische Symptome der erwachsenen Patienten

(siehe Abschnitt 4.2.3)

Spezies	<i>M. avium</i> complex (18)	<i>M. xenopi</i> (15)	<i>M. kansasii</i> (11)*	<i>M. szulgai</i> (4)	<i>M. malmoense</i> (4)	<i>M. chelonae</i> (2)	<i>M. simiae</i> (2)	<i>M. celatum</i> (1)	<i>M. gordonae</i> (1)	<i>M. shimoidei</i> (1)	<i>M. heckesh.</i> (1)
Husten	14 ^{1,2}	10	7	4 ³	4	2	1	1	1	-	1
Auswurf	11 ^{1,2}	7	7	4 ³	3	2	1	1	-	-	1
Hämoptysen	4	1	1	1	-	-	-	-	-	-	-
Gewichtsverlust	7	6	2	2	3	-	1	1	-	-	1
Fieber	3 ^{1,2}	3	1	1 ³	-	1	-	-	-	-	-
subfebril	2	2	1	1	2	-	-	-	-	-	-
Reduzierter AZ	3	1	2	1	-	-	-	-	1	-	-
Dyspnoe	2	-	-	-	-	1 ⁴	-	-	1	-	-
Thoraxschmerz	1	2	2	-	-	-	-	-	-	-	-

* von einem Patienten (SL) waren keine Daten zu erheben

1 Streptokokken-Infektion

2 Haemophilus influenzae-Infektion

3 Klebsiellen-Pneumonie

4 dekompensierte Herzinsuffizienz

Anmerkung: Die Symptome der Kinder sind im Abschnitt 4.2.5 beschrieben

Tabelle 37: Röntgenbefunde der erwachsenen Patienten

(siehe Abschnitt 3.2.4)

Spezies	MAC	<i>M. xen.</i>	<i>M. kans.</i>	<i>M. szul.</i>	<i>M. malm.</i>	<i>M. chel.</i>	<i>M. celat.</i>	<i>M. shim.</i>	<i>M. sim.</i>	<i>M. gord.</i>	<i>M. heck.*</i>	gesamt
Infiltrate												
re OL	3	2	2	1	-	-	-	1	1	-	-	10
li OL	1	1	-	2	-	-	-	-	-	-	-	4
bd. OL	1	-	-	-	-	-	-	-	-	-	-	1
ML	1	-	1	-	-	-	-	-	-	1	-	3
re UL	-	-	-	-	-	-	-	-	-	-	-	0
li UL	1	-	-	-	-	-	-	-	-	-	-	1
gesamt	7	3	3	3	0	0	0	1	1	1	0	19
Kavernen												
re OL	4	9	4	1	4	-	-	-	1	-	-	23
li OL	2	2	4	-	-	-	1	-	-	-	-	9
bd. OL	1	-	-	-	-	-	-	-	-	-	1	2
ML	-	1	-	-	-	1	-	-	-	-	-	2
re UL	1	-	-	-	-	-	-	-	-	-	-	1
li UL	-	-	-	-	-	-	-	-	-	-	-	0
gesamt	8	12	8	1	4	1	1	0	1	0	1	37
disseminiert												
nodulär	2	-	-	-	-	-	1	-	-	-	-	3
klein-kavernös	1	-	-	-	-	-	-	-	-	-	-	1
gesamt	3						1					4

* *Mycobacterium heckeshornense***Anmerkung:** Die Röntgen-Befunde der Kinder sind im Kapitel 4.2.5 beschrieben.

7.2 Identifizierung

Tabelle 38: Identifizierung: *M. avium* complex

Patienten:	Def.	AB	GB	DB	PB	SC	EC	RD	JG	MH	GK	HL	AM	HM	KM	JN	TS	KS	ES	JS	SS
Morphologie ¹	Sf/R	- ³	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-
Temperatuoptimum °C	30-36	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja	ja
Pigment ²	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Wachstumsgeschw.	>10 d	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14
Niacin	neg	neg	neg	neg	neg	neg	(pos)	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
Nitratreduktion	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
Pyrazinamidase 0,1%	pos	neg	(pos)	pos	(pos)	(pos)	pos	pos	(pos)	pos	pos	pos	(pos)	pos	pos	(pos)	neg	pos	pos	pos	pos
BSH	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Tween-Hydrolyse	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
Urease	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
Arylsulfatase	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
NaCl 5%	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	-	neg	neg	neg	neg
Katalase semiquant.	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
Katalase 68°C	pos	pos	pos	pos	(pos)	pos	pos	pos	(pos)	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos
Mc Concay	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	-	neg	neg	neg	neg
Telluritred.	pos	(pos)	neg	neg	pos	neg	(pos)	(pos)	pos	pos	pos	pos	pos	pos	(pos)	pos	pos	neg	pos	neg	neg
Eisenaufnahme	neg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PCR	<i>M.av./M. ic*</i>	-	<i>M. av.</i>	-	<i>M. av.</i>	-	-	<i>M. av.</i>	<i>M. av.</i>	-	-	-	-	-	-	-	<i>M. av.</i>	-	-	-	-
Sequenzierung	<i>M.av./M. ic*</i>	<i>M. av.</i>	<i>M. av.</i>	<i>M. ic.*</i>	<i>M. av.</i>	-	-	<i>M. av.</i>	<i>M. av.</i>	-	<i>M. av.</i>	-	-	-	-	<i>M. ic.*</i>	-	-	<i>M. ic.*</i>	-	-
Spacer	<i>M.av./M. ic*</i>	-	<i>M. av.</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* *M. intracellulare*

1 Kolonienmorphologie: R: rauh, S: glatt, SR: rauh-glatt, f: filamentöse Ausläufer

2 Pigment: P: photochromogen, S: skotochromogen, N: nonchromogen

3 -: nicht untersucht

Tabelle 39: Identifizierung: *M. xenopi*

Patienten:	Def.	RB	EB	CE	HG	MH	HK	GM	KP	US	RS	MS	JS	WS	WSo	WW
Mikroskopie	gelb	- ⁴	typ.	-	dysgon	-	typ.	eugon	-	typ.	-	typ.	typ.	-	typ.	atyp.
Morphologie ¹	Sf	-	-	-	-	-	R	-	-	-	-	-	-	-	-	S/R
Temperaturoptimum °C	42	37-45	37-45	37-45	45	37-45	45	37-45	37	37-45	45	37-45	37-45	37-45	45	37-45
Pigment ²	S	mF/oF	S	S	S	S	S	S	-	S	S	S	S	S	S	S
Wachstumsgeschw. (Tage)	>10	14-21	21	21	21	21	21	21	21	21	14-21	21	21	14-21	14-21	21
Niacin	neg	neg	neg	neg	neg	neg	neg	neg	-	neg	neg	neg	neg	neg	neg	neg
Nitratreduktion	neg	neg	neg	neg	neg	neg	neg	neg	-	neg	neg	neg	neg	neg	neg	neg
Pyrazinamidase 0,1%	d ³	(pos)	pos	(pos)	neg	pos	neg	(pos)	-	pos	pos	pos	pos	neg	(pos)	neg
Brenzschleimsäurehydrazid	neg	R	R	R	R	-	R	R	R	R	R	R	R	R	R	R
Tween.-Hydrolyse	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
Urease	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
Arylsulfatase	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos
Toleranz 5% NaCl	neg	neg	neg	neg	neg	neg	neg	neg	-	neg	neg	neg	neg	neg	neg	-
semiquantitative Katalase	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	(+)	neg	neg	neg	neg
Katalase 68°C	pos	pos	pos	pos	pos	pos	pos	(pos)	pos	pos	pos	pos	pos	pos	pos	(pos)
Mc Concay	neg	neg	neg	neg	neg	neg	neg	neg	-	-	neg	neg	neg	neg	neg	-
Telluritreduktion	d	neg	(+)/-	neg	neg	neg	neg	neg	neg	pos	neg	neg	neg	neg	pos	(pos)
Eisenaufnahme	neg	-	neg	-	-	-	-	-	-	-	-	-	-	-	-	-
PCR	<i>M. xen.</i>	-	-	-	-	-	-	-	-	<i>M. xen.</i>	-	-	-	-	-	-
Sequenzierg/Spacer	<i>M. xen.</i>	-	-	<i>M. xen.</i>	-	-	-	-	<i>M. xen.</i>	-	<i>M. xen.</i>	-	-	<i>M. xen.</i>	-	-

¹ Kolonienmorphologie R: rauh, S: glatt, SR: rauh-glatt, f: filamentöse Ausläufer² Pigment P: photochromogen, S: skotochromogen, N: nonchromogen³ d: wechselnder Reaktionsausfall⁴ - : nicht untersucht

Tabelle 40: Identifizierung: *M. kansasii*

Patienten:	Def.	PC	HD	EF	JPF	HH	MH	SL	KL	EM	GP	HR
Morphologie ¹	SR/S	- ⁴	-	-	-	R	-	-	-	-	-	-
Temperaturop. °C	25-37	37	30-37	30-37	30-37	37	30-37	37	37	30-37	30-37	37
Pigment ²	P	P	P	P	P	P	P	P	P	(P)	P	P
Wachstumsgeschw (Tage)	>10	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14	≥ 14
Niacin	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
Nitrateduktion	pos	pos	pos	pos	pos	pos	pos	neg	pos	pos	pos	pos
Pyrazinamidase 0,1%	d³	pos	pos	pos	(pos)	pos	pos	pos	pos	pos	pos	pos
BSH	R	R	R	R	R	R	R	pos	R	R	R	R
Tween-Hydrolyse	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos
Urease	pos	pos	pos	pos	pos	pos	pos	neg	pos	(pos)	pos	pos
Arylsulfatase	d	neg	neg	neg	neg	neg	neg	neg	neg	(pos)	neg	(pos)
Toleranz v. 5% NaCl	neg	neg	neg	neg	-	neg	neg	-	neg	-	-	neg
Katalase semiquantitativ.	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos	pos
Katalase 68°C	pos	pos	pos	pos	pos	pos	pos	pos	(pos)	-	pos	pos
Mc Concay	neg	neg	neg	neg	-	neg	neg	-	neg	neg	neg	neg
Telluritreduktion	neg	neg	neg	neg	neg	neg	neg	neg	neg	-	neg	neg
Eisenaufnahme	neg	-	-	-	-	-	-	-	-	-	-	-
Sequenzierung	<i>M. kan.</i>	-	-	-	<i>M. kan.</i>	<i>M. kan.</i>	-	-	<i>M. kan.</i>	-	-	-

1 Kolonienmorphologie: R:rauh, S:glatt, SR: rauh-glatt, f: filamentöse Ausläufer
 3 d: wechselnder Reaktionsausfall

2 Pigment: P: photochromogen, S: skotochromogen, N: nonchromogen

4 -: nicht untersucht

Tabelle 41: Identifizierung: *M. malmoense*

Patienten:	Def	HB	OK	HM	AS
Morphologie ¹	S	- ⁴	-	-	-
Temperaturopimum°C	22-32	30-37	37	30	30-37
Pigment ²	N	N	N	N	N
Wachstumsgeschw. (Tage)	>10	14	21	21	14-21
Niacin	neg	neg	-	neg	neg
Nitratreduktion	neg	pos	-	((+))	neg
Pyrazinamid 0,1%	d ³	pos	neg	pos	pos/neg
Brenzschleimsäurehydrazid	R	R	pos	R	R
Tweenhydrolyse	pos	pos	neg ⁵	pos	pos
Urease	d	pos	pos	neg	pos
Arylsulfatase	neg	neg	neg	neg	neg
Toleranz 5% NaCl	neg	neg	neg	-	neg
semiquantitative Katalase	neg	neg	-	neg	verunreinigt
Katalase 68°C	d	neg	neg	pos	neg*
Mc Concay	neg	neg	neg	-	neg
Telluritreduktion	neg	neg	-	neg	neg
Eisenaufnahme	neg	-	neg	-	-
Sequenzierung/Spacer	<i>M. malm.</i>	-	<i>M. malmoense</i>	-	-

* geringe Keimaussaat, bedingt verwertbar

1 Kolonienmorphologie: R:rauh, S:glatt, SR: rauh-glatt, f: filamentöse Ausläufer

2 Pigment: P: photochromogen, S: skotochromogen, N: nonchromogen

3 d: wechselnder Reaktionsausfall

4 -: nicht untersucht

5 kein Wachstum auf Löwenstein-Jensen Nährboden

Tabelle 42: Identifizierung: *M. szulgai*

Patienten:	Def.	JB	WG	DK	HJS
Morphologie ¹	S/R	- ⁴	-	-	-
Temperaturoptimum °C	25-36	30-37	30-37	30-37	30-37
Pigment ²	S/P*	22° P 37° S	22° P 37° S	S	S
Wachstumsgeschw.(Tage)	> 10	14-21	14-21	14-21	14-21
Oberfl./Tiefenwachstum	-	-	-	-	-
Niacin	neg	neg	neg	neg	neg
Nitratreduktion	pos	pos	pos	neg	pos
Pyrazinamidase 0,1%	pos	pos	pos	pos	(pos)
Brenzschleimsäurehydrazid	R	R	R	R	R
Tween-Hydrolyse	10 T.:d³	10T:(+)	10T:(+)	10 T: neg	10T: pos
Urease	pos	pos	pos	pos	pos
Arylsulfatase	-	neg	neg	neg	pos
Toleranz v. 5% NaCl	neg	neg	neg	neg	neg
semiquantitative Katalase	pos	pos	pos	pos	pos
Katalase 68°C	pos	pos	pos	pos	pos
Mc Concay	neg	-	neg	neg	neg
Telluritreduktion	d	neg	neg	neg	neg
Eisenaufnahme	neg	-	-	-	-
Sequenzierung	<i>M. szulgai</i>	-	<i>M. szulgai</i>	<i>M. szulgai</i>	-

* *M. szulgai* kann bei 25 °C photochromogen sein

1 Kolonienmorphologie: R:rauh, S:glatt, SR: rauh-glatt, f: filamentöse Ausläufer

2 Pigment: P: photochromogen, S: skotochromogen, N: nonchromogen

3 d: wechselnder Reaktionsausfall

4 - nicht untersucht

Tabelle 43: Identifizierung: *M. simiae*, *M. celatum*, *M. gordonaе*, *M. shimoidei*, *M. heckeshornense*

Patienten:	Def.	UH	CH	<i>M. avium</i>	HH	Def.	MA	Def.	KM	<i>M. xenopi</i>	PR
Spezies	<i>M. simiae</i>			<i>M. celatum</i>		<i>M. gordonaе</i>		<i>M. shimoidei</i>		<i>M. heckeshornense</i>	
Morphologie ¹	S	-	-	Sf/R	-	S	-	R	R	Sf	-
Temperatuoptimum °C	30-36	37(30-37)	37	30-36	30-37	25-32	30-36	32-42	37-45	36-45	37-45
Pigment ²	P	P	P	N	N	S	S	N	N	S	S
Wachstumsgeschw. (Tage)	> 10	14	21	>10	21	>10	>10	>10	21	>10	21 T
Niacin	pos	pos	pos	neg	neg	neg	neg	neg	neg	neg	neg
Nitratreduktion	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	pos
Pyrazinamidase 0,1%	d	(pos)	pos	pos	neg	d	d	pos	(pos)	³ d	pos
Brenzschleimsäurehydrazid	R	R	R	R	R	R	R	R	R	neg	R
Tween-Hydrolyse	neg	neg	neg	neg	neg	pos	pos	pos	pos	neg	(pos)14 T
Urease	pos	(pos)	pos	neg	neg	neg	neg	neg	neg	neg	neg
Arylsulfatase	neg	neg	neg	neg	pos	neg	neg	neg	neg	pos	neg
Toleranz v. 5% NaCl	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg	neg
semiquantitative Katalase	pos	pos	pos	neg	neg	pos	pos	neg	neg	neg	neg
Katalase 68°C	pos	pos	pos	pos	pos	pos	pos	pos	neg	pos	pos
Mc Concay	neg	neg	-	neg	neg	neg	neg	neg	neg	neg	neg
Telluritreduktion	neg	neg	-	pos	neg	neg	neg	neg	neg	d	pos
Eisenaufnahme	neg	-	-	neg	-	neg	neg	neg	-	neg	-
Sequenzierung/Spacer	/	<i>M. simiae</i>	<i>M. simiae</i>	<i>M. avium</i>	<i>M. celatum</i> ⁵	<i>M. gordoniа</i>	<i>M. gordoniа</i>	<i>M. shimoidei</i>	<i>M. shimoidei</i>	<i>M. xenopi</i>	<i>M. Heckh.</i>

¹ Kolonienmorphologie: R:rauh, S:glatt, SR: rauh-glatt, f: filamentöse Ausläufer² Pigment: P: photochromogen, S: skotochromogen, N: nonchromogen³ d: wechselnder Reaktionsausfall⁴ -: nicht untersucht⁵ 16S rDNA Sequenzanalyse und Analyse des Restriktions-Fragmentlängen-Polymorphismus der Sequenz des Hsp65 Gens durchgeführt

Tabelle 44: Identifizierung: *M. chelonae* und *M. abscessus*

Patienten:	Def.	LH	KZ	EK
Spezies	<i>M. abscessus/</i> <i>M. chelonae</i>	<i>M. abscessus</i>	<i>M. abscessus</i>	<i>M. chelonae</i>
Mikroskopie		neg	säuref. Stäbchen	-
Kolonie-Morphologie	S/R	⁴	-	-
Temperaturopimum °C	25-36°	22-37°	22-45°	30-37°
Pigment	N	N	-	N
Wachstumsgeschw. (Tage)	< 7	4-7	3-14	4
Niacin	d3	neg	neg	neg
Nitratreduktion	neg	neg	(pos)	neg
Pyrazinamidase 0,1%	pos	pos	pos	pos
Brenzschleimsäurehydrazid	R	R	R	R
Tween-Hydrolyse	d	neg	neg	neg
Urease	pos	pos	pos	pos
Arylsulfatase	pos	pos	pos	pos
Toleranz v. 5% NaCl	pos (neg*)	pos	pos	neg
semiquantitative Katalase	d	pos	pos	pos
Katalase 68°C	d	neg	pos	pos
Mc. Concay	pos	pos	pos	pos
Telluritreduktion	pos	pos	pos	pos
Eisenaufnahme	neg	-	-	neg
Sequenzierung	<i>M. abscessus/</i> <i>M. chelonae</i>	<i>M. chelonae</i>	-	-

* *M. abscessus* ist positiv, *M. chelonae* negativ

1 Kolonienmorphologie: R:rauh, S:glatt, SR: rauh-glatt, f: filamentöse Ausläufer

2 Pigment: P: photochromogen S: skotochromogen N: nonchromogen

3 d: wechselnder Reaktionsausfall

4 - nicht untersucht

8 Literaturverzeichnis

1. Aguado JM, Gomez-Garces JL, Manrique A, Soriano F (1987). Pulmonary infection by *Mycobacterium gordonae* in an immunocompromised patient. *Diagn Microbiol Infect Dis* 7(4): 261-3.
2. Ahn CH, Lowell JR, Ahn SS, Ahn S et al. (1981). Chemotherapy for pulmonary disease due to *Mycobacterium kansasii*: efficacies of some individual drugs. *Rev Infect Dis* 3(5): 1028-34.
3. Albelda SM, Kern JA, Marinelli DL, Miller WT (1985). Expanding spectrum of pulmonary disease caused by nontuberculous mycobacteria. *Radiology* 157(2): 289-96.
4. Al-Moamary MA, Black W, Elwood K (1998). Pulmonary disease due to *Mycobacterium malmoense* in British Columbia. *Can Respir J* 5(2): 135-8.
5. Alvarez, Tavel (1885). Recherches sur la bacille de Lustgarten. *Arch Physiol Norm Pathol* 3: 303.
6. Bagarazzi ML, Watson B, Kim IK, Hogarty M et al. (1996). Pulmonary *Mycobacterium gordonae* infection in a two-year-old child: case report. *Clin Infect Dis* 22(6): 1124-5.
7. Banks J, Hunter AM, Campbell IA, Jenkins PA et al. (1983). Pulmonary infection with *Mycobacterium kansasii* in Wales, 1970-9: review of treatment and response. *Thorax* 38(4): 271-4.
8. Banks J, Hunter AM, Campbell IA, Jenkins PA et al. (1984). Pulmonary infection with *mycobacterium xenopi*: review of treatment and response. *Thorax* 39(5): 376-82.
9. Banks J, Jenkins PA, Smith AP (1985). Pulmonary infection with *Mycobacterium malmoense*--a review of treatment and response. *Tubercle* 66(3): 197-203.
10. Barandun J, Salfinger M, Grani R, Karrer W et al. (1991). Diagnose und Behandlung von pulmonalen Infekten mit *Mycobacterium malmoense*. *Schweiz Med Wochenschr* 121(48): 1767-72.
11. Barzilai A, Rubinovich B, Blank-Porat D, Rubinstein E et al. (1998). Successful treatment of disseminated *Mycobacterium simiae* infection in AIDS patients. *Scand J Infect Dis* 30(2): 143-6.
12. Bell RC, Higuchi JH, Donovan WN, Krasnow I et al. (1983). *Mycobacterium simiae*. Clinical features and follow-up of twenty-four patients. *Am Rev Respir Dis* 127(1): 35-8.
13. Benator DA, Kan V, Gordin FM (1997). *Mycobacterium szulgai* infection of the lung: case report and review of an unusual pathogen. *Am J Med Sci* 313(6): 346-51.
14. Bermudez LE, Inderlied CB, Kolonoski P, Petrofsky M et al. (2001). Activity of moxifloxacin by itself and in combination with ethambutol, rifabutin, and azithromycin in vitro and in vivo against *Mycobacterium avium*. *Antimicrob Agents Chemother* 45(1): 217-22.
15. Bittner MJ, Horowitz EA, Safranek TJ, Preheim LC (1996). Emergence of *Mycobacterium kansasii* as the leading mycobacterial pathogen isolated over a 20-year period at a midwestern Veterans Affairs hospital. *Clin Infect Dis* 22(6): 1109-10.
16. Brown BA, Wallace RJ, Jr., Onyi GO (1992). Activities of clarithromycin against eight slowly growing species of nontuberculous mycobacteria, determined by using a broth microdilution MIC system. *Antimicrob Agents Chemother* 36(9): 1987-90.
17. Buchholz UT, McNeil MM, Keyes LE, Good RC (1998). *Mycobacterium malmoense* infections in the United States, January 1993 through June 1995. *Clin Infect Dis* 27(3): 551-8.
18. Buhler VB, Pollack A (1953). Human infection with atypical acid fast organism: Report of two cases with pathologic findings. *Am J Clin Pathol* 23: 363-374.

19. Butler WR, O'Connor SP, Yakerus MA, Smithwick RW et al. (1993). *Mycobacterium celatum* sp. nov. Int J Syst Bacteriol 43(3): 539-48.
20. Bux-Gewehr I, Hagen HP, Rusch-Gerdes S, Feurle GE (1998). Fatal pulmonary infection with *Mycobacterium celatum* in an apparently immunocompetent patient. J Clin Microbiol 36(2): 587-8.
21. Campbell IA, Drobiewski F, Novelli V, Ormerod P et al. (2000). Management of opportunist mycobacterial infections: Joint Tuberculosis Committee Guidelines 1999. Subcommittee of the Joint Tuberculosis Committee of the British Thoracic Society. Thorax 55(3): 210-8.
22. Campbell IA, Jenkins PA, Banks J (2001). First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol. Research Committee of the British Thoracic Society. Thorax 56(3): 167-72.
23. Cernoch PL RK, Saubolle M and Wallace RJ (1994). Cumitech 16 A. In: Weissenfels AS (Ed.) Laboratory diagnosis of the mycobacteriosis. Washington D.C. (ASM Press).
24. Chaisson RE, Benson CA, Dube MP, Heifets LB et al. (1994). Clarithromycin therapy for bacteremic *Mycobacterium avium* complex disease. A randomized, double-blind, dose-ranging study in patients with AIDS. AIDS Clinical Trials Group Protocol 157 Study Team. Ann Intern Med 121(12): 905-11.
25. Chobot S, Malis J, Sebakova H, Pelikan M et al. (1997). Endemic incidence of infections caused by *Mycobacterium kansasii* in the Karvina district in 1968-1995 (analysis of epidemiological data--review). Cent Eur J Public Health 5(4): 164-73.
26. Christensen EE, Dietz GW, Ahn CH, Chapman JS et al. (1981). Initial roentgenographic manifestations of pulmonary *Mycobacterium tuberculosis*, *M kansasii*, and *M intracellulare* infections. Chest 80(2): 132-6.
27. Corbett EL, Hay M, Churchyard GJ, Herselman P et al. (1999). *Mycobacterium kansasii* and *M. scrofulaceum* isolates from HIV-negative South African gold miners: incidence, clinical significance and radiology. Int J Tuberc Lung Dis 3(6): 501-7.
28. Dautzenberg B, F. Papillon, M. Lepitre, Ch. Truffot-Pernod, and J.P. Chauvin (1993). *Mycobacterium xenopi* infections treated with clarithromycin-containing regime. Annual meeting, 33rd Interscience Conference on Antimicrobial Agents and Chemotherapy.: Abstract 1125.
29. Dautzenberg B, Piperno D, Diot P, Truffot-Pernot C et al. (1995). Clarithromycin in the treatment of *Mycobacterium avium* lung infections in patients without AIDS. Clarithromycin Study Group of France. Chest 107(4): 1035-40.
30. Debrunner M, Salfinger M, Brandli O, von Graevenitz A (1992). Epidemiology and clinical significance of nontuberculous mycobacteria in patients negative for human immunodeficiency virus in Switzerland. Clin Infect Dis 15(2): 330-45.
31. Deng L, Mikusova K, Robuck KG, Scherman M et al. (1995). Recognition of multiple effects of ethambutol on metabolism of mycobacterial cell envelope. Antimicrob Agents Chemother 39(3): 694-701.
32. Deutsche Gesellschaft für Hygiene und Mikrobiologie (1989). Isolation und Identifizierung von Mycobacte riceae. Zbl Bakt 272: 110-140.
33. DIN 58 943 Teil 3: Kulturelle Methoden zur Isolierung von Mykobakterien, Teil 7: Modifiziertes Löwenstein-Jensen Kulturmedium zur Anzüchtung von Tuberkulosebakterien, Teil 8: Empfindlichkeitsprüfungen von Tuberkulosebakterien gegen Chemotherapeutika, Teil 9 Mindestanforderungen zur Identifizierung von Tuberkulosebakterien, Teil 32: Mikroskopische Methoden zum Nachweis von Mykobakterien (1980-1998). DIN Deutsches Institut für Normierung e.V. Berlin (Beuth)

34. Dube MP, Sattler FR, Torriani FJ, See D et al. (1997). A randomized evaluation of ethambutol for prevention of relapse and drug resistance during treatment of *Mycobacterium avium* complex bacteremia with clarithromycin-based combination therapy. California Collaborative Treatment Group. *J Infect Dis* 176(5): 1225-32.
35. Enzensberger R, Hunfeld KP, Krause M, Rusch-Gerdes S et al. (1999). *Mycobacterium malmoense* infections in immunocompetent patients. *Eur J Clin Microbiol Infect Dis* 18(8): 579-81.
36. Evans AJ, Crisp AJ, Colville A, Evans SA et al. (1993). Pulmonary infections caused by *Mycobacterium malmoense* and *Mycobacterium tuberculosis*: comparison of radiographic features. *AJR Am J Roentgenol* 161(4): 733-7.
37. Evans SA, Colville A, Evans AJ, Crisp AJ et al. (1996). Pulmonary *Mycobacterium kansasii* infection: comparison of the clinical features, treatment and outcome with pulmonary tuberculosis. *Thorax* 51(12): 1248-52.
38. Falkinham JO, 3rd (1996). Epidemiology of infection by nontuberculous mycobacteria. *Clin Microbiol Rev* 9(2): 177-215.
39. Fattorini L, Baldassarri L, Li YJ, Ammendolia MG et al. (2000). Virulence and drug susceptibility of *Mycobacterium celatum*. *Microbiology* 146 (Pt 11): 2733-42.
40. Feldman WH, Davies R, Moses HE, Andberg W (1943). An unusual mycobacterium isolated from sputum of a man suffering from pulmonary disease of long duration. *Am Rev Tuberc* 48: 82-93.
41. Fergie JE, Milligan TW, Henderson BM, Stafford WW (1997). Intrathoracic *Mycobacterium avium* complex infection in immunocompetent children: case report and review. *Clin Infect Dis* 24(2): 250-3.
42. Fischer P, Kozma P, Kalich R, Vandra E (1991). Klinische Befunde bei Patienten mit Lungenerkrankungen durch nichttuberkulöse Mykobakterien in der ehemaligen DDR und in Ungarn. *Z Erkr Atmungsorgane* 177(1-2): 88-92.
43. Fujita J, Ohtsuki Y, Suemitsu I, Shigeto E et al. (1999). Pathological and radiological changes in resected lung specimens in *Mycobacterium avium* intracellulare complex disease. *Eur Respir J* 13(3): 535-40.
44. Griffith DE, Girard WM, Wallace RJ, Jr. (1993). Clinical features of pulmonary disease caused by rapidly growing mycobacteria. An analysis of 154 patients. *Am Rev Respir Dis* 147(5): 1271-8.
45. Haase G, Skopnik H, Batge S, Bottger EC (1994). Cervical lymphadenitis caused by *Mycobacterium celatum*. *Lancet* 344(8928): 1020-1.
46. Hand WL, Sanford JP (1970). *Mycobacterium fortuitum*--a human pathogen. *Ann Intern Med* 73(6): 971-7.
47. Hazelton TR, Newell JD, Jr., Cook JL, Huitt GA et al. (2000). CT findings in 14 patients with *Mycobacterium chelonae* pulmonary infection. *AJR Am J Roentgenol* 175(2): 413-6.
48. Heginbothom ML (2001). The relationship between the in vitro drug susceptibility of opportunist mycobacteria and their in vivo response to treatment. *Int J Tuberc Lung Dis* 5(6): 539-45.
49. Heginbothom ML, Lindholm-Levy PJ, Heifets LB (1998). Susceptibilities of *Mycobacterium malmoense* determined at the growth optimum pH (pH 6.0). *Int J Tuberc Lung Dis* 2(5): 430-4.
50. Heifets L (1996). Susceptibility testing of *Mycobacterium avium* complex isolates. *Antimicrob Agents Chemother* 40(8): 1759-67.

51. Heifets LB, Iseman MD, Lindholm-Levy PJ (1988). Combinations of rifampin or rifabutine plus ethambutol against *Mycobacterium avium* complex. Bactericidal synergistic, and bacteriostatic additive or synergistic effects. *Am Rev Respir Dis* 137(3): 711-5.
52. Henriques B, Hoffner SE, Petrini B, Juhlin I et al. (1994). Infection with *Mycobacterium malmoense* in Sweden: report of 221 cases. *Clin Infect Dis* 18(4): 596-600.
53. Hjelm U, Kaustova J, Kubin M, Hoffner SE (1992). Susceptibility of *Mycobacterium kansasii* to ethambutol and its combination with rifamycins, ciprofloxacin and isoniazid. *Eur J Clin Microbiol Infect Dis* 11(1): 51-4.
54. Hoffner SE, Hjelm U, Kallenius G (1993). Susceptibility of *Mycobacterium malmoense* to antibacterial drugs and drug combinations. *Antimicrob Agents Chemother* 37(6): 1285-8.
55. Hoffner SE, Kallenius G, Beezer AE, Svenson SB (1989). Studies on the mechanisms of the synergistic effects of ethambutol and other antibacterial drugs on *Mycobacterium avium* complex. *Acta Leprol* 7 Suppl 1: 195-9.
56. Hoffner SE, Kratz M, Olsson-Liljequist B, Svenson SB et al. (1989). In-vitro synergistic activity between ethambutol and fluorinated quinolones against *Mycobacterium avium* complex. *J Antimicrob Chemother* 24(3): 317-24.
57. Hoy J, Mijch A, Sandland M, Grayson L et al. (1990). Quadruple-drug therapy for *Mycobacterium avium*-intracellulare bacteremia in AIDS patients. *J Infect Dis* 161(4): 801-5.
58. Hunter AM, Campbell IA, Jenkins PA, Smith AP (1981). Treatment of pulmonary infections caused by mycobacteria of the *Mycobacterium avium*-intracellulare complex. *Thorax* 36(5): 326-9.
59. Inderlied CB, Salfinger M (1995). Antimicrobial agents and susceptibility tests: *Mycobacteria*. In: Murray PR, Baron EJ, Pfaller MA, Tenover FC, Yolken RH (Eds.) *Manual of Clinical Microbiology*, 6th ed. Washington D.C. (ASM Press): 1385-1404.
60. Jacobs MR (1999). Activity of quinolones against mycobacteria. *Drugs* 58 Suppl 2: 19-22.
61. Jenkins PA, Banks J, Campbell IA (1994). *Mycobacterium kansasii* pulmonary infection: a prospective study of the results of nine months of treatment with rifampicin and ethambutol. Research Committee, British Thoracic Society. *Thorax* 49(5): 442-5.
62. Jiva TM, Jacoby HM, Weymouth LA, Kaminski DA et al. (1997). *Mycobacterium xenopi*: innocent bystander or emerging pathogen? *Clin Infect Dis* 24(2): 226-32.
63. Kallenius G, Svenson SB, Hoffner SE (1989). Ethambutol: a key for *Mycobacterium avium* complex chemotherapy? *Am Rev Respir Dis* 140(1): 264.
64. Kaur D, Khuller GK (2001). In vitro, ex-vivo and in vivo activities of ethambutol and sparfloxacin alone and in combination against mycobacteria. *Int J Antimicrob Agents* 17(1): 51-5.
65. Kayser FH (1998). *Medizinische Mikrobiologie*. Stuttgart, New York (Georg Thieme Verlag).
66. Kemper CA, Havlir D, Haghishat D, Dube M et al. (1994). The individual microbiologic effect of three antimycobacterial agents, clofazimine, ethambutol, and rifampin, on *Mycobacterium avium* complex bacteremia in patients with AIDS. *J Infect Dis* 170(1): 157-64.
67. Kennedy MP, O'Connor TM, Ryan C, Sheehan S et al. (2003). Nontuberculous mycobacteria: incidence in Southwest Ireland from 1987 to 2000. *Respir Med* 97(3): 257-63.

68. Kennedy TP, Weber DJ (1994). Nontuberculous mycobacteria. An underappreciated cause of geriatric lung disease. *Am J Respir Crit Care Med* 149(6): 1654-8.
69. Kent PT, Kubica GP (1985). Public health mycobacteriology: a guide for the level III laboratory. Centers for Disease Control, U.S. Department of Health and Human Services. Atlanta, Ga.
70. Kirschner P, Springer B, Vogel U, Meier A et al. (1993). Genotypic identification of mycobacteria by nucleic acid sequence determination: report of a 2-year experience in a clinical laboratory. *J Clin Microbiol* 31(11): 2882-9.
71. Krause PJ, Hight DW, Schwartz AN, Mueller RE et al. (1986). Successful management of *Mycobacterium intracellulare* pneumonia in a child. *Pediatr Infect Dis* 5(2): 269-71.
72. Küchler R, Pfyffer GE, Rüsch-Gerdes S, Beer J et al. (1998). Tuberkulose Mykobakteriose. In: Mauch H, Lüttiken R, Gatermann S (Eds.) In: MiQ 5/1998 Qualitätsstandards in der mikrobiologisch-infektiologischen Diagnostik. Stuttgart, Jena, Lübeck, Ulm (Gustav Fischer Verlag).
73. Lamden K, Watson JM, Knerer G, Ryan MJ et al. (1996). Opportunist mycobacteria in England and Wales: 1982 to 1994. *Commun Dis Rep CDR Rev* 6(11): R147-51.
74. Levy-Frebault VV, Portaels F (1992). Proposed minimal standards for the genus *Mycobacterium* and for description of new slowly growing *Mycobacterium* species. *Int J Syst Bacteriol* 42(2): 315-23.
75. Lincoln EM, Gilbert LA (1972). Disease in children due to mycobacteria other than *Mycobacterium tuberculosis*. *Am Rev Respir Dis* 105(5): 683-714.
76. Magdorf K, Ertel M, Grassot A, Wahn U (1996). Tuberculin conversion and abnormal chest radiograph in an infant. *Eur Respir J* 9(8): 1763-5.
77. Marchevsky A, Damsker B, Gribetz A, Tepper S et al. (1982). The spectrum of pathology of nontuberculous mycobacterial infections in open-lung biopsy specimens. *Am J Clin Pathol* 78(5): 695-700.
78. Mauch H, Reichert B, Ruf B, Brehmer W (1990). Resistenztestung von *M. avium*-intracellulare und *M. tuberculosis* von AIDS-Patienten mit neuen Medikamenten und Medikamentenkombinationen. *Pneumologie* 44 Suppl 1: 504-6.
79. Mayall B, Gurtler V, Irving L, Marzec A et al. (1999). Identification of *Mycobacterium shimoidei* by molecular techniques: case report and summary of the literature. *Int J Tuberc Lung Dis* 3(2): 169-73.
80. Medlar EM, Ordway WH, Pesquera GS (1943). Acid-fast bacilli in patients of nontuberculous medical service. *Am Rev Tuberc* 48: 304-313.
81. Miller WT, Jr. (1994). Spectrum of pulmonary nontuberculous mycobacterial infection. *Radiology* 191(2): 343-50.
82. Nakayama S, Fujii T, Kadota J, Sawa H et al. (2000). Pulmonary mycobacteriosis caused by rifampicin-resistant *Mycobacterium szulgai*. *Intern Med* 39(4): 309-12.
83. Nelson KG, Griffith DE, Brown BA, Wallace RJ, Jr. (1998). Results of operation in *Mycobacterium avium*-intracellulare lung disease. *Ann Thorac Surg* 66(2): 325-30.
84. Norden A, Linell F (1951). A new type of pathogenic mycobacterium. *Nature* 168: 826.
85. Ono N, Satoh K, Yokomise H, Tamura K et al. (1997). Surgical management of *Mycobacterium avium* complex disease. *Thorac Cardiovasc Surg* 45(6): 311-3.

86. Orme IM, Roberts AD, Furney SK, Skinner PS (1994). Animal and cell-culture models for the study of mycobacterial infections and treatment. *Eur J Clin Microbiol Infect Dis* 13(11): 994-9.
87. Patz EF, Jr., Swensen SJ, Erasmus J (1995). Pulmonary manifestations of nontuberculous Mycobacterium. *Radiol Clin North Am* 33(4): 719-29.
88. Paull A (1973). An environmental study of the opportunist mycobacteria. *Med Lab Technol* 30(1): 11-9.
89. Pinner M (1935). Atypical acid-fast organisms. *Am Rev Tuberc* 32: 424-45.
90. Pomerantz M, Brown JM (1997). Surgery in the treatment of multidrug-resistant tuberculosis. *Clin Chest Med* 18(1): 123-30.
91. Prince DS, Peterson DD, Steiner RM, Gottlieb JE et al. (1989). Infection with *Mycobacterium avium* complex in patients without predisposing conditions. *N Engl J Med* 321(13): 863-8.
92. Prissick FH, Masson AM (1956). Cervical lymphadenitis in children caused by chromogenic mycobacteria. *Can Med Assoc J* 75: 798-803.
93. Probst G, Apfel T, Schulz V, Petzoldt D et al. (1994). Diagnose, Therapie und Prognose atypischer Mykobakteriosen - Ergebnisse einer retrospektiven Studie. *Pneumologie* 48(9): 711-7.
94. Radenbach KL (1985). Diagnostische und therapeutische Fortschritte bei nichttuberkulösen Mykobakterien. *Prax. Klin. Pneumol.* 39: 43-49.
95. Rastogi N, Goh KS, David HL (1990). Enhancement of drug susceptibility of *Mycobacterium avium* by inhibitors of cell envelope synthesis. *Antimicrob Agents Chemother* 34(5): 759-64.
96. Ravaglione MC, O'Brien RJ (1999). Tuberkulose. In: Harrison TR, Fauci AS, Braunwald E (Eds.) *Harrison's Innere Medizin*. Deutsche Ausgabe, 14. Auflage (McGraw-Hill Germany): 1198-1210.
97. Resch B, Eber E, Beitzke A, Bauer C et al. (1997). Pulmonary infection due to *Mycobacterium gordonaiae* in an adolescent immunocompetent patient. *Respiration* 64(4): 300-3.
98. Rossman MD (1999). Colonization with *Mycobacterium avium* complex--an outdated concept. *Eur Respir J* 13(3): 479.
99. Roth A, Fischer M, Hamid ME, Michalke S et al. (1998). Differentiation of phylogenetically related slowly growing mycobacteria based on 16S-23S rRNA gene internal transcribed spacer sequences. *J Clin Microbiol* 36(1): 139-47.
100. Roth A, Reischl U, Schonfeld N, Naumann L et al. (2000). *Mycobacterium heckeshornense* sp. nov., A new pathogenic slowly growing *Mycobacterium* sp. Causing cavitary lung disease in an immunocompetent patient. *J Clin Microbiol* 38(11): 4102-7.
101. Runyon EH (1959). Anonymous mycobacteria in pulmonary disease. *Med Clin North Am* 43: 273- 290.
102. Rüsch-Gerdes S, Schröder KH, Fettig C (1985). Untersuchungen mit dem System Bactec 460. Empfindlichkeitsprüfungen bei *Mycobacterium tuberculosis*. Vergleich der radiometrischen mit der konventionellen Methode. *Prax. Klin. Pneumologie* 39: 967-969.
103. Ruter K, Magdorf K, Paul K, Wahn U (2000). Cough, fatigue and bronchopulmonary disease in two immunocompetent children. Bronchopulmonary infection caused by *M. avium*. *Pediatr Infect Dis J* 19(12): 1209,1220-1.
104. Rynkiewicz DL, Cage GD, Butler WR, Ampel NM (1998). Clinical and microbiological assessment of *Mycobacterium simiae* isolates from a single laboratory in southern Arizona. *Clin Infect Dis* 26(3): 625-30.

105. Salfinger M, Kafader FM (1992). Mycobacteriaceae. In: Burkhardt F (Ed.) Mikrobiologische Diagnostik. Stuttgart, New York (Georg Thieme Verlag): 269-289.
106. Salfinger M, Kafader FM (1992). Susceptibility-testing of *Mycobacterium tuberculosis* to pyrazinamide. Zb. Bakt. Microb. Hyg. 265: 404.
107. Sauret J, Hernandez-Flix S, Castro E, Hernandez L et al. (1995). Treatment of pulmonary disease caused by *Mycobacterium kansasii*: results of 18 vs 12 months' chemotherapy. Tuber Lung Dis 76(2): 104-8.
108. Shafran SD, Singer J, Zarowny DP, Phillips P et al. (1996). A comparison of two regimens for the treatment of *Mycobacterium avium* complex bacteremia in AIDS: rifabutin, ethambutol, and clarithromycin versus rifampin, ethambutol, clofazimine, and ciprofloxacin. Canadian HIV Trials Network Protocol 010 Study Group. N Engl J Med 335(6): 377-83.
109. Shafran SD, Talbot JA, Chomyc S, Davison E et al. (1998). Does in vitro susceptibility to rifabutin and ethambutol predict the response to treatment of *Mycobacterium avium* complex bacteremia with rifabutin, ethambutol, and clarithromycin? Canadian HIV Trials Network Protocol 010 Study Group. Clin Infect Dis 27(6): 1401-5.
110. Shiraishi Y, Fukushima K, Komatsu H, Kurashima A (1998). Early pulmonary resection for localized *Mycobacterium avium* complex disease. Ann Thorac Surg 66(1): 183-6.
111. Sison JP, Yao Y, Kemper CA, Hamilton JR et al. (1996). Treatment of *Mycobacterium avium* complex infection: do the results of in vitro susceptibility tests predict therapeutic outcome in humans? J Infect Dis 173(3): 677-83.
112. Springer B, Stockman L, Teschner K, Roberts GD et al. (1996). Two-laboratory collaborative study on identification of mycobacteria: molecular versus phenotypic methods. J Clin Microbiol 34(2): 296-303.
113. Sullam PM, Gordin FM, Wynne BA (1994). Efficacy of rifabutin in the treatment of disseminated infection due to *Mycobacterium avium* complex. The Rifabutin Treatment Group. Clin Infect Dis 19(1): 84-6.
114. Tanaka E, Amitani R, Niimi A, Suzuki K et al. (1997). Yield of computed tomography and bronchoscopy for the diagnosis of *Mycobacterium avium* complex pulmonary disease. Am J Respir Crit Care Med 155(6): 2041-6.
115. Tanaka E, Kimoto T, Tsuyuguchi K, Watanabe I et al. (1999). Effect of clarithromycin regimen for *Mycobacterium avium* complex pulmonary disease. Am J Respir Crit Care Med 160(3): 866-72.
116. Tarshis MS, Frisch AW (1952). Chromogenic acid-fast bacilli from human sources. Am Rev Tuberc 65: 278-301.
117. Timpe A, Runyon EH (1954). The relationship of "atypical" acid-fast bacteria to human-disease. A preliminary report. J Lab & Clin Med 44: 202-209.
118. Tomioka H, Sano C, Sato K, Shimizu T (2002). Antimicrobial activities of clarithromycin, gatifloxacin and sitafloxacin, in combination with various antimycobacterial drugs against extracellular and intramacrophage *Mycobacterium avium* complex. Int J Antimicrob Agents 19(2): 139-45.
119. Tortoli E (2003). Impact of genotypic studies on mycobacterial taxonomy: the new mycobacteria of the 1990s. Clin Microbiol Rev 16(2): 319-54.
120. Tortoli E, Besozzi G, Lacchini C, Penati V et al. (1998). Pulmonary infection due to *Mycobacterium szulgai*, case report and review of the literature. Eur Respir J 11(4): 975-7.

121. Tortoli E, Piersimoni C, Bartoloni A, Burrini C et al. (1997). *Mycobacterium malmoense* in Italy: the modern Norman invasion? *Eur J Epidemiol* 13(3): 341-6.
122. Turenne CY, Tscherter L, Wolfe J, Kabani A (2001). Necessity of quality-controlled 16S rRNA gene sequence databases: identifying nontuberculous *Mycobacterium* species. *J Clin Microbiol* 39(10): 3637-48.
123. Valero G, Moreno F, Graybill JR (1994). Activities of clarithromycin, ofloxacin, and clarithromycin plus ethambutol against *Mycobacterium simiae* in murine model of disseminated infection. *Antimicrob Agents Chemother* 38(11): 2676-7.
124. Valero G, Peters J, Jorgensen JH, Graybill JR (1995). Clinical isolates of *Mycobacterium simiae* in San Antonio, Texas. An 11-yr review. *Am J Respir Crit Care Med* 152(5 Pt 1): 1555-7.
125. Wallace RJ, Jr., Brown BA, Griffith DE, Girard WM et al. (1996). Clarithromycin regimens for pulmonary *Mycobacterium avium* complex. The first 50 patients. *Am J Respir Crit Care Med* 153(6 Pt 1): 1766-72.
126. Wallace RJ, Jr., Brown BA, Griffith DE, Girard WM et al. (1994). Initial clarithromycin monotherapy for *Mycobacterium avium-intracellulare* complex lung disease. *Am J Respir Crit Care Med* 149(5): 1335-41.
127. Wallace RJ, Jr., Dunbar D, Brown BA, Onyi G et al. (1994). Rifampin-resistant *Mycobacterium kansasii*. *Clin Infect Dis* 18(5): 736-43.
128. Wallace RJ, Jr., Glassroth J, Griffith DE, Olivier KN et al. (1997). Diagnosis and treatment of disease caused by nontuberculous mycobacteria. American Thoracic Society. *Am J Respir Crit Care Med* 156(Suppl.): S1-25.
129. Wallace RJ, Jr., Zhang Y, Brown BA, Dawson D et al. (1998). Polyclonal *Mycobacterium avium* complex infections in patients with nodular bronchiectasis. *Am J Respir Crit Care Med* 158(4): 1235-44.
130. Weinberger M, Berg SL, Feuerstein IM, Pizzo PA et al. (1992). Disseminated infection with *Mycobacterium gordoneae*: report of a case and critical review of the literature. *Clin Infect Dis* 14(6): 1229-39.
131. Wittram C, Weisbrod GL (1998). *Mycobacterium xenopi* pulmonary infection: evaluation with CT. *J Comput Assist Tomogr* 22(2): 225-8.
132. Wolinsky E (1979). Nontuberculous mycobacteria and associated diseases. *Am Rev Respir Dis* 119(1): 107-59.
133. Wolinsky E (1992). Mycobacterial diseases other than tuberculosis. *Clin Infect Dis* 15(1): 1-10.
134. Wolinsky E (1997). Is *Mycobacterium xenopi* an emerging pathogen? *Clin Infect Dis* 24(2): 233-4.
135. Woodring JH, Vandiviere HM (1990). Pulmonary disease caused by nontuberculous mycobacteria. *J Thorac Imaging* 5(2): 64-76.
136. Woodring JH, Vandiviere HM, Fried AM, Dillon ML et al. (1986). Update: the radiographic features of pulmonary tuberculosis. *AJR Am J Roentgenol* 146(3): 497-506.
137. Woodring JH, Vandiviere HM, Melvin IG, Dillon ML (1987). Roentgenographic features of pulmonary disease caused by atypical mycobacteria. *South Med J* 80(12): 1488-97.
138. Yamamoto M (2000). Pulmonary diseases due to *Mycobacterium szulgai* in Japan. *Intern Med* 39(4): 277-9.
139. Yamamoto M, Ogura Y, Sudo K, Hibino S (1967). Diagnostic criteria for disease caused by atypical mycobacteria. *Am Rev Respir Dis* 96(4): 773-8.