8 Literaturverzeichnis

AFONSO, C. L., TULMAN, E. R., LU, Z., ZSAK L., KUTISH, G. F., und ROCK, L. D. (2000):
The genome of fowlpox virus.
Journal of Virology 74, 3815-3831

AKRAE, M. (1980):
Die Identifizierung und Charakterisierung eines Falkenpockenvirus und eines Psittacidenpockenvirus aufgrund ihres Verhaltnes in der Eikultur, sowie serologischer Reaktionen und ihres Wirtsspektrums im Tierversuch.
Inaugural Dissertation (Dr. med. vet.), München

ARHELGER, R. B., DARLINGTON, R. W., GAFFORD, L. G. und RANDALL, C. C. (1962):
An electron microscopic study of fowlpox infection in chick scalps.
Lab. Invest. 11, 814-825

ARHELGER, R. B., und RANDALL, C. C. (1964):
Electron microscopic observations on the development of fowlpox virus in chorioallantoic membrane.
Virology 22, 59-66

ARIYOSHI, R., TAKASE, K., MATSUURA, Y., DEGUCHI, K., GINNAGA, A., und FUJIKAWA, H. (2003):
Vaccination against Fowlpox virus via drinking water.
J. Vet. Med. Sci. 65 (10), 1127-1130

BALLAGI-PORDÁNY, A. (1995):
Application of polymerase chain reaction (PCR) in veterinary virology.
Inaugural Dissertation (Dr. med.vet), Uppsala, Schweden

BAXENDALE, W. (1971):
Studies of three avian pox viruses and the developement of an improved fowl pox vaccine.
Veterinary Record 88, 5-10

BAXENDALE, W. (1981):
Immunity to fowl pox.
In: Rose, M. E., Payne, L. N., und Freeman, B. M. (Hrsg.): Avian Immunology.
Poultry Science Symposium 16, British Poultry Science Ltd., 255-261

BEARD, C. W., SCHNITZLEIN, W. M., und TRIPATHY, D. N. (1991):
Protection of chickens against highy pathogenic avian influenza virus (H5N2) by recombinant fowlpox viruses.
Avian Diseases 35, 356-359

BINNS, M. M., STENZLER, L., TOMLEY, F. M., CAMPBELL, J., und BOURSNELL, E. G. (1987):
Identification by a random sequencing strategy of the fowlpoxvirus DNA polymerase gene, ist nucleotide sequence and comparison with other viral DNA polymerases.
Nucleic Acids Research 15, 6563-6573

BINNS, M. M., TOMLEY, F. M., CAMPBELL, J., und BOURSNELL, M. E. G. (1988):
Comparison of a Conserved Region in Fowlpox Virus and Vaccinia Virus Genomes and the Translocation of the Fowlpox Virus Thymidine Kinase Gene.
Journal Gen. Virol. 69,1275-1283

BINNS, M.M., BOURSNELL, M.E.G., TOMLEY, F.M., und CAMPBELL, J. (1989):
Analysis of the fowlpox virus gene encoding the 4b core polypeptide and demonstration that it possesses efficient promoter sequences.
Virology 170, 288-291

BOLLINGER, O. (1873):
Virchows Arch. path. Anat..58, 349
zit. n. GRATZL, E., und KÖHLER, H. (1968): Spezielle Pathologie und Therapie der Geflügelkrankheiten.
Ferdinand Enke Verlag Stuttgart, 255

BOLTE, A. L., MEURER, J., und KALETA, E. F. (1999):
Avian host spectrum of avipoxviruses.
Avian Pathology 28, 415-432

BOOSINGER, T. R., WINTERFIELD, R. W., FELDMAN, D. S., und DHILLON, A. S. (1981):
Psittacine Pox Virus: Virus Isolation and Identification, Transmisson, and Cross-Challenge Studies in Parrots and Chickens.
Avian Diseases 26 (2), 437-444

BORREL, A. (1904):
Compt. rend. Soc. biol., Paris 2, 642
Zit. n. GRATZL, E., und KÖHLER, H. (1968): Spezielle Pathologie und Therapie der Geflügelkrankheiten.
Ferdinand Enke Verlag Stuttgart, 256

BOULANGER, D., GREEN, P., SMITH, T., CZERNY, C.-P., und SKINNER, M. A. (1998):
The 131-Amino-Acid Repeat Region of the Essential 39-Kilodalton Core Protein of Fowlpox Virus FP9, Equivalent to Vaccinia Virus A4l Protein, Is Nonessential and Highly Immunogenic.
Journal of Virology 72 (1), 170-179

BOULANGER, D., SMITH, T., und SKINNER, M. A. (2000):
Morphogenesis and release of fowlpox virus.
Journal Gen. Virol. 81, 675-687

BOULANGER, D., GREEN, P., JONES, B., HENDRIQUET, G., HUNT, L. G., LAIDLAW, M. S., MONAGHAN, P., und SKINNER, M. A. (2002):
Identification and Characterization of Three Immunodominant Structural Proteins of Fowlpox Virus.
Journal of Virology 76 (19), 9844-9855

BOYLE, D. B., und COUPAR, B. E. H. (1986):
Identification and cloning of the fowlpox virus thymidine kinase gene using vaccinia virus.
Journal Gen. Virol. 67, 1591-1600

BOYLE, D. B., PYE, A. D., und COUPAR, B. E. H. (1997):
Comparison of field and vaccine strains of Australian fowlpox viruses.
Archives of Virology 142, 737-748

BURCK, G. (1999):
Antigene und genetische Differenzierung von Avipoxviren.
Inaugural Dissertation (Dr. med. vet.), München

BUSCAGLIA, C., BANKOWSKI, R. A., und MIERS, L. (1984):
Cell-Culture Virus-Neutralization Test and Enzyme-Linked Immunosorbent Assay for Evaluation of Immunity in Chickens against Fowlpox.
Avian Diseases 29 (3), 672-680

CADOZ, M., STRADY, A., MEIGNIER, B., TAYLOR, J., TARTAGLIA, J., PAOLETTI, E., und PLOTKIN, S. (1992):
Immunisation with canarypox virus expressing rabies glycoprotein.
The Lancet 339, 1429-1448

CALVERT, J. G., OGAWA, R., YANAGIDA, N., und NAZERIAN, K. (1992):
Identification and Functional Analysis of the Fowlpox Virus Homolog of the Vaccinia Virus p37K Major Envelope Antigen Gene.
Virology 191, 783-792

CARTER, J. K. Y., und CHEVILLE, N. F. (1981);
Isolation of surface tubules of fowlpox virus.
Avian Diseases 25, 454-462

CAVANAGH, D., MAWDITT, K., BRITTON, P., und NAYLOR, C. J. (1999):
Longitudinal field studies of infectious bronchitis virus and avian pneumovirus in broilers using type-specific polymerase chain reactions.
Avian Pathology 28, 593-605

CAVANAGH, D. (2001):
Innovation and discovery: the application of nucleic acid-based technology to avian virus detection and characterization.
Avian Pathology 30, 581-598

CHANG, P. W., und JASTY, V. (1970):
Multiplication of fowlpox virus in chicken embryo fibroblastic cell cultures.
Am. J. Vet. Res. 31, 1463-1467

CHEEVERS, W. P., O`CALLAGHAN, D. J., und RANDALL, C. C. (1968):
Biosynthesis of host and viral desoxyribonucleic acid during hyperplastic fowlpox infection in vivo.
Journal of Virology 2, 421-429

CORPET, F. (1988):
Multiple sequence alignment with hierarchical clustering.
Nucleic Acids Res., 16 (22), 10881-10890

COUPAR, B. E. H., TEO, T., und BOYLE, B. (1990):
Restriction Endonuclease Mapping of the Fowlpox Virus Genome.
Virology 179, 159-167

CZERNY, C. P., und MAHNEL, H. (1990):
Structural and functional analysis of orthopoxvirus epitopes with neutralizing monoclonal antibodies.
Journal Gen. Virol. 71, 2341-2352

DALES, S. und KAJIOKA, R.(1964):
The cycle of multiplication of vaccinia virus in Earle´s strain L cells I. Uptake and penetration.
Virology 24, 278-294

DAMASSA, A. J. (1966):
The role of culex tarsalis in the transmission of fowl pox virus.
Avian Diseases 10, 57-66

DHARSANA, R., und SPRADBROW, P. B. (1985):
The Demonstration of Cell-Mediated Immunity in Chickens Vaccinated with Fowlpox Virus.
Zbl. Vet. Med. B, 32, 628-632

DIALLO, I. S., MACKENZIE, M. A., SPRADBROW, P. B., und ROBINSON, W. F. (1998):
Field isolates of fowlpox virus contaminated with reticuloendotheliosis virus.
Avian Pathology 27, 60-66.

DOMS, R. W., BLUMENTHAL, R., und MOSS, B. (1990):
Fusion of intra- and extracellular forms of vaccinia.
Journal of Virology. 64, 4884-4892

DORN, P. (1971):
Geflügelpocken - Pockendiphtheroid.
In: Handbuch der Geflügelkrankheiten.
Stuttgart, Eugen Ulmer Verlag, 65-71

DRILLIEN, R., SPHENER, D., VILLEVAL, D., und LECOCQ, J. P. (1987):
Similar genetic organization between a region of fowlpox virus DNA and the HindIII J fragment despite divergent location of the thymidine kinase gene.
Virology, 160, 203-209

EBERBECK, E., und KAYSER, W. (1932):
Über das Vorkommen von Pockenerkrankungen bei Kanarienvögeln, Buchfinken und Sperlingen.
Arch. Wiss. Prakt. Tierheilk. 65, 307-310

EDBAUER, C., WEINBERG, R., TAYLOR, J., REY-SENELONGE A., BOUQUET J. F., DESMETTRE P., und PAOLETTI, E. (1990):
Protection of chickens with a recombinant fowlpox virus expressing the Newcastle disease virus haemagglutinin-neuramidase gene.
Virology 179, 901-904

FALLAVENA, L. C., B, CANAL, C. W., SALLE, C. T. P., MORAES, H. L., ROCHA, S. L. S., PEREIRA, R. A., und DASILVA, A. B. (2002):
Presence of avipoxvirus DNA in avian dermal squamous cell carcinoma.
Avian Pathology 31, 241-246

FATUNUMBI, O. O., REED, W. M., SCHWARTZ, D. L., und TRIPATHY, D. N. (1995):
Dual Infection of Chickens with Pox and Infectious Laryngotracheitis (ILT) Confirmed with Specific Pox and ILT DANN Dot-Blot Hybridization Assays.
Avian Diseases 39, 925-930

FATUNMBI, O. O., und REED, W. M. (1996):
Evaluation of a comercial modified live virus fowl pox vaccine for the control of `variant´ fowl poxvirus infections.
Avian Diseases 40, 582-587

GAFFORD, L. G., SINCLAIR, F., und RANDALL, C. C. (1969):
Growth cycle of fowlpox virus and change in plaque morphology and cytopathology by contaminating mycoplasma.
Virology 37, 464-472

GARCIA, M., NARANG, N., REED, W. M., und FADLEY, A. M. (2003):
Molecular characterization of reticuloendotheliosis virus insertions in the genome of field and vaccine strains of fowl poxvirus.
Avian Diseases 47 (2) 343-354

GELENCZEI, E. F., und LASHER, H. N. (1968):
Comparative studies of cell-culture-propagated avian pox viruses in chickens and turkeys.
Avian Diseases 12, 142-150

GERLACH, H. (1994):
Viruses.
In: RITCHIE, B. W., HARRISSON, G. J., und HARRISON, L. R. (Hrsg.): Avian Medicine, Principles and application.
Wingers Publ. Inc., Florida, USA, 865-874

GHILDYAL, N., SCHNITZLEIN, W. M., und TRIPATHY, D. N. (1989):
Genetic and antigenic differences between fowlpox and quailpox viruses.
Archives of Virology 106, 85-92

GIDDENS, W. E. Jr., SWANGO, L. J., HENDERSON, J. D. Jr., LEWIS, R. A., FARNER, D. S., CARLOS, A., und DOLOWY, W. C. (1971):
Canary pox in sparrows and canaries (Fringillidae) and in weavers (Ploceidae).
Vet. Pathology 8, 260-280

GOODPASTURE, E. W., und ANDERSON, K. (1962):
Isolation of wild avian poxvirus inducing both cytoplasmatic and nuclear inclusions.
Amer. J. Path. 40, 437

GRATZL, E., und KÖHLER, H. (1968):
Spezielle Pathologie und Therapie der Geflügelkrankheiten.
Ferdinand Enke Verlag Stuttgart, 255-289

GRUND, S., KRAFT, V., und MONREAL, G. (1973):
Zur Feinstruktur des Agapornidenpockenvirus.
Archiv für die gesamte Virusforschung 41, 319-333

GRZIMEK, B. (1957):
Krankes Geflügel.
Verlag Fritz Pfennigstorff, Berlin und Stuttgart, 93-105

GUBSER, C., HUÉ, S., KELLAM., P., und SMITH, G. L. (2004):
Poxvirus genomes: a phylogenetic analysis.
Journal Gen. Virol. 85, 105-117

HAFEZ, H. M., LÜSCHOW, D., und PRUSAS, C. (2001a):
Re-emerging of fowlpox infection in poultry: Clinical signs and diagnosis.
Proc. of the XIIth Int. Congress of the World Veterinary Poultry Association, Cairo, Egypt, 263

HAFEZ, H. M., MAZAHERI, A., PRUSAS, C., BÖHLAND, K., PÖPPEL, M., und SCHULZE, D. (2001b):
Aktuelle Geflügelkrankheiten bei Legehennen im Zusammenhang mit alternativen Haltungssystemen.
Tierärztliche Praxis 29,168-174

HAFEZ, M. H. (2002):
Aktuelle Geflügelkrankheiten in alternativen Legehennen-Haltungssystemen.
Jahrbuch für die Geflügelwirtschaft 2003, E. Ulmer GmbH, Stuttgart, 54-57

HARTWIGK, H., und LANGE, W. (1964):
Vakzinierungsversuche bei Kanarienvögeln gegen Pocken.
Dtsch. tierärztl. Wschr 71, 180-183

HERBST, W., und KRAUSS, H. (1989):
Isolation of Poxvirus from a Sparrow (*Passer domesticus*).
J. Vet. Med. B 36, 477-479

HERTIG, C., COUPAR, B.E.H., GOULD A.R., und BOYLE, D.B. (1997):
Field and Vaccine Strains of Fowlpox Virus Carry Integrated Sequences from the Avian Retrovirus, Reticuloendotheliosis Virus.
Virology 235, 367-376

HIGGINS, D., THOMPSON, J., GIBSON, T., THOMPSON, J. D., HIGGINS, G., und GIBSON, T. J. (1994):
CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, positionspezific gap penalties and weight matrix choice.
Nucleic Acids Research 22, 4673-4680

HORZINEK, M. C. (1993):
Poxviridae.
In: MCFERRAR, J. B., und MCNULTY, M. S. (Hrsg.): Virus Infections of Birds.
Elsevier Science publishers B. V., Amsterdam, London, New York, Tokyo,1-15

HUZARD (o.V.) (1775) zit. n. VAN HEELSBERGEN (1929):
zit. n. GRATZL, E., und KÖHLER, H. (1968): Spezielle Pathologie und Therapie der Geflügelkrankheiten.
Ferdinand Enke Verlag Stuttgart, 255

INOSHIMA, Y., MOROOKA, A., und SENTSUI, H. (2000):
Detection and diagnosis of parapoxvirus by the polymerase chain reaction.
Journal of Virological Methods 84 (2), 201-208

ISA, G., PFISTER, K., KAADEN, O.-R., und CZERNY, C.-P. (2002):
Development of a Monoclonal Blocking ELISA for the Detection of Antibodies Against Fowlpox Virus.
J. Vet. Med. B 49, 21-23

JAKOBY, J. R., KORBEL, R., SCHNEEGANß, D., und KÖSTERS, J. (1990):
Amazonenpocken in einer Importstation.
Tierärztliche Praxis 18, 255-258

JOKLIK, W. K. (1962):
Purification of four strains of poxviruses.
Virology 18, 9-18

KALETA, E. F., MENGE, C., ALLDINGER, S., ANNEMÜLLER, C., BONSACK, H., BOLTE, A. L., und JÄGER, S. (2001):
Pocken bei Legehennen in Freilandhaltung.
Tierärztliche Praxis Großtiere 29, 373-380

KALETA, E. F. (2003):
Pocken der Papageien. Taubenpocken. Kanarienpocken.
In: KALETA, E. F., und KRAUTWALD-JUNGHANNS, M. E. (Hrsg.): Kompendium der Ziervogelkrankheiten (2.Auflage).
Schlütersche GmbH und Co. KG, Hannover, 279-281, 296-198, 307-310

KIM, T. J., und TRIPATHY, D. N. (2001):
REV integration in the FPV genome: not a recent event.
Avian Diseases 45, 663-669

KIM, T.-J., SCHNITZLEIN, W. M., McALOOSE, D., PESSIER, A. P., und TRIPATHY, D. N. (2003):
Characterization of an avianpox virus isolated from an Andean Condor (Vultur gryphus).
Veterinary Microbiology 96 (3), 237-246

KIRMSE, P. (1967):
Experimental pox infection in waterfowl.
Avian Diseases 11 (2), 209-216

KITZING, D. (1978):
Neue Erkenntnisse über das Falkenpockenvirus.
Praktischer Tierarzt 59, 952-956

KLIGLER, I. J., und ASHNER, M. (1929):
Transmission of Fowl.Pox by Mosquitoes: Further Observations.
The British Journal of Experimental Pathology 10 (6), 347-352

KRONE, O., ESSBAUER, S., WIBBELT, G., ISA, G., RUDOLPH, M., und GOUGH, R. E. (2004):
Avipoxvirus infection in peregrine falcons (Falco peregrinus) from a reintroduction programme in Germany.
Veterinary Record 4, Vol. 154, 110-113

KOST, T. A., THEODORAKIS, N., und HUGHES, S. H: (1983):
The nucleotide sequence of the chick cytoplasmic ß-Actin gene.
Nucleic Acids Research 11 (23), 8287-8301

KRAFT, V. (1971):
Untersuchungen zur Differenzierung eines von Zwergpapageien isolierten Pockenvirus.
Inaugural Dissertation (Dr. med.vet), Berlin

KRAFT, V. und TEUFEL, P. (1971):
Nachweis eines Pockenvirus bei Zwergpapageien (Agapornis personata und Agapornis roseicollis).
Berliner und Münchener Tierärztliche Wochenschrift 5, 83-87

LAIDLAW, S. M., und SKINNER, M. A. (2004):
Comparison of the genome sequence of FP9, an attenuated, tissue culture-adapted European strain of Fowlpox virus, with those of virulent American and European viruses.
Journal Gen. Virol. 85 (2), 305-322

LEE, L. H. (1992):
Characterization of nonradioactive hybbridization probes for detecting infectious bursal disease virus
Journal of Virological Methods 38, 81-92

LEE, L. H., und LEE, K. H., (1997):
Application of the polymerase chain reaction for the diagnosis of fowl poxvirus infection.
Journal of Virological Methods 63, 113-119

LIERZ, M. (2000):
Possible Therapy for Early Pox Lesions.
ICE 2000 Proceedings, Vol 2.3,88-90

LOUPAL, G., SCHÖNBAUER, M., und JAHN, J. (1985):
Pocken bei Zoo- und Wildvögeln.
Zbl. Vet. Med. B 32, 326-336

LÜSCHOW, D., und HAFEZ, H. M. (2003):
Polymerase chain reaction for detection of fowl poxvirus (FPV) and reticuloendotheliosis virus (REV) in field samples as well as detection of integrated REV in FPV genome.
Proceedings of XIII. International Congress of the World Veterinary Poultry Association (WVPA), Denver, Colorado, USA, 100

LÜTHGEN, W. (1994):
Taubenkrankheiten.
2. Auflage, Verlagshaus Reutlingen. Oertel und Spörer. 161-168

MANGANA-VOUGIOUKA, O., MARKOULATOS, P., KOPTOPOULOS, G., NOMIKOU, K., BAKANDRITSOS, N., und PAPADOPOULOS, O. (1999):
Sheep poxvirus identification by PCR in cell cultures.
Journal of Virological Methods 77 (1), 75-79

MARKOULATOS, P., MANGANA-VOUGIOUKA, O., KOPTOPOULOS, G., NOMIKOU, K., und PAPADOPOULOS, O. (2000):
Detection of sheep poxvirus in skin biopsy samples by a multiplex polymerase chain reaction.
Journal of Virological Methods 84 (2), 161-167

MARX, E., und STICKER, A. (1902):
Dtsch. Med. Wschr. 28, 893
zit. n. GRATZL, E., und KÖHLER, H. (1968): Spezielle Pathologie und Therapie der Geflügelkrankheiten.
Ferdinand Enke Verlag Stuttgart, 256

MAYR, A. (1960):
Verhalten von Hühner-, Tauben- und Kanarienpockenviren im Küken nach intravenöser Impfung.
Zentralblatt f. Bakt., Parasit., Infektionskrankh. und Hyg., Bd. 179, H.2, 149-159

MAYR, A., und KALCHER, K. (1960):
Vergleichende Studien über die Züchtung von Geflügelpockenviren in der Zellkultur.
Archiv für die gesamte Virusforschung 10, 72-102

MAYR, A., und KALCHER, K. (1961):
Plaque-Bildung bei Geflügelpockenviren.
Archiv für die gesamte Virusforschung 11 (3), 307-325

MAYR, A. (1963):
Neue Verfahren für die Differenzierung der Geflügelpockenviren.
Berliner und Münchener Tierärztliche Wochenschrift 76, 316-324

MAYR, A., HARTIG, F., und BAYR, I. (1965):
Entwicklung eines Impfstoffes gegen die Kanarienpocken auf der Basis eines attenuierten Kanarienpocken-Kulturvirus.
Zbl. Vet. Med. B 12, 41-44

MAYR, A., und MALICKI, K. (1966):
Attenuierung von virulentem Hühnerpockenvirus in Zellkulturen und Eigenschaften des attenuierten Virus.
Zbl. Vet. Med. B 13, 1-13

MAYR, A., und MAHNEL, H. (1970):
Charakterisierung eines vom Rhinozeros isolierten Hühnerpockenvirus.
Archiv für die gesamte Virusforschung 31, 51-60

MAYR, A., MAHNEL, H., und MUNZ, E. (1972):
Systematisierung und Differenzierung der Pockenviren.
Zbl. Vet. Med. B 19, 69-88

MAYR, A., und DANNER, K. (1974):
Trinkwasserimpfung gegen Hühnerpocken.
Dtsch. tierärztl. Wschr. 81, 307-309

MAYR, A. (1992):
Vogelpocken.
in: HEIDER, G., MONREAL, G., und MÉSZÁROS, J. (Hrsg.): Krankheiten des Wirtschaftsgeflügels (Band 1).
Gustav Fischer Verlag Jena, Stuttgart, 475-502

MAYR, A. (1993):
Poxviridae.
In: ROLLE, A., und MAYR, A. (Hrsg.): Mikrobiologie, Infektions- und Seuchenlehre
Enke Verlag, 6. Auflage, 290-299

MCGAUGHEY, C.A., und BURNET, F.M. (1945):
Avian pox in wild sparrows. 1.A note on a spontaneous outbreak, 2. A note on the activity of sparrow pox virus in the canary.
J comp Path 55, 201-205

MCLYSAGHT, A., BALDI, P. F., und GAUT, B. S. (2003):
Extensive gene gain associated with adaptive evolution of poxviruses.
Proceedings of the National Academy of Sciences of the USA 100 (26), 15655-15660

METZ, A. L., HATCHER, L., NEWMAN, J. A., und HALVORSON, D. A. (1985):
Venereal pox in breeder turkeys in Minnesota.
Avian Diseases 29, 850-853

MEULEMANS, G., BOSCHMANS, M., VAN DER BERG, T. P., und DECAESSTECKER, M. (2001):
Polymerase chain reaction combined with restriction enzyme analysis for detection and differentiation of fowl adenoviruses.
Avian Pathology 30, 655-660

MEURER, J. (1991):
Die Pocken der Vögel: Ätiologie, Wirtsspektrum und Epizootiologie.
Inaugural Dissertation (Dr. med. vet.), Giessen

MINBAY, A., und KREIER, J. P. (1973):
An Experimental Study of the Pathogenesis of Fowlpox Infection in chickens.
Avian Diseases 17, 532-539

MISHRA, S. S., und MALLICK, B. B. (1996):
Comparative immunological and genomic characterization of fowlpox virus isolates.
Indian J. Exp. Biol. 34 (1), 11-7

MOCKETT, A. P. A., SOUTHEE, D. J., TOMLEY, F. M., und DEUTER, A. (1987):
Fowlpox virus: its structural proteins and immunogens and the detection of viral-specific antibodies by ELISA.
Avian Pathology 16, 493-504

MOCKETT, B., BINNS, M., BOURSNELL, M., und SKINNER, M. (1992):
Comparison of the locations of homologous fowlpox and vaccinia virus genes reveals major genome reorganization.
Journal Gen. Virol. 73, 2661-2668

MODROW, S., und FALKE, D.(1997):
Molekulare Virologie.
Spektrum akademischer Verlag, 463-477

MOORE, K. M., DAVIS, J. R., SATO, T., und YASUDA, A. (2000):
Reticuloendotheliosis Virus (REV) Long Terminal Repeats Incorporated in the Genomes of Commercial Fowl Poxvirus Vaccines and Pigeon Poxviruses Without Indication of the Presence of Infectious REV.
Avian Diseases 44, 827-841

MORISHITA, T. Y., FULLERTON, A. T., LOWENSTINE, L. J., GARDNER, L. A., und BROOKS, D. L. (1988):
Morbidity and Mortality in Free-Living Raptorial Birds of Northern California: A Retrospective Study, 1983-1994.
J. Avian Med. Surg. 12, 78-81

MORITA, C. (1973a):
Studies on Fowlpox Viruses I. Plaque Formation of Fowlpox Viruses on Chick Embryo Cell Culture.
Avian Diseases 17 (1), 87-92

MORITA, C. (1973b):
Studies on Fowlpox Viruses II. Plaque-Neutralization Test.
Avian Diseases 17 (1), 93-97

MORITA, C. (1973c):
Role of humoral and cell-mediated immunity on the recovery of chickens from fowlpox virus infection.
J. Immunol. 111, 1495-1501

MOSS, B. (1990):
Poxviridae and their replication.
In: FIELDS, B. N., KNIPE, D. M., HOWEY, P. M., CHANOCK, R. M., MELNICK, J. L., MONATH, T. P., ROIZMAN, B., und STRAUS, S. E. (Hrsg): Fields Virology.
3. Auflage, Raven Press Ltd., New York, Lippincott-Raven, Philadelphia PA, 2637-2672

MOUSA, A. (1979):
Die Identifizierung und Charakterisierung eines Falkenpocken- und eines Psittacidenpockenvirus unter Verwendung von Zellkulturmethoden.
Inaugural Dissertation (Dr. med. vet.), München

MOYER, R. W., ARIF, B. M., BLACK, D. N., BOYLE, D. B., BULLER, R. M., DUMBELL, K. R., ESPOSITO, J. J.,MCFADDEN, G., MOSS, B., MERCER, A. A., ROPP, S., TRIPATHY, D. N., und UPTON, C. (2000):
Family Poxviridae.
In: Virus taxonomy, Classification and Nomenclature of Viruses.
Seventh report of the International Comitee on Taxonomy of Viruses, 137-157

MÜLLER, H. K., WITTEK, R., SCHAFFNER, W., SCHÜMPERLI, D., MENNA, A., und WYLER, R. (1977):
Comparison of five poxvirus genomes by analysis with restriction endonucleases HindIII, BamI and EcoRI.
Journal Gen. Virol. 38, 135-147

MULLIS, K. B. (1990):
Scientific American 56.
Zit. n. NEWTON, C.R., und GRAHAM, A. (1997): PCR (2. Auflage).
Spektrum Akademischer Verlag Heidelberg, Berlin, Oxford, 26

MURPHY, F.A., FAUQUET, C.M., BISHOP, D.H., GHABRAIAL, S.A., JARVIS, A.W., MARTELLI, G.P., MAYO, M.A., und SUMMERS, M.D. (1995):
Virus taxonomy.
In: Sixth report of the International Comitee on Taxonomy of viruses.
Archives of Virology (Suppl.) 10, 79-91

NAGY, E., MAEDA-MACHANG´U, A.D., KRELL, P. J., und DERBYSHIRE, J. B. (1990):
Vaccination of 1-day-old-chicks with fowlpox virus by the aerosol, drinking water, or cutaneous routes.
Avian Diseases 34 (3), 677-682

NAZERIAN, K., WITTER, R. L., LEE, L. F., und YANAGIDA, N. (1996):
Protection and synergism by recombinant fowl pox vaccines expressing genes from Marek´s disease virus.
Avian Diseases 40, 368-376

OHTA, H., KAI, C., YOSHIKAWA, Y., und YAMANOUCHI, K. (1983):
Activation of Chicken Alternative Complement Pathway by Fowlpox Virus-Infected Cells.
Infection and Immunity 42 (2), 721-727

OHTA, H., YOSHIKAWA, Y., KAI, C., YAMANOUCHI, K., TANIGUCHI, H., KOMINE, K.-I., ISHIJIMA, Y., und OKADA, H. (1986):
Effect of Complement Depletion by Cobra Venom Factor on Fowlpox Virus Infection in Chickens and Chicken Embryos.
Journal of Virology 57 (2), 670-673

PAULI, R., ZANONI, C., HERTIG, E., und PETERHANS, E. (1991):
Veterinärmedizin und Molekularbiologie: Möglichkeiten und Grenzen der Virusdetektion.
Schweizer Archiv Tierheilkunde 133, 35-42

PERELMAN, B., GUR-LAVIE, A., und SAMBERG, Y. (1988):
Pox in Ostriches.
Avian Pathology, 17, 735-739

PERKUS, M. E., PICCINI, A., LIPINSKAS, B. R., und PAOLETTI, E. (1985):
Recombinant vaccinia virus: immunization against multiple pathogens.
Science 229, 981-984

QIAO, C.-L., YU, K.-Z., YIANG, Y.-P., JIA, Y.-Q., TIAN, G.-B., LIU, M., DENG, G.-H., WANG, X.-R., MENG, Q.-W., und TANG, X.-Y. (2003):
Protection of chickens against highly lethal H5N1 and H7N1 avian influenza viruses with a recombinant fowlpox virus co-expressing H5 haemagglutinin and N1 neuramidase genes.
Avian Pathology 32, 25-31

RANDALL, C. C., GAFFORD, L. G., DARLINGTON, R. W., und HYDE, J. (1964):
Composition of fowlpox virus and inclusion matrix.
Journal of Bacteriology 87, 939-994

RAO, C. R. G.(1965):
Studies of Pox in Ducks in Andhra Pradesh.
Indian vet. J. 42, 151-154

REED, W. M., und FATUNMBI, O. O. (1993):
Pathogeniciy and immunological relationship of quail and mynah poxviruses to fowl and pigeon poxviruses.
Avian Pathology 22, 395-400

RITCHIE, B. W. (1995):
Avian Viruses - Function and Control.
Wingers Publishing, Inc., Lake Worth, Florida, 285-311

RÖMLING, U., FISLAGE, R., und TÜMMLER, B. (1995):
Theorie und Anwendung der Makrorestriktionsanalyse für die klonale Analyse von Erregern.
Immun. Infekt. 23, 4-8

ROTH, K. (1922):
Geflügel-Krankheiten.
Verlag Hachmeister&Thal, 85

SARMA, D. K., und SHARMA, S. N. (1988):
Comparative Immunity of Fowl Pox Virus Vaccines.
J. Vet. Med. B, 35, 19-23

SCHMELZ, M., SODEIK, B., ERICSSON, M., WOLFFE, E. J., SHIDA, H., HILLER, G., und GRIFFITHS, G. (1994):
Assembly of vaccinia virus: the second wrapping cisterna is derived from the trans golgi network.
Journal of Virology 68, 130-147

SCHNITZLEIN, W. M., GHILDYAL, N., und TRIPATHY, D. N. (1988):
Genomic and antigenic characterization of avipoxviruses.
Virus Research 10, 65-76

SCHRÖDER, H. D. (1981):
Diseases of birds of prey with special reference to infectious diseases.
In: Cooper, J. E., und Greenwood, A. G. (Hrsg.): Recent advances in the study of raptor diseases.
Chiron Publications Ltd., Keighley, West Yorkshire, England, 37-39

SHIRINOV, F.B., IBRAGIMOVA, A. I., und MISIROV, Z. G. (1972):
Spread of fowlpoxvirus by the mite Dermanyssus gallinae.
Veterinariya (Moscow) 4, 48-49

SHIVAPRASAD, H. L., KIM, T. J., WOOLCOCK, P. R., und Tripathy, D. N. (2002):
Genetic and antigenic characterization of a poxvirus isolate from ostriches.
Avian Diseases 46, 429-436

SINGH, P., und TRIPATHY, D. N. (2000):
Characterization of Monoclonal Antibodies Against Fowl Poxvirus.
Avian Diseases 44, 365-371

SINGH, P., KIM, T. J., und TRIPATHY, D. N. (2000):
Re-emerging fowlpox: evaluation of isolates from vaccinated flocks.
Avian Pathology 29, 449-455

SINGH, P., SCHNITZLEIN, W. M., und TRIPATHY, D. N. (2003):
Reticuloendotheliosis Virus Sequences within the Genomes of Field Strains of Fowlpox Virus Display Variability.
Journal of Virology 77 (10), 5855-5862

SMITH, G. L., und MOSS, B. (1983):
Infectious poxvirus vectors have capacity for at least 25,000 base pairs foreign DNA.
Gene 25, 21-28

SODEIK, B., DOMS, R. W., ERICSSON, M., HILLER, G., MACHAMER, C. E., VAN´T HOF, W., VAN MEER, G, MOSS, B., und GRIFFITHS, G. (1993):
Assembly of vaccinia virus: role of the intermediate compartement between the endoplasmic reticulum and the golgi stacks.
J. Cell Biol. 121, 521-541

SPEHNER, D., DRILLIEN, R., und LECOCQ, J.-P. (1990):
Construction of fowlpox virus vector with intergenic insertions: expression of the ß-galactosidase gene and the measles virus fusion gene.
Journal of Virology 64, 527-533

STANNARD, L. M., MARAIS, D., KOW, D., und DUMBELL, K. R. (1998):
Evidence for incomplete replication of penguin poxvirus in cells of mammalien origin.
Journal Gen. Virol. 79, 1637-1646

STEINMETZ, D. (1984):
Kanarienpocken.
Die Voliere 7 (6), 225-227

STOTHARD, P. (2000):
The sequence manipulation suite: JavaScript programs for analyzing and formatting protein and DNA sequences.
BioTechniques 28, 1102-1104

SWAYNE, D. E., BECK, J. R., und MICKLE, T. R. (1997):
Efficacy of recombinant fowl poxvirus vaccine in protecting chickens against a highly pathogenic Mexican-origin H5N2 avian influenza virus.
Avian Diseases 41, 910-922

TADESE, T., und REED, W. M. (2003a):
Detection of specific reticuloendotheliosis virus sequence and protein from REV-integrated fowlpox virus strains.
Journal of Virological Methods 110 (1), 99-104

TADESE, T., und REED, W. M. (2003b):
Use of restriction fragment length polymorphism, immunoblotting, and polymerase chain reacion in the differentiation of avian poxviruses.
J. Vet. Diagn. Invest. 15, 141-150

TADESE, T., POTTER, E. A., und REED, W. M. (2003):
Development of a Mixed Antigen Agar Gel Enzyme Assay (AGEA) for the Detection of Antibodies to Poxvirus in Chicken and Turkey Sera.
J. Vet. Med. Sci 65 (2), 255-258

TAYLOR, J., WEINBERG, R., LANGUET, B., DESMETTRE, P., und PAOLETTI, E. (1988):
Recombinant fowlpox virus inducing protective immunity in non-avian species.
Vaccine 6, 497-503

TAYLOR, J., EDBAUER, C., REY-SENELONGE, A., BOUQUET, J.-F., NORTON, E., GOEBEL, S., DESMETTRE, P., und PAOLETTI, E. (1990):
Newcastle disease virus fusion protein expressed in a fowlpox virus recombinant confers protection in chickens.
Journal of Virology 64, 1441-1450

TAYLOR, J., TRIMARCH, C., WEINBERG, R., LANGUET, B., GUILLEMIN, F., DESMETTRE, P., und PAOLETTI, E. (1991):
Efficacy studies on a Canarrypox-Rabies Recombinant Virus.
Vaccine 9, 190-193

TOMLEY, F. M., BINNS, M. M., CAMPBELL, J. I., und BOURSNELL, M. E. (1988):
Sequence analysis of an 11,2 kilobase, near terminal, BamHI fragment of fowlpox virus.
Journal Gen. Virol. 69, 1025-1040

TRIPATHY, D. N., HANSON, L. E., und MYERS, W. L. (1970):
Passive Hemagglutination Test with Fowlpox Virus.
Avian Diseases 14, 29-38

TRIPATHY, D. N., HANSON, L. E., und KILLINGER, A. H. (1973):
Immunoperoxidase technique for detection of fowlpox antigen.
Avian Diseases 17, 274-278

TRIPATHY, D. N., und HANSON, L. E. (1975):
Immunity to fowlpox.
Am. J. Vet. Research 36, 541-544

TRIPATHY, D. N., und REED, W. M. (1998):
Pox.
In: SWAYNE, D.E., GLISSON, J. R., JACKWOOD, M. W., PEARSON, J. E. und REED, W. M. (Hrsg.): A laboratory manual for the isolation and identification of avian pathogens.
4. Auflage, American Association of Avian Pathologists, New Bolton Center, Kennet Square, PA, 137-140

TRIPATHY, D. N., SCHNITZLEIN, W. M., MORRIS, P. J., JANSSEN, D. L., ZUBA, J. K., MASSEY, G., und ATKINSON, C. T. (2000):
Characterization of poxviruses from forest birds in Hawaii.
J. Wildl. Dis. 36 (2), 225-230

TRIPATHY, D. N. (2002):
Future of new generation of virus-vectored vaccines for efficient poultry production.
In: Proceedings of the 51th Western Poultry Disease Conference, Puerto Vallarta, Mexico, 22-25

TRIPATHY, D. N., und REED, W. M. (2003):
Pox.
In: SAIF , Y. M., BARNES, H. J., GLISSON, J. R., FADLY A. M., MC DOUGALD, L. R., und SWAYNE, D. E (Hrsg.): Diseases of Poultry.
11. Auflage, Iowa State University Press Ames, Iowa, USA, 252-269

TULMAN, E. R., AFONSO, C. L., LU, Z., ZSAK, L., KUTISH, G. F., und ROCK, D. L. (2003):
The Genome of Canarypox Virus.
Journal of Virology 78 (1), 353-366

VANDERPLASSCHEN, A., und SMITH, G. L. (1997):
An novel virus binding assay using confocal microscopy: demonstration that the intracellular and extracellular vaccinia virions bind to different cellular receptors.
Journal of Virology 71, 4032-4041

VOGEL, K. (1969):
Taubenpocken.
In: Die Taube - Taubenkrankheiten.
VEB Deutscher Landwirtschaftsverlag, Berlin, 60-71

VON MEHREN, M., ARLEN, P., TSANG, K. Y., ROGATO, A., MEROPOL, N., COOPER, H. S., DAVEY, M., MCLAUGHLIN, SCHLOM, J., und WEINER, L. M. (2000):
Pilot Study of a Dual Gene Recombinant Avipox Vaccine Containing Both Carcinoembryonic Antigen (CEA) and B7.1 Transgenes in Patients with Recurrent CEA-expressing Adenocarcinomas.
Clinical Cancer Research 6, 2219-2228

WANG, X., SCHNITZLEIN, W. M., TRIPATHY, D. N., GIRSHICK, T., und KHAN, M. I. (2002):
Construction and immunogenicity studies of recombinant fowl poxvirus containing the S1 gene of Massachusetts 41 strain of infectious bronchitis virus.
Avian Diseases 46 (4),831-838

WELI, S. C., OKEKE, M. I., TRYLAND, M., NILSSEN, O., und TRAAVIK, T. (2004a):
Characterization of avipoxviruses from wild birds in Norway.
Can. J. Vet. Research 68 (2), 140-145

WELI, S. C., TRAAVIK, T., TRYLAND, M., COUCHERON, D. H., und NILSSEN, O. (2004b):
Analysis and comparison of the 4b cor protein gene of avipoxviruses from wild
Birds: Evidence for interspecies spatial phylogenetic variation.
Archives of Virology 149 (10), 2035-2046

WINTERFIELD, R. W., UND HITCHNER, S. B. (1965):
The response of chickens to vaccination with pigeon pox and fowlpox viruses.
Avian Diseases 9, 237-240

WINTERFIELD, R. W., und REED, W. (1985):
Avian pox: infection and immunity with quail, psittacine, fowl and pigeon pox viruses.
Poultry Sci. 64 (1), 65-70

WINTERFIELD, R. W., REED, W., und THACKER, H. L. (1985):
Infection and immunity with a virus isolate from turkeys.
Poultry Sci. 64 (11), 2076-2080

WITTMANN, G. (1958):
Der Nachweis präzipitierender Antikörper bei der Hühnerpockeninfektion mit Hilfe des Agar-Diffusionsverfahrens.
Zbl. Vet. Med. 5, 769-775

WOERNLE, H. (1966)
The use of the agar gel diffusion technique in the identification of certain avian virus diseases.
Veterinarian 4, 17-18

WOODRUFF, A. M., und GOODPASTURE, E.W. (1931):
The susceptibility of the chorio-allantoic membrane of chick embryo to infection with the fowlpox virus.
Am. J. Path. 7, 209-222

YANAGIDA, N., OGAWA, R., LI, Y., LEE, L. F., und NAZERIAN, K. (1992):
Recombinant fowlpox viruses expressing the glycoprotein B homolog and the pp38 gene of Marek´s disease virus.
Journal of Virology 66 (3), 1402-1408

ZMP (2001):
Zit. n. DAMME, K., und HILDEBRAND, R.-A. (2002):
Geflügelhaltung. Legehennen, Puten- und Hähnchenmast.
Ulmer Agrar Verlag, 130