

## 6. Literaturverzeichnis

- Adachi, M., S. Suematsu, T. Kondo, J. Ogasawara, T. Tanaka, N. Yoshida and S. Nagata (1995). "Targeted mutation in the Fas gene causes hyperplasia in peripheral lymphoid organs and liver". *Nat Genet* 11(3): 294-300.
- Akahira, J.-I., M. Aoki, T. Suzuki, T. Moriya, H. Niikura, K. Ito, S. Inoue, K. Okamura, *et al.* (2004). "Expression of EBAG9/RCAS1 is associated with advanced disease in human epithelial ovarian cancer". *Br J Cancer* 90(11): 2197-202.
- Altschul, S. F., T. L. Madden, A. A. Schaffer, J. Zhang, Z. Zhang, W. Miller and D. J. Lipman (1997). "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs". *Nucleic Acids Res* 25(17): 3389-402.
- Andrews, B. S., R. A. Eisenberg, A. N. Theofilopoulos, S. Izui, C. B. Wilson, P. J. McConahey, E. D. Murphy, J. B. Roths, *et al.* (1978). "Spontaneous murine lupus-like syndromes. Clinical and immunopathological manifestations in several strains". *J Exp Med* 148(5): 1198-215.
- Aoki, T., S. Inoue, H. Imamura, J. Fukushima, S. Takahashi, T. Urano, K. Hasegawa, T. Ogushi, *et al.* (2003). "EBAG9/RCAS1 expression in hepatocellular carcinoma: correlation with tumour dedifferentiation and proliferation". *Eur J Cancer* 39(11): 1552-61.
- Apolloni, A., I. A. Prior, M. Lindsay, R. G. Parton and J. F. Hancock (2000). "H-ras but not K-ras traffics to the plasma membrane through the exocytic pathway". *Mol Cell Biol* 20(7): 2475-87.
- Aquino, A., V. Formica, S. P. Prete, P. P. Correale, M. C. Massara, M. Turriziani, L. De Vecchis and E. Bonmassar (2004). "Drug-induced increase of carcinoembryonic antigen expression in cancer cells". *Pharmacol Res* 49(5): 383-96.
- Arvan, P. and D. Castle (1998). "Sorting and storage during secretory granule biogenesis: looking backward and looking forward". *Biochem J* 332 ( Pt 3): 593-610.
- Ashery, U., F. Varoqueaux, T. Voets, A. Betz, P. Thakur, H. Koch, E. Neher, N. Brose, *et al.* (2000). "Munc13-1 acts as a priming factor for large dense-core vesicles in bovine chromaffin cells". *Embo J* 19(14): 3586-96.
- Ausubel, F. M., R. Brent, R. E. Kingston, D. D. Moore, J. G. Seidman, J. A. Smith and K. Struhl (1989). "Current Protocols in Molecular Biology". *John Wiley & Sons, Inc.*
- Badou, A., S. Basavappa, R. Desai, Y. Q. Peng, D. Matza, W. Z. Mehal, L. K. Kaczmarek, E. L. Boulpaep, *et al.* (2005). "Requirement of voltage-gated calcium channel beta4 subunit for T lymphocyte functions". *Science* 307(5706): 117-21.
- Bai, J. and E. R. Chapman (2004). "The C2 domains of synaptotagmin - partners in exocytosis". *Trends Biochem Sci* 29(3): 143-51.
- Baram, D., Y. A. Mekori and R. Sagi-Eisenberg (2001). "Synaptotagmin regulates mast cell functions". *Immunol Rev* 179: 25-34.
- Barbosa, M. D., Q. A. Nguyen, V. T. Tchernev, J. A. Ashley, J. C. Detter, S. M. Blaydes, S. J. Brandt, D. Chotai, *et al.* (1996). "Identification of the homologous beige and Chediak-Higashi syndrome genes". *Nature* 382(6588): 262-5.
- Barker, C. F. and R. E. Billingham (1977). "Immunologically privileged sites". *Adv Immunol* 25: 1-54.
- Barnstable, C. J., W. F. Bodmer, G. Brown, G. Galfre, C. Milstein, A. F. Williams and A. Ziegler (1978). "Production of monoclonal antibodies to group A erythrocytes, HLA and other human cell surface antigens-new tools for genetic analysis". *Cell* 14(1): 9-20.
- Bartel, P., C. T. Chien, R. Sternglanz and S. Fields (1993). "Elimination of false positives that arise in using the two-hybrid system". *BioTechniques* 14(6): 920-4.
- Baumann, S., A. Krueger, S. Kirchhoff and P. H. Krammer (2002). "Regulation of T cell apoptosis during the immune response". *Curr Mol Med* 2(3): 257-72.
- Bennett, M. K., K. G. Miller and R. H. Scheller (1993). "Casein kinase II phosphorylates the synaptic vesicle protein p65." *J Neurosci* 13(4): 1701-7.
- Bennett, M. R., W. G. Gibson and J. Robinson (1997). "Probabilistic secretion of quanta and the synaptosecretosome hypothesis: evoked release at active zones of varicosities, boutons, and endplates". *Biophys J* 73(4): 1815-29.
- Berwin, B., E. Floor and T. F. Martin (1998). "CAPS (mammalian UNC-31) protein localizes to membranes involved in dense-core vesicle exocytosis". *Neuron* 21(1): 137-45.
- Bijlmakers, M. J. and M. Marsh (2003). "The on-off story of protein palmitoylation". *Trends Cell Biol* 13(1): 32-42.
- Birnboim, H. C. and J. Doly (1979). "A rapid alkaline extraction procedure for screening recombinant plasmid DNA." *Nucleic Acids Res* 7(6): 1513-23.
- Blasi, J., E. R. Chapman, E. Link, T. Binz, S. Yamasaki, P. De Camilli, T. C. Südhof, H. Niemann, *et al.* (1993a). "Botulinum neurotoxin A selectively cleaves the synaptic protein SNAP-25". *Nature* 365(6442): 160-3.
- Blasi, J., E. R. Chapman, S. Yamasaki, T. Binz, H. Niemann and R. Jahn (1993b). "Botulinum neurotoxin C1 blocks neurotransmitter release by means of cleaving HPC-1/syntaxin". *EMBO J* 12(12): 4821-8.

- Bliss, T. V. and G. L. Collingridge (1993). "A synaptic model of memory: long-term potentiation in the hippocampus". Nature 361(6407): 31-9.
- Blott, E. J. and G. M. Griffiths (2002). "Secretory lysosomes". Nat Rev Mol Cell Biol 3(2): 122-31.
- Bollmann, J. H., B. Sakmann and J. G. Borst (2000). "Calcium sensitivity of glutamate release in a calyx-type terminal". Science 289(5481): 953-7.
- Bossi, G., J. C. Stinchcombe, L. J. Page and G. M. Griffiths (2000). "Sorting out the multiple roles of Fas ligand". Eur J Cell Biol 79(8): 539-43.
- Bradford, M. M. (1976). "A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding". Anal Biochem 72: 248-54.
- Bradley, A. and E. Robertson (1986). "Embryo-derived stem cells: a tool for elucidating the developmental genetics of the mouse." Curr Top Dev Biol 20: 357-71.
- Brose, N., A. G. Petrenko, T. C. Südhof and R. Jahn (1992). "Synaptotagmin: a calcium sensor on the synaptic vesicle surface." Science 256(5059): 1021-5.
- Brunger, A. T. (2000). "Structural insights into the molecular mechanism of Ca<sup>2+</sup>-dependent exocytosis". Curr Opin Neurobiol 10(3): 293-302.
- Brunger, A. T. (2001). "Structure of proteins involved in synaptic vesicle fusion in neurons". 30: 157-71.
- Burgess, T. L. and R. B. Kelly (1987). "Constitutive and regulated secretion of proteins." Annu Rev Cell Biol 3: 243-93.
- Burgoyne, R. D. and A. Morgan (2003). "Secretory granule exocytosis." Physiol. Rev. 83(2): 581-632.
- Burkhardt, J. K., S. Hester, C. K. Lapham and Y. Argon (1990). "The lytic granules of natural killer cells are dual-function organelles combining secretory and pre-lysosomal compartments". J Cell Biol 111(6 Pt 1): 2327-40.
- Buxton, P., X. M. Zhang, B. Walsh, A. Sriratana, I. Schenberg, E. Manickam and T. Rowe (2003). "Identification and characterization of Snapin as a ubiquitously expressed SNARE-binding protein that interacts with SNAP23 in non-neuronal cells." Biochem J 375(Pt 2): 433-40.
- Cabaniols, J. P., V. Ravichandran and P. A. Roche (1999). "Phosphorylation of SNAP-23 by the novel kinase SNAK regulates t-SNARE complex assembly." Mol Biol Cell 10(12): 4033-41.
- Cao, X., N. Ballew and C. Barlowe (1998). "Initial docking of ER-derived vesicles requires Usa1p and Ypt1p but is independent of SNARE proteins". EMBO J 17(8): 2156-65.
- Cao, Y., U. R. Karsten, W. Liebrich, W. Haensch, G. F. Springer and P. M. Schlag (1995). "Expression of Thomsen-Friedenreich-related antigens in primary and metastatic colorectal carcinomas. A reevaluation". Cancer 76(10): 1700-8.
- Carabelli, V., A. Giaccipoli, P. Baldelli, E. Carbone and A. R. Artalejo (2003). "Distinct potentiation of L-type currents and secretion by cAMP in rat chromaffin cells". Biophys J 85(2): 1326-37.
- Carrell, R. W., J. O. Jeppsson, L. Vaughan, S. O. Brennan, M. C. Owen and D. R. Boswell (1981). "Human alpha 1-antitrypsin: carbohydrate attachment and sequence homology". FEBS Lett 135(2): 301-3.
- Catalfamo, M., T. Karpova, J. McNally, S. V. Costes, S. J. Lockett, E. Bos, P. J. Peters and P. A. Henkart (2004). "Human CD8+ T cells store RANTES in a unique secretory compartment and release it rapidly after TcR stimulation". Immunity 20(2): 219-30.
- Caterina, M. J., M. A. Schumacher, M. Tominaga, T. A. Rosen, J. D. Levine and D. Julius (1997). "The capsaicin receptor: a heat-activated ion channel in the pain pathway". Nature 389(6653): 816-24.
- Chakrabarti, S., K. S. Kobayashi, R. A. Flavell, C. B. Marks, K. Miyake, D. R. Liston, K. T. Fowler, F. S. Gorelick, *et al.* (2003). "Impaired membrane resealing and autoimmune myositis in synaptotagmin VII-deficient mice". J Cell Biol 162(4): 543-9.
- Chan, A. M. and T. Weber (2002). "A putative link between exocytosis and tumor development". Cancer Cell 2(6): 427-8.
- Chapman, E. R., P. I. Hanson, S. An and R. Jahn (1995). "Ca<sup>2+</sup> Regulates the Interaction between Synaptotagmin and Syntaxin 1". J Biol Chem 270(40): 23667-71.
- Chavez, R. A., S. G. Miller and H. P. Moore (1996). "A biosynthetic regulated secretory pathway in constitutive secretory cells." J Cell Biol 133(6): 1177-91.
- Chavez-Noriega, L. E. and C. F. Stevens (1994). "Increased transmitter release at excitatory synapses produced by direct activation of adenylate cyclase in rat hippocampal slices". J Neurosci 14(1): 310-7.
- Chen, D., A. M. Bernstein, P. P. Lemons and S. W. Whiteheart (2000). "Molecular mechanisms of platelet exocytosis: role of SNAP-23 and syntaxin 2 in dense core granule release". Blood 95(3): 921-9.
- Chen, Y. A. and R. H. Scheller (2001). "SNARE-mediated membrane fusion." Nat Rev Mol Cell Biol 2(2): 98-106.
- Cheviet, S., L. Waselle and R. Regazzi (2004). "Noc-king out exocrine and endocrine secretion". Trends Cell Biol 14(10): 525-8.
- Chheda, M. G., U. Ashery, P. Thakur, J. Rettig and Z. H. Sheng (2001). "Phosphorylation of Snapin by PKA modulates its interaction with the SNARE complex." Nat. Cell Biol. 3(4): 331-8.

- Chou, J. L., C. L. Huang, H. L. Lai, A. C. Hung, C. L. Chien, Y. Y. Kao and Y. Chern (2004). "Regulation of type VI adenylyl cyclase by Snapin, a SNAP25-binding protein". *J Biol Chem* 279(44): 46271-9.
- Choy, E., V. K. Chiu, J. Silletti, M. Feoktistov, T. Morimoto, D. Michaelson, I. E. Ivanov and M. R. Philips (1999). "Endomembrane trafficking of ras: the CAAX motif targets proteins to the ER and Golgi". *Cell* 98(1): 69-80.
- Clark, R. H., J. C. Stinchcombe, A. Day, E. Blott, S. Booth, G. Bossi, T. Hamblin, E. G. Davies, *et al.* (2003). "Adaptor protein 3-dependent microtubule-mediated movement of lytic granules to the immunological synapse". *Nat Immunol* 4(11): 1111-20.
- Coorssen, J. R., H. Schmitt and W. Almers (1996). "Ca<sup>2+</sup> triggers massive exocytosis in Chinese hamster ovary cells." *EMBO J* 15(15): 3787-91.
- Critchfield, J. M., M. K. Racke, J. C. Zuniga-Pflucker, B. Cannella, C. S. Raine, J. Goverman and M. J. Lenardo (1994). "T cell deletion in high antigen dose therapy of autoimmune encephalomyelitis". *Science* 263(5150): 1139-43.
- Dartsch, H., R. Kleene and H. F. Kern (1998). "In vitro condensation-sorting of enzyme proteins isolated from rat pancreatic acinar cells". *Eur J Cell Biol* 75(3): 211-22.
- Das, V., B. Nal, A. Dujancourt, M. I. Thoulouze, T. Galli, P. Roux, A. Dautry-Varsat and A. Alcover (2004). "Activation-induced polarized recycling targets T cell antigen receptors to the immunological synapse; involvement of SNARE complexes". *Immunity* 20(5): 577-88.
- Davis, A. F., J. Bai, D. Fasshauer, M. J. Wolowick, J. L. Lewis and E. R. Chapman (1999). "Kinetics of synaptotagmin responses to Ca<sup>2+</sup> and assembly with the core SNARE complex onto membranes." *Neuron* 24(2): 363-76.
- Dower, W. J., J. F. Miller and C. W. Ragsdale (1988). "High efficiency transformation of *E. coli* by high voltage electroporation". *Nucleic Acids Res* 16(13): 6127-45.
- Ebert, W., T. Muley and P. Drings (1996). "Does the assessment of serum markers in patients with lung cancer aid in the clinical decision making process?" *Anticancer Res* 16(4B): 2161-8.
- Engelsberg, A., R. Hermosilla, U. Karsten, R. Schulein, B. Dörken and A. Rehm (2003). "The Golgi protein RCAS1 controls cell surface expression of tumor-associated O-linked glycan antigens." *J Biol Chem* 278(25): 22998-3007.
- Evans, G. J. and A. Morgan (2003). "Regulation of the exocytotic machinery by cAMP-dependent protein kinase: implications for presynaptic plasticity." *Biochem Soc Trans* 31(Pt 4): 824-7.
- Faroudi, M., C. Utzny, M. Salio, V. Cerundolo, M. Guiraud, S. Muller and S. Valitutti (2003). "Lytic versus stimulatory synapse in cytotoxic T lymphocyte/target cell interaction: manifestation of a dual activation threshold". *Proc Natl Acad Sci USA* 100(24): 14145-50.
- Fasshauer, D. (2003). "Structural insights into the SNARE mechanism". *Biochim Biophys Acta* 1641(2-3): 87-97.
- Fasshauer, D., W. K. Eliason, A. T. Brunger and R. Jahn (1998a). "Identification of a minimal core of the synaptic SNARE complex sufficient for reversible assembly and disassembly". *Biochemistry* 37(29): 10354-62.
- Fasshauer, D., H. Otto, W. K. Eliason, R. Jahn and A. T. Brunger (1997). "Structural changes are associated with soluble N-ethylmaleimide-sensitive fusion protein attachment protein receptor complex formation". *J Biol Chem* 272(44): 28036-41.
- Fasshauer, D., R. B. Sutton, A. T. Brunger and R. Jahn (1998b). "Conserved structural features of the synaptic fusion complex: SNARE proteins reclassified as Q- and R-SNAREs". *Proc Natl Acad Sci USA* 95(26): 15781-6.
- Feldmann, J., I. Callebaut, G. Raposo, S. Certain, D. Bacq, C. Dumont, N. Lambert, M. Ouachee-Chardin, *et al.* (2003). "Munc13-4 is essential for cytolytic granules fusion and is mutated in a form of familial hemophagocytic lymphohistiocytosis (FHL3)". *Cell* 115(4): 461-73.
- Fernandez, C. J., M. Haugwitz, B. Eaton and H. P. Moore (1997). "Distinct molecular events during secretory granule biogenesis revealed by sensitivities to brefeldin A". *Mol Biol Cell* 8(11): 2171-85.
- Fernandez-Chacon, R., A. Königstorfer, S. H. Gerber, J. Garcia, M. F. Matos, C. F. Stevens, N. Brose, J. Rizo, *et al.* (2001). "Synaptotagmin I functions as a calcium regulator of release probability." *Nature* 410(6824): 41-9.
- Fernandez-Chacon, R. and T. C. Südhof (1999). "Genetics of synaptic vesicle function: toward the complete functional anatomy of an organelle". *Annu Rev Physiol* 61: 753-76.
- Fields, S. and O. Song (1989). "A novel genetic system to detect protein-protein interactions." *Nature* 340(6230): 245-6.
- Finn, O. J. (2003). "Cancer vaccines: between the idea and the reality". *Nat Rev Immunol* 3(8): 630-41.
- Folkman, J. (1995). "Angiogenesis in cancer, vascular, rheumatoid and other disease". *Nat Med* 1(1): 27-31.
- Fortier, A. H., C. A. Nancy and M. V. Sitkovsky (1989). "Similar molecular requirements for antigen receptor-triggered secretion of interferon and granule enzymes by cytolytic T lymphocytes". *Cell Immunol* 124(1): 64-76.
- Fujita-Yoshigaki, J. (1998). "Divergence and convergence in regulated exocytosis: the characteristics of cAMP-dependent enzyme secretion of parotid salivary acinar cells". *Cell Signal* 10(6): 371-5.
- Fukuda, M. (2002). "Vesicle-associated membrane protein-2/synaptobrevin binding to synaptotagmin I promotes O-glycosylation of synaptotagmin I." *J Biol Chem* 277(33): 30351-8.
- Fukuda, M., E. Kanno, Y. Ogata, C. Saegusa, T. Kim, Y. P. Loh and A. Yamamoto (2003). "Nerve growth factor-dependent sorting of synaptotagmin IV protein to mature dense-core vesicles that undergo calcium-dependent exocytosis in PC12 cells." *J Biol Chem* 278(5): 3220-6.

- Fukuda, M., E. Kanno, M. Satoh, C. Saegusa and A. Yamamoto (2004). "Synaptotagmin VII is targeted to dense-core vesicles and regulates their Ca<sup>2+</sup>-dependent exocytosis in PC12 cells". *J Biol Chem* 279(50): 52677-84.
- Fukuda, M., E. Katayama and K. Mikoshiba (2002a). "The calcium-binding loops of the tandem C2 domains of synaptotagmin VII cooperatively mediate calcium-dependent oligomerization." *J Biol Chem* 277(32): 29315-20.
- Fukuda, M., J. A. Kowalchyk, X. Zhang, T. F. Martin and K. Mikoshiba (2002b). "Synaptotagmin IX regulates Ca<sup>2+</sup>-dependent secretion in PC12 cells". *J Biol Chem* 277(7): 4601-4.
- Fukuda, M. and A. Yamamoto (2004). "Effect of forskolin on synaptotagmin IV protein trafficking in PC12 cells". *J Biochem (Tokyo)* 136(2): 245-53.
- Fykse, E. M., C. Li and T. C. Südhof (1995). "Phosphorylation of rabphilin-3A by Ca<sup>2+</sup>/calmodulin- and cAMP-dependent protein kinases in vitro." *J Neurosci* 15(3 Pt 2): 2385-95.
- Gao, Z., J. Reavey-Cantwell, R. A. Young, P. Jegier and B. A. Wolf (2000). "Synaptotagmin III/VII isoforms mediate Ca<sup>2+</sup>-induced insulin secretion in pancreatic islet beta-cells". *J Biol Chem* 275(46): 36079-85.
- Geppert, M., V. Y. Bolshakov, S. A. Siegelbaum, K. Takei, P. De-Camilli, R. E. Hammer and T. C. Südhof (1994a). "The role of Rab3A in neurotransmitter release." *Nature* 369(6480): 493-7.
- Geppert, M., Y. Goda, R. E. Hammer, C. Li, T. W. Rosahl, C. F. Stevens and T. C. Südhof (1994b). "Synaptotagmin I: a major Ca<sup>2+</sup> sensor for transmitter release at a central synapse." *Cell* 79(4): 717-27.
- Geppert, M. and T. C. Südhof (1998). "RAB3 and synaptotagmin: the yin and yang of synaptic membrane fusion." *Annu Rev Neurosci* 21: 75-95.
- Gieselmann, V., R. Pohlmann, A. Hasilik and K. Von Figura (1983). "Biosynthesis and transport of cathepsin D in cultured human fibroblasts." *J Cell Biol* 97(1): 1-5.
- Gietz, D., A. St. Jean, R. A. Woods and R. H. Schiestl (1992). "Improved method for high efficiency transformation of intact yeast cells." *Nucleic Acids Res* 20(6): 1425.
- Gohongi, T., D. Fukumura, Y. Boucher, C. O. Yun, G. A. Soff, C. Compton, T. Todoroki and R. K. Jain (1999). "Tumor-host interactions in the gallbladder suppress distal angiogenesis and tumor growth: involvement of transforming growth factor beta1". *Nat Med* 5(10): 1203-8.
- Grakoui, A., S. K. Bromley, C. Sumen, M. M. Davis, A. S. Shaw, P. M. Allen and M. L. Dustin (1999). "The immunological synapse: a molecular machine controlling T cell activation". *Science* 285(5425): 221-7.
- Graves, J. D. and E. G. Krebs (1999). "Protein phosphorylation and signal transduction". *Pharmacol Ther* 82(2-3): 111-21.
- Gray, L. S., J. R. Gnarr and V. H. Engelhard (1987). "Demonstration of a calcium influx in cytolytic T lymphocytes in response to target cell binding". *J Immunol* 138(1): 63-9.
- Greene, L. A. and G. Rein (1977). "Release, storage and uptake of catecholamines by a clonal cell line of nerve growth factor (NGF) responsive pheo-chromocytoma cells." *Brain Res* 129(2): 247-63.
- Greene, L. A. and A. S. Tischler (1976). "Establishment of a noradrenergic clonal line of rat adrenal pheochromocytoma cells which respond to nerve growth factor." *Proc Natl Acad Sci USA* 73(7): 2424-8.
- Gregory, J. J. and J. L. Finlay (1999). "Alpha-fetoprotein and beta-human chorionic gonadotropin: their clinical significance as tumour markers". *Drugs* 57(4): 463-7.
- Griffiths, G. M. (1996). "Secretory lysosomes - a special mechanism of regulated secretion in haemopoietic cells". *Trends Cell Biol* 6(9): 329-32.
- Grishanin, R. N., J. A. Kowalchyk, V. A. Klenchin, K. Ann, C. A. Earles, E. R. Chapman, R. R. Gerona and T. F. Martin (2004). "CAPS acts at a pre-fusion step in dense-core vesicle exocytosis as a PIP2 binding protein". *Neuron* 43(4): 551-62.
- Gut, A., C. E. Kiraly, M. Fukuda, K. Mikoshiba, C. B. Wollheim and J. Lang (2001). "Expression and localisation of synaptotagmin isoforms in endocrine beta-cells: their function in insulin exocytosis". *J Cell Sci* 114(Part 9): 1709-16.
- Haberman, Y., I. Ziv, Y. Gorzalczany, M. Fukuda and R. Sagi-Eisenberg (2005). "Classical protein kinase C(s) regulates targeting of synaptotagmin IX to the endocytic recycling compartment". *J Cell Sci* 118(Pt 8): 1641-9.
- Haddad, E. K., X. Wu, J. A. Hammer and P. A. Henkart (2001). "Defective granule exocytosis in Rab27a-deficient lymphocytes from Ashen mice." *J Cell Biol* 152(4): 835-42.
- Hannah, M. J., A. A. Schmidt and W. B. Huttner (1999). "Synaptic vesicle biogenesis". *Annu Rev Cell Dev Biol* 15: 733-98.
- Hanover, J. A. (2001). "Glycan-dependent signaling: O-linked N-acetylglucosamine". *Faseb J* 15(11): 1865-76.
- Haucke, V. and P. De Camilli (1999). "AP-2 recruitment to synaptotagmin stimulated by tyrosine-based endocytic motifs." *Science* 285(5431): 1268-71.
- Haucke, V., M. R. Wenk, E. R. Chapman, K. Farsad and P. De Camilli (2000). "Dual interaction of synaptotagmin with mu2- and alpha-adaptin facilitates clathrin-coated pit nucleation". *EMBO J* 19(22): 6011-9.
- Hayashi, T., H. McMahon, S. Yamasaki, T. Binz, Y. Hata, T. C. Südhof and H. Niemann (1994). "Synaptic vesicle membrane fusion complex: action of clostridial neurotoxins on assembly". *EMBO J* 13(21): 5051-61.

- Heidelberger, R., C. Heinemann, E. Neher and G. Matthews (1994). "Calcium dependence of the rate of exocytosis in a synaptic terminal." Nature 371(6497): 513-5.
- Helenius, A. and M. Aebi (2001). "Intracellular functions of N-linked glycans". Science 291(5512): 2364-9.
- Henkart, P. A. (1994). "Lymphocyte-mediated cytotoxicity: two pathways and multiple effector molecules". Immunity 1(5): 343-6.
- Henkart, P. A., M. S. Williams, C. M. Zacharchuk and A. Sarin (1997). "Do CTL kill target cells by inducing apoptosis?" Semin Immunol 9(2): 135-44.
- Hofmann, K. and W. Stoffel (1993). "TMBASE - A database of membrane spanning protein segments." Biol. Chem. Hoppe-Seyler 166.
- Hogan, B., R. Beddington, F. Constantini and E. Lacy (1994). "Manipulating the Mouse Embryo - A Laboratory Manual". Cold Spring Harbor Laboratory Press.
- Huang, E. J. and L. F. Reichardt (2003). "Trk receptors: roles in neuronal signal transduction." Annu Rev Biochem 72: 609-42.
- Huang, X., L. Sheu, Y. Tamori, W. S. Trimble and H. Y. Gaisano (2001). "Cholecystokinin-regulated exocytosis in rat pancreatic acinar cells is inhibited by a C-terminus truncated mutant of SNAP-23". Pancreas 23(2): 125-33.
- Hudson, A. W. and M. J. Birnbaum (1995). "Identification of a nonneuronal isoform of synaptotagmin". Proc Natl Acad Sci USA 92(13): 5895-9.
- Huet, G., V. Gouyer, D. Delacour, C. Richet, J. P. Zanetta, P. Delannoy and P. Degand (2003). "Involvement of glycosylation in the intracellular trafficking of glycoproteins in polarized epithelial cells". Biochimie 85(3-4): 323-30.
- Hunt, R. A., W. Edris, P. K. Chanda, B. Nieuwenhuijsen and K. H. Young (2003). "Snapin interacts with the N-terminus of regulator of G protein signaling 7". Biochem Biophys Res Commun 303(2): 594-9.
- Huppa, J. B. and H. L. Ploegh (1997). "In vitro translation and assembly of a complete T cell receptor-CD3 complex." J Exp Med 186(3): 393-403.
- Hutt, D. M., R. A. Cardullo, J. M. Baltz and J. K. Ngsee (2002). "Synaptotagmin VIII is localized to the mouse sperm head and may function in acrosomal exocytosis". Biol Reprod 66(1): 50-6.
- Ibata, K., M. Fukuda, T. Hamada, H. Kabayama and K. Mikoshiba (2000). "Synaptotagmin IV is present at the Golgi and distal parts of neurites". J Neurochem 74(2): 518-26.
- Iezzi, M., G. Kouri, M. Fukuda and C. B. Wollheim (2004). "Synaptotagmin V and IX isoforms control Ca<sup>2+</sup>-dependent insulin exocytosis". J Cell Sci 117(Pt 15): 3119-27.
- Ikeda, K., M. Sato, O. Tsutsumi, F. Tsuchiya, M. Tsuneizumi, M. Emi, I. Imoto, J. Inazawa, *et al.* (2000). "Promoter Analysis and Chromosomal Mapping of Human EBAG9 Gene". Biochem Biophys Res Commun 273(2): 654-60.
- Ilardi, J. M., S. Mochida and Z. H. Sheng (1999). "Snapin: a SNARE-associated protein implicated in synaptic transmission." Nat Neurosci 2(2): 119-24.
- Inoue, H., H. Nojima and H. Okayama (1990). "High efficiency transformation of Escherichia coli with plasmids." Gene 96(1): 23-8.
- Itoh, N., S. Yonehara, A. Ishii, M. Yonehara, S. Mizushima, M. Sameshima, A. Hase, Y. Seto, *et al.* (1991). "The polypeptide encoded by the cDNA for human cell surface antigen Fas can mediate apoptosis". Cell 66(2): 233-43.
- Iwabuchi, K., B. Li, P. Bartel and S. Fields (1993). "Use of the two-hybrid system to identify the domain of p53 involved in oligomerization". Oncogene 8(6): 1693-6.
- Izui, S., V. E. Kelley, K. Masuda, H. Yoshida, J. B. Roths and E. D. Murphy (1984). "Induction of various autoantibodies by mutant gene *lpr* in several strains of mice". J Immunol 133(1): 227-33.
- Izumi, M., Y. Nakanishi, I. Yoshino, M. Nakashima, T. Watanabe and N. Hara (2001). "Expression of tumor-associated antigen RCAS1 correlates significantly with poor prognosis in nonsmall cell lung carcinoma". Cancer 92(2): 446-51.
- Jahn, R. and P. I. Hanson (1998). "Membrane fusion. SNAREs line up in new environment". Nature 393(6680): 14-5.
- Jahn, R. and T. C. Südhof (1999). "Membrane fusion and exocytosis." Annu Rev Biochem 68: 863-911.
- Jaiswal, J. K., N. W. Andrews and S. M. Simon (2002). "Membrane proximal lysosomes are the major vesicles responsible for calcium-dependent exocytosis in nonsecretory cells." J Cell Biol 159(4): 625-35.
- Joyner, A. L. (1999). "Gene Targeting: A Practical Approach". Oxford University Press.
- Kagi, D., B. Ledermann, K. Burki, P. Seiler, B. Odermatt, K. J. Olsen, E. R. Podack, R. M. Zinkernagel, *et al.* (1994). "Cytotoxicity mediated by T cells and natural killer cells is greatly impaired in perforin-deficient mice". Nature 369(6475): 31-7.
- Kanaani, J., M. J. Diacovo, D. El-Husseini Ael, D. S. Bredt and S. Baekkeskov (2004). "Palmitoylation controls trafficking of GAD65 from Golgi membranes to axon-specific endosomes and a Rab5a-dependent pathway to presynaptic clusters". J Cell Sci 117(Pt 10): 2001-13.

- Kataoka, M., R. Kuwahara, S. Iwasaki, Y. Shoji-Kasai and M. Takahashi (2000). "Nerve growth factor-induced phosphorylation of SNAP-25 in PC12 cells: a possible involvement in the regulation of SNAP-25 localization." *J Neurochem* 74(5): 2058-66.
- Kelly, R. B. (1985). "Pathways of protein secretion in eukaryotes". *Science* 230(4721): 25-32.
- Khvotchev, M. V., M. Ren, S. Takamori, R. Jahn and T. C. Südhof (2003). "Divergent functions of neuronal Rab11b in Ca<sup>2+</sup>-regulated versus constitutive exocytosis." *J Neurosci*, 23(33): 10531-9.
- Koticha, D. K., S. J. Huddleston, J. W. Witkin and G. Baldini (1999). "Role of the cysteine-rich domain of the t-SNARE component, SYNDET, in membrane binding and subcellular localization." *J Biol Chem* 274(13): 9053-60.
- Krammer, P. H. (2000). "CD95's deadly mission in the immune system". *Nature* 407(6805): 789-95.
- Krantz, D. E., C. Waites, V. Oorschot, Y. Liu, R. I. Wilson, P. K. Tan, J. Klumperman and R. H. Edwards (2000). "A phosphorylation site regulates sorting of the vesicular acetylcholine transporter to dense core vesicles." *J Cell Biol* 149(2): 379-96.
- Kubista, H., H. Edelbauer and S. Boehm (2004). "Evidence for structural and functional diversity among SDS-resistant SNARE complexes in neuroendocrine cells". *J Cell Sci* 117(Pt 6): 955-66.
- Kuhn, R., K. Rajewsky and W. Müller (1991). "Generation and analysis of interleukin-4 deficient mice." *Science* 254(5032): 707-10.
- Kuliawat, R. and P. Arvan (1992). "Protein targeting via the "constitutive-like" secretory pathway in isolated pancreatic islets: passive sorting in the immature granule compartment". *J Cell Biol* 118(3): 521-9.
- Kupfer, A., S. L. Swain and S. J. Singer (1987). "The specific direct interaction of helper T cells and antigen-presenting B cells. II. Reorientation of the microtubule organizing center and reorganization of the membrane-associated cytoskeleton inside the bound helper T cells". *J Exp Med* 165(6): 1565-80.
- Kwong, J., F. L. Roundabush, P. Hutton-Moore, M. Montague, W. Oldham, Y. Li, L. S. Chin and L. Li (2000). "Hrs interacts with SNAP-25 and regulates Ca(2+)-dependent exocytosis." *J Cell Sci* 113 ( Pt 12): 2273-84.
- Laemmli, U. K. (1970). "Cleavage of structural proteins during the assembly of the head of bacteriophage T4". *Nature* 227(259): 680-5.
- Lai, H. L., T. H. Yang, R. O. Messing, Y. H. Ching, S. C. Lin and Y. Chern (1997). "Protein kinase C inhibits adenyl cyclase type VI activity during desensitization of the A<sub>2a</sub>-adenosine receptor-mediated cAMP response". *J Biol Chem* 272(8): 4970-7.
- Lawrence, G. W. and J. O. Dolly (2002a). "Ca<sup>2+</sup>-induced changes in SNAREs and synaptotagmin I correlate with triggered exocytosis from chromaffin cells: insights gleaned into the signal transduction using trypsin and botulinum toxins". *J Cell Sci* 115(Pt 13): 2791-800.
- Lawrence, G. W. and J. O. Dolly (2002b). "Multiple forms of SNARE complexes in exocytosis from chromaffin cells: effects of Ca(2+), MgATP and botulinum toxin type A". *J Cell Sci* 115(Pt 3): 667-73.
- Levi-Montalcini, R., R. Dal Toso, F. della Valle, S. D. Skaper and A. Leon (1995). "Update of the NGF saga". *J Neurol Sci* 130(2): 119-27.
- Levi-Montalcini, R., S. D. Skaper, R. Dal Toso, L. Petrelli and A. Leon (1996). "Nerve growth factor: from neurotrophin to neurokinine". *Trends Neurosci* 19(11): 514-20.
- Li, B. and S. Fields (1993). "Identification of mutations in p53 that affect its binding to SV40 large T antigen by using the yeast two-hybrid system". *Faseb J* 7(10): 957-63.
- Li, L. and L.-S. Chin (2003). "The molecular machinery of synaptic vesicle exocytosis". *Cell Mol Life Sci* 60(5): 942-60.
- Li, W., M. E. Rusiniak, S. Chintala, R. Gautam, E. K. Novak and R. T. Swank (2004). "Murine Hermansky-Pudlak syndrome genes: regulators of lysosome-related organelles". *Bioessays* 26(6): 616-28.
- Li, W., Q. Zhang, N. Oiso, E. K. Novak, R. Gautam, E. P. O'Brien, C. L. Tinsley, D. J. Blake, *et al.* (2003). "Hermansky-Pudlak syndrome type 7 (HPS-7) results from mutant dysbindin, a member of the biogenesis of lysosome-related organelles complex 1 (BLOC-1)". *Nat Genet* 35(1): 84-9.
- Li, X., S. H. Low, M. Miura and T. Weimbs (2002). "SNARE expression and localization in renal epithelial cells suggest mechanism for variability of trafficking phenotypes". *Am J Physiol Renal Physiol* 283(5): F1111-22.
- Littleton, J. T. (2000). "A genomic analysis of membrane trafficking and neurotransmitter release in *Drosophila*". *J Cell Biol* 150(2): F77-82.
- Low, S. H., S. J. Chapin, C. Wimmer, S. W. Whiteheart, L. G. Komuves, K. E. Mostov and T. Weimbs (1998). "The SNARE machinery is involved in apical plasma membrane trafficking in MDCK cells". *J Cell Biol* 141(7): 1503-13.
- Lowenthal, J. W., R. H. Zubler, M. Nabholz and H. R. MacDonald (1985). "Similarities between interleukin-2 receptor number and affinity on activated B and T lymphocytes". *Nature* 315(6021): 669-72.
- Lupas, A., M. Van-Dyke and J. Stock (1991). "Predicting coiled coils from protein sequences." *Science* 252(5010): 1162-4.

- Lyubchenko, T. A., G. A. Wurth and A. Zweifach (2001). "Role of calcium influx in cytotoxic T lymphocyte lytic granule exocytosis during target cell killing". *Immunity* 15(5): 847-59.
- Magee, A. I. and S. A. Courtneidge (1985). "Two classes of fatty acid acylated proteins exist in eukaryotic cells". *Embo J* 4(5): 1137-44.
- Magee, A. I., A. H. Koyama, C. Malfer, D. Wen and M. J. Schlesinger (1984). "Release of fatty acids from virus glycoproteins by hydroxylamine". *Biochim Biophys Acta* 798(2): 156-66.
- Mansour, S. L., K. R. Thomas and M. R. Capecchi (1988). "Disruption of the proto-oncogene int-2 in mouse embryo-derived stem cells: a general strategy for targeting mutations to non-selectable genes". *Nature* 336(6197): 348-52.
- Marqueze, B., F. Berton and M. Seagar (2000). "Synaptotagmins in membrane traffic: which vesicles do the tagmins tag?" *Biochimie* 82(5): 409-20.
- Martin, T. F. (2003). "Tuning exocytosis for speed: fast and slow modes". *Biochim Biophys Acta* 1641(2-3): 157-65.
- Martinez, I., S. Chakrabarti, T. Hellevik, J. Morehead, K. Fowler and N. W. Andrews (2000). "Synaptotagmin VII regulates Ca(2+)-dependent exocytosis of lysosomes in fibroblasts." *J Cell Biol* 148(6): 1141-49.
- Martin-Martin, B., S. M. Nabokina, J. Blasi, P. A. Lazo and F. Mollinedo (2000). "Involvement of SNAP-23 and syntaxin 6 in human neutrophil exocytosis". *Blood* 96(7): 2574-83.
- Matsushima, T., M. Nakashima, K. Oshima, Y. Abe, J. Nishimura, H. Nawata, T. Watanabe and K. Muta (2001). "Receptor binding cancer antigen expressed on SiSo cells, a novel regulator of apoptosis of erythroid progenitor cells". *Blood* 98(2): 313-21.
- Matsuzawa, A., T. Moriyama, T. Kaneko, M. Tanaka, M. Kimura, H. Ikeda and T. Katagiri (1990). "A new allele of the *lpr* locus, *lprcg*, that complements the *gld* gene in induction of lymphadenopathy in the mouse". *J Exp Med* 171(2): 519-31.
- Matthew, W. D., L. Tsavaler and L. F. Reichardt (1981). "Identification of a synaptic vesicle-specific membrane protein with a wide distribution in neuronal and neurosecretory tissue." *J Cell Biol* 91(1): 257-69.
- Matveeva, E. A., S. W. Whiteheart, T. C. Vanaman and J. T. Slevin (2001). "Phosphorylation of the N-ethylmaleimide-sensitive factor is associated with depolarization-dependent neurotransmitter release from synaptosomes." *J Biol Chem* 276(15): 12174-81.
- McBride, H. M., V. Rybin, C. Murphy, A. Giner, R. Teasdale and M. Zerial (1999). "Oligomeric complexes link Rab5 effectors with NSF and drive membrane fusion via interactions between EEA1 and syntaxin 13". *Cell* 98(3): 377-86.
- McNeil, P. L. and R. A. Steinhardt (1997). "Loss, restoration, and maintenance of plasma membrane integrity." *J Cell Biol* 137(1): 1-4.
- McNew, J. A., T. Weber, F. Parlati, R. J. Johnston, T. J. Melia, T. H. Sollner and J. E. Rothman (2000). "Close is not enough: SNARE-dependent membrane fusion requires an active mechanism that transduces force to membrane anchors". *J Cell Biol* 150(1): 105-17.
- Monks, C. R., B. A. Freiberg, H. Kupfer, N. Sciaky and A. Kupfer (1998). "Three-dimensional segregation of supramolecular activation clusters in T cells". *Nature* 395(6697): 82-6.
- Mons, N. and D. M. Cooper (1994). "Selective expression of one Ca(2+)-inhibitable adenylyl cyclase in dopaminergically innervated rat brain regions". *Brain Res Mol Brain Res* 22(1-4): 236-44.
- Morenilla-Palao, C., R. Planells-Cases, N. Garcia-Sanz and A. Ferrer-Montiel (2004). "Regulated exocytosis contributes to protein kinase C potentiation of vanilloid receptor activity". *J Biol Chem* 279(24): 25665-72.
- Moskophidis, D., F. Lechner, H. Pircher and R. M. Zinkernagel (1993). "Virus persistence in acutely infected immunocompetent mice by exhaustion of antiviral cytotoxic effector T cells". *Nature* 362(6422): 758-61.
- Moul, J. W., A. S. Merseburger and S. Srivastava (2002). "Molecular markers in prostate cancer: the role in preoperative staging". *Clin Prostate Cancer* 1(1): 42-50.
- Mousavi, S. A., L. Malerod, T. Berg and R. Kjekken (2004). "Clathrin-dependent endocytosis". *Biochem J* 377(Pt 1): 1-16.
- Mumby, S. M. (1997). "Reversible palmitoylation of signaling proteins". *Curr Opin Cell Biol* 9(2): 148-54.
- Nagata, S. and T. Suda (1995). "Fas and Fas ligand: *lpr* and *gld* mutations". *Immunol Today* 16(1): 39-43.
- Nagy, G., K. Reim, U. Matti, N. Brose, T. Binz, J. Rettig, E. Neher and J. B. Sorensen (2004). "Regulation of releasable vesicle pool sizes by protein kinase A-dependent phosphorylation of SNAP-25." *Neuron* 41(3): 417-29.
- Nakakubo, Y., Y. Hida, M. Miyamoto, H. Hashida, T. Oshikiri, K. Kato, M. Suzuoki, K. Hiraoka, *et al.* (2002). "The prognostic significance of RCAS1 expression in squamous cell carcinoma of the oesophagus". *Cancer Lett* 177(1): 101-5.
- Nakashima, M., K. Sonoda and T. Watanabe (1999). "Inhibition of cell growth and induction of apoptotic cell death by the human tumor-associated antigen RCAS1". *Nat Med* 5(8): 938-42.
- Nazarian, R., J. M. Falcon-Perez and E. C. Dell'Angelica (2003). "Biogenesis of lysosome-related organelles complex 3 (BLOC-3): a complex containing the Hermansky-Pudlak syndrome (HPS) proteins HPS1 and HPS4". *Proc Natl Acad Sci USA* 100(15): 8770-5.

- Nguyen, T., E. K. Novak, M. Kermani, J. Fluhr, L. L. Peters, R. T. Swank and M. L. Wei (2002). "Melanosome morphologies in murine models of hermannsky-pudlak syndrome reflect blocks in organelle development". J Invest Dermatol 119(5): 1156-64.
- Nicholson-Tomishima, K. and T. A. Ryan (2004). "From the Cover: Kinetic efficiency of endocytosis at mammalian CNS synapses requires synaptotagmin I". Proc Natl Acad Sci USA 101(47): 16648-52.
- Nicoll, R. A. and R. C. Malenka (1995). "Contrasting properties of two forms of long-term potentiation in the hippocampus". Nature 377(6545): 115-8.
- Nielander, H. B., F. Onofri, F. Valtorta, G. Schiavo, C. Montecucco, P. Greengard and F. Benfenati (1995). "Phosphorylation of VAMP/synaptobrevin in synaptic vesicles by endogenous protein kinases." J Neurochem 65(4): 1712-20.
- Nilius, B., J. Vriens, J. Prenen, G. Droogmans and T. Voets (2004). "TRPV4 calcium entry channel: a paradigm for gating diversity". Am J Physiol Cell Physiol 286(2): C195-205.
- Ninomiya, Y., T. Kishimoto, Y. Miyashita and H. Kasai (1996). "Ca<sup>2+</sup>-dependent exocytotic pathways in Chinese hamster ovary fibroblasts revealed by a caged-Ca<sup>2+</sup> compound." J Biol Chem 271(30): 17751-4.
- Noguchi, K., M. Enjoji, M. Nakamuta, M. Nakashima, H. Nishi, I. Choi, K. Taguchi, K. Kotoh, *et al.* (2001). "Expression of a tumor-associated antigen RCAS1 in hepatocellular carcinoma". Cancer Lett 168(2): 197-202.
- Ogushi, T., S. Takahashi, T. Takeuchi, T. Urano, K. Horie-Inoue, J. Kumagai, T. Kitamura, Y. Ouchi, *et al.* (2005). "Estrogen receptor-binding fragment-associated antigen 9 is a tumor-promoting and prognostic factor for renal cell carcinoma". Cancer Res 65(9): 3700-6.
- Ohshima, K., M. Nakashima, K. Sonoda, M. Kikuchi and T. Watanabe (2001). "Expression of RCAS1 and FasL in human trophoblasts and uterine glands during pregnancy: the possible role in immune privilege". Clin Exp Immunol 123(3): 481-6.
- Oizumi, S., K. Yamazaki, M. Nakashima, T. Watanabe, F. Hommura, S. Ogura, M. Nishimura and H. Dosaka-Akita (2002). "RCAS1 expression: a potential prognostic marker for adenocarcinomas of the lung". Oncology 62(4): 333-9.
- Okada, K., M. Nakashima, K. Komuta, S. Hashimoto, S. Okudaira, N. Baba, Y. Hishikawa, T. Koji, *et al.* (2003). "Expression of tumor-associated membrane antigen, RCAS1, in human colorectal carcinomas and possible role in apoptosis of tumor-infiltrating lymphocytes". Mod Pathol 16(7): 679-85.
- O'Reilly, M. S., T. Boehm, Y. Shing, N. Fukai, G. Vasios, W. S. Lane, E. Flynn, J. R. Birkhead, *et al.* (1997). "Endostatin: an endogenous inhibitor of angiogenesis and tumor growth". Cell 88(2): 277-85.
- O'Reilly, M. S., L. Holmgren, Y. Shing, C. Chen, R. A. Rosenthal, M. Moses, W. S. Lane, Y. Cao, *et al.* (1994). "Angiostatin: a novel angiogenesis inhibitor that mediates the suppression of metastases by a Lewis lung carcinoma". Cell 79(2): 315-28.
- Oshikiri, T., Y. Hida, M. Miyamoto, H. Hashida, K. Katoh, M. Suzuoki, Y. Nakakubo, K. Hiraoka, *et al.* (2001). "RCAS1 as a tumour progression marker: an independent negative prognostic factor in gallbladder cancer". Br J Cancer 85(12): 1922-7.
- Palade, G. (1975). "Intracellular aspects of the process of protein synthesis". Science 189(4200): 347-58.
- Palmer, R. E., S. B. Lee, J. C. Wong, P. A. Reynolds, H. Zhang, V. Truong, J. D. Oliner, W. L. Gerald, *et al.* (2002). "Induction of BAIAP3 by the EWS-WT1 chimeric fusion implicates regulated exocytosis in tumorigenesis." Cancer Cell 2(6): 497-505.
- Perin, M. S., N. Brose, R. Jahn and T. C. Südhof (1991). "Domain structure of synaptotagmin (p65)". J Biol Chem 266(1): 623-9.
- Perin, M. S., V. A. Fried, G. A. Mignery, R. Jahn and T. C. Südhof (1990). "Phospholipid binding by a synaptic vesicle protein homologous to the regulatory region of protein kinase C". Nature 345(6272): 260-3.
- Peters, P. J., J. Borst, V. Oorschot, M. Fukuda, O. Krahenbuhl, J. Tschoopp, J. W. Slot and H. J. Geuze (1991). "Cytotoxic T lymphocyte granules are secretory lysosomes, containing both perforin and granzymes". J Exp Med 173(5): 1099-109.
- Pevsner, J., S. C. Hsu, J. E. Braun, N. Calakos, A. E. Ting, M. K. Bennett and R. H. Scheller (1994). "Specificity and regulation of a synaptic vesicle docking complex". Neuron 13(2): 353-61.
- Pfeffer, S. R. (2001). "Rab GTPases: specifying and deciphering organelle identity and function." Trends Cell Biol 11(12): 487-91.
- Podack, E. R. and H. Hengartner (1989). "Structure of perforin and its role in cytolysis". Year Immunol 6: 245-61.
- Prekeris, R., J. Klumperman, Y. A. Chen and R. H. Scheller (1998). "Syntaxin 13 mediates cycling of plasma membrane proteins via tubulovesicular recycling endosomes". J Cell Biol 143(4): 957-71.
- Premont, R. T., J. Chen, H. W. Ma, M. Ponnappalli and R. Iyengar (1992). "Two members of a widely expressed subfamily of hormone-stimulated adenylyl cyclases". Proc Natl Acad Sci U S A 89(20): 9809-13.
- Qanbar, R. and M. Bouvier (2003). "Role of palmitoylation/depalmitoylation reactions in G-protein-coupled receptor function". Pharmacol Ther 97(1): 1-33.



- Ramirez-Solis, R., J. Rivera-Perez, J. D. Wallace, M. Wims, H. Zheng and A. Bradley (1992). "Genomic DNA microextraction: a method to screen numerous samples." Anal Biochem 201(2): 331-5.
- Reddy, A., E. V. Caler and N. W. Andrews (2001). "Plasma membrane repair is mediated by Ca(2+)-regulated exocytosis of lysosomes". Cell 106(2): 157-69.
- Rehm, A. and H. L. Ploegh (1997). "Assembly and intracellular targeting of the betagamma subunits of heterotrimeric G proteins." J Cell Biol 137(2): 305-17.
- Reimer, T. A., I. Anagnostopoulos, B. Erdmann, I. Lehmann, H. Stein, P. Daniel, B. Dörken and A. Rehm (2005). "Reevaluation of the 22-1-1 antibody and its putative antigen, EBAG9/RCAS1, as a tumor marker". BMC Cancer 5(1): 47.
- Rettig, J. and E. Neher (2002). "Emerging roles of presynaptic proteins in Ca<sup>++</sup>-triggered exocytosis." Science 298(5594): 781-5.
- Riedel, D., W. Antonin, R. Fernandez-Chacon, G. Alvarez de Toledo, T. Jo, M. Geppert, J. A. Valentijn, K. Valentijn, *et al.* (2002). "Rab3D is not required for exocrine exocytosis but for maintenance of normally sized secretory granules". Mol Cell Biol 22(18): 6487-97.
- Riethmacher, D., V. Brinkmann and C. Birchmeier (1995). "A targeted mutation in the mouse E-cadherin gene results in defective preimplantation development." Proc Natl Acad Sci U S A 92(3): 855-9.
- Risinger, C. and M. K. Bennett (1999). "Differential phosphorylation of syntaxin and synaptosome-associated protein of 25 kDa (SNAP-25) isoforms." J Neurochem 72(2): 614-24.
- Rothman, J. E. (1994). "Mechanisms of intracellular protein transport." Nature 372(6501): 55-63.
- Roths, J. B., E. D. Murphy and E. M. Eicher (1984). "A new mutation, *gld*, that produces lymphoproliferation and autoimmunity in C3H/HeJ mice". J Exp Med 159(1): 1-20.
- Rousseau, J., B. Tetu, D. Caron, P. Malenfant, P. Cattaruzzi, M. Audette, C. Doillon, J. P. Tremblay, *et al.* (2002). "RCAS1 is associated with ductal breast cancer progression". Biochem Biophys Res Commun 293(5): 1544-9.
- Roy, D., D. R. Liston, V. J. Idone, A. Di, D. J. Nelson, C. Pujol, J. B. Bliska, S. Chakrabarti, *et al.* (2004). "A process for controlling intracellular bacterial infections induced by membrane injury". Science 304(5676): 1515-8.
- Rudd, P. M., R. J. Woods, M. R. Wormald, G. Opendakker, A. K. Downing, I. D. Campbell and R. A. Dwek (1995). "The effects of variable glycosylation on the functional activities of ribonuclease, plasminogen and tissue plasminogen activator". Biochim Biophys Acta 1248(1): 1-10.
- Rüder, C., T. Reimer, I. Delgado-Martinez, R. Hermosilla, A. Engelsberg, R. Nehring, B. Dörken and A. Rehm (2005). "EBAG9 Adds a New Layer of Control on Large Dense-Core Vesicle Exocytosis via Interaction with Snapin". Mol Biol Cell 16(3): 1245-57.
- Sadoul, K., J. Lang, C. Montecucco, U. Weller, R. Regazzi, S. Catsicas, C. B. Wollheim and P. A. Halban (1995). "SNAP-25 is expressed in islets of Langerhans and is involved in insulin release". J Cell Biol 128(6): 1019-28.
- Saiki, R. K., S. Scharf, F. Faloona, K. B. Mullis, G. T. Horn, H. A. Erlich and N. Arnheim (1985). "Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia." Science 230(4732): 1350-4.
- Samandari, T. and J. L. Brown (1993). "A study of the effects of altering the sites for N-glycosylation in alpha-1-proteinase inhibitor variants M and S". Protein Sci 2(9): 1400-10.
- Sambrock, J. and D. W. Russell (2001). "Molecular Cloning: A Laboratory Manual, Third Edition". Cold Spring Harbor Laboratory Press.
- Sandberg, M., E. Butt, C. Nolte, L. Fischer, M. Halbrugge, J. Beltman, T. Jahnsen, H. G. Genieser, *et al.* (1991). "Characterization of Sp-5,6-dichloro-1-beta-D-ribofuranosylbenzimidazole-3',5'-monophosphorothioate (Sp-5,6-DCI-cBiMPS) as a potent and specific activator of cyclic-AMP-dependent protein kinase in cell extracts and intact cells". 279 ( Pt 2): 521-7.
- Sanger, F., S. Nicklen and A. R. Coulson (1977). "DNA sequencing with chain-terminating inhibitors". Proc Natl Acad Sci USA 74(12): 5463-7.
- Schiavo, G., F. Benfenati, B. Poulain, O. Rossetto, P. Polverino de Laureto, B. R. DasGupta and C. Montecucco (1992). "Tetanus and botulinum-B neurotoxins block neurotransmitter release by proteolytic cleavage of synaptobrevin". Nature 359(6398): 832-5.
- Schiavo, G., S. L. Osborne and J. G. Sgouros (1998). "Synaptotagmins: more isoforms than functions?" Biochem Biophys Res Commun 248(1): 1-8.
- Schluter, O. M., F. Schmitz, R. Jahn, C. Rosenmund and T. C. Südhof (2004). "A complete genetic analysis of neuronal Rab3 function". J Neurosci 24(29): 6629-37.
- Schneggenburger, R. and E. Neher (2000). "Intracellular calcium dependence of transmitter release rates at a fast central synapse". Nature 406(6798): 889-93.
- Shin, O.-H., A. Maximov, B. K. Lim, J. Rizo and T. C. Südhof (2004). "Unexpected Ca<sup>2+</sup>-binding properties of synaptotagmin 9". Proc Natl Acad Sci USA 101(8): 2554-9.
- Skalhegg, B. S. and K. Tasken (2000). "Specificity in the cAMP/PKA signaling pathway. Differential expression, regulation, and subcellular localization of subunits of PKA". Front Biosci 5: D678-93.

- Söllner, T., S. W. Whiteheart, M. Brunner, H. Erdjument-Bromage, S. Geromanos, P. Tempst and J. E. Rothman (1993). "SNAP receptors implicated in vesicle targeting and fusion." *Nature* 362(6418): 318-24.
- Sonoda, K., M. Nakashima, T. Kaku, T. Kamura, H. Nakano and T. Watanabe (1996). "A novel tumor-associated antigen expressed in human uterine and ovarian carcinomas". *Cancer* 77(8): 1501-9.
- Southern, E. M. (1975). "Detection of specific sequences among DNA fragments separated by gel electrophoresis." *J Mol Biol* 98(3): 503-17.
- Springer, G. F. (1984). "T and Tn, general carcinoma autoantigens". *Science* 224(4654): 1198-206.
- Starcevic, M. and E. C. Dell'Angelica (2004). "Identification of snapin and three novel proteins (BLOS1, BLOS2, and BLOS3/reduced pigmentation) as subunits of biogenesis of lysosome-related organelles complex-1 (BLOC-1)". *J Biol Chem* 279(27): 28393-401.
- Stinchcombe, J., G. Bossi and G. M. Griffiths (2004). "Linking albinism and immunity: the secrets of secretory lysosomes". *Science* 305(5680): 55-9.
- Stinchcombe, J. C., D. C. Barral, E. H. Mules, S. Booth, A. N. Hume, L. M. Machesky, M. C. Seabra and G. M. Griffiths (2001a). "Rab27a is required for regulated secretion in cytotoxic T lymphocytes." *J Cell Biol* 152(4): 825-34.
- Stinchcombe, J. C., G. Bossi, S. Booth and G. M. Griffiths (2001b). "The immunological synapse of CTL contains a secretory domain and membrane bridges". *Immunity* 15(5): 751-61.
- Stinchcombe, J. C. and G. M. Griffiths (1999). "Regulated secretion from hemopoietic cells." *J Cell Biol* 147(1): 1-6.
- Stinchcombe, J. C. and G. M. Griffiths (2001). "Normal and abnormal secretion by haemopoietic cells". *Immunology* 103(1): 10-6.
- Südhof, T. C. (1995). "The synaptic vesicle cycle: a cascade of protein-protein interactions." *Nature* 375(6533): 645-53.
- Südhof, T. C. (2002). "Synaptotagmins: why so many?" *J Biol Chem* 277(10): 7629-32.
- Südhof, T. C. (2004). "The synaptic vesicle cycle". *Annu Rev Neurosci* 27: 509-47.
- Sugita, S., O. H. Shin, W. Han, Y. Lao and T. C. Südhof (2002). "Synaptotagmins form a hierarchy of exocytotic Ca(2+) sensors with distinct Ca(2+) affinities." *EMBO J* 21(3): 270-80.
- Sutton, R. B., D. Fasshauer, R. Jahn and A. T. Brunger (1998). "Crystal structure of a SNARE complex involved in synaptic exocytosis at 2.4 Å resolution." *Nature* 395(6700): 347-53.
- Tadokoro, S., M. Nakanishi and N. Hirashima (2005). "Complexin II facilitates exocytotic release in mast cells by enhancing Ca2+ sensitivity of the fusion process". *J Cell Sci* 118(Pt 10): 2239-46.
- Takahashi, H., H. Iizuka, M. Nakashima, T. Wada, K. Asano, A. Ishida-Yamamoto and T. Watanabe (2001). "RCAS1 antigen is highly expressed in extramammary Paget's disease and in advanced stage squamous cell carcinoma of the skin". *J Dermatol Sci* 26(2): 140-4.
- Takahashi, S., T. Urano, F. Tsuchiya, T. Fujimura, T. Kitamura, Y. Ouchi, M. Muramatsu and S. U. Inoue (2003). "EBAG9/RCAS1 expression and its prognostic significance in prostatic cancer". *Int J Cancer* 106(3): 310-5.
- Tandon, A., S. Bannykh, J. A. Kowalchuk, A. Banerjee, T. F. Martin and W. E. Balch (1998). "Differential regulation of exocytosis by calcium and CAPS in semi-intact synaptosomes". *Neuron* 21(1): 147-54.
- Thakur, P., D. R. Stevens, Z.-H. Sheng and J. Rettig (2004). "Effects of PKA-mediated phosphorylation of Snapin on synaptic transmission in cultured hippocampal neurons". *J Neurosci* 24(29): 6476-81.
- Thevenod, F. (2002). "Ion channels in secretory granules of the pancreas and their role in exocytosis and release of secretory proteins". *Am J Physiol Cell Physiol* 283(3): C651-72.
- Thomas, K. R. and M. R. Capecchi (1987). "Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells". *Cell* 51(3): 503-12.
- Tokumaru, H., K. Umayahara, L. L. Pellegrini, T. Ishizuka, H. Saisu, H. Betz, G. J. Augustine and T. Abe (2001). "SNARE complex oligomerization by synaphin/complexin is essential for synaptic vesicle exocytosis". *Cell* 104(3): 421-32.
- Tomes, C. N., M. Michaut, G. De Blas, P. Visconti, U. Matti and L. S. Mayorga (2002). "SNARE complex assembly is required for human sperm acrosome reaction." *Dev Biol* 243(2): 326-38.
- Tooze, S. A. (1998). "Biogenesis of secretory granules in the trans-Golgi network of neuroendocrine and endocrine cells". *Biochim Biophys Acta* 1404(1-2): 231-44.
- Tooze, S. A., G. J. Martens and W. B. Huttner (2001). "Secretory granule biogenesis: rafting to the SNARE". *Trends Cell Biol* 11(3): 116-22.
- Torrealba, F. and M. A. Carrasco (2004). "A review on electron microscopy and neurotransmitter systems". *Brain Res Brain Res Rev* 47(1-3): 5-17.
- Tsuchiya, F., K. Ikeda, O. Tsutsumi, H. Hiroi, M. Momoeda, Y. Taketani, M. Muramatsu and S. Inoue (2001). "Molecular cloning and characterization of mouse EBAG9, homolog of a human cancer associated surface antigen: expression and regulation by estrogen." *Biochem Biophys Res Commun* 284(1): 2-10.
- Tsuneizumi, M., M. Emi, H. Nagai, H. Harada, G. Sakamoto, F. Kasumi, S. Inoue, T. Kazui, *et al.* (2001). "Overrepresentation of the EBAG9 gene at 8q23 associated with early-stage breast cancers". *Clin Cancer Res* 7(11): 3526-32.

- Tucker, W. C. and E. R. Chapman (2002). "Role of synaptotagmin in Ca<sup>2+</sup>-triggered exocytosis". *Biochem J* 366(Part 1): 1-13.
- Turner, K. M., R. D. Burgoyne and A. Morgan (1999). "Protein phosphorylation and the regulation of synaptic membrane traffic." *Trends Neurosci* 22(10): 459-64.
- Ubach, J., X. Zhang, X. Shao, T. C. Südhof and J. Rizo (1998). "Ca<sup>2+</sup> binding to synaptotagmin: how many Ca<sup>2+</sup> ions bind to the tip of a C2-domain?" *EMBO J* 17(14): 3921-30.
- Ungermann, C., B. J. Nichols, H. R. Pelham and W. Wickner (1998). "A vacuolar v-t-SNARE complex, the predominant form in vivo and on isolated vacuoles, is disassembled and activated for docking and fusion". *J Cell Biol* 140(1): 61-9.
- Vaidyanathan, V. V., N. Puri and P. A. Roche (2001). "The last exon of SNAP-23 regulates granule exocytosis from mast cells". *J Biol Chem* 276(27): 25101-6.
- Van den Steen, P., P. M. Rudd, R. A. Dwek and G. Opdenakker (1998). "Concepts and principles of O-linked glycosylation". *Crit Rev Biochem Mol Biol* 33(3): 151-208.
- Vega, J. A., O. Garcia-Suarez, J. Hannestad, M. Perez-Perez and A. Germana (2003). "Neurotrophins and the immune system". *J Anat* 203(1): 1-19.
- Verhage, M., A. S. Maia, J. J. Plomp, A. B. Brussaard, J. H. Heeroma, H. Vermeer, R. F. Toonen, R. E. Hammer, *et al.* (2000). "Synaptic assembly of the brain in the absence of neurotransmitter secretion". *Science* 287(5454): 864-9.
- Vites, O., J.-S. Rhee, M. Schwarz, C. Rosenmund and R. Jahn (2004). "Reinvestigation of the role of snapin in neurotransmitter release". *J Biol Chem* 279(25): 26251-6.
- Voets, T., T. Moser, P. E. Lund, R. H. Chow, M. Geppert, T. C. Südhof and E. Neher (2001). "Intracellular calcium dependence of large dense-core vesicle exocytosis in the absence of synaptotagmin I." *Proc Natl Acad Sci USA* 98(20): 11680-5.
- von Poser, C., J. Z. Zhang, C. Mineo, W. Ding, Y. Ying, T. C. Südhof and R. G. Anderson (2000). "Synaptotagmin regulation of coated pit assembly." *J Biol Chem* 275(40): 30916-24.
- Walch-Solimena, C., K. Takei, K. L. Marek, K. Midyett, T. C. Südhof, P. De Camilli and R. Jahn (1993). "Synaptotagmin: a membrane constituent of neuropeptide-containing large dense-core vesicles." *J Neurosci* 13(9): 3895-903.
- Wang, C. C., C. P. Ng, L. Lu, V. Atlashkin, W. Zhang, L. F. Seet and W. Hong (2004). "A role of VAMP8/endobrevin in regulated exocytosis of pancreatic acinar cells". *Dev Cell* 7(3): 359-71.
- Wang, C. T., R. Grishanin, C. A. Earles, P. Y. Chang, T. F. Martin, E. R. Chapman and M. B. Jackson (2001). "Synaptotagmin modulation of fusion pore kinetics in regulated exocytosis of dense-core vesicles." *Science* 294(5544): 1111-5.
- Wäsle, B. and J. M. Edwardson (2002). "The regulation of exocytosis in the pancreatic acinar cell". *Cell Signal* 14(3): 191-7.
- Watanabe, T., S. Inoue, H. Hiroi, A. Orimo, H. Kawashima and M. Muramatsu (1998). "Isolation of estrogen-responsive genes with a CpG island library". *Mol Cell Biol* 18(1): 442-9.
- Watanabe-Fukunaga, R., C. I. Brannan, N. G. Copeland, N. A. Jenkins and S. Nagata (1992). "Lymphoproliferation disorder in mice explained by defects in Fas antigen that mediates apoptosis". *Nature* 356(6367): 314-7.
- Weber, E., T. Jilling and K. Kirk (1996). "Distinct functional properties of Rab3A and Rab3B in PC12 neuroendocrine cells". *J Biol Chem* 271(12): 6963-71.
- Weber, T., B. V. Zemelman, J. A. McNew, B. Westermann, M. Gmachl, F. Parlati, T. H. Sollner and J. E. Rothman (1998). "SNAREpins: minimal machinery for membrane fusion." *Cell* 92(6): 759-72.
- Wei, L., M. E. Rusiniak, S. Chintala, R. Gautam, E. K. Novak and R. T. Swank (2004). "Murine Hermansky-Pudlak syndrome genes: regulators of lysosome-related organelles". *BioEssays* 26: 616-28.
- Weimbs, T., S. H. Low, S. J. Chapin, K. E. Mostov, P. Bucher and K. Hofmann (1997). "A conserved domain is present in different families of vesicular fusion proteins: a new superfamily." *Proc Natl Acad Sci USA* 94(7): 3046-51.
- Weimbs, T., K. Mostov, S. Hui Low and K. Hofmann (1998). "A model for structural similarity between different SNARE complexes based on sequence relationships". *Trends Cell Biol* 8(7): 260-2.
- Welker, P., J. Grabbe, T. Zuberbier, S. Guhl and B. M. Henz (2000). "Mast cell and myeloid marker expression during early in vitro mast cell differentiation from human peripheral blood mononuclear cells". *J Invest Dermatol* 114(1): 44-50.
- Wicherek, L., M. Dutsch, P. Mak, M. Klimek, J. Skladzien and A. Dubin (2003). "Comparative analysis of RCAS1 level in neoplasms and placenta". *Acta Biochim Pol* 50(4): 1187-94.
- Wilcox, C., J. S. Hu and E. N. Olson (1987). "Acylation of proteins with myristic acid occurs cotranslationally". *Science* 238(4831): 1275-8.
- Williams, J. A. (2001). "Intracellular signaling mechanisms activated by cholecystokinin-regulating synthesis and secretion of digestive enzymes in pancreatic acinar cells". *Annu Rev Physiol* 63: 77-97.

- Wulfing, C., M. D. Sjaastad and M. M. Davis (1998). "Visualizing the dynamics of T cell activation: intracellular adhesion molecule 1 migrates rapidly to the T cell/B cell interface and acts to sustain calcium levels". Proc Natl Acad Sci USA 95(11): 6302-7.
- Yang, B., M. Steegmaier, L. C. Gonzalez, Jr and R. H. Scheller (2000). "nSec1 binds a closed conformation of syntaxin1A". J Cell Biol 148(2): 247-52.
- Ye, Q. and H. J. Worman (1995). "Protein-Protein Interactions between Human Nuclear Lamins Expressed in Yeast". Exp Cell Res 219(1): 292-8.
- Young, J. D., L. G. Leong, C. C. Liu, A. Damiano and Z. A. Cohn (1986). "Extracellular release of lymphocyte cytolytic pore-forming protein (perforin) after ionophore stimulation". Proc Natl Acad Sci USA 83(15): 5668-72.
- Zerial, M. and H. McBride (2001). "Rab proteins as membrane organizers." Nat Rev Mol Cell Biol 2(2): 107-17.
- Zhang, J. Z., B. A. Davletov, T. C. Südhof and R. G. Anderson (1994). "Synaptotagmin I is a high affinity receptor for clathrin AP-2: implications for membrane recycling". Cell 78(5): 751-60.
- Zhang, S., H. S. Zhang, C. Cordon\_Cardo, V. E. Reuter, A. K. Singhal, K. O. Lloyd and P. O. Livingston (1997). "Selection of tumor antigens as targets for immune attack using immunohistochemistry: II. Blood group-related antigens." Int J Cancer 73(1): 50-6.
- Zhang, X., M. J. Kim-Miller, M. Fukuda, J. A. Kowalchuk and T. F. Martin (2002). "Ca<sup>2+</sup>-dependent synaptotagmin binding to SNAP-25 is essential for Ca<sup>2+</sup>-triggered exocytosis." Neuron 34(4): 599-611.
- Zoli, M., A. Jansson, E. Sykova, L. F. Agnati and K. Fuxe (1999). "Volume transmission in the CNS and its relevance for neuropsychopharmacology". Trends Pharmacol Sci 20(4): 142-50.
- Zucker, R. S. (1999). "Calcium- and activity-dependent synaptic plasticity". Curr Opin Neurobiol 9(3): 305-13.
- Zweifach, A. and R. S. Lewis (1993). "Mitogen-regulated Ca<sup>2+</sup> current of T lymphocytes is activated by depletion of intracellular Ca<sup>2+</sup> stores". Proc Natl Acad Sci USA 90(13): 6295-9.