

## References

- Achtman, M., Heuzenroeder, M., Kusecek, B., Ochman, H., Caugant, D., Selander, R.K., Vaisanen-Rhen, V., Korhonen, T.K., Stuart, S., Orskov, F., and et al.** (1986) Clonal analysis of *Escherichia coli* O2:K1 isolated from diseased humans and animals. *Infect. Immun.* **51**: 268-276.
- Aguero, M.E., Aron, L., DeLuca, A.G., Timmis, K.N., and Cabello, F.C.** (1984) A plasmid-encoded outer membrane protein, TraT, enhances resistance of *Escherichia coli* to phagocytosis. *Infect. Immun.* **46**: 740-746.
- Akerley, B.J., Rubin, E.J., Camilli, A., Lampe, D.J., Robertson, H.M., and Mekalanos, J.J.** (1998) Systematic identification of essential genes by in vitro mariner mutagenesis. *Proc. Natl. Acad. Sci. U.S.A.* **95**: 8927-8932.
- Akerley, B.J., and Lampe, D.J.** (2002) Analysis of gene function in bacterial pathogens by GAMBIT. In *Methods in enzymology*. Virginia L. Clark and Patrik M. Bavoil. Academic Press: 100-108.
- Altschul, S.F., Madden, T.L., Schaffer, A.A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D.J.** (1997) Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* **25**: 3389-3402.
- Appelmelk, B.J., An, Y.Q., Hekker, T.A., Thijs, L.G., MacLaren, D.M., and de Graaf, J.** (1994) Frequencies of lipopolysaccharide core types in *Escherichia coli* strains from bacteraemic patients. *Microbiology* **140**: 1119-1124.
- Arne, P., Marc, D., Bree, A., Schouler, C., and Dho-Moulin, M.** (2000) Increased tracheal colonization in chickens without impairing pathogenic properties of avian pathogenic *Escherichia coli* MT78 with a *fimH* deletion. *Avian Dis.* **44**: 343-355.
- Arp, L.H., and Jensen, A.E.** (1980) Pilation, hemagglutination, motility, and generation time of *Escherichia coli* that are virulent or avirulent for turkeys. *Avian Dis.* **24**: 153-161.
- Babai, R., Blum-Oehler, G., Stern, B.E., Hacker, J., and Ron, E.Z.** (1997) Virulence patterns from septicemic *Escherichia coli* O78 strains. *FEMS Microbiol. Lett.* **149**: 99-105.

## References

---

- Baga, M., Norgren, M., and Normark, S.** (1987) Biogenesis of *E. coli* Pap pili: papH, a minor pilin subunit involved in cell anchoring and length modulation. *Cell* **49**: 241-251.
- Bahrani-Mougeot, F.K., Buckles, E.L., Lockatell, C.V., Hebel, J.R., Johnson, D.E., Tang, C.M., and Donnenberg, M.S.** (2002) Type 1 fimbriae and extracellular polysaccharides are preeminent uropathogenic *Escherichia coli* virulence determinants in the murine urinary tract. *Mol. Microbiol.* **45**: 1079-1093.
- Barnes, H.J., and Gross, W.B.** (1997) Colibacillosis. In *Diseases of poultry*. Gross, W.B. (ed). Ames Iowa: Iowa State University Press, pp. 131-141.
- Blanco, J.E., Blanco, M., Mora, A., and Blanco, J.** (1997) Production of toxins (enterotoxins, verotoxins, and necrotoxins) and colicins by *Escherichia coli* strains isolated from septicemic and healthy chickens: relationship with in vivo pathogenicity. *J. Clin. Microbiol.* **35**: 2953-2957.
- Blanco, J.E., Blanco, M., Mora, A., Jansen, W.H., Garcia, V., Vazquez, M.L., and Blanco, J.** (1998) Serotypes of *Escherichia coli* isolated from septicaemic chickens in Galicia (northwest Spain). *Vet. Microbiol.* **61**: 229-235.
- Brown, E.A., D'Ari, R., and Newman, E.B.** (1990) A relationship between L-serine degradation and methionine biosynthesis in *Escherichia coli* K12. *J. Gen. Microbiol.* **136**: 1017-1023.
- Brown, P.K., and Curtiss, R., 3rd** (1996) Unique chromosomal regions associated with virulence of an avian pathogenic *Escherichia coli* strain. *Proc. Natl. Acad. Sci. U S A* **93**: 11149-11154.
- Buer, J., and Balling, R.** (2003) Mice, microbes and models of infection. *Nat. Rev. Genet.* **4**: 195-205.
- Camilli, A., Beattie, D.T., and Mekalanos, J.J.** (1994) Use of genetic recombination as a reporter of gene expression. *Proc. Natl. Acad. Sci. U S A* **91**: 2634-2638.
- Casadevall, A., and Pirofski, L.A.** (2003) The damage-response framework of microbial pathogenesis. *Nat. Rev. Microbiol.* **1**: 17-24.

- Cheville, N.F., Hostetter, J., Thomsen, B.V., Simutis, F., Vanloubbeeck, Y., and Steadham, E.** (2001) Intracellular trafficking of *Mycobacterium avium* ss. paratuberculosis in macrophages. *Dtsch. Tierarztl. Wochenschr.* **108**: 236-243.
- Chiang, S.L., Mekalanos, J.J., and Holden, D.W.** (1999) In vivo genetic analysis of bacterial virulence. *Annu. Rev. Microbiol.* **53**: 129-154.
- Clarke, B.R., Pearce, R., and Roberts, I.S.** (1999) Genetic organization of the *Escherichia coli* K10 capsule gene cluster: identification and characterization of two conserved regions in group III capsule gene clusters encoding polysaccharide transport functions. *J. Bacteriol.* **181**: 2279-2285.
- Clegg, S., Yu, F., Griffiths, L., and Cole, J.A.** (2002) The roles of the polytopic membrane proteins NarK, NarU and NirC in *Escherichia coli* K-12: two nitrate and three nitrite transporters. *Mol. Microbiol.* **44**: 143-155.
- Cordwell, S.J., Nouwens, A.S., and Walsh, B.J.** (2001) Comparative proteomics of bacterial pathogens. *Proteomics* **1**: 461-472.
- Daigle, F., Graham, J.E., and Curtiss, R., 3rd** (2001) Identification of *Salmonella typhi* genes expressed within macrophages by selective capture of transcribed sequences (SCOTS). *Mol. Microbiol.* **41**: 1211-1222.
- David, E., Heinrichs, J., Yethon, J.A., and Whitfield, C.** (1998) Molecular basis for structural diversity in the core regions of the lipopolysaccharides of *Escherichia coli* and *Salmonella enterica*. *Mol. Microbiol.* **30**: 221-232.
- de Lorenzo, V., and Timmis, K.N.** (1994) Analysis and construction of stable phenotypes in gram-negative bacteria with Tn5- and Tn10-derived minitransposons. *Methods Enzymol.* **235**: 386-405.
- de Saizieu, A., Certa, U., Warrington, J., Gray, C., Keck, W., and Mous, J.** (1998) Bacterial transcript imaging by hybridization of total RNA to oligonucleotide arrays. *Nat. Biotechnol.* **16**: 45-48.
- Delicato, E.R., de Brito, B.G., Konopatzki, A.P., Gaziri, L.C., and Vidotto, M.C.** (2002) Occurrence of the temperature-sensitive hemagglutinin among avian *Escherichia coli*. *Avian Dis.* **46**: 713-716.

## References

---

- Dho, M., and Lafont, J.P.** (1982) *Escherichia coli* colonization of the trachea in poultry: comparison of virulent and avirulent strains in gnotoxenic chickens. *Avian Dis.* **26**: 787-797.
- Dho, M., and Lafont, J.P.** (1984) Adhesive properties and iron uptake ability in *Escherichia coli* lethal and nonlethal for chicks. *Avian Dis.* **28**: 1016-1025.
- Dho-Mouli, M., Brée, A., Desautels, C., and Fairbrother, J.M.** (1997) Relationship between presence of the *tsh* and *csgA* genes and virulence in avian *Escherichia coli*. In *97th General Meeting of the American Society for Microbiology. Miami, FL*.
- Dho-Moulin, M., van den Bosch, J.F., Girardeau, J.P., Bree, A., Barat, T., and Lafont, J.P.** (1990) Surface antigens from *Escherichia coli* O2 and O78 strains of avian origin. *Infect. Immun.* **58**: 740-745.
- Dho-Moulin, M., and Fairbrother, J.M.** (1999) Avian pathogenic *Escherichia coli* (APEC). *Vet. Res.* **30**: 299-316.
- Dozois, C.M., Fairbrother, J.M., Harel, J., and Bosse, M.** (1992) *pap*-and pili-related DNA sequences and other virulence determinants associated with *Escherichia coli* isolated from septicemic chickens and turkeys. *Infect. Immun.* **60**: 2648-2656.
- Dozois, C.M., Pourbakhsh, S.A., and Fairbrother, J.M.** (1995) Expression of P and type 1 (F1) fimbriae in pathogenic *Escherichia coli* from poultry. *Vet. Microbiol.* **45**: 297-309.
- Dozois, C.M., Dho-Moulin, M., Bree, A., Fairbrother, J.M., Desautels, C., and Curtiss, R., 3rd** (2000) Relationship between the Tsh autotransporter and pathogenicity of avian *Escherichia coli* and localization and analysis of the Tsh genetic region. *Infect. Immun.* **68**: 4145-4154.
- Dozois, C.M., Daigle, F., and Curtiss, R., 3rd** (2003) Identification of pathogen-specific and conserved genes expressed in vivo by an avian pathogenic *Escherichia coli* strain. *Proc. Natl. Acad. Sci. U.S.A.* **100**: 247-252.
- D'Souza, J.M., Wang, L., and Reeves, P.** (2002) Sequence of the *Escherichia coli* O26 O antigen gene cluster and identification of O26 specific genes. *Gene* **297**: 123-127.

- Emery, D.A., Nagaraja, K.V., Shaw, D.P., Newman, J.A., and White, D.G.** (1992) Virulence factors of *Escherichia coli* associated with colisepticemia in chickens and turkeys. *Avian Dis.* **36**: 504-511.
- Ewers, C., Janssen, T., and Wieler, L.H.** (2003) [Avian pathogenic *Escherichia coli* (APEC)]. *Berl. Munch. Tierarztl. Wochenschr.* **116**: 381-395.
- Ewers, C., Janssen, T., Kiessling, S., Philipp, H.C., and Wieler, L.H.** (2004) Molecular epidemiology of avian pathogenic *Escherichia coli* (APEC) isolated from colisepticemia in poultry. *Vet. Microbiol.* **104**: 91-101.
- Ferguson, G.P., Roop, R.M., 2nd, and Walker, G.C.** (2002) Deficiency of a *Sinorhizobium meliloti* BacA mutant in alfalfa symbiosis correlates with alteration of the cell envelope. *J. Bacteriol.* **184**: 5625-5632.
- Feria, C., Machado, J., Duarte Correia, J., Goncalves, J., and Gaastra, W.** (2001) Distribution of *papG* alleles among uropathogenic *Escherichia coli* isolated from different species. *FEMS Microbiol. Lett.* **202**: 205-208.
- Foulongne, V., Michaux-Charachon, S., Jumas-Bilak, E., O'Callaghan, D., and Ramuz, M.** (2004) [Strategies for bacterial virulence genes identification]. *Pathol. Biol. (Paris)* **52**: 104-114.
- Fuller, T.E., Kennedy, M.J., and Lowery, D.E.** (2000) Identification of *Pasteurella multocida* virulence genes in a septicemic mouse model using signature-tagged mutagenesis. *Microb. Pathog.* **29**: 25-38.
- Gentry-Weeks, C.R., Keith, J.M., and Thompson, J.** (1993) Toxicity of *Bordetella avium* beta-cystathionase toward MC3T3-E1 osteogenic cells. *J. Biol. Chem.* **268**: 7298-7314.
- Gibb, A.P., Barclay, G.R., Poxton, I.R., and di Padova, F.** (1992) Frequencies of lipopolysaccharide core types among clinical isolates of *Escherichia coli* defined with monoclonal antibodies. *J. Infect. Dis.* **166**: 1051-1057.
- Glantz, P.J., Narotzky, S., and Bubash, G.** (1962) *Escherichia coli* serotypes isolated from salpingitis and chronic respiratory disease of poultry. *Avian Dis.* **6**: 322-328.

## References

---

- Goes, C.R., Gaziri, L.C., and Vidotto, M.C.** (1993) Cloned genes of the aerobactin system of virulent avian *Escherichia coli* do not confer virulence to recombinant strains. *Braz J. Med. Biol. Res.* **26**: 261-275.
- Gophna, U., Oelschlaeger, T.A., Hacker, J., and Ron, E.Z.** (2001) Yersinia HPI in septicemic *Escherichia coli* strains isolated from diverse hosts. *FEMS Microbiol. Lett.* **196**: 57-60.
- Graham, J.E., and Clark-Curtiss, J.E.** (1999) Identification of *Mycobacterium tuberculosis* RNAs synthesized in response to phagocytosis by human macrophages by selective capture of transcribed sequences (SCOTS). *Proc. Natl. Acad. Sci. USA* **96**: 11554-11559.
- Griffiths, E.** (1987) The iron-uptake systems of pathogenic bacteria. In *Iron and infection*. Bullen, J.J. (ed). London, pp. John Wiley.
- Gross, W.B.** (1994a) Diseases due to *Escherichia coli* in poultry. In *Escherichia coli in domestic animals and humans*. Gyles, C.L. (ed). Wallingford, UK: CAB International, pp. 237-259.
- Gross, W.B.** (1994b) *Diseases due to Escherichia coli in poultry*. Wallingford, UK: CAB International.
- Guyer, D.M., Kao, J.S., and Mobley, H.L.** (1998) Genomic analysis of a pathogenicity island in uropathogenic *Escherichia coli* CFT073: distribution of homologous sequences among isolates from patients with pyelonephritis, cystitis, and Catheter-associated bacteriuria and from fecal samples. *Infect. Immun.* **66**: 4411-4417.
- Gyimah, J.E., and Panigrahy, B.** (1988) Adhesin-receptor interactions mediating the attachment of pathogenic *Escherichia coli* to chicken tracheal epithelium. *Avian Dis.* **32**: 74-78.
- Handfield, M., Brady, L.J., Progulske-Fox, A., and Hillman, J.D.** (2000) IVIAT: a novel method to identify microbial genes expressed specifically during human infections. *Trends Microbiol.* **8**: 336-339.
- Hang, L., John, M., Asaduzzaman, M., Bridges, E.A., Vanderspurt, C., Kirn, T.J., Taylor, R.K., Hillman, J.D., Progulske-Fox, A., Handfield, M., Ryan, E.T., and Calderwood, S.B.** (2003) Use of in vivo-induced antigen technology (IVIAT) to

- identify genes uniquely expressed during human infection with *Vibrio cholerae*. *Proc. Natl. Acad. Sci. U S A* **100**: 8508-8513.
- Hanna, A., Berg, M., Stout, V., and Razatos, A.** (2003) Role of capsular colanic acid in adhesion of uropathogenic *Escherichia coli*. *Appl. Environ. Microbiol.* **69**: 4474-4481.
- Hanson, M.S., Slaughter, C., and Hansen, E.J.** (1992) The *hbpA* gene of *Haemophilus influenzae* type b encodes a heme-binding lipoprotein conserved among heme-dependent Haemophilus species. *Infect. Immun.* **60**: 2257-2266.
- Harry, E.G., and Hemsley, L.A.** (1965) The Association between the Presence of Septicaemia Strains of *Escherichia Coli* in the Respiratory and Intestinal Tracts of Chickens and the Occurrence of Coli Septicaemia. *Vet. Rec.* **77**: 35-40.
- Hayward, R.E., Derisi, J.L., Alfadhli, S., Kaslow, D.C., Brown, P.O., and Rathod, P.K.** (2000) Shotgun DNA microarrays and stage-specific gene expression in *Plasmodium falciparum* malaria. *Mol. Microbiol.* **35**: 6-14.
- Heinrichs, D.E., Monteiro, M.A., Perry, M.B., and Whitfield, C.** (1998) The assembly system for the lipopolysaccharide R2 core-type of *Escherichia coli* is a hybrid of those found in *Escherichia coli* K-12 and *Salmonella enterica*. Structure and function of the R2 WaaK and WaaL homologs. *J. Biol. Chem.* **273**: 8849-8859.
- Hensel, M., Shea, J.E., Gleeson, C., Jones, M.D., Dalton, E., and Holden, D.W.** (1995) Simultaneous identification of bacterial virulence genes by negative selection. *Science* **269**: 400-403.
- Hitchcock, P.J., and Brown, T.M.** (1983) Morphological heterogeneity among *Salmonella* lipopolysaccharide chemotypes in silver-stained polyacrylamide gels. *J. Bacteriol.* **154**: 269-277.
- Jacob-Dubuisson, F., Heuser, J., Dodson, K., Normark, S., and Hultgren, S.** (1993) Initiation of assembly and association of the structural elements of a bacterial pilus depend on two specialized tip proteins. *Embo. J.* **12**: 837-847.
- Jacobs, C., Huang, L.J., Bartowsky, E., Normark, S., and Park, J.T.** (1994) Bacterial cell wall recycling provides cytosolic muropeptides as effectors for beta-lactamase induction. *Embo. J.* **13**: 4684-4694.

## References

---

- Janakiraman, A., and Slauch, J.M.** (2000) The putative iron transport system SitABCD encoded on SPI1 is required for full virulence of *Salmonella typhimurium*. *Mol. Microbiol.* **35**: 1146-1155.
- Janßen, T., Schwarz, C., Preikschat, P., Voss, M., Philipp, H.C., and Wieler, L.H.** (2001) Virulence-associated genes in avian pathogenic *Escherichia coli* (APEC) isolated from internal organs of poultry having died from colibacillosis. *Int. J. Med. Microbiol.* **291**: 371-378.
- Joiner, K.A.** (1988) Complement evasion by bacteria and parasites. *Annu. Rev. Microbiol.* **42**: 201-230.
- Jones, C.H., Pinkner, J.S., Roth, R., Heuser, J., Nicholes, A.V., Abraham, S.N., and Hultgren, S.J.** (1995) FimH adhesin of type 1 pili is assembled into a fibrillar tip structure in the *Enterobacteriaceae*. *Proc. Natl. Acad. Sci. U S A* **92**: 2081-2085.
- Jungblut, P.R., and Bumann, D.** (2002) Immunoproteome of *Helicobacter pylori*. *Methods Enzymol.* **358**: 307-316.
- Karch, H., Schubert, S., Zhang, D., Zhang, W., Schmidt, H., Olschlager, T., and Hacker, J.** (1999) A genomic island, termed high-pathogenicity island, is present in certain non-O157 Shiga toxin-producing *Escherichia coli* clonal lineages. *Infect. Immun.* **67**: 5994-6001.
- Kostakioti, M., and Stathopoulos, C.** (2004) Functional analysis of the Tsh autotransporter from an avian pathogenic *Escherichia coli* strain. *Infect. Immun.* **72**: 5548-5554.
- Kuehn, M.J., Heuser, J., Normark, S., and Hultgren, S.J.** (1992) P pili in uropathogenic *E. coli* are composite fibres with distinct fibrillar adhesive tips. *Nature* **356**: 252-255.
- La Ragione, R.M., and Woodward, M.J.** (2002) Virulence factors of *Escherichia coli* serotypes associated with avian colisepticaemia. *Res. Vet. Sci.* **73**: 27-35.
- Lafont, J.P., Dho, M., D'Hauteville, H.M., Bree, A., and Sansonetti, P.J.** (1987) Presence and expression of aerobactin genes in virulent avian strains of *Escherichia coli*. *Infect. Immun.* **55**: 193-197.

## References

---

- Lavina, M., Pugsley, A.P., and Moreno, F.** (1986) Identification, mapping, cloning and characterization of a gene (*sbmA*) required for microcin B17 action on *Escherichia coli* K12. *J. Gen. Microbiol.* **132** ( Pt 6): 1685-1693.
- LeVier, K., Phillips, R.W., Grippe, V.K., Roop, R.M., 2nd, and Walker, G.C.** (2000) Similar requirements of a plant symbiont and a mammalian pathogen for prolonged intracellular survival. *Science* **287**: 2492-2493.
- Li, H., and Park, J.T.** (1999) The periplasmic murein peptide-binding protein MppA is a negative regulator of multiple antibiotic resistance in *Escherichia coli*. *J. Bacteriol.* **181**: 4842-4847.
- Linggood, M.A., Roberts, M., Ford, S., Parry, S.H., and Williams, P.H.** (1987) Incidence of the aerobactin iron uptake system among *Escherichia coli* isolates from infections of farm animals. *J. Gen. Microbiol.* **133**: 835-842.
- Mahan, M.J., Slauch, J.M., and Mekalanos, J.J.** (1993) Selection of bacterial virulence genes that are specifically induced in host tissues. *Science* **259**: 686-688.
- Mahan, M.J., Tobias, J.W., Slauch, J.M., Hanna, P.C., Collier, R.J., and Mekalanos, J.J.** (1995) Antibiotic-based selection for bacterial genes that are specifically induced during infection of a host. *Proc. Natl. Acad. Sci. U.S.A.* **92**: 669-673.
- Mao, Y., Doyle, M.P., and Chen, J.** (2001) Insertion mutagenesis of *wca* reduces acid and heat tolerance of enterohemorrhagic *Escherichia coli* O157:H7. *J. Bacteriol.* **183**: 3811-3815.
- Marc, D., and Dho-Moulin, M.** (1996) Analysis of the *fim* cluster of an avian O2 strain of *Escherichia coli*: serogroup-specific sites within *fimA* and nucleotide sequence of *fimI*. *J. Med. Microbiol.* **44**: 444-452.
- Marc, D., Arne, P., Bree, A., and Dho-Moulin, M.** (1998) Colonization ability and pathogenic properties of a *fim*- mutant of an avian strain of *Escherichia coli*. *Res. Microbiol.* **149**: 473-485.
- Martindale, J., Stroud, D., Moxon, E.R., and Tang, C.M.** (2000) Genetic analysis of *Escherichia coli* K1 gastrointestinal colonization. *Mol. Microbiol.* **37**: 1293-1305.

## References

---

- Maurer, J.J., Brown, T.P., Steffens, W.L., and Thayer, S.G.** (1998) The occurrence of ambient temperature-regulated adhesins, curli, and the temperature-sensitive hemagglutinin tsh among avian *Escherichia coli*. *Avian Dis.* **42**: 106-118.
- Mellata, M., Dho-Moulin, M., Dozois, C.M., Curtiss, R., 3rd, Brown, P.K., Arne, P., Bree, A., Desautels, C., and Fairbrother, J.M.** (2003a) Role of virulence factors in resistance of avian pathogenic *Escherichia coli* to serum and in pathogenicity. *Infect. Immun.* **71**: 536-540.
- Mellata, M., Dho-Moulin, M., Dozois, C.M., Curtiss, R., 3rd, Lehoux, B., and Fairbrother, J.M.** (2003b) Role of avian pathogenic *Escherichia coli* virulence factors in bacterial interaction with chicken heterophils and macrophages. *Infect. Immun.* **71**: 494-503.
- Merrell, D.S., Hava, D.L., and Camilli, A.** (2002) Identification of novel factors involved in colonization and acid tolerance of *Vibrio cholerae*. *Mol. Microbiol.* **43**: 1471-1491.
- Miller, J.H.** (1992) *A Short Course in Bacterial Genetics*. New York: Cold Spring Harbor Laboratory, Cold Spring Harbor.
- Nagy, G., Dobrindt, U., Kupfer, M., Emody, L., Karch, H., and Hacker, J.** (2001) Expression of hemin receptor molecule ChuA is influenced by RfaH in uropathogenic *Escherichia coli* strain 536. *Infect. Immun.* **69**: 1924-1928.
- Naveh, M.W., Zusman, T., Skutelsky, E., and Ron, E.Z.** (1984) Adherence pili in avian strains of *Escherichia coli*: effect on pathogenicity. *Avian Dis.* **28**: 651-661.
- Neilands, J.B.** (1992) Mechanism and regulation of synthesis of aerobactin in *Escherichia coli* K12 (pColV-K30). *Can. J. Microbiol.* **38**: 728-733.
- Orndorff, G.R., Sadjimin, T., Simanjuntak, C.H., O'Hanley, P., Punjabi, N.H., Tjokrosonto, S., Corwin, A., Dibley, M., Lebron, C.I., and Echeverria, P.** (1996) Enterotoxigenic *Escherichia coli* diarrhea in children less than five years of age in central Java. *Am J. Trop. Med. Hyg.* **55**: 449-451.
- Orndorff, P.E.** (1994) *Molecular Genetics of Bacterial Pathogenesis*. Washington, DC: ASM Press.

- Orskov, F., and Orskov, I.** (1992) *Escherichia coli* serotyping and disease in man and animals. *Can. J. Microbiol.* **38**: 699-704.
- Otto, B.R., van Dooren, S.J., Nuijens, J.H., Luirink, J., and Oudega, B.** (1998) Characterization of a hemoglobin protease secreted by the pathogenic *Escherichia coli* strain EB1. *J. Exp. Med.* **188**: 1091-1103.
- Park, J.T.** (1993) Turnover and recycling of the murein sacculus in oligopeptide permease-negative strains of *Escherichia coli*: indirect evidence for an alternative permease system and for a monolayered sacculus. *J. Bacteriol.* **175**: 7-11.
- Park, J.T., Raychaudhuri, D., Li, H., Normark, S., and Mengin-Lecreux, D.** (1998) MppA, a periplasmic binding protein essential for import of the bacterial cell wall peptide L-alanyl-gamma-D-glutamyl-meso-diaminopimelate. *J. Bacteriol.* **180**: 1215-1223.
- Parreira, V.R., and Gyles, C.L.** (2003) A novel pathogenicity island integrated adjacent to the *thrW* tRNA gene of avian pathogenic *Escherichia coli* encodes a vacuolating autotransporter toxin. *Infect. Immun.* **71**: 5087-5096.
- Pourbakhsh, S.A., Boulian, M., Martineau-Doize, B., Dozois, C.M., Desautels, C., and Fairbrother, J.M.** (1997a) Dynamics of *Escherichia coli* infection in experimentally inoculated chickens. *Avian Dis.* **41**: 221-233.
- Pourbakhsh, S.A., Dho-Moulin, M., Bree, A., Desautels, C., Martineau-Doize, B., and Fairbrother, J.M.** (1997b) Localization of the in vivo expression of P and F1 fimbriae in chickens experimentally inoculated with pathogenic *Escherichia coli*. *Microb. Pathog.* **22**: 331-341.
- Proctor, R.A., Denlinger, L.C., and Bertics, P.J.** (1995) *Lipopolysaccharide and Bacterial virulence*. Washington, D.C.: ASM Press.
- Provence, D.L., and Curtiss, R., 3rd** (1994) Isolation and characterization of a gene involved in hemagglutination by an avian pathogenic *Escherichia coli* strain. *Infect. Immun.* **62**: 1369-1380.
- Randall, L.P., and Woodward, M.J.** (2001) Role of the *mar* locus in virulence of *Salmonella enterica* serovar Typhimurium DT104 in chickens. *J. Med. Microbiol.* **50**: 770-779.

## References

---

- Ratledge, C., and Dover, L.G.** (2000) Iron metabolism in pathogenic bacteria. *Annu. Rev. Microbiol.* **54**: 881-941.
- Robbins, J.B., McCracken, G.H., Jr., Gotschlich, E.C., Orskov, F., Orskov, I., and Hanson, L.A.** (1974) *Escherichia coli* K1 capsular polysaccharide associated with neonatal meningitis. *N. Engl. J. Med.* **290**: 1216-1220.
- Rowe, J.J., Ubbink-Kok, T., Molenaar, D., Konings, W.N., and Driessen, A.J.** (1994) NarK is a nitrite-extrusion system involved in anaerobic nitrate respiration by *Escherichia coli*. *Mol. Microbiol.* **12**: 579-586.
- Runyen-Janecky, L.J., Reeves, S.A., Gonzales, E.G., and Payne, S.M.** (2003) Contribution of the *Shigella flexneri* Sit, Iuc, and Feo iron acquisition systems to iron acquisition in vitro and in cultured cells. *Infect. Immun.* **71**: 1919-1928.
- Russell, P.W., and Orndorff, P.E.** (1992) Lesions in two *Escherichia coli* type 1 pilus genes alter pilus number and length without affecting receptor binding. *J. Bacteriol.* **174**: 5923-5935.
- Sakai, A., Kinoshita, N., Kita, M., Katsuragi, T., and Tani, Y.** (2003) Investigation of 1-deoxy-D-xylulose 5-phosphate synthase and transketolase of *Bacillus subtilis* in relation to vitamin B6 biosynthesis. *J. Nutr. Sci. Vitaminol. (Tokyo)* **49**: 73-75.
- Salvadori, M.R., Yano, T., Carvalho, H.E., Parreira, V.R., and Gyles, C.L.** (2001) Vacuolating cytotoxin produced by avian pathogenic *Escherichia coli*. *Avian Dis.* **45**: 43-51.
- Saunders, N.J., and Moxon, E.R.** (1998) Implications of sequencing bacterial genomes for pathogenesis and vaccine development. *Curr. Opin. Biotechnol.* **9**: 618-623.
- Schouler, C., Koffmann, F., Amory, C., Leroy-Setrin, S., and Moulin-Schouleur, M.** (2004) Genomic subtraction for the identification of putative new virulence factors of an avian pathogenic *Escherichia coli* strain of O2 serogroup. *Microbiology* **150**: 2973-2984.
- Smith, H.W., Cook, J.K., and Parsell, Z.E.** (1985) The experimental infection of chickens with mixtures of infectious bronchitis virus and *Escherichia coli*. *J. Gen. Virol.* **66** ( Pt 4): 777-786.

- Sokurenko, E.V., Courtney, H.S., Ohman, D.E., Klemm, P., and Hasty, D.L.** (1994) FimH family of type 1 fimbrial adhesins: functional heterogeneity due to minor sequence variations among *fimH* genes. *J. Bacteriol.* **176**: 748-755.
- Sokurenko, E.V., Courtney, H.S., Maslow, J., Siitonen, A., and Hasty, D.L.** (1995) Quantitative differences in adhesiveness of type 1 fimbriated *Escherichia coli* due to structural differences in *fimH* genes. *J. Bacteriol.* **177**: 3680-3686.
- Sokurenko, E.V., Chesnokova, V., Doyle, R.J., and Hasty, D.L.** (1997) Diversity of the *Escherichia coli* type 1 fimbrial lectin. Differential binding to mannosides and uroepithelial cells. *J. Biol. Chem.* **272**: 17880-17886.
- Sokurenko, E.V., Chesnokova, V., Dykhuizen, D.E., Ofek, I., Wu, X.R., Krogfelt, K.A., Struve, C., Schembri, M.A., and Hasty, D.L.** (1998) Pathogenic adaptation of *Escherichia coli* by natural variation of the FimH adhesin. *Proc. Natl. Acad. Sci. USA* **95**: 8922-8926.
- Sprenger, G.A.** (1995) Genetics of pentose-phosphate pathway enzymes of *Escherichia coli* K-12. *Arch. Microbiol.* **164**: 324-330.
- Stathopoulos, C., Provence, D.L., and Curtiss, R., 3rd** (1999) Characterization of the avian pathogenic *Escherichia coli* hemagglutinin Tsh, a member of the immunoglobulin A protease-type family of autotransporters. *Infect. Immun.* **67**: 772-781.
- Stevenson, G., Andrianopoulos, K., Hobbs, M., and Reeves, P.R.** (1996) Organization of the *Escherichia coli* K-12 gene cluster responsible for production of the extracellular polysaccharide colanic acid. *J. Bacteriol.* **178**: 4885-4893.
- Stocki, S.L., Babiuk, L.A., Rawlyk, N.A., Potter, A.A., and Allan, B.J.** (2002) Identification of genomic differences between *Escherichia coli* strains pathogenic for poultry and *E. coli* K-12 MG1655 using suppression subtractive hybridization analysis. *Microb. Pathog.* **33**: 289-298.
- Struve, C., Forestier, C., and Krogfelt, K.A.** (2003) Application of a novel multi-screening signature-tagged mutagenesis assay for identification of *Klebsiella pneumoniae* genes essential in colonization and infection. *Microbiology* **149**: 167-176.

## References

---

- Suwanichkul, A., and Panigrahy, B.** (1986) Biological and immunological characterization of pili of *Escherichia coli* serotypes O1, O2, and O78 pathogenic to poultry. *Avian Dis.* **30**: 781-787.
- Torres, A.G., and Payne, S.M.** (1997) Haem iron-transport system in enterohaemorrhagic *Escherichia coli* O157:H7. *Mol. Microbiol.* **23**: 825-833.
- Torres, A.G., Redford, P., Welch, R.A., and Payne, S.M.** (2001) TonB-dependent systems of uropathogenic *Escherichia coli*: aerobactin and heme transport and TonB are required for virulence in the mouse. *Infect. Immun.* **69**: 6179-6185.
- Tsai, C.M., and Frasch, C.E.** (1982) A sensitive silver stain for detecting lipopolysaccharides in polyacrylamide gels. *Anal. Biochem.* **119**: 115-119.
- Valdivia, R.H., and Falkow, S.** (1996) Bacterial genetics by flow cytometry: rapid isolation of *Salmonella typhimurium* acid-inducible promoters by differential fluorescence induction. *Mol. Microbiol.* **22**: 367-378.
- van den Bosch, J.F., Hendriks, J.H., Gladigau, I., Willems, H.M., Storm, P.K., and de Graaf, F.K.** (1993) Identification of F11 fimbriae on chicken *Escherichia coli* strains. *Infect. Immun.* **61**: 800-806.
- Vidotto, M.C., Navarro, H.R., and Gaziri, L.C.** (1997) Adherence pili of pathogenic strains of avian *Escherichia coli*. *Vet. Microbiol.* **59**: 79-87.
- Wang, L., Qu, W., and Reeves, P.R.** (2001) Sequence analysis of four *Shigella boydii* O-antigen loci: implication for *Escherichia coli* and *Shigella* relationships. *Infect. Immun.* **69**: 6923-6930.
- Waters, V.L., and Crosa, J.H.** (1991) Colicin V virulence plasmids. *Microbiol. Rev.* **55**: 437-450.
- Weiser, J.N., and Gotschlich, E.C.** (1991) Outer membrane protein A (OmpA) contributes to serum resistance and pathogenicity of *Escherichia coli* K-1. *Infect. Immun.* **59**: 2252-2258.
- Welch, R.A., Burland, V., Plunkett, G., 3rd, Redford, P., Roesch, P., Rasko, D., Buckles, E.L., Liou, S.R., Boutin, A., Hackett, J., Stroud, D., Mayhew, G.F., Rose, D.J., Zhou, S., Schwartz, D.C., Perna, N.T., Mobley, H.L., Donnenberg, M.S., and Blattner, F.R.** (2002) Extensive mosaic structure revealed by the complete

## References

---

- genome sequence of uropathogenic *Escherichia coli*. *Proc. Natl. Acad. Sci. U S A* **99**: 17020-17024.
- Zhou, D., Hardt, W.D., and Galan, J.E.** (1999) *Salmonella typhimurium* encodes a putative iron transport system within the centisome 63 pathogenicity island. *Infect. Immun.* **67**: 1974-1981.