

Reference List

1. Abel,R. Das olfaktorische System der Honigbiene: elektrophysiologische und morphologische Charakterisierung von Antennallobus Neuronen und deren Beteiligung beim olfaktorischen Lernen. 1997a.
Ref Type: Thesis/Dissertation
2. Abel,R. Das olfaktorische System der Honigbiene: elektrophysiologische und morphologische Charakterisierung von Antennallobus Neuronen und deren Beteiligung beim olfaktorischen Lernen. 1-155. 1997b. FU Berlin.
Ref Type: Thesis/Dissertation
3. Abel,R., Rybak,J., and Menzel,R. (2001a). Structure and Response Patterns of Olfactory Interneurons in the Honeybee, *Apis mellifera*. The Journal of Comparative Neurology 437, 363-383.
4. Abel,R., Rybak,J., and Menzel,R. (2001b). Structure and response patterns of olfactory interneurons in the honeybee, *Apis mellifera*. J.Comp Neurol. 437, 363-383.
5. Anton,S. and Hansson,B.S. (1994). Central processing of sex pheromone, host odour, and oviposition deterrent information by interneurons in the antennal lobe of female *Spodoptera littoralis* (Lepidoptera: Noctuidae). Journal of Comparative Neurology 350, 199-214.
6. Arnold,G., Masson,C., and Budharugsa,S. (1985). Comparative study of the antennal lobes and their afferent pathway in the worker bee and the drone (*Apis mellifera*). Cell and Tissue Research 242, 593-605.
7. Astic,L. and Cattarelli,M. (1982). Metabolic mapping of functional activity in the rat olfactory system after a bilateral transection of the lateral olfactory tract. Brain Res. 245, 17-25.
8. Bazhenov,M., Stopfer,M., Sejnowski,T.J., and Laurent,G. (2005). Fast odor learning improves reliability of odor responses in the locust antennal lobe. Neuron 46, 483-492.
9. Bicker,G. (1993). Chemical architecture of antennal pathways mediating proboscis extension learning in the honeybee. Apidologie 24, 235-248.
10. Bicker,G., Kreissl,S., and Hofbauer,A. (1993). Monoclonal antibody labels olfactory and visual pathways in *Drosophila* and *Apis* brains. Journal of Comparative Neurology 335, 413-424.
11. Bitterman,M.E., Menzel,R., Fietz,A., and Schäfer,S. (1983). Classical conditioning of proboscis extension in honeybees (*Apis mellifera*). Journal of Comparative Psychology 97, 107-119.

12. Braun,G. and Bicker,G. (1992). Habituation of an appetitive reflex in the honeybee. *J.Neurophysiol.* 67, 588-598.
13. Brennan,P.A., Schellinck,H.M., de la,R.C., Kendrick,K.M., and Keverne,E.B. (1998). Changes in neurotransmitter release in the main olfactory bulb following an olfactory conditioning procedure in mice. *Neuroscience* 87, 583-590.
14. Brockmann,A. and Brückner,D. (1995). Projections of poreplate sensory neurones in the antennal lobe of the drone, *Apis mellifera*. In *Learning and Memory. Proceedings of the 23rd Neurobiology Conference.*, N. Elsner, ed. (Stuttgart: Elsner,N.).
15. Byrne,J., Castellucci,V., and Kandel,E.R. (1974). Receptive fields and response properties of mechanoreceptor neurons innervating siphon skin and mantle shelf in *Aplysia*. *J Neurophysiol.* 37, 1041-1064.
16. Byrne,J.H., Castellucci,V.F., and Kandel,E.R. (1978). Contribution of individual mechanoreceptor sensory neurons to defensive gill-withdrawal reflex in *Aplysia*. *J Neurophysiol.* 41, 418-431.
17. Castellucci,V.F., Pinsker,H., Kupfermann,I., and Kandel,E.R. (1970). Neuronal mechanisms of habituation and dishabituation of the gill-withdrawal reflex in *Aplysia*. *Science* 167, 1745-1748.
18. Cho,W., Heberlein,U., and Wolf,F.W. (2004). Habituation of an odorant-induced startle response in *Drosophila*. *Genes Brain Behav.* 3, 127-137.
19. Cinelli,A.R. and Kauer,J.S. (1992). Voltage sensitive Dyes and Functional Activity in the Olfactory Pathway. *Ann.Rev.Neurosci.* 321-352.
20. Couvillon,P.A., Klosterhalfen,S., and Bitterman,M.E. (1983). Analysis of overshadowing in honeybees. *Journal of Comparative Psychology* 97, 154-166.
21. Daly,K.C., Christensen,T.A., Lei,H., Smith,B.H., and Hildebrand,J.G. (2004). Learning modulates the ensemble representations for odors in primary olfactory networks. *Proc.Natl.Acad.Sci.U.S.A* 101, 10476-10481.
22. Davis,R.L. (2004). Olfactory learning. *Neuron* 44, 31-48.
23. deCharms,R.C. and Zador,A. (2000). Neural representation and the cortical code. *Annual Review of Neuroscience* 23, 613-+.
24. Deisig,N., Lachnit,H., Hellstern,F., and Giurfa,M. (2001). Configural olfactory learning in honeybees: negative and positive patterning discrimination. *Learning & Memory* 8, 70-78.

25. DeYoe,E.A. and Van Essen,D.C. (1988). Concurrent processing streams in monkey visual cortex. *Trends Neurosci.* 11, 219-226.
26. Ditzen,M., Evers,J.-F., and Galizia,C.G. (2003). Odor similarity does not influence the time needed for odor processing. *Chemical Senses* 28, 781-789.
27. Dudai,Y. (1989). *The neurobiology of memory.* (Oxford: Oxford University Press).
28. Dudai,Y. (1992). Why 'learning' and 'memory' should be redefined (or, an agenda for focused reductionism). *Concepts in Neuroscience* 3,1, 99-121.
29. Ernst,K.D., Boeckh,J., and Boeckh,V. (1977). A neuroanatomical study on the organization of the central antennal pathways in insects. *Cell Tissue Res.* 176, 285-306.
30. Esslen,J. and Kaissling,K.E. (1976). Zahl und Verteilung antennaler Sensillen bei der Honigbiene (*Apis mellifera* L.). *Zoomorphology* 83, 227-251.
31. Faber,T. Veränderung der neuronalen Repräsentation von Düften im Gehirn der Biene durch Lernen. 1-125. 1999. FU Berlin, Promotion in Biologie.
Ref Type: Thesis/Dissertation
32. Faber,T., Joerges,J., and Menzel,R. (1999b). Associative learning modifies neural representations of odors in the insect brain. *Nat.Neurosci.* 2, 74-78.
33. Faber,T., Joerges,J., and Menzel,R. (1999a). Associative learning modifies neural representations of odors in the insect brain. *nature neuroscience* 2, 74-78.
34. Farooqui,T., Robinson,K., Vaessin,H., and Smith,B.H. (2003). Modulation of early olfactory processing by an octopaminergic reinforcement pathway in the honeybee. *Journal of Neuroscience* 23, 5370-5380.
35. Fiala,A., Spall,S., Diegelmann,b., Eisermann,G., Sachse,S., Devaud,J.-M., Buchner,E., and Galizia,C.G. (2002). Genetically expressed cameleon in *Drosophila melanogaster* is used to visualize olfactory information in projection neurons. *Current Biology* 1877-1884.
36. Finke,R., Grün,S., Schaupp,F., Herta,C., and Menzel,R. Multichannel Recording in the Antennal Lobe of the Honeybee suggests mechanisms of olfactory coding and learning by neuronal ensembles. *Berlin Neuroscience Forum Abstract Book* , 41. 2005.
Ref Type: Abstract
37. Finke,R., Grün,S., and Schaupp,F. Multichannel Recordings in the Antennal Lobe of the Honeybee Suggest Mechanisms of Olfactory Coding via Neuronal

- Ensembles. The Neurosciences from Basic Research to Therapy - Proceeding of the 29th Göttingen Neurobiology Conference 2003 , 484-485. 2003.
Ref Type: Abstract
38. Flanagan,D. and Mercer,A.R. (1989). An atlas and 3-D reconstruction of the antennal lobes in the worker honey bee, *Apis mellifera* L. (Hymenoptera: Apidae). *International Journal of Insect Morphology and Embryology* 18, 145-159.
 39. Fonta,C., Sun,X.J., and Masson,C. (1993). Morphology and spatial distribution of bee antennal lobe interneurons responsive to odours. *Chemical Senses* 18,2, 101-119.
 40. Friedrich,R.W. and Korsching,S.I. (1997). Combinatorial and chemotopic odorant coding in the zebrafish olfactory bulb visualized by optical imaging. *Neuron* 18, 737-752.
 41. Galizia,C.G., Joerges,J., Kuttner,A., Faber,T., and Menzel,R. (1997). A semi-in-vivo preparation for optical recording of the insect brain. *J.Neurosci.Methods* 76, 61-69.
 42. Galizia,C.G., McIlwrath,S.L., and Menzel,R. (1999a). A digital three-dimensional atlas of the honeybee antennal lobe based on optical sections acquired by confocal microscopy. *Cell Tissue Res.* 295, 383-394.
 43. Galizia,C.G. and Menzel,R. (2001). The role of glomeruli in the neural representation of odours: results from optical recording studies. *J.Insect Physiol* 47, 115-130.
 44. Galizia,C.G., Nägler,K., Hölldobler,B., and Menzel,R. (1998). Odour coding is bilaterally symmetrical in the antennal lobes of honeybees (*Apis mellifera*). *European Journal of Neuroscience* 10, 2964-2974.
 45. Galizia,C.G., Sachse,S., Rappert,A., and Menzel,R. (1999b). The glomerular code for odor representation is species specific in the honeybee *Apis mellifera*. *Nat.Neurosci.* 2, 473-478.
 46. Gao,Q., Yuan,B., and Chess,A. (2000). Convergent projections of *Drosophila* olfactory neurons to specific glomeruli in the antennal lobe. *Nat.Neurosci.* 3, 780-785.
 47. Gerber,B. and Menzel,R. (2000). Contextual modulation of memory consolidation. *Learning & Memory* 7, 151-158.
 48. Giurfa,M. (2004). Conditioning procedure and color discrimination in the honeybee *Apis mellifera*. *Naturwissenschaften* 91, 228-231.

49. Giurfa,M. and Menzel,R. (2003). Biology of Adaptation and Learning, in Part I Biology and Behaviour of Adaptation and Learning. In *Adaptivity and Learning : An Interdisciplinary Debate*, R. Kühn, R. Menzel, W. Menzel, U. Ratsch, M. M. Richter, and I.-O. Stamatescu, eds. (Berlin Heidelberg New York: Springer-Verlag), pp. 7-9.
50. Gluck,M.A. and Granger,R. (1993). Computational models of the neural basis of learning and memory. *Annu.Rev.Neurosci.* *16*, 667-706.
51. Guerrieri,F., Lachnit,H., Gerber,B., and Giurfa,M. (2005a). Olfactory blocking and odorant similarity in the honeybee. *Learn.Mem.* *12*, 86-95.
52. Guerrieri,F., Schubert,M., Sandoz,J.-C., and Giurfa,M. (2005b). Perceptual and Neural Olfactory Similarity in Honeybees. *PLoS Biology* *3*, 60-74.
53. Hammer,M. (1993). An identified neuron mediates the unconditioned stimulus in associative olfactory learning in honeybees. *Nature* *366*, 59-63.
54. Hammer,M. (1997). The neural basis of associative reward learning in honeybees. *Trends in Neurosciences* *20*, 245-252.
55. Hammer,M., Braun,G., and Mauerlshagen,J. (1994). Food induced arousal and nonassociative learning in honeybees: Dependence of sensitization on the application site and duration of food stimulation. *Behavioral and Neural Biology* *62*, 210-223.
56. Hammer,M. and Menzel,R. (1995). Learning and memory in the honeybee. *Journal of Neuroscience* *15*, 1617-1630.
57. Hammer,M. and Menzel,R. (1998b). Multiple sites of associative odor learning as revealed by local brain microinjections of octopamine in honeybees. *Learn.Mem.* *5*, 146-156.
58. Hammer,M. and Menzel,R. (1998a). Multiple sites of associative odor learning as revealed by local brain microinjections of octopamine in honeybees. *Learning & Memory* *5*, 146-156.
59. Haupt,S.S. (2004). Antennal sucrose perception in the honey bee (*Apis mellifera* L.): behaviour and electrophysiology. *J Comp Physiol A Neuroethol.Sens.Neural Behav.Physiol* *190*, 735-745.
60. Hawkins,R.D., Castellucci,V.F., and Kandel,E.R. (1981). Interneurons involved in mediation and modulation of gill-withdrawal reflex in *Aplysia*. II. Identified neurons produce heterosynaptic facilitation contributing to behavioral sensitization. *J Neurophysiol.* *45*, 315-328.
61. Heiligenberg,W. and Bastian,J. (1984). The electric sense of weakly electric fish. *Annu.Rev.Physiol* *46*, 561-583.

62. Hellstern,F., Malaka,R., and Hammer,M. (1998). Backward inhibitory learning in honeybees: a behavioral analysis of reinforcement processing. *Learn.Mem.* 4, 429-444.
63. Hildebrand,J.G. and Shepherd,G.M. (1997). Mechanisms of olfactory discrimination: converging evidence for common principles across phyla. *Annu.Rev.Neurosci.* 20, 595-631.
64. Hubel,D.H. and Livingstone,M.S. (1987). Segregation of form, color, and stereopsis in primate area 18. *J Neurosci.* 7, 3378-3415.
65. Hubel,D.H. and Wiesel,T.N. (1962). Receptive Fields, Binocular Interaction and Functional Architecture in Cats Visual Cortex. *Journal of Physiology-London* 160, 106-&.
66. Hubel,D.H., Wiesel,T.N., and LeVay,S. (1977). Plasticity of ocular dominance columns in monkey striate cortex. *Philos.Trans.R.Soc.Lond B Biol.Sci.* 278, 377-409.
67. Jenkins,W.M. and Merzenich,M.M. (1987). Reorganization of neocortical representations after brain injury: a neurophysiological model of the bases of recovery from stroke. *Progress in Brain Research* 71, 249-266.
68. Joerges,J., Küttner,A., Galizia,C.G., and Menzel,R. (1997). Representation of odours and odour mixtures visualized in the honeybee brain. *Nature* 387, 285-288.
69. Johnson,B.A. and Leon,M. (1996). Spatial distribution of [14C]2-deoxyglucose uptake in the glomerular layer of the rat olfactory bulb following early odor preference learning. *J Comp Neurol.* 376, 557-566.
70. Johnson,B.A., Woo,C.C., Duong,H., Nguyen,V., and Leon,M. (1995). A learned odor evokes an enhanced Fos-like glomerular response in the olfactory bulb of young rats. *Brain Res.* 699, 192-200.
71. Johnson,B.A., Woo,C.C., and Leon,M. (1998). Spatial Coding of Odorant Features in the Glomerular Layer of the Rat Olfactory Bulb. *Journal of Comparative Neurology* 393, 457-471.
72. Kanzaki,R., Arbas,E.A., Strausfeld,N.J., and Hildebrand,J.G. (1989). Physiology and morphology of projection neurons in the antennal lobe of the male moth *Manduca sexta*. *Journal of Comparative Physiology [A]* 165, 427-453.
73. Keverne,E.B. and Brennan,P.A. (1996). Olfactory recognition memory. *J.Physiol Paris* 90, 399-401.
74. Konishi,M. (2003). Coding of auditory space. *Annu.Rev.Neurosci.* 26, 31-55.

75. Kreissl,S. and Bicker,G. (1989). Histochemistry of acetylcholinesterase and immunocytochemistry of an acetylcholine receptor-like antigen in the brain of the honeybee. *J.Comp Neurol.* 286, 71-84.
76. Kreissl,S., Eichmüller,S., Bicker,G., Rapus,J., and Eckert,M. (1994). Octopamine-like immunoreactivity in the brain and suboesophageal ganglion of the honeybee. *Journal of Comparative Neurology* 348, 583-595.
77. Kuwabara,M. (1957). Bildung des bedingten Reflexes von Pavlovs Typus bei der Honigbiene, *Apis mellifica*. *J.Fac.Hokkaido Univ.Ser.VI Zool.* 13, 458-464.
78. Lacher V. Elektrophysiologische Untersuchungen einzelner Rezeptoren für Geruch, Kohlendioxid, Luftfeuchtigkeit und Temperatur auf den Antennen der Arbeitsbiene und der Drohne (*Apis mellifera*). *Zeitschrift fuer vergleichende Physiologie* 48, 587-623. 1994.
Ref Type: Abstract
79. Laurent,G. (1999). A systems perspective on early olfactory coding. *Science* 286, 723-728.
80. Leon,M. (1992). The neurobiology of filial learning. *Annu.Rev.Psychol.* 43, 377-398.
81. Linster,C., Johnson,B.A., Morse,A., Yue,E., and Leon,M. (2002a). Spontaneous versus reinforced olfactory discriminations. *J Neurosci.* 22, 6842-6845.
82. Linster,C., Johnson,B.A., Morse,A., Yue,E., and Leon,M. (2002b). Spontaneous versus reinforced olfactory discriminations. *J Neurosci.* 22, 6842-6845.
83. Linster,C., Johnson,B.A., Yue,E., Morse,A., Xu,Z., Hingco,E.E., Choi,Y., Choi,M., Messiha,A., and Leon,M. (2001). Perceptual correlates of neural representations evoked by odorant enantiomers. *J Neurosci.* 21, 9837-9843.
84. Malun,D. (1991). Synaptic relationships between GABA-immunoreactive neurons and an identified uniglomerular projection neuron in the antennal lobe of *Periplaneta americana*: a double-labeling electron microscopic study. *Histochemistry* 96, 197-207.
85. Marin,E.C., Jefferis,G.S.X.E., Komiyama,T., Zhu,H., and Luo,L. (2002). Representation of the glomerular olfactory map in the *Drosophila* brain. *Cell* 109, 243-255.
86. Mauelshagen,J. (1993). Neural correlates of olfactory learning in an identified neuron in the honey bee brain. *J.Neurophysiol.* 69, 609-625.

87. Meister,M. and Bonhoeffer,T. (2001). Tuning and Topography in an Odor Map on the Rat Olfactory Bulb. *Journal of Neuroscience* 21, 1351-1360.
88. Menzel,R. (1990). Learning, memory, and "cognition" in honey bees. In *Neurobiology of comparative cognition*, R. P. Kesner and D. S. Olton, eds. (Hillsdale, N.J.: Erlbaum Inc.), pp. 237-292.
89. Menzel,R. (1999). Memory dynamics in the honeybee. *Journal of Comparative Physiology [A]* 185, 323-340.
90. Menzel,R. (2001). Searching for the memory trace in a mini-brain, the honeybee. *Learn.Mem.* 8, 53-62.
91. Menzel,R. (2003). Creating Presence by Bridging Between the Past and the Future: the Role of Learning and Memory for the Organization of Life, in Part I Biology and Behaviour. In *Adaptivity and Learning : An Interdisciplinary Debate*, R. Kühn, R. Menzel, W. Menzel, U. Ratsch, M. M. Richter, and I.-O. Stamatescu, eds. (Berlin Heidelberg New York: Springer-Verlag), pp. 59-70.
92. Menzel,R., Galizia,G., Müller,D., and Szyszka,P. (2005). Odor Coding in Projection Neurons of the Honeybee Brain (in: Supplement II (January 2005): SYMPOSIUM SESSIONS - CHEMORECEPTION IN NON-MAMMALS). *Chemical Senses* 30, i301-i302.
93. Menzel,R., Hammer,M., Braun,G., Mauelshagen,J., and Sugawa,M. (1991). Neurobiology of learning and memory in honeybees. In *The behaviour and physiology of bees*, L. J. Goodman and R. C. Fisher, eds. (Wallingford,UK: CAB International), pp. 323-353.
94. Menzel,R., Heyne,A., Kinzel,C., Gerber,B., and Fiala,A. (1999). Pharmacological dissociation between the reinforcing, sensitizing and response releasing functions of reward in honeybee classical conditioning. *Behavioral Neuroscience* 113, 744-754.
95. Merzenich,M.M., Nelson,R.J., Kaas,J.H., Stryker,M.P., Jenkins,W.M., Zook,J.M., Cynader,M.S., and Schoppmann,A. (1987). Variability in hand surface representations in areas 3b and 1 in adult owl and squirrel monkeys. *J Comp Neurol.* 258, 281-296.
96. Mizrahi,A. and Katz,L.C. (2003). Dendritic stability in the adult olfactory bulb. *Nat.Neurosci.* 6, 1201-1207.
97. Mobbs,P.G. (1982). The brain of the honeybee *Apis mellifera* I.The connections and spatial organization of the mushroom bodies. *Philosophical Transactions of the Royal Society of London B* 298, 309-354.

98. Mobbs,P.G. (1985). Brain structure. In Comprehensive insect physiology biochemistry and pharmacology, G. A. Kerkut and L. I. Gilbert, eds. (Oxford: Pergamon Press), pp. 299-370.
99. Mombaerts,P., Wang,F., Dulac,C., Chao,S.K., Nemes,A., Mendelsohn,M., Edmondson,J., and Axel,R. (1996). Visualizing an olfactory sensory map. *Cell* 87, 675-686.
100. Mori,K., Nagao,H., and Yoshihara,Y. (1999). The olfactory bulb: coding and processing of odor molecule information. *Science* 286, 711-714.
101. Müller,D. Die olfaktorische Kodierung: Plastizität und Stabilität - Eine elektrophysiologische Analyse der Ausgangsneurone des Antennallobus der Honigbiene. 1. 2000a. FU Berlin.
Ref Type: Thesis/Dissertation
102. Müller,D., Abel,R., Brandt,R., Zockler,M., and Menzel,R. (2002a). Differential parallel processing of olfactory information in the honeybee, *Apis mellifera* L. *J.Comp Physiol A Neuroethol.Sens.Neural Behav.Physiol* 188, 359-370.
103. Müller,D., Abel,R., Brandt,R., Zöckler,M., and Menzel,R. (2002b). Differential parallel processing of olfactory information in the honeybee, *Apis mellifera* L. *J Comp Physiol A* 188, 359-370.
104. Müller,D. and Berg,B.G. Olfactory receptor neurons show specific response properties in the honeybee *Apis mellifera*. Proceedings of the 4th Meeting of the German Neuroscience Society 2001- 28th Göttingen Neurobiology Conference II, 451. 2001.
Ref Type: Abstract
105. Müller,D., Gerber,B., Hellstern,F., Hammer,M., and Menzel,R. (2000). Sensory preconditioning in honeybees. *J.Exp.Biol.* 203 Pt 8, 1351-1364.
106. Muller,U. (2000). Prolonged activation of cAMP-dependent protein kinase during conditioning induces long-term memory in honeybees. *Neuron* 27, 159-168.
107. Müller,U. (2000b). Prolonged activation of cAMP-dependent protein kinase during conditioning induces long-term memory in honeybees. *Neuron* 27, 159-168.
108. Ng,M., Roorda,R.D., Lima,S.Q., Zemelman,B.V., Morcillo,P., and Miesenbock,G. (2002). Transmission of olfactory information between three populations of neurons in the antennal lobe of the fly. *Neuron* 36, 463-474.
109. Nishino,H., Yamashita,S., Yamazaki,Y., Nishikawa,M., Yokohari,F., and Mizunami,M. (2003). Projection neurons originating from thermo- and

- hygrosensory glomeruli in the antennal lobe of the cockroach. *J.Comp Neurol.* 455, 40-55.
110. Pascual-Leone,A., Grafman,J., and Hallett,M. (1994). Modulation of cortical motor output maps during development of implicit and explicit knowledge. *Science* 263, 1287-1289.
111. Perez-Orive,J., Mazor,O., Turner,G.C., Cassenaer,S., Wilson,R.I., and Laurent,G. (2002). Oscillations and sparsening of odor representations in the mushroom body. *Science* 297, 359-365.
112. Polley,D.B., Heiser,M.A., Blake,D.T., Schreiner,C.E., and Merzenich,M.M. (2004). Associative learning shapes the neural code for stimulus magnitude in primary auditory cortex. *Proc.Natl.Acad.Sci.U.S.A* 101, 16351-16356.
113. Pons,T.P., Garraghty,P.E., Friedman,D.P., and Mishkin,M. (1987). Physiological evidence for serial processing in somatosensory cortex. *Science* 237, 417-420.
114. Recanzone,G.H., Merzenich,M.M., Jenkins,W.M., Grajski,K.A., and Dinse,H.R. (1992). Topographic reorganization of the hand representation in cortical area 3b owl monkeys trained in a frequency-discrimination task. *J Neurophysiol.* 67, 1031-1056.
115. Rehder,V. (1987). Quantification of the honeybee's proboscis reflex by electromyographic recordings. *Journal of Insect Physiology* 33, 501-507.
116. Rehder,V. (1989). Sensory pathways and motoneurons of the proboscis reflex in the suboesophageal ganglion of the honey bee. *Journal of Comparative Neurology* 279, 499-513.
117. Rescorla,R.A. (1988). Behavioral studies of pavlovian conditioning. *Annu.Rev.Neurosci.* 11, 329-352.
118. Ressler,K.J., Sullivan,S.L., and Buck,L.B. (1994). A molecular dissection of spatial patterning in the olfactory system. *Curr.Opin.Neurobiol.* 4, 588-596.
119. Rubin,B.D. and Katz,L.C. (2001). Spatial coding of enantiomers in the rat olfactory bulb. *Nature* 4, 355-356.
120. Rybak,J. Die strukturelle Organisation der Pilzkörper und synaptische Konnektivität protocerebraler Interneuronen im Gehirn der Honigbiene, *Apis mellifera*. Eine licht- und elektronenmikroskopische Studie. 1994. Freie Universität Berlin.
Ref Type: Thesis/Dissertation

121. Sachse,S. and Galizia,C.G. (2002a). Role of inhibition for temporal and spatial odor representation in olfactory output neurons: a calcium imaging study. *J.Neurophysiol.* *87*, 1106-1117.
122. Sachse,S. and Galizia,C.G. (2002b). The Role of Inhibition for Temporal and Spatial Odor Representation in Olfactory Output Neurons: A Calcium Imaging Study. *Journal of Neurophysiology* *87*, 1106-1117.
123. Sachse,S. and Galizia,C.G. (2003). The coding of odour-intensity in the honeybee antennal lobe: local computation optimizes odour representation. *Eur.J.Neurosci.* *18*, 2119-2132.
124. Sachse,S., Rappert,A., and Galizia,C.G. (1999). The spatial representation of chemical structures in the antennal lobe of honeybees: steps towards the olfactory code. *Eur.J.Neurosci.* *11*, 3970-3982.
125. Sandoz,J.C., Galizia,C.G., and Menzel,R. (2003). Side-specific olfactory conditioning leads to more specific odor representation between sides but not within sides in the honeybee antennal lobes. *Neuroscience* *120*, 1137-1148.
126. Sandoz,J.C., Hammer,M., and Menzel,R. (2002). Side-specificity of olfactory learning in the honeybee: US input side. *Learn.Mem.* *9*, 337-348.
127. Sandoz,J.-C. and Menzel,R. (2001). Side-specificity of olfactory learning in the honeybee: Generalization between odors and sides. *Learning & Memory* *8*, 286-294.
128. Schäfer,S. and Bicker,G. (1986). Distribution of GABA-like immunoreactivity in the brain of the honeybee. *Journal of Comparative Neurology* *246*, 287-300.
129. Schäfer,S., Bicker,G., Ottersen,O.P., and Storm-Mathisen,J. (1988). Taurine-Like Immunoreactivity in the Brain of the Honeybee. *Journal of Comparative Neurology* *268*, 60-70.
130. Scheidler,A., Kaulen,P., Brüning,G., and Erber,J. (1990). Quantitative autoradiographic localization of [¹²⁵I]α-bungarotoxin binding sites in the honeybee brain. *Brain Res.* *534*, 332-335.
131. Sharp,F.R., Kauer,J.S., and Shepherd,G.M. (1975). Local sites of activity-related glucose metabolism in rat olfactory bulb during olfactory stimulation. *Brain Res.* *98*, 596-600.
132. Shipley,M.T. and Ennis,M. (1996). Functional organization of olfactory system. *J.Neurobiol.* *30*, 123-176.

133. Sigg,D., Thompson,C.M., and Mercer,A.R. (1997). Activity-dependent changes to the brain and behavior of the honey bee, *Apis mellifera* (L.). *J Neurosci.* *17*, 7148-7156.
134. Sivan,E. and Kopell,N. (2004). Mechanism and circuitry for clustering and fine discrimination of odors in insects. *Proc.Natl.Acad.Sci.U.S.A* *101*, 17861-17866.
135. Spors,H. and Grinvald,A. (2002). Spatio-temporal dynamics of odor representations in the Mammalian olfactory bulb. *Neuron* *34*, 301-315.
136. Stocker,R.F., Heimbeck,G., Gendre,N., and de Belle,J.S. (1997). Neuroblast ablation in *Drosophila* P[GAL4] lines reveals origins of olfactory interneurons. *J Neurobiol.* *32*, 443-456.
137. Stocker,R.F., Lienhard,M.C., Borst,A., and Fischbach,K.F. (1990). Neuronal architecture of the antennal lobe in *Drosophila melanogaster*. *Cell and Tissue Research* *262*, 9-34.
138. Stopfer,M. and Laurent,G.J. (1999). Short-term memory in olfactory network dynamics. *Nature* *402*, 664-668.
139. Strausfeld,N.J. and Hildebrand,J.G. (1999). Olfactory systems: common design, uncommon origins? *Curr.Opin.Neurobiol.* *9*, 634-639.
140. Sullivan,R.M. and Wilson,D.A. (1995). Dissociation of behavioral and neural correlates of early associative learning. *Dev.Psychobiol.* *28*, 213-219.
141. Sun,X.J., Fonta,C., and Masson,C. (1993). Odour quality processing by bee antennal lobe interneurons. *Chemical Senses* *18*, 355-377.
142. Suzuki,H. (1975). Convergence of olfactory inputs from both antennae in the brain of the honeybee. *Journal of Experimental Biology* *62*, 11-26.
143. Szyszka,P. Odor coding and neural plasticity in the mushroom body of the honeybee. 1-93. 2005. Doctorate in Biology, FU Berlin.
Ref Type: Thesis/Dissertation
144. Takeda,K. (1961). Classical conditioned response in the honey bee. *Journal of Insect Physiology* *6*, 168-179.
145. Tanaka,N.K., Awasaki,T., Shimada,T., and Ito,K. (2004). Integration of chemosensory pathways in the *Drosophila* second-order olfactory centers. *Curr.Biol.* *14*, 449-457.
146. Tully,T., Preat,T., Boynton,S.C., and Del Vecchio,M. (1994). Genetic dissection of consolidated memory in *Drosophila*. *Cell* *79*, 35-47.

-
147. Vanessen,D.C. and Gallant,J.L. (1994). Neural Mechanisms of Form and Motion Processing in the Primate Visual-System. *Neuron* 13, 1-10.
 148. von Frisch,K. (1919). Über den Geruchsinn der Biene und seine blütenbiologische Bedeutung. *Zoologische Jahrbücher* 37, 2-238.
 149. Vosshall,L.B., Amrein,H., Morozov,P.S., Rzhetsky,A., and Axel,R. (1999). A Spatial map of olfactory receptor expression in the *Drosophila* antenna. *Cell* 96, 725-736.
 150. Wachowiak,M., Denk,W., and Friedrich,R.W. (2004). Functional organization of sensory input to the olfactory bulb glomerulus analyzed by two-photon calcium imaging. *Proc.Natl.Acad.Sci.U.S.A* 101, 9097-9102.
 151. Wang,J.W., Wong,A.M., Flores,J., Vosshall,L.B., and Axel,R. (2003). Two-photon Calcium Imaging Reveals an Odor-Evoked Map of Activity in the Fly Brain. *Cell* 112, 271-282.
 152. Wang,Y., Wright,N.J.D., Guo,H.-F., Xie,Z., Svoboda,K., Malinow,R., Smith,D.P., and Zhong,Y. (2001). Genetic manipulation of the odor-evoked distributed neural activity in the *Drosophila* mushroom body. *Neuron* 29, 267-276.
 153. Weidert,M. Untersuchungen zur Veränderung der neuronalen Repräsentation von Düften als Folge assoziativer und nicht assoziativer Lernprozesse im Antennallobus der Honigbiene, *Apis mellifera*. 1-111. 2003. Doctorate in Biology at the Free University of Berlin.
Ref Type: Thesis/Dissertation
 154. Welker,E. and Van der,L.H. (1986). Quantitative correlation between barrel-field size and the sensory innervation of the whiskerpad: a comparative study in six strains of mice bred for different patterns of mystacial vibrissae. *J Neurosci.* 6, 3355-3373.
 155. Wilson,D.A. and Stevenson,R.J. (2003). The fundamental role of memory in olfactory perception. *Trends Neurosci.* 26, 243-247.
 156. Winnington,A.P., Napper,R.M., and Mercer,A.R. (1996). Structural plasticity of identified glomeruli in the antennal lobes of the adult worker honey bee. *J.Comp Neurol.* 365, 479-490.
 157. Witthöft,W. (1967). Absolute Anzahl und Verteilung der Zellen im Hirn der Honigbiene. *Zeitschrift für Morphologie der Tiere* 61, 160-184.
 158. Wong,A.M., Wang,J.W., and Axel,R. (2002). Spatial representation of the glomerular map in the *Drosophila* protocerebrum. *Cell* 109, 229-241.

159. Woo,C.C., Coopersmith,R., and Leon,M. (1987). Localized changes in olfactory bulb morphology associated with early olfactory learning. *J.Comp Neurol.* 263, 113-125.
160. Yokohari,F. (1983). The coelocapitular sensillum, an antennal hygro- and thermoreceptive sensillum of the honeybee , *Apis mellifera* L. *Cell and Tissue Research* 233, 355-365.
161. Yokohari,F., Tominaga,Y., and Tateda,H. (1982). Antennal hygrometers of the honey bee, *Apis mellifera* L. *Cell Tissue Res.* 226, 63-73.
162. Yokoi,M., Mori,K., and Nakanishi,S. (1995). Refinement of odor molecule tuning by dendrodendritic synaptic inhibition in the olfactory bulb. *Proceedings of the National Academy of Sciences of the USA* 92, 3371-3375.
163. Yu,D., Ponomarev,A., and Davis,R.L. (2004). Altered representation of the spatial code for odors after olfactory classical conditioning; memory trace formation by synaptic recruitment. *Neuron* 42, 437-449.
164. Yuan,Q., Harley,C.W., McLean,J.H., and Knöpfel,T. (2002). Optical imaging of odor preference memory in the rat olfactory bulb. *J Neurophysiol.* 87, 3156-3159.
165. Yuste,R., Miller,R.B., Holthoff,K., Zhang,S., and Miesenbock,G. (2000). Synapto-pHluorins: chimeras between pH-sensitive mutants of green fluorescent protein and synaptic vesicle membrane proteins as reporters of neurotransmitter release. *Methods Enzymol.* 327, 522-546.
166. Zeki,S. and Shipp,S. (1988). The functional logic of cortical connections. *Nature* 335, 311-317.
167. Zou,Z., Horowitz,L.F., Montmayeur,J.-P., Snapper,S., and Buck,L.B. (2001). Genetic tracing reveals a stereotyped sensory map in the olfactory cortex. *Nature* 414, 173-179.