

## 7. Literaturverzeichnis

1. AHREN B., ANDREN-SANDBERG A. (1993).  
Capacity to secrete islet hormones after subtotal pancreatectomy for pancreatic cancer. *Eur J Surg*, 159: 223-227.
  
2. AMOUYAL P., AMOUYAL G., MOMPOINT D., GAYET B., PALAZZO L., PONSOT P., VILGRAIN V., FLEJOU J.-F., PAOLAGGI J. (1989).  
Endosonography: promising method for diagnosis of extrahepatic cholestasis. *The Lancet*, 2: 1195-1198.
  
3. ARNAR D.O., THEODORS A., ISAKSSON H.J., GUNNL AUGSSON G.H., TULINIUS H., JOHANNSSON H., KJARTANSSON S. (1991).  
Cancer of the pancreas in Iceland. An epidemiologic and clinical study, 1974-85. *Scand J Gastroenterol*, 26 (7): 724-30.
  
4. BARROWMAN J.A. and MAYSTON P.D. (1974).  
Proceedings: The trophic influence of cholecystokinin on the rat pancreas. *J Physiol* 238 (1): 73P-75P.
  
5. BAUMEL H., HUGUIER M., MANDERSCHEID J.C., FABRE J.M., HOURY S. and FAGOT H. (1994).  
Results of resection for cancer of the exocrine pancreas: a study from the French Association of Surgery. *Br J Surg*, 81: 102-107.
  
6. BINSTOCK M., KRAKOW D., STAMLER J., REIFF J., PERSKY V., LIU K. and MOSS D. (1983).  
Coffee and pancreatic cancer: an analysis of international mortality data. *Am J Epidemiol*, 118: 630-640.
  
7. BITTNER R., ROSCHER R., SAFI F., DOPFER H.-P., SCHÖLZEL E. und BEGER H.G. (1989).  
Der Einfluß von Tumogröße und Lymphknotenstatus auf die Prognose des Pankreascarcinoms. *Chirurg*, 60: 240-245.
  
8. BLUEMKE D., CAMERON J., HRUBAN R., PITT H., SIEGELMAN S., SOYER P., FISHMAN E. (1995).  
Potentially resectable pancreatic adenocarcinoma: Spiral CT assessment with

surgical and pathologic correlation.

Radiology, 197: 381-385.

9. BODNER E.(1988).

Leistungen der Tumorchirurgie bei Tumoren der Bauchspeicheldrüse.

Langenbecks Arch Chir, Suppl II (Kongreßbericht): 133-138.

10. BÖTTGER TH., ZECH J., WEBER W., SORGER K. und JUNGINGER TH. (1989).

Prognostisch relevante Faktoren beim Carcinom der Papilla Vateri.

Langenbecks Arch Chir, 374: 358-362.

11. BRAASCH J., ROSSI R., WATKINS E., DEZIEL D., WINTER P. (1986).

Pyloric and gastric preserving pancreatic resection. Experience with 87 patients.

Annals of surgery, 204: 411-418.

12. BRAMBS H.-J., CLAUSSEN C.D. (1993).

Pancreatic and ampullary carcinoma. Ultrasound, computed tomography, magnetic resonance imaging and angiography. Endoscopy, 225: 58-68.

13. BROOKS F. (1979).

Where is pancreatic research going? Mayo Clin Proc, 54: 475-480.

14. BROOKS J., BROOKS D. and LEVINE J. (1989).

Total pancreatectomy for ductal cell carcinoma of the pancreas. An update. Ann Surg, 209 (4): 405-410.

15. CAMERON J. (1995).

The current management of carcinoma of the head of the pancreas.

Annu. Rev. Med., 46: 361-370.

16. CAMERON J., CRIST D., SITZMANN J., HRUBAN R., BOITNOTT J., SEIDLER A., COLEMAN J. (1991).

Factors influencing survival after pancreaticoduodenectomy for pancreatic cancer. Am j Surg, 161:120-125.

17. CAMERON J., PITT H., YEO C., LILLEMOE K., KAUFMAN H., COLEMAN J. (1993).

One hundred and forty-five consecutive pancreaticoduodenectomies without mortality. Ann Surg, 217 (5): 430-438.

18. CEUTERICK M., GELIN M., RICKAERT F., VAN DE STADT J., DEVIERE J., CREMER M., LAMBILLIOTTE J.P. (1989).

Pancreaticoduodenal resection for pancreatic or periampullary tumors. A ten-year experience. Hepato-gastroenterol, 36: 467-473.

19. COHEN M., EGERTER D., HOLLY E., AHN D., and MILLER T. (1991). Pancreatic adenocarcinoma: regression analysis to identify improved cytologic criteria. Diagn Cytopathol, 7 (4): 341-5.

20. CONNOLLY M., DAWSON P., MICHELASSI F., MOOSA A. and LOWENSTEIN F. (1987). Survival in 1001 patients with carcinoma of the pancreas.

Ann Surg, 206 :366-373.

21. COOPerman A., HOERR S. (1978). Cancer of the pancreatic region. In: Cooperman A., Hoerr S.: Surgery of the pancreas. A text and atlas. Mosby Verlag, Saint Louis. Chapter 9: 153-202.

22. CRIST D., CAMERON J. (1992).

The current status of the Whipple operation for periampullary carcinoma. Adv Surg, 25: 21-49.

23. CRIST D., SITZMANN J. and CAMERON J. (1987).

Improved hospital morbidity, mortality and survival after the Whipple procedure. Ann Surg, 206: 358-365.

24. DICKEY J.E., HAAGA J.R., STELLATO T.A., SCHULTZ C.L. and HAU T. (1986).

Evaluation of computed tomography guided percutaneous biopsy of the pancreas. Surg Gyn Obst, 163 (6): 497-503.

25. DOOLEY W., CAMERON J., PITI H., LILLEMOE K., YUE N., VENBRUX A. (1990).

Is preoperative angiography useful in patients with periampullary tumors? Ann Surg, 211 (6): 649-655.

26. DURBEC J.P., CHEVILLOTE G., BIDART J.M., BERTHEZENE P. and SARLES H. (1983). Diet, alcohol, tobacco and risk of cancer of the pancreas: a case-control study. *Br J Cancer*, 47: 463-470.
27. EDIS A.J., KIERNAN P.D., TAYLOR W.F. (1980). Attempted curative resection of ductal carcinoma of the pancreas. *Mayo Clin Proc*, 55: 531-536, .
28. EVERHART J., WRIGHT D. (1995). Diabetes mellitus as a risk factor for pancreatic cancer. A meta-analysis. *JAMA*, 273 (20): 1605-1609.
29. FARROW D.C. and DAVIS S. (1990). Risk of pancreatic cancer in relation to medical history and the use of tobacco, alcohol and coffee. *Int J Cancer*, 45: 816-820.
30. FORTNER J.G., KLIMSTRA D.S., SENIE R.T., MACLEAN B.J. (1996). Tumor size is the primary prognosticator for pancreatic cancer after regional pancreatectomy. *Ann Surg*, 223 (2): 147-53.
31. FUNOVICS J.M., KARNER J., PRATSCHNER TH., FRITSCH A. (1989). Current trends in the management of carcinoma of the pancreatic head. *Hepato-gastroenterol*, 36: 450-455.
32. GALL F.P. and KÖCKERLING F. (1988). The problem of radical surgery in pancreatic cancer and its implications for a combined treatment approach. *Recent results in cancer research*, 110: 79-86.
33. GALL F.P. und ZIRNGIBL H. (1986). Maligne Tumoren des Pankreas und der periampullären Region. In: Gall F.P., Hermanek P. und Tonak J.: Chirurgische Onkologie. Histologie- und stadiengerechte Therapie maligner Tumoren. Springer-Verlag, Berlin Heidelberg New York London Paris Tokyo: 416-460.
34. GEER R., BRENNAN M. (1993). Prognostic indicators for survival after resection of pancreatic adenocarcinoma. *Am J Surg*, 165: 68-73.

35. GOLD E.B., GORDIS L., DIENER M.D., SELTSER R., BOITNOTT J.K. BYNUM T.E. and HUTCHEON D.F. (1985). Diet and other risk factors for cancer of the pancreas. *Cancer*, 55: 460-467.
36. GORDIS L. and GOLD E. (1986). Epidemiology and etiology of pancreatic cancer. In: V.L.W. Go. et al.: *The exocrine pancreas: biology, pathobiology and diseases*, Raven Press, New York, Chapter 43: 621-636.
37. GORDON T., BOWMAN H., TIELSCH J., BASS E., BURLEYSON G., CAMERON J. (1998). Statewide regionalization of pancreaticoduodenectomy and its effect on in-hospital mortality. *Ann Surg*, 228 (1): 71-78.
38. GRACE P.A., PITI H.A. and LONGMIRE W.P. (1990). Pylorus preserving pancreateoduodenectomy: an overview. *Br J Surg*, 77: 968-974.
39. GRACE P.A., PITI H.A. and LONGMIRE W.P. (1986). Pancreatoduodenectomy with pylorus preservation for adenocarcinoma of the head of the pancreas. *Br J Surg*, 73: 647-650.
40. GRACE P.A., PITI H.A., TOMPKINS R.K., DENBESTEN L., LONGMIRE W.P. (1986). Decreased morbidity and mortality after pancreateoduodenectomy. *Am J Surg*, 151: 141-149.
41. GRAF D., HERZOG U., SCHUPPISSE J.P., TONDELLI P. (1990). Duodeno-Pankreatektomie nach Whipple. Indikationen und Resultate. *Schweiz med Wschr*, 120 (14): 518-521.
42. GRIFFIN J., SMALLEY S., JEWEL W., PARADELO J., REYMOND R., HASSANEIN R. and EVANS R. (1990). Patterns of failure after curative resection of pancreatic carcinoma. *Cancer*, 66: 56-61.
43. GUDJONSSON B. (1987). Cancer of the pancreas. 50 years of surgery. *Cancer* 60: 2284-2303.

44. GUDJONSSON B., LIVSTONE E., SPIRO H. (1978).  
Cancer of the pancreas. Diagnostic accuracy and survival statistics.  
Cancer, 42: 2494-2506.
45. HEUCH I., KVÅLE G., JACOBSEN B.K. and BJELKE E. (1983).  
Use of alcohol, tobacco and coffee, and risk of pancreatic cancer.  
Br J Cancer, 48: 637-643.
46. HOLLENDER L.F., MEYER Ch., MARRIE A., PIERARD Th., CALDEROLI H. (1980). Le cancer du pancréas. Réflexions à propos de 147 cas.  
Ann Chir, 34 (10): 775-777.
47. HOWE J., KLIMSTRA D., MOCCIA R., CONLON K., BRENNAN M. (1998).  
Factors predictive of survival in ampullary carcinoma.  
Ann Surg, 228 (1): 87-94.
48. HYLAND C., KHEIR S., KASHLAN B. (1981).  
Frozen section diagnosis of pancreatic carcinoma. A prospective study of 64 biopsies. Am J Surg Pathol, 5: 179-91.
49. JORDAN G. (1989).  
Pancreatic resection for pancreatic cancer.  
Surgical clinics of North America, 69 (3): 569-597.
50. KAIRALUOMA M., STAHLBERG M., KIVINIEMI H., HAUKIPURO K. (1989).  
Results of pancreateoduodenectomy for carcinoma of the head of the pancreas.  
Hepato-gastroenterol, 36: 412-418.
51. KLINKENBIJL J.H.G., JEEKEL J., SCHMITZ P.I.M., ROMBOUT P.A.R., NIX G.A.J.J., BRUINING H.A. and VAN BLANKENSTEIN M. (1993).  
Carcinoma of the pancreas and periampullary region: palliation *versus* cure. Br J Surg, 80: 1575-1578.
52. KLÖPPEL G. and MAILLET B. (1989).  
Classification and staging of pancreatic nonendocrine tumors.  
Radiologic clinics of North America, 27 (1): 105-19.
53. KREMER B., HENNE-BRUNS D. (1989).

Therapeutische Konzepte und Forderungen an die Radiologie aus chirurgischer Sicht bei Leber- und Pankreastumoren.  
Röntgen-BI, 42: 361-365.

54. LA VECCHIA C., NEGRI E., FRANCESCHI S., D'AVANZO B. and BOYLE P. (1994). A case-control study of diabetes mellitus and cancer risk.  
Br J Cancer, 70 (5): 950-3.

55. LEVIN D., CONNELLY R. and DEVESA S. (1981).  
Demographic characteristics of cancer of the pancreas: mortality, incidence and survival. Cancer, 47: 1456-1468.

56. LILLEMOE K. (1995).  
Current management of pancreatic carcinoma.  
Ann Surg, 221 (2): 133-148.

57. LILLEMOE K., SAUTER P., PITTS H., YEO C., CAMERON J. (1993).  
Current status of surgical palliation of periampullary carcinoma.  
Surg Gyn Obst, 176 (1): 1-10.

58. LILLEMOE K., CAMERON J., YEO C., SOHN T., NAKEEB A., SAUTER P., HRUBAN R., ABRAMS R., PITTS H. (1996).  
Pancreaticoduodenectomy. Does it have a role in the palliation of pancreatic cancer? Ann Surg, 223 (6): 718-728.

59. LIN R.D., KESSLER I.I. (1981).  
A multifactorial model for pancreatic cancer in man. Epidemiologic evidence.  
JAMA, 245 (2): 147-152.

60. LYGIDAKIS N., ALLEMA J., VAN DER HEYDE M., TYTGAT G. (1989).  
Reconstruction after subtotal duodenopancreatectomy in patients with pancreatic duct, distal bile duct and ampullary carcinoma: Further experience with a personal technique. Hepato-gastroenterol, 36: 486-89.

61. LYGIDAKIS N., VAN DER HEYDE M., ALLEMA J., TYTGAT G., HOUTHOFF H. and VAN LEEUWEN D. (1989).  
Subtotal duodenopancreatectomy for pancreatic duct, distal bile duct and periampullary carcinoma: Short- and long-term results.

Am J Gastroenterol, 84 (8): 917-920.

62. LYGIDAKIS N., TYTGAT K. (1989).

Pancreatic head carcinoma. Hepato-gastroenterol, 36: 409-411.

63. MACMAHON B., YEN S., TRICHOPOULOS D., WARREN K. & NARDI G. (1981).

Coffee and cancer of the pancreas. N Engl J Med, 304: 630-3.

64. MAINZ D.L., BLACK O. and WEBSTER P.D. (1973).

Hormonal control of pancreatic growth. J Clin Invest, 52: 2300-2304.

65. MANABE T., OHSHIO G., BABA N., MIYASHITA T., ASANO N., TAMURA K., YAMAKI K., NONAKA A. and TOBE T. (1989).

Radical pancreatectomy for ductal cell carcinoma of the head of the pancreas. Cancer, 64: 1132-1137.

66. MANABE T., TOBE T. (1989).

Progress in the diagnosis and treatment of pancreatic cancer-The Kyoto university experience. Hepato-gastroenterol, 36: 431-436.

67. MERYN S. (1994).

Pankreaskarzinom - Epidemiologie und Risikofaktoren.

Wien Klin Wochenschr, 106 (22): 694-697.

68. MONSON J., GUILLOU P. (1989).

Immunological perspectives on pancreatic cancer and jaundice.

Hepato-gastroenterol, 36: 437-441.

69. MONSON R.R. and LYON J.L. (1975).

Proportional mortality among alcoholics. Cancer, 36: 1077-1079.

70. MOSCA F., GIULIANOTTI P., BALESTRACCI T., CANDIO G., PIETRABISSA A., SBRANA F., ROSSI G. (1997).

Long-term survival in pancreatic cancer: Pylorus-preserving versus Whipple pancreateoduodenectomy. Surgery, 122 (3): 553-66.

71. NAGAKAWA T., KONISHI I., HIGASHINO Y., UENO K., MAEDA K and

- MIYAZAKI I. (1989).  
The spread and prognosis of carcinoma in the region of the pancreatic head.  
*Jpn J Surg*, 19 (5): 510-518.
72. NEWMAN K., BRAASCH J., ROSSI R., O'CAMPO-GONZALES S. (1982).  
Pyloric and gastric preservation with pancreateoduodenectomy.  
*Am J Surg*, 145: 152-156.
73. NIEDERAU C. and GRENDELL J. (1992).  
Diagnosis of pancreatic carcinoma. Imaging techniques and tumor markers.  
*Pancreas*, 7 (1): 66-86.
74. NIEDERAU C und LÜTHEN R. (1988).  
Alkohol und Pankreaserkrankungen.  
*Gastroenterologie*, 26 (Suppl.3): 60-74.
75. NORELL S., AHLBOM A., ERWALD R., JACOBSON G., LINDBERG-NAVIER I., OLIN R., TÖRNBERG B. and WIECHEL K.-L. (1986).  
Diet and pancreatic cancer: a case-control study.  
*Am J Epidemiol*, 124: 894-902.
76. NOY A., BILEZIKIAN J. (1994).  
Clinical review 63: Diabetes and pancreatic cancer: clues to the early diagnosis of pancreatic malignancy.  
*J Clin Endocrinol Metab*, 79 (5): 1223-31.
77. PALAZZO L., ROSEAU G., GAYET B., VILGRAIN V., BELGHITI J., FEKETE F., PAOLAGGI J.-A. (1993).  
Endoscopic ultrasonography in the diagnosis and staging of pancreatic adenocarcinoma. Results of a prospective study with comparison to ultrasonography and CT scan. *Endoscopy*, 25: 143-150.
78. PASSIK S., BREITBART W. (1996).  
Depression in patients with pancreatic carcinoma. Diagnostic and treatment issues. *Cancer*, 78 (Suppl 3): 615-26.
79. PERMERT J., ADRIAN T., JACOBSSON P., JORFELT L., FRUIN B., LARSSON J. (1993).

- Is profound peripheral insulin resistance in patients with pancreatic cancer caused by a tumor-associated factor? Am J Surg, 165 (1): 61-67.
80. PETREK J., SANDBERG W., BEAN P., BRADLEY E. (1985).  
Can survival in pancreatic adenocarcinoma be predicted by primary size or stage? The American Surgeon, 51 (1): 42-46.
81. PIENKOWSKI P., FREGEVU J., MOREAU J., PAYEN C., VAYSSE N., RUMEAU J. L., ESCOURROU J., FREXINOS J., RIBET A. (1992).  
Incidence, treatment and prognosis of cancer of the pancreas in Haute-Garonne (1982-1986). Gastroenterol Clin Biol, 16 (3): 220-6.
82. PIORKOWSKI R.J., BLIEVERNICKT S.W., LAWRENCE W., MADARIAGA J., HORSLEY J.S., NEIFELD J.P., TERZ J.J. (1982).  
Pancreatic and periampullary carcinoma. Am J Surg, 143: 189-193.
83. PITI H., GRACE P. (1990).  
Pylorus-preserving resection of the pancreas. Baillière's Clinical Gastroenterology, 4 (4): 917-930.
84. POUR P., DONNELLY T., STEPAN K. (1983).  
Modification of pancreatic carcinogenesis in the hamster model.  
Am J Pathol, 112: 178-184.
85. REDMOND H., STUART R., HOFMANN K., COLLINS P. and GOREY T.  
Carcinoma of the head of the pancreas. (1991).  
Surgery, Gynecology & Obstetrics, 172: 186-190.
86. REZNEK R. and STEPHENS D. (1993).  
The staging of pancreatic adenocarcinoma. Clin-Radiol, 47 (6): 373-81.
87. ROOST H., ACKERMANN CH., HARDER F. (1988).  
Palliative biliodigestive Anastomose bei nicht resektablem  
Pankreaskopfkarzinom mit oder ohne prophylaktische Gastroenterostomie? Helv chir Acta, 55: 619-621.
88. RÖSCH T., LORENZ R., BRAIG C., FEUERBACH S., SIEWERT J.R., SCHUSDZIARRA V., CLASSEN M. (1991).

Endoscopic ultrasound in pancreatic tumor diagnosis.

Gastrointestinal Endoscopy, 37 (3): 347-352.

89. SELLNER F. and MACHACEK E. (1993).

The importance of tumour volume in the prognosis of radically treated periampullary carcinomas. Eur J Surg, 95: 95-100.

90. SENER S., FREMGEN A., IMPERATO J., SYLVESTER J., CHMIEL J. (1991).

Pancreatic cancer in Illinois. A report by 88 hospitals on 2401 patients diagnosed 1978-84. Am Surg, 57 (8): 490-5.

91. SINGH S. and REBER H. (1989).

Surgical palliation for pancreatic cancer.

Surgical clinics of North America, 69 (3): 599-611.

92. SOOD G.K., GUPTA R.K., BROOR S.L. (1992).

Magnetic resonance imaging in pancreatic diseases: comparison with other imaging techniques. Indian J Gastroenterol, 11: 59-61.

93. SPERTI C., PASQUALI C., PICCOLI A., PEDRAZZOLI S. (1996).

Survival after resection for ductal adenocarcinoma of the pancreas.

Br J Surg, 83 (5): 625-31.

94. STÖMMER P. (1987).

The pathophysiological relevance of adiponecrosis in acute pancreatitis. In: Beger H.G. and Büchler M. Acute pancreatitis. Springer-Verlag, Berlin Heidelberg: 7-11.

95. TALAMINI M., MOESINGER R., PITI H., SOHN T., HRUBAN R.,

LILLEMOE K., YEO C., CAMERON J. (1997).

Adenocarcinoma of the ampulla of vater. A 28-year experience.

Ann Surg, 225 (5): 590-600.

96. TREDE M. (1985).

The surgical treatment of pancreatic carcinoma. Surgery, 97 (1): 29-35.

97. TREDE M., SCHWALL G. and SAEGER H.-D. (1990).

Survival after pancreateoduodenectomy. Ann Surg, 211 (4): 447-458.

98. TSUCHIYA R., NODA T., HARADA N., MIYAMOTO T., TOMIOKA T., YAMAMOTO K., YAMAGUCHI T., IZAWA K., TSUNODA T., YOSHINO R., ETO T. (1986).

Collective review of small carcinomas of the pancreas.  
Ann Surg, 203 (1): 77-81.

99. UTHMAN S. (1991).

Cancer of the pancreas experience at the american university of Beirut.  
Journal médical libanais, 39 (1): 18-20.

100. VAN HEERDEN J., McILRATH D., ILSTUP D. and WEILAND L. (1988).

Total pancreatectomy for ductal adenocarcinoma of the pancreas: an update.  
World J Surg, 12: 658-662.

101. VELLET D., ROMANO W., BACH D., PASSI R., TAVES D., MUNK P. (1992).

Adenocarcinoma of the pancreatic ducts: Comparative evaluation with CT and  
MR imaging at 1.5 T. Radiology, 183 (1): 87-95.

102. WARSHAW A. and SWANSON R. (1988).

Pancreatic cancer in 1988. Possibilities and probabilities.  
Ann Surg, 208 (5): 541-553.

103. WYNDER E.L., MABUCHI K., MARUCHI N. and FORTNER J.G. (1973).

Epidemiology of cancer of the pancreas.

Journal of the National Cancer Institute, 50 (3): 645-667.

104. YEO C.J., CAMERON J.L. (1998).

Prognostic factors in ductal pancreatic cancer.

Langenbecks Arch Surg, 383 (2): 129-33.

105. YEO C., CAMERON J., LILLEMOE K., SITZMANN J., HRUBAN R.,

GOODMAN S., DOOLEY W., COLEMAN J., PITT H. (1995).

Pancreaticoduodenectomy for cancer of the head of the pancreas. 201  
patients. Ann Surg, 221 (6): 721-733.

106. YEO C., CAMERON J., MAHER M., SAUTER P., ZAHURAK M., TALAMINI M., LILLEMOE K., PITI H. (1995).

A prospective randomized trial of pancreaticogastrostomy *versus* pancreaticojejunostomy after pancreaticoduodenectomy.

Ann Surg, 222 (4): 580-592.