

7. LITERATURVERZEICHNIS

1. Zhu, Y. and Parada, L.F. (2002) The molecular and genetic basis of neurological tumours. *Nat Rev Cancer*, 2, 616-26.
2. Ohgaki, H. and Kleihues, P. (2005) Population-based studies on incidence, survival rates, and genetic alterations in astrocytic and oligodendroglial gliomas. *J Neuropathol Exp Neurol*, 64, 479-89.
3. Balmain, A. (2002) Cancer: new-age tumour suppressors. *Nature*, 417, 235-7.
4. Virchow, R. (1864) Die krankhaften Gechwülste. Achtzehnte Vorlesung: Psammome, Melanome, Gliome. Hirschwald, Berlin.
5. Bailey, P. and Cushing, H. (1926) A classification of tumors of the glioma group on a histogenetic basis with a correlated study of prognosis. Lippincott, Philadelphia.
6. Doetsch, F. (2003) The glial identity of neural stem cells. *Nat Neurosci*, 6, 1127-34.
7. Doetsch, F., Caille, I., Lim, D.A., et al. (1999) Subventricular zone astrocytes are neural stem cells in the adult mammalian brain. *Cell*, 97, 703-16.
8. Singh, S.K., Hawkins, C., Clarke, I.D., et al. (2004) Identification of human brain tumour initiating cells. *Nature*, 432, 396-401.
9. Kleihues, P. and Cavenee, W.K. (2000) Pathology and genetics of tumours of the nervous system. IARC Press, Lyon.
10. Kleihues, P., Louis, D.N., Scheithauer, B.W., et al. (2002) The WHO classification of tumors of the nervous system. *J Neuropathol Exp Neurol*, 61, 215-25; discussion 226-9.
11. Neglia, J.P., Meadows, A.T., Robison, L.L., et al. (1991) Second neoplasms after acute lymphoblastic leukemia in childhood. *N Engl J Med*, 325, 1330-6.
12. Ganten, D. and Ruckpaul, K. (1999) Handbuch der molekularen Medizin. Springer, Berlin Heidelberg.
13. Collins, V.P. (2004) Brain tumours: classification and genes. *J Neurol Neurosurg Psychiatry*, 75 Suppl 2, ii2-11.
14. Campisi, J. (2003) Cancer and ageing: rival demons? *Nat Rev Cancer*, 3, 339-49.
15. Hanahan, D. and Weinberg, R.A. (2000) The hallmarks of cancer. *Cell*, 100, 57-70.
16. Strachnan, T. and Read, A.P. (2005) Molekulare Humangenetik. Elsevier GmbH, Spektrum Akademischer Verlag, München.
17. Kinzler, K.W. and Vogelstein, B. (1997) Cancer-susceptibility genes. Gatekeepers and caretakers. *Nature*, 386, 761, 763.
18. Harris, H., Miller, O.J., Klein, G., et al. (1969) Suppression of malignancy by cell fusion. *Nature*, 223, 363-8.
19. Levine, A.J. (1993) The tumor suppressor genes. *Annu Rev Biochem*, 62, 623-51.
20. Cavenee, W.K., Dryja, T.P., Phillips, R.A., et al. (1983) Expression of recessive alleles by chromosomal mechanisms in retinoblastoma. *Nature*, 305, 779-84.
21. Devilee, P., Cleton-Jansen, A.M. and Cornelisse, C.J. (2001) Ever since Knudson. *Trends Genet*, 17, 569-73.
22. Jones, P.A. and Baylin, S.B. (2002) The fundamental role of epigenetic events in cancer. *Nat Rev Genet*, 3, 415-28.
23. Jones, P.A. and Laird, P.W. (1999) Cancer epigenetics comes of age. *Nat Genet*, 21, 163-7.
24. Baylin, S.B. and Ohm, J.E. (2006) Epigenetic gene silencing in cancer - a mechanism for early oncogenic pathway addiction? *Nat Rev Cancer*, 6, 107-16.
25. Santarosa, M. and Ashworth, A. (2004) Haploinsufficiency for tumour suppressor genes: when you don't need to go all the way. *Biochim Biophys Acta*, 1654, 105-22.
26. Cook, W.D. and McCaw, B.J. (2000) Accommodating haploinsufficient tumor suppressor genes in Knudson's model. *Oncogene*, 19, 3434-8.

27. Sanoudou, D., Tingby, O., Ferguson-Smith, M.A., et al. (2000) Analysis of pilocytic astrocytoma by comparative genomic hybridization. *Br J Cancer*, 82, 1218-22.
28. Kluwe, L., Hagel, C., Tatagiba, M., et al. (2001) Loss of NF1 alleles distinguish sporadic from NF1-associated pilocytic astrocytomas. *J Neuropathol Exp Neurol*, 60, 917-20.
29. Wimmer, K., Eckart, M., Meyer-Puttlitz, B., et al. (2002) Mutational and expression analysis of the NF1 gene argues against a role as tumor suppressor in sporadic pilocytic astrocytomas. *J Neuropathol Exp Neurol*, 61, 896-902.
30. Reifenberger, G. and Collins, V.P. (2004) Pathology and molecular genetics of astrocytic gliomas. *J Mol Med*, 82, 656-70.
31. Ichimura, K., Bolin, M.B., Goike, H.M., et al. (2000) Dereulation of the p14ARF/MDM2/p53 pathway is a prerequisite for human astrocytic gliomas with G1-S transition control gene abnormalities. *Cancer Res*, 60, 417-24.
32. Alonso, M.E., Bello, M.J., Lomas, J., et al. (2001) Absence of mutation of the p73 gene in astrocytic neoplasms. *Int J Oncol*, 19, 609-12.
33. von Deimling, A., Fimmers, R., Schmidt, M.C., et al. (2000) Comprehensive allelotyping and genetic analysis of 466 human nervous system tumors. *J Neuropathol Exp Neurol*, 59, 544-58.
34. Ichimura, K., Schmidt, E.E., Goike, H.M., et al. (1996) Human glioblastomas with no alterations of the CDKN2A (p16INK4A, MTS1) and CDK4 genes have frequent mutations of the retinoblastoma gene. *Oncogene*, 13, 1065-72.
35. Hoang-Xuan, K., Merel, P., Vega, F., et al. (1995) Analysis of the NF2 tumor-suppressor gene and of chromosome 22 deletions in gliomas. *Int J Cancer*, 60, 478-81.
36. Ino, Y., Silver, J.S., Blazejewski, L., et al. (1999) Common regions of deletion on chromosome 22q12.3-q13.1 and 22q13.2 in human astrocytomas appear related to malignancy grade. *J Neuropathol Exp Neurol*, 58, 881-5.
37. Miyakawa, A., Ichimura, K., Schmidt, E.E., et al. (2000) Multiple deleted regions on the long arm of chromosome 6 in astrocytic tumours. *Br J Cancer*, 82, 543-9.
38. Ichimura, K., Mungall, A.J., Fiegler, H., et al. (2006) Small regions of overlapping deletions on 6q26 in human astrocytic tumours identified using chromosome 6 tile path array-CGH. *Oncogene*, 25, 1261-71.
39. Huang, H., Colella, S., Kurrer, M., et al. (2000) Gene expression profiling of low-grade diffuse astrocytomas by cDNA arrays. *Cancer Res*, 60, 6868-74.
40. Westermark, B., Heldin, C.H. and Nister, M. (1995) Platelet-derived growth factor in human glioma. *Glia*, 15, 257-63.
41. von Deimling, A., Nagel, J., Bender, B., et al. (1994) Deletion mapping of chromosome 19 in human gliomas. *Int J Cancer*, 57, 676-80.
42. Bigner, S.H. and Vogelstein, B. (1990) Cytogenetics and molecular genetics of malignant gliomas and medulloblastoma. *Brain Pathol*, 1, 12-8.
43. James, C.D., Carlbom, E., Dumanski, J.P., et al. (1988) Clonal genomic alterations in glioma malignancy stages. *Cancer Res*, 48, 5546-51.
44. Godard, S., Getz, G., Delorenzi, M., et al. (2003) Classification of human astrocytic gliomas on the basis of gene expression: a correlated group of genes with angiogenic activity emerges as a strong predictor of subtypes. *Cancer Res*, 63, 6613-25.
45. Seng, T.J., Ichimura, K., Liu, L., et al. (2005) Complex chromosome 22 rearrangements in astrocytic tumors identified using microsatellite and chromosome 22 tile path array analysis. *Genes Chromosomes Cancer*, 43, 181-93.
46. Oskam, N.T., Bijleveld, E.H. and Hulsebos, T.J. (2000) A region of common deletion in 22q13.3 in human glioma associated with astrocytoma progression. *Int J Cancer*, 85, 336-9.

47. Muhammad, A.K., Yoshimine, T., Maruno, M., et al. (1997) Chromosome 22q allelic losses at microsatellite loci in human astrocytic tumors. *Neurol Med Chir (Tokyo)*, 37, 606-10; discussion 611.
48. Rey, J.A., Bello, M.J., Jimenez-Lara, A.M., et al. (1992) Loss of heterozygosity for distal markers on 22q in human gliomas. *Int J Cancer*, 51, 703-6.
49. Watkins, D., Ruttledge, M.H., Sarrazin, J., et al. (1996) Loss of heterozygosity on chromosome 22 in human gliomas does not inactivate the neurofibromatosis type 2 gene. *Cancer Genet Cytogenet*, 92, 73-8.
50. Bredel, M., Bredel, C., Juric, D., et al. (2005) High-resolution genome-wide mapping of genetic alterations in human glial brain tumors. *Cancer Res*, 65, 4088-96.
51. Boyd, J.M., Gallo, G.J., Elangovan, B., et al. (1995) Bik, a novel death-inducing protein shares a distinct sequence motif with Bcl-2 family proteins and interacts with viral and cellular survival-promoting proteins. *Oncogene*, 11, 1921-8.
52. Arena, V., Martini, M., Luongo, M., et al. (2003) Mutations of the BIK gene in human peripheral B-cell lymphomas. *Genes Chromosomes Cancer*, 38, 91-6.
53. Ichimura, K., Schmidt, E.E., Miyakawa, A., et al. (1998) Distinct patterns of deletion on 10p and 10q suggest involvement of multiple tumor suppressor genes in the development of astrocytic gliomas of different malignancy grades. *Genes Chromosomes Cancer*, 22, 9-15.
54. Dong, Z., Pang, J.S., Ng, M.H., et al. (2004) Identification of two contiguous minimally deleted regions on chromosome 1p36.31-p36.32 in oligodendroglial tumours. *Br J Cancer*, 91, 1105-11.
55. Hu, J., Jiang, C., Ng, H.K., et al. (2002) Chromosome 14q may harbor multiple tumor suppressor genes in primary glioblastoma multiforme. *Chin Med J (Engl)*, 115, 1201-4.
56. Twist, E.C., Ruttledge, M.H., Rousseau, M., et al. (1994) The neurofibromatosis type 2 gene is inactivated in schwannomas. *Hum Mol Genet*, 3, 147-51.
57. Wellenreuther, R., Kraus, J.A., Lenartz, D., et al. (1995) Analysis of the neurofibromatosis 2 gene reveals molecular variants of meningioma. *Am J Pathol*, 146, 827-32.
58. Ebert, C., von Haken, M., Meyer-Puttlitz, B., et al. (1999) Molecular genetic analysis of ependymal tumors. NF2 mutations and chromosome 22q loss occur preferentially in intramedullary spinal ependymomas. *Am J Pathol*, 155, 627-32.
59. Merel, P., Hoang-Xuan, K., Sanson, M., et al. (1995) Predominant occurrence of somatic mutations of the NF2 gene in meningiomas and schwannomas. *Genes Chromosomes Cancer*, 13, 211-6.
60. Rubio, M.P., Correa, K.M., Ramesh, V., et al. (1994) Analysis of the neurofibromatosis 2 gene in human ependymomas and astrocytomas. *Cancer Res*, 54, 45-7.
61. Biegel, J.A., Zhou, J.Y., Rorke, L.B., et al. (1999) Germ-line and acquired mutations of INI1 in atypical teratoid and rhabdoid tumors. *Cancer Res*, 59, 74-9.
62. Schmitz, U., Mueller, W., Weber, M., et al. (2001) INI1 mutations in meningiomas at a potential hotspot in exon 9. *Br J Cancer*, 84, 199-201.
63. Weber, M., Stockhammer, F., Schmitz, U., et al. (2001) Mutational analysis of INI1 in sporadic human brain tumors. *Acta Neuropathol (Berl)*, 101, 479-82.
64. Bell, D.W., Varley, J.M., Szydlo, T.E., et al. (1999) Heterozygous germ line hCHK2 mutations in Li-Fraumeni syndrome. *Science*, 286, 2528-31.
65. Ino, Y., Wahrer, D.C., Bell, D.W., et al. (2000) Mutation analysis of the hCHK2 gene in primary human malignant gliomas. *Neurogenetics*, 3, 45-6.
66. Gayther, S.A., Batley, S.J., Linger, L., et al. (2000) Mutations truncating the EP300 acetylase in human cancers. *Nat Genet*, 24, 300-3.

67. Nishioka, M., Kohno, T., Tani, M., et al. (2002) MYO18B, a candidate tumor suppressor gene at chromosome 22q12.1, deleted, mutated, and methylated in human lung cancer. *Proc Natl Acad Sci U S A*, 99, 12269-74.
68. Yanaihara, N., Nishioka, M., Kohno, T., et al. (2004) Reduced expression of MYO18B, a candidate tumor-suppressor gene on chromosome arm 22q, in ovarian cancer. *Int J Cancer*, 112, 150-4.
69. Iida, A., Kurose, K., Isobe, R., et al. (1998) Mapping of a new target region of allelic loss to a 2-cM interval at 22q13.1 in primary breast cancer. *Genes Chromosomes Cancer*, 21, 108-12.
70. Castells, A., Ino, Y., Louis, D.N., et al. (1999) Mapping of a target region of allelic loss to a 0.5-cM interval on chromosome 22q13 in human colorectal cancer. *Gastroenterology*, 117, 831-7.
71. Castells, A., Gusella, J.F., Ramesh, V., et al. (2000) A region of deletion on chromosome 22q13 is common to human breast and colorectal cancers. *Cancer Res*, 60, 2836-9.
72. Bryan, E.J., Thomas, N.A., Palmer, K., et al. (2000) Refinement of an ovarian cancer tumour suppressor gene locus on chromosome arm 22q and mutation analysis of CYP2D6, SREBP2 and NAGA. *Int J Cancer*, 87, 798-802.
73. Miyakawa, A., Wang, X.L., Nakanishi, H., et al. (1998) Allelic loss on chromosome 22 in oral cancer: possibility of the existence of a tumor suppressor gene on 22q13. *Int J Oncol*, 13, 705-9.
74. Allione, F., Eisinger, F., Parc, P., et al. (1998) Loss of heterozygosity at loci from chromosome arm 22Q in human sporadic breast carcinomas. *Int J Cancer*, 75, 181-6.
75. Kraus, J.A., de Millas, W., Sorensen, N., et al. (2001) Indications for a tumor suppressor gene at 22q11 involved in the pathogenesis of ependymal tumors and distinct from hSNF5/INI1. *Acta Neuropathol (Berl)*, 102, 69-74.
76. Wild, A., Langer, P., Ramaswamy, A., et al. (2001) A novel insulinoma tumor suppressor gene locus on chromosome 22q with potential prognostic implications. *J Clin Endocrinol Metab*, 86, 5782-7.
77. Huang, B., Starostik, P., Kuhl, J., et al. (2002) Loss of heterozygosity on chromosome 22 in human ependymomas. *Acta Neuropathol (Berl)*, 103, 415-20.
78. Ma, Z., Morris, S.W., Valentine, V., et al. (2001) Fusion of two novel genes, RBM15 and MKL1, in the t(1;22)(p13;q13) of acute megakaryoblastic leukemia. *Nat Genet*, 28, 220-1.
79. Bryan, E.J., Watson, R.H., Davis, M., et al. (1996) Localization of an ovarian cancer tumor suppressor gene to a 0.5-cM region between D22S284 and CYP2D, on chromosome 22q. *Cancer Res*, 56, 719-21.
80. Louis, D.N. (1997) A molecular genetic model of astrocytoma histopathology. *Brain Pathol*, 7, 755-64.
81. Furetal, P.A., Coin, L., Marshall, M., et al. (2004) A census of human cancer genes. *Nat Rev Cancer*, 4, 177-83.
82. Collins, F.S. (1992) Positional cloning: let's not call it reverse anymore. *Nat Genet*, 1, 3-6.
83. Collins, F.S. (1995) Positional cloning moves from perditional to traditional. *Nat Genet*, 9, 347-50.
84. Balmain, A., Gray, J. and Ponder, B. (2003) The genetics and genomics of cancer. *Nat Genet*, 33 Suppl, 238-44.
85. Robertson, G.P., Huang, H.J. and Cavenee, W.K. (1999) Identification and validation of tumor suppressor genes. *Mol Cell Biol Res Commun*, 2, 1-10.
86. Schena, M., Shalon, D., Davis, R.W., et al. (1995) Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science*, 270, 467-70.

87. Fuller, G.N., Rhee, C.H., Hess, K.R., et al. (1999) Reactivation of insulin-like growth factor binding protein 2 expression in glioblastoma multiforme: a revelation by parallel gene expression profiling. *Cancer Res*, 59, 4228-32.
88. DeRisi, J., Penland, L., Brown, P.O., et al. (1996) Use of a cDNA microarray to analyse gene expression patterns in human cancer. *Nat Genet*, 14, 457-60.
89. Khan, J., Saal, L.H., Bittner, M.L., et al. (1999) Expression profiling in cancer using cDNA microarrays. *Electrophoresis*, 20, 223-9.
90. Golub, T.R., Slonim, D.K., Tamayo, P., et al. (1999) Molecular classification of cancer: class discovery and class prediction by gene expression monitoring. *Science*, 286, 531-7.
91. Shai, R., Shi, T., Kremen, T.J., et al. (2003) Gene expression profiling identifies molecular subtypes of gliomas. *Oncogene*, 22, 4918-23.
92. Nutt, C.L., Mani, D.R., Betensky, R.A., et al. (2003) Gene expression-based classification of malignant gliomas correlates better with survival than histological classification. *Cancer Res*, 63, 1602-7.
93. Freije, W.A., Castro-Vargas, F.E., Fang, Z., et al. (2004) Gene expression profiling of gliomas strongly predicts survival. *Cancer Res*, 64, 6503-10.
94. Tews, B., Felsberg, J., Hartmann, C., et al. (2006) Identification of novel oligodendrogloma-associated candidate tumor suppressor genes in 1p36 and 19q13 using microarray-based expression profiling. *Int J Cancer*.
95. Mukasa, A., Ueki, K., Matsumoto, S., et al. (2002) Distinction in gene expression profiles of oligodendroglomas with and without allelic loss of 1p. *Oncogene*, 21, 3961-8.
96. French, P.J., Swagemakers, S.M., Nagel, J.H., et al. (2005) Gene expression profiles associated with treatment response in oligodendroglomas. *Cancer Res*, 65, 11335-44.
97. Duggan, D.J., Bittner, M., Chen, Y., et al. (1999) Expression profiling using cDNA microarrays. *Nat Genet*, 21, 10-4.
98. Mullis, K.B. and Falloona, F.A. (1987) Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. *Methods Enzymol*, 155, 335-50.
99. Merril, C.R., Goldman, D., Sedman, S.A., et al. (1981) Ultrasensitive stain for proteins in polyacrylamide gels shows regional variation in cerebrospinal fluid proteins. *Science*, 211, 1437-8.
100. Hayashi, K. and Yandell, D.W. (1993) How sensitive is PCR-SSCP? *Hum Mutat*, 2, 338-46.
101. Bassam, B.J., Caetano-Anolles, G. and Gresshoff, P.M. (1991) Fast and sensitive silver staining of DNA in polyacrylamide gels. *Anal Biochem*, 196, 80-3.
102. Budowle, B., Chakraborty, R., Giusti, A.M., et al. (1991) Analysis of the VNTR locus D1S80 by the PCR followed by high-resolution PAGE. *Am J Hum Genet*, 48, 137-44.
103. von Deimling, A., Bender, B., Louis, D.N., et al. (1993) A rapid and non-radioactive PCR based assay for the detection of allelic loss in human gliomas. *Neuropathol Appl Neurobiol*, 19, 524-9.
104. Bender, B., Wiestler, O.D. and von Deimling, A. (1994) A device for processing large acrylamide gels. *Biotechniques*, 16, 204-6.
105. Kwok, S., Kellogg, D.E., McKinney, N., et al. (1990) Effects of primer-template mismatches on the polymerase chain reaction: human immunodeficiency virus type 1 model studies. *Nucleic Acids Res*, 18, 999-1005.
106. Rychlik, W. and Rhoads, R.E. (1989) A computer program for choosing optimal oligonucleotides for filter hybridization, sequencing and in vitro amplification of DNA. *Nucleic Acids Res*, 17, 8543-51.
107. Ellis, C.A., Vos, M.D., Howell, H., et al. (2002) Rig is a novel Ras-related protein and potential neural tumor suppressor. *Proc Natl Acad Sci U S A*, 99, 9876-81.

108. Ligon, A.H., Pershouse, M.A., Jasser, S.A., et al. (1997) Identification of a novel gene product, RIG, that is down-regulated in human glioblastoma. *Oncogene*, 14, 1075-81.
109. Lee, M.L., Kuo, F.C., Whitmore, G.A., et al. (2000) Importance of replication in microarray gene expression studies: statistical methods and evidence from repetitive cDNA hybridizations. *Proc Natl Acad Sci U S A*, 97, 9834-9.
110. Beissbarth, T., Fellenberg, K., Brors, B., et al. (2000) Processing and quality control of DNA array hybridization data. *Bioinformatics*, 16, 1014-22.
111. Yang, I.V., Chen, E., Hasseman, J.P., et al. (2002) Within the fold: assessing differential expression measures and reproducibility in microarray assays. *Genome Biol*, 3, research0062.
112. Hüslér, J. and Zimmermann, H. (2006) Statistische Prinzipien für medizinische Projekte. Hans Huber, Berm.
113. Eisen, M.B., Spellman, P.T., Brown, P.O., et al. (1998) Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci U S A*, 95, 14863-8.
114. Louis, D.N., von Deimling, A. and Seizinger, B.R. (1992) A (CA)n dinucleotide repeat assay for evaluating loss of allelic heterozygosity in small and archival human brain tumor specimens. *Am J Pathol*, 141, 777-82.
115. Hartmann, C., Mueller, W., Lass, U., et al. (2005) Molecular genetic analysis of oligodendroglial tumors. *J Neuropathol Exp Neurol*, 64, 10-4.
116. Roerig, P., Nessling, M., Radlwimmer, B., et al. (2005) Molecular classification of human gliomas using matrix-based comparative genomic hybridization. *Int J Cancer*, 117, 95-103.
117. Vogelstein, B. and Kinzler, K.W. (2004) Cancer genes and the pathways they control. *Nat Med*, 10, 789-99.
118. Hartmann, C., Numann, A., Mueller, W., et al. (2004) Fine mapping of chromosome 22q tumor suppressor gene candidate regions in astrocytoma. *Int J Cancer*, 108, 839-44.
119. Orita, M., Suzuki, Y., Sekiya, T., et al. (1989) Rapid and sensitive detection of point mutations and DNA polymorphisms using the polymerase chain reaction. *Genomics*, 5, 874-9.
120. Orita, M., Sekiya, T. and Hayashi, K. (1990) DNA sequence polymorphisms in Alu repeats. *Genomics*, 8, 271-8.
121. Sheffield, V.C., Beck, J.S., Kwitek, A.E., et al. (1993) The sensitivity of single-strand conformation polymorphism analysis for the detection of single base substitutions. *Genomics*, 16, 325-32.
122. Jaeckel, S., Epplen, J.T., Kauth, M., et al. (1998) Polymerase chain reaction-single strand conformation polymorphism or how to detect reliably and efficiently each sequence variation in many samples and many genes. *Electrophoresis*, 19, 3055-61.
123. Orita, M., Iwahana, H., Kanazawa, H., et al. (1989) Detection of polymorphisms of human DNA by gel electrophoresis as single-strand conformation polymorphisms. *Proc Natl Acad Sci U S A*, 86, 2766-70.
124. Kutach, L.S., Bolshakov, S. and Ananthaswamy, H.N. (1999) Detection of mutations and polymorphisms in the p53 tumor suppressor gene by single-strand conformation polymorphism analysis. *Electrophoresis*, 20, 1204-10.
125. Yokota, J., Nishioka, M., Tani, M., et al. (2003) Genetic alterations responsible for metastatic phenotypes of lung cancer cells. *Clin Exp Metastasis*, 20, 189-93.
126. Wagener, C. (1999) *Molekulare Onkologie: Entstehung und Progression maligner Tumoren*. Georg Thieme, Stuttgart.
127. Mercher, T., Coniat, M.B., Monni, R., et al. (2001) Involvement of a human gene related to the *Drosophila* *spen* gene in the recurrent t(1;22) translocation of acute megakaryocytic leukemia. *Proc Natl Acad Sci U S A*, 98, 5776-9.

128. Ogryzko, V.V., Schiltz, R.L., Russanova, V., et al. (1996) The transcriptional coactivators p300 and CBP are histone acetyltransferases. *Cell*, 87, 953-9.
129. Kouzarides, T. (1999) Histone acetylases and deacetylases in cell proliferation. *Curr Opin Genet Dev*, 9, 40-8.
130. Liu, L., Scolnick, D.M., Trievel, R.C., et al. (1999) p53 sites acetylated in vitro by PCAF and p300 are acetylated in vivo in response to DNA damage. *Mol Cell Biol*, 19, 1202-9.
131. Yuan, Z.M., Huang, Y., Ishiko, T., et al. (1999) Role for p300 in stabilization of p53 in the response to DNA damage. *J Biol Chem*, 274, 1883-6.
132. Muraoka, M., Konishi, M., Kikuchi-Yanoshita, R., et al. (1996) p300 gene alterations in colorectal and gastric carcinomas. *Oncogene*, 12, 1565-9.
133. Eckner, R., Ewen, M.E., Newsome, D., et al. (1994) Molecular cloning and functional analysis of the adenovirus E1A-associated 300-kD protein (p300) reveals a protein with properties of a transcriptional adaptor. *Genes Dev*, 8, 869-84.
134. Chaffanet, M., Gressin, L., Preudhomme, C., et al. (2000) MOZ is fused to p300 in an acute monocytic leukemia with t(8;22). *Genes Chromosomes Cancer*, 28, 138-44.
135. Tillinghast, G.W., Partee, J., Albert, P., et al. (2003) Analysis of genetic stability at the EP300 and CREBBP loci in a panel of cancer cell lines. *Genes Chromosomes Cancer*, 37, 121-31.
136. Bryan, E.J., Jokubaitis, V.J., Chamberlain, N.L., et al. (2002) Mutation analysis of EP300 in colon, breast and ovarian carcinomas. *Int J Cancer*, 102, 137-41.
137. Eickhoff, B., Korn, B., Schick, M., et al. (1999) Normalization of array hybridization experiments in differential gene expression analysis. *Nucleic Acids Res*, 27, e33.
138. Schuchhardt, J., Beule, D., Malik, A., et al. (2000) Normalization strategies for cDNA microarrays. *Nucleic Acids Res*, 28, E47.
139. Mischel, P.S., Cloughesy, T.F. and Nelson, S.F. (2004) DNA-microarray analysis of brain cancer: molecular classification for therapy. *Nat Rev Neurosci*, 5, 782-92.
140. Cui, X. and Churchill, G.A. (2003) Statistical tests for differential expression in cDNA microarray experiments. *Genome Biol*, 4, 210.
141. Churchill, G.A. (2004) Using ANOVA to analyze microarray data. *Biotechniques*, 37, 173-5, 177.
142. Tusher, V.G., Tibshirani, R. and Chu, G. (2001) Significance analysis of microarrays applied to the ionizing radiation response. *Proc Natl Acad Sci U S A*, 98, 5116-21.
143. Ljubimova, J.Y., Lakhter, A.J., Loksh, A., et al. (2001) Overexpression of alpha4 chain-containing laminins in human glial tumors identified by gene microarray analysis. *Cancer Res*, 61, 5601-10.
144. Masayesva, B.G., Ha, P., Garrett-Mayer, E., et al. (2004) Gene expression alterations over large chromosomal regions in cancers include multiple genes unrelated to malignant progression. *Proc Natl Acad Sci U S A*, 101, 8715-20.
145. Kronick, M.N. (2004) Creation of the whole human genome microarray. *Expert Rev Proteomics*, 1, 19-28.
146. Kapranov, P., Cawley, S.E., Drenkow, J., et al. (2002) Large-scale transcriptional activity in chromosomes 21 and 22. *Science*, 296, 916-9.
147. Shoemaker, D.D., Schadt, E.E., Armour, C.D., et al. (2001) Experimental annotation of the human genome using microarray technology. *Nature*, 409, 922-7.
148. Rinn, J.L., Euskirchen, G., Bertone, P., et al. (2003) The transcriptional activity of human Chromosome 22. *Genes Dev*, 17, 529-40.
149. Dunham, I., Shimizu, N., Roe, B.A., et al. (1999) The DNA sequence of human chromosome 22. *Nature*, 402, 489-95.
150. Miklos, G.L. and Maleszka, R. (2004) Microarray reality checks in the context of a complex disease. *Nat Biotechnol*, 22, 615-21.