

Literaturverzeichnis

- Abou-Rjaily, G.A., S.J. Lee, D. May, Q.Y. Al-Share, A.M. Deangelis, R.J. Ruch, M. Neu-maier, H. Kalthoff, S.H. Lin, und S.M. Najjar. 2004. CEACAM1 modulates epidermal growth factor receptor-mediated cell proliferation. *J Clin Invest.* 114:944-952.
- Adams, R.H., G.A. Wilkinson, C. Weiss, F. Diella, N.W. Gale, U. Deutsch, W. Risau, und R. Klein. 1999. Roles of ephrinB ligands und EphB receptors in cardiovascular development: demarcation of arterial/venous domains, vascular morphogenesis, und sprouting angiogenesis. *Genes Dev.* 13:295-306.
- Arthur, W.T., N.K. Noren, und K. Burridge. 2002. Regulation of Rho family GTPases by cell-cell and cell-matrix adhesion. *Biol Res.* 35:239-246.
- Atfi, A., E. Drobetsky, M. Boissonneault, A. Chapdelaine, und S. Chevalier. 1994. Transforming growth factor beta down-regulates Src family protein tyrosine kinase signaling pathways. *J Biol Chem.* 269:30688-93.
- Baas, A.F., J. Kuipers, N.N. van der Wel, E. Battie, H.K. Koerten, P.J. Peters, und H.C. Clevers. 2004. Complete polarization of single intestinal epithelial cells upon activation of LKB1 by STRAD. *Cell.* 116:457-466.
- Babiychuk, E.B., und A. Draeger. 2000. Annexins in cell membrane dynamics. Ca(2+)-regulated association of lipid microdomains. *J Cell Biol.* 150:1113-1124.
- Badizadegan, K., A.A. Wolf, C. Rodighiero, M. Jobling, T.R. Hirst, R.K. Holmes, und W.I. Lencer. 2000. Floating cholera toxin into epithelial cells: functional association with caveolae-like detergent-insoluble membrane microdomains. *Int J Med Microbiol.* 290:403-408.
- Bamberger, A.M., S. Sudahl, T. Loning, C. Wagener, C.M. Bamberger, P. Drakakis, C. Coutifarlis, und A. Makrigiannakis. 2000. The adhesion molecule CEACAM1 (CD66a, C-CAM, BGP) is specifically expressed by the extravillous intermediate trophoblast. *Am J Pathol.* 156:1165-1170.
- Barnett, T.R., L. Drake, und W.d. Pickle. 1993. Human biliary glycoprotein gene: characterization of a family of novel alternatively spliced RNAs and their expressed proteins. *Mol Cell Biol.* 13:1273-1282.
- Baron, W., L. Decker, H. Colognato, und C. ffrench-Constant. 2003. Regulation of integrin growth factor interactions in oligodendrocytes by lipid raft microdomains. *Curr Biol.* 13:151-155.
- Bazzoni, G., und E. Dejana. 2004. Endothelial cell-to-cell junctions: molecular organization and role in vascular homeostasis. *Physiol Rev.* 84:869-901.
- Bazzoni, G., E. Dejana, und M.G. Lampugnani. 1999. Endothelial adhesion molecules in the development of the vascular tree: the garden of forking paths. *Curr Opin Cell Biol.* 11:573-581.
- Beauchemin, N., P. Draber, G. Dveksler, P. Gold, S. Gray-Owen, F. Grunert, S. Hammarström, K.V. Holmes, A. Karlsson, M. Kuroki, S.H. Lin, L. Lucka, S.M.

- Najjar, M. Neumaier, B. Öbrink, J.E. Shively, K.M. Skubitz, C.P. Stanners, P. Thomas, J.A. Thompson, M. Virji, S. von Kleist, C. Wagener, S. Watt, und W. Zimmermann. 1999. Redefined nomenclature for members of the carcinoembryonic antigen family. *Exp Cell Res.* 252:243-249.
- Becker, A. 1989. Vergleichende Charakterisierung des Membranglycoproteins gp110 in der Leber und anderen Organen. Dissertation, FB Biochemie, Freie Universität Berlin.
- Becker, A., R. Gossrau, C. Hoffmann, und W. Reutter. 1989. Localization of a putative cell adhesion molecule (gp110) in Wistar and Fischer rat tissues. *Histochemistry.* 93:55-61.
- Berger, C.N., O. Billker, T.F. Meyer, A.L. Servin, und I. Kansau. 2004. Differential recognition of members of the carcinoembryonic antigen family by Afa/Dr adhesins of diffusely adhering Escherichia coli (Afa/Dr DAEC). *Mol Microbiol.* 52:963-983.
- Billker, O., A. Popp, S.D. Gray-Owen, und T.F. Meyer. 2000. The structural basis of CEA-CAM-receptor targeting by neisserial Opa proteins. *Trends Microbiol.* 8:258-260; discussion 260-251.
- Bix, G., und R.V. Iozzo. 2005. Matrix revolutions: "tails" of basement-membrane components with angiostatic functions. *Trends Cell Biol.* 15:52-60.
- Blau, D.M., C. Turbide, M. Tremblay, M. Olson, S. Letourneau, E. Michaliszyn, S. Jothy, K.V. Holmes, und N. Beauchemin. 2001. Targeted disruption of the Ceacam1 (MHVR) gene leads to reduced susceptibility of mice to mouse hepatitis virus infection. *J Virol.* 75:8173-8186.
- Blumenthal, R.D., L. Osorio, M.K. Hayes, I.D. Horak, H.J. Hansen, und D.M. Goldenberg. 2005. Carcinoembryonic antigen antibody inhibits lung metastasis and augments chemotherapy in a human colonic carcinoma xenograft. *Cancer Immunol Immunother.* 54:315-327.
- Bogovska, V., A. Horst, B. Klampe, L. Lucka, C. Wagener, und P. Nollau. 2005. CEACAM1, an adhesion molecule of human granulocytes is fucosylated by fucosyltransferase iX and interacts with DC-SIGN of dendritic cells via LewisX residues. *Glycobiology* 2005 Nov 10, epub ahead of print.
- Borges, E., Y. Jan, und E. Ruoslahti. 2000. Platelet-derived growth factor receptor beta and vascular endothelial growth factor receptor 2 bind to the beta 3 integrin through its extracellular domain. *J Biol Chem.* 275:39867-39873.
- Boulton, I.C., und S.D. Gray-Owen. 2002. Neisserial binding to CEACAM1 arrests the activation and proliferation of CD4+ T lymphocytes. *Nat Immunol.* 3:229-236.
- Brümmer, J., A. Ebrahimnejad, R. Flayeh, U. Schumacher, T. Loning, A.M. Bamberger, und C. Wagener. 2001. cis Interaction of the cell adhesion molecule CEACAM1 with integrin beta(3). *Am J Pathol.* 159:537-546.
- Brümmer, J., M. Neumaier, C. Gopfert, und C. Wagener. 1995. Association of pp60c-src with biliary glycoprotein (CD66a), an adhesion molecule of the carcinoembryonic antigen family downregulated in colorectal carcinomas. *Oncogene.* 11:1649-1655.

- Budt, M., I. Cichocka, W. Reutter, und L. Lucka. 2002a. Clustering-induced signaling of CEACAM1 in PC12 cells. *Biol Chem.* 383:803-812.
- Budt, M., B. Michely, M.M. Müller, W. Reutter, und L. Lucka. 2002b. Secreted CEACAM1 splice variants in rat cell lines and in vivo in rat serum. *Biochem Biophys Res Commun.* 292:749-755.
- Burkart, A., B. Samii, S. Corvera, und H.S. Shpetner. 2003. Regulation of the SHP-2 tyrosine phosphatase by a novel cholesterol- and cell confluence-dependent mechanism. *J Biol Chem.* 278:18360-18367. Epub 12003 Feb 18327.
- Calderwood, D.A., A. Huttenlocher, W.B. Kiosses, D.M. Rose, D.G. Woodside, M.A. Schwartz, und M.H. Ginsberg. 2001. Increased filamin binding to beta-integrin cytoplasmic domains inhibits cell migration. *Nat Cell Biol.* 3:1060-1068.
- Calderwood, D.A., V. Tai, G. Di Paolo, P. De Camilli, und M.H. Ginsberg. 2004. Competition for talin results in trans-dominant inhibition of integrin activation. *J Biol Chem.* 279:28889-28895.
- Carmeliet, P. 2003. Angiogenesis in health and disease. *Nat Med.* 9:653-660.
- Carmeliet, P., V. Ferreira, G. Breier, S. Pollefeyt, L. Kieckens, M. Gertsenstein, M. Fahrig, A. Vandenhoeck, K. Harpal, C. Eberhardt, C. Declercq, J. Pawling, L. Moons, D. Collen, W. Risau, und A. Nagy. 1996. Abnormal blood vessel development and lethality in embryos lacking a single VEGF allele. *Nature.* 380:435-439.
- Carmeliet, P., M.G. Lampugnani, L. Moons, F. Breviario, V. Compernolle, F. Bono, G. Balconi, R. Spagnuolo, B. Oostuyse, M. Dewerchin, A. Zanetti, A. Angellillo, V. Mattot, D. Nuyens, E. Lutgens, F. Clotman, M.C. de Ruiter, A. Gittenberger-de Groot, R. Poelmann, F. Lupu, J.M. Herbert, D. Collen, und E. Dejana. 1999. Targeted deficiency or cytosolic truncation of the VE-cadherin gene in mice impairs VEGF-mediated endothelial survival and angiogenesis. *Cell.* 98:147-157.
- Cary, L.A., R.A. Klinghoffer, C. Sachsenmaier, und J.A. Cooper. 2002. SRC catalytic but not scaffolding function is needed for integrin-regulated tyrosine phosphorylation, cell migration, and cell spreading. *Mol Cell Biol.* 22:2427-2440.
- Cascone, I., E. Giraudo, F. Caccavari, L. Napione, E. Bertotti, J.G. Collard, G. Serini, und F. Bussolino. 2003. Temporal and spatial modulation of Rho GTPases during in vitro formation of capillary vascular network. Adherens junctions and myosin light chain as targets of Rac1 and RhoA. *J Biol Chem.* 278:50702-50713. Epub 52003 Sep 50712.
- Cerneus, D.P., E. Ueffing, G. Posthuma, G.J. Strous, und A. van der Ende. 1993. Detergent insolubility of alkaline phosphatase during biosynthetic transport and endocytosis. Role of cholesterol. *J Biol Chem.* 268:3150-3155.
- Chakrabarty, S., S. Mustain, und J.K. Willson. 1990. Induction of carcinoembryonic antigen and its crossreactive gene products in human colonic adenomas and carcinomas by transforming growth factor-beta. *Mol Biother.* 2:27-31.
- Chen, C.J., und J.E. Shively. 2004. The cell-cell adhesion molecule carcinoembryonic antigen-related cellular adhesion molecule 1 inhibits IL-2 production and proliferation in

- human T cells by association with Src homology protein-1 and down-regulates IL-2 receptor. *J Immunol.* 172:3544-3552.
- Chen, T., F. Grunert, A. Medina-Marino, und E.C. Gotschlich. 1997. Several carcinoembryonic antigens (CD66) serve as receptors for gonococcal opacity proteins. *J Exp Med.* 185:1557-1564.
- Chen, W.J., H.W. Chen, S.L. Yu, C.H. Huang, T.D. Wang, J.J. Chen, C.T. Chien, H.Y. Chen, P.C. Yang, und Y.T. Lee. 2005. Gene expression profiles in hypoxic preconditioning using cDNA microarray analysis: altered expression of an angiogenic factor, carcinoembryonic antigen-related cell adhesion molecule 1. *Shock.* 24:124-131.
- Choudhry, M.A., O. Sir, und M.M. Sayeed. 2001. TGF-beta abrogates TCR-mediated signaling by upregulating tyrosine phosphatases in T cells. *Shock.* 15:193-199.
- Claas, C., C.S. Stipp, und M.E. Hemler. 2001. Evaluation of prototype transmembrane 4 superfamily protein complexes and their relation to lipid rafts. *J Biol Chem.* 276:7974-7984.
- Clark, R.A., M.G. Tonnesen, J. Gailit, und D.A. Cheresh. 1996. Transient functional expression of alphaVbeta 3 on vascular cells during wound repair. *Am J Pathol.* 148:1407-1421.
- Comegys, M.M., M.P. Carreiro, J.F. Brown, A. Mazzacua, D.L. Flanagan, A. Makarovskiy, S.H. Lin, und D.C. Hixson. 1999. C-CAM1 expression: differential effects on morphology, differentiation state and suppression of human PC-3 prostate carcinoma cells. *Oncogene.* 18:3261-3276.
- Connolly, J.O., N. Simpson, L. Hewlett, und A. Hall. 2002. Rac regulates endothelial morphogenesis and capillary assembly. *Mol Biol Cell.* 13:2474-2485.
- Cordy, J.M., I. Hussain, C. Dingwall, N.M. Hooper, und A.J. Turner. 2003. Exclusively targeting beta-secretase to lipid rafts by GPI-anchor addition up-regulates beta-site processing of the amyloid precursor protein. *Proc Natl Acad Sci U S A.* 100:11735-11740.
- Da Silva-Azevedo, L., und W. Reutter. 1999. The long isoform of the cell adhesion molecule C-CAM binds to actin. *Biochem Biophys Res Commun.* 256:404-408.
- Danen, E.H., und K.M. Yamada. 2001. Fibronectin, integrins, and growth control. *J Cell Physiol.* 189:1-13.
- Daniel, T.O., und D. Abrahamson. 2000. Endothelial signal integration in vascular assembly. *Annu Rev Physiol.* 62:649-671.
- Davis, S., T.H. Aldrich, P.F. Jones, A. Acheson, D.L. Compton, V. Jain, T.E. Ryan, J. Bruno, C. Radziejewski, P.C. Maisonpierre, und G.D. Yancopoulos. 1996. Isolation of angiopoietin-1, a ligand for the TIE2 receptor, by secretion-trap expression cloning. *Cell.* 87:1161-1169.
- Dejana, E. 2004. Endothelial cell-cell junctions: happy together. *Nat Rev Mol Cell Biol.* 5:261-270.

- Dejana, E., M.G. Lampugnani, O. Martinez-Estrada, und G. Bazzoni. 2000. The molecular organization of endothelial junctions and their functional role in vascular morphogenesis and permeability. *Int J Dev Biol.* 44:743-748.
- Dejana, E., R. Spagnuolo, und G. Bazzoni. 2001. Interendothelial junctions and their role in the control of angiogenesis, vascular permeability and leukocyte transmigration. *Thromb Haemost.* 86:308-315.
- DeLisser, H.M., M. Christofidou-Solomidou, R.M. Strieter, M.D. Burdick, C.S. Robinson, R.S. Wexler, J.S. Kerr, C. Garlanda, J.R. Merwin, J.A. Madri, und S.M. Albelda. 1997. Involvement of endothelial PECAM-1/CD31 in angiogenesis. *Am J Pathol.* 151:671-677.
- Di Guglielmo, G.M., C. Le Roy, A.F. Goodfellow, und J.L. Wrana. 2003. Distinct endocytic pathways regulate TGF-beta receptor signalling and turnover. *Nat Cell Biol.* 5:410-421.
- Dietrich, C., L.A. Bagatolli, Z.N. Volovyk, N.L. Thompson, M. Levi, K. Jacobson, und E. Gratton. 2001. Lipid rafts reconstituted in model membranes. *Biophys J.* 80:1417-1428.
- Douglass, A.D., und R.D. Vale. 2005. Single-molecule microscopy reveals plasma membrane microdomains created by protein-protein networks that exclude or trap signaling molecules in T cells. *Cell.* 121:937-950.
- Draberova, L., H. Cerna, H. Brodska, M. Boubelik, S.M. Watt, C.P. Stanners, und P. Draber. 2000. Soluble isoforms of CEACAM1 containing the A2 domain: increased serum levels in patients with obstructive jaundice and differences in 3-fucosyl-N-acetyl-lactosamine moiety. *Immunology.* 101:279-287.
- Duncan, G.S., D.P. Andrew, H. Takimoto, S.A. Kaufman, H. Yoshida, J. Spellberg, J. Luis de la Pompa, A. Elia, A. Wakeham, B. Karan-Tamir, W.A. Müller, G. Senaldi, M.M. Zukowski, und T.W. Mak. 1999. Genetic evidence for functional redundancy of Platelet/Endothelial cell adhesion molecule-1 (PECAM-1): CD31-deficient mice reveal PECAM-1-dependent and PECAM-1-independent functions. *J Immunol.* 162:3022-3030.
- Duxbury, M.S., H. Ito, M.J. Zinner, S.W. Ashley, und E.E. Whang. 2003. CEACAM6 gene silencing impairs anoikis resistance and suppresses metastasis of pancreatic adenocarcinoma. *J Surg Res.* 114:241.
- Dveksler, G.S., C.W. Dieffenbach, C.B. Cardellichio, K. McCuaig, M.N. Pensiero, G.S. Jiang, N. Beauchemin, und K.V. Holmes. 1993. Several members of the mouse carcinoembryonic antigen-related glycoprotein family are functional receptors for the coronavirus mouse hepatitis virus-A59. *J Virol.* 67:1-8.
- Dykstra, M., A. Cherukuri, H.W. Sohn, S.J. Tzeng, und S.K. Pierce. 2003. Location is everything: lipid rafts and immune cell signaling. *Annu Rev Immunol.* 21:457-481.
- Ebrahimnejad, A., R. Flayeh, G. Unteregger, C. Wagener, und J. Brümmer. 2000. Cell adhesion molecule CEACAM1 associates with paxillin in granulocytes and epithelial and endothelial cells. *Exp Cell Res.* 260:365-373.

- Ebrahimnejad, A., T. Streichert, P. Nollau, A.K. Horst, C. Wagener, A.M. Bamberger, und J. Brümmer. 2004. CEACAM1 enhances invasion and migration of melanocytic and melanoma cells. *Am J Pathol.* 165:1781-1787.
- Edlund, M., I. Blikstad, und B. Öbrink. 1996. Calmodulin binds to specific sequences in the cytoplasmic domain of C-CAM and down-regulates C-CAM self-association. *J Biol Chem.* 271:1393-1399.
- Edlund, M., H. Gaardsvoll, E. Bock, und B. Öbrink. 1993. Different isoforms and stock-specific variants of the cell adhesion molecule C-CAM (cell-CAM 105) in rat liver. *Eur J Biochem.* 213:1109-1116.
- Edlund, M., und B. Öbrink. 1993. Evidence for calmodulin binding to the cytoplasmic domains of two C-CAM isoforms. *FEBS Lett.* 327:90-94.
- Edlund, M., K. Wikström, R. Toomik, P. Ek, und B. Öbrink. 1998. Charakterisation of protein kinase C-mediated phosphorylation of the short cytoplasmic domain of C-CAM. *FEBS Letters.* 425:166-170.
- Enaida, H., T. Ito, Y. Oshima, T. Sakamoto, K. Yago, K. Kato, und H. Kochi. 1998. Effect of growth factors on expression of integrin subtypes in microvascular endothelial cells isolated from bovine retinas. *Fukushima J Med Sci.* 44:43-52.
- Ergün, S., N. Kilik, G. Ziegeler, A. Hansen, P. Nollau, J. Gotze, J.H. Wurmbach, A. Horst, J. Weil, M. Fernando, und C. Wagener. 2000. CEA-related cell adhesion molecule 1: a potent angiogenic factor and a major effector of vascular endothelial growth factor. *Mol Cell.* 5:311-320.
- Estrera, V.T., D.T. Chen, W. Luo, D.C. Hixson, und S.H. Lin. 2001. Signal transduction by the CEACAM1 tumor suppressor. Phosphorylation of serine 503 is required for growth-inhibitory activity. *J Biol Chem.* 276:15547-15553.
- Felsenfeld, D.P., P.L. Schwartzberg, A. Venegas, R. Tse, und M.P. Sheetz. 1999. Selective regulation of integrin--cytoskeleton interactions by the tyrosine kinase Src. *Nat Cell Biol.* 1:200-206.
- Fernstrom, K., P. Farmer, und M.S. Ali. 2005. Cytoskeletal remodeling in vascular smooth muscle cells in response to angiotensin II-induced activation of the SHP-2 tyrosine phosphatase. *J Cell Physiol.* 205:402-413.
- Ferrara, N., K. Carver-Moore, H. Chen, M. Dowd, L. Lu, K.S. O'Shea, L. Powell-Braxton, K.J. Hillan, und M.W. Moore. 1996. Heterozygous embryonic lethality induced by targeted inactivation of the VEGF gene. *Nature.* 380:439-442.
- Feuk-Lagerstedt, E., E.T. Jordan, H. Leffler, C. Dahlgren, und A. Karlsson. 1999. Identification of CD66a and CD66b as the major galectin-3 receptor candidates in human neutrophils. *J Immunol.* 163:5592-5598.
- Fey, E.G., K.M. Wan, und S. Penman. 1984. Epithelial cytoskeletal framework and nuclear matrix-intermediate filament scaffold: three-dimensional organization and protein composition. *J Cell Biol.* 98:1973-1984.
- Folkman, J. 1995. Angiogenesis in cancer, vascular, rheumatoid and other disease. *Nat Med.* 1:27-31.

- Folkman, J., und P.A. D'Amore. 1996. Blood vessel formation: what is its molecular basis? *Cell*. 87:1153-1155.
- Folkman, J., C.C. Haudenschild, und B.R. Zetter. 1979. Long-term culture of capillary endothelial cells. *Proc Natl Acad Sci U S A*. 76:5217-5221.
- Fournes, B., J. Farrah, M. Olson, N. Lamarche-Vane, und N. Beauchemin. 2003. Distinct Rho GTPase activities regulate epithelial cell localization of the adhesion molecule CEA-CAM1: involvement of the CEACAM1 transmembrane domain. *Mol Cell Biol*. 23:7291-7304.
- Fournes, B., S. Sadekova, C. Turbide, S. Letourneau, und N. Beauchemin. 2001. The CEA-CAM1-L Ser503 residue is crucial for inhibition of colon cancer cell tumorigenicity. *Oncogene*. 20:219-230.
- Friedlander, M., P.C. Brooks, R.W. Shaffer, C.M. Kincaid, J.A. Varner, und D.A. Cheresh. 1995. Definition of two angiogenic pathways by distinct alpha v integrins. *Science*. 270:1500-1502.
- Fukuda, K., S. Kawata, S. Tamura, Y. Matsuda, Y. Inui, T. Igura, S. Inoue, T. Kudara, und Y. Matsuzawa. 1998. Altered regulation of Src tyrosine kinase by transforming growth factor beta1 in a human hepatoma cell line. *Hepatology*. 28:796-804.
- Gagnoux-Palacios, L., M. Dans, W. van't Hof, A. Mariotti, A. Pepe, G. Meneguzzi, M.D. Resh, und F.G. Giancotti. 2003. Compartmentalization of integrin alpha6beta4 signaling in lipid rafts. *J Cell Biol*. 162:1189-1196.
- Gale, N.W., und G.D. Yancopoulos. 1999. Growth factors acting via endothelial cell-specific receptor tyrosine kinases: VEGFs, angiopoietins, and ephrins in vascular development. *Genes Dev*. 13:1055-1066.
- Gehling, U.M., S. Ergün, U. Schumacher, C. Wagener, K. Pantel, M. Otte, G. Schuch, P. Schafhausen, T. Mende, N. Kilic, K. Kluge, B. Schäfer, D.K. Hossfeld, und W. Fiedler. 2000. In vitro differentiation of endothelial cells from AC133-positive progenitor cells. *Blood*. 95:3106-3112.
- Gerhardt, H., H. Wolburg, und C. Redies. 2000. N-cadherin mediates pericytic-endothelial interaction during brain angiogenesis in the chicken. *Dev Dyn*. 218:472-479.
- Giancotti, F.G., und E. Ruoslahti. 1999. Integrin signaling. *Science*. 285:1028-1032.
- Godfraind, C., S.G. Langreth, C.B. Cardellichio, R. Knobler, J.P. Coutelier, M. Dubois-Dalcq, und K.V. Holmes. 1995. Tissue and cellular distribution of an adhesion molecule in the carcinoembryonic antigen family that serves as a receptor for mouse hepatitis virus. *Lab Invest*. 73:615-627.
- Gold, P., und S.O. Freedman. 1965. Demonstration of tumor-specific antigens in human colonic carcinoma by immunological tolerance and absorption techniques. *J. Exp. Med*. 121:439-462.
- Gomez-Mouton, C., J.L. Abad, E. Mira, R.A. Lacalle, E. Gallardo, S. Jimenez-Baranda, I. Illa, A. Bernad, S. Manes, und A.C. Martinez. 2001. Segregation of leading-edge and uropod components into specific lipid rafts during T cell polarization. *Proc Natl Acad Sci U S A*. 98:9642-9647.

- Goumans, M.J., F. Lebrin, und G. Valdimarsdottir. 2003a. Controlling the angiogenic switch: a balance between two distinct TGF- β receptor signaling pathways. *Trends Cardiovasc Med.* 13:301-307.
- Goumans, M.J., G. Valdimarsdottir, S. Itoh, F. Lebrin, J. Larsson, C. Mummery, S. Karlsson, und P. ten Dijke. 2003b. Activin receptor-like kinase (ALK)1 is an antagonistic mediator of lateral TGF β /ALK5 signaling. *Mol Cell.* 12:817-828.
- Goumans, M.J., G. Valdimarsdottir, S. Itoh, A. Rosendahl, P. Sideras, und P. ten Dijke. 2002. Balancing the activation state of the endothelium via two distinct TGF- β type I receptors. *EMBO J.* 21:1743-1753.
- Greicius, G., E. Severinson, N. Beauchemin, B. Öbrink, und B.B. Singer. 2003. CEACAM1 is a potent regulator of B cell receptor complex-induced activation. *J Leukoc Biol.* 74:126-134.
- Guan, J.L. 2004. Cell biology. Integrins, rafts, Rac, and Rho. *Science.* 303:773-774.
- Hailer, N.P., I. Bechmann, S. Heizmann, und R. Nitsch. 1997. Adhesion molecule expression on phagocytic microglial cells following anterograde degeneration of perforant path axons. *Hippocampus.* 7:341-349.
- Hall, A. 1998. Rho GTPases and the actin cytoskeleton. *Science.* 279:509-514.
- Hammarström, S. 1999. The carcinoembryonic antigen (CEA) family: structures, suggested functions and expression in normal and malignant tissues. *Semin Cancer Biol.* 9:67-81.
- Hanahan, D. 1997. Signaling vascular morphogenesis and maintenance. *Science.* 277:48-50.
- Hewett, P.W., und J.C. Murray. 1993. Human microvessel endothelial cells: isolation, culture and characterization. *In Vitro Cell Dev Biol Anim.* 11:823-830.
- Hill, D.J., M.A. Toleman, D.J. Evans, S. Villullas, L. Van Alphen, und M. Virji. 2001. The variable P5 proteins of typeable and non-typeable *Haemophilus influenzae* target human CEACAM1. *Mol Microbiol.* 39:850-862.
- Hill, D.J., und M. Virji. 2003. A novel cell-binding mechanism of *Moraxella catarrhalis* ubiquitous surface protein UspA: specific targeting of the N-domain of carcinoembryonic antigen-related cell adhesion molecules by UspA1. *Mol Microbiol.* 48:117-129.
- Horstkorte, R., H.Y. Lee, L. Lucka, K. Danker, L. Mantey, und W. Reutter. 2001. Biochemical engineering of the side chain of sialic acids increases the biological stability of the highly sialylated cell adhesion molecule CEACAM1. *Biochem Biophys Res Commun.* 283:31-35.
- Houde, C., S. Roy, N. Leung, D.W. Nicholson, und N. Beauchemin. 2003. The cell adhesion molecule CEACAM1-L is a substrate of caspase-3-mediated cleavage in apoptotic mouse intestinal cells. *J Biol Chem.* 278:16929-16935.
- Huang, J., und G.W. Feigenson. 1999. A microscopic interaction model of maximum solubility of cholesterol in lipid bilayers. *Biophys J.* 76:2142-2157.
- Huber, M., L. Izzi, P. Grondin, C. Houde, T. Kunath, A. Veillette, und N. Beauchemin. 1999. The carboxyl-terminal region of biliary glycoprotein controls its tyrosine phosphorylation. *FEBS Letters.* 447:25-29.

- lation and association with protein-tyrosine phosphatases SHP-1 and SHP-2 in epithelial cells. *J Biol Chem.* 274:335-344.
- Hunter, I., M. Lindh, und B. Öbrink. 1994. Differential regulation of C-CAM isoforms in epithelial cells. *J Cell Sci.* 107:1205-1216.
- Hunter, I., H. Sawa, M. Edlund, und B. Öbrink. 1996. Evidence for regulated dimerization of cell-cell adhesion molecule (C-CAM) in epithelial cells. *Biochem J.* 320:847-853.
- Hynes, R.O., und B.L. Bader. 1997. Targeted mutations in integrins and their ligands: their implications for vascular biology. *Thromb Haemost.* 78:83-87.
- Inagaki, K., T. Noguchi, T. Matozaki, T. Horikawa, K. Fukunaga, M. Tsuda, M. Ichihashi, und M. Kasuga. 2000. Roles for the protein tyrosine phosphatase SHP-2 in cytoskeletal organization, cell adhesion and cell migration revealed by overexpression of a dominant negative mutant. *Oncogene.* 19:75-84.
- Isakov, N. 1997. ITIMs and ITAMs. The Yin and Yang of antigen and Fc receptor-linked signaling machinery. *Immunol Res.* 16:85-100.
- Itoh, S., M. Thorikay, M. Kowanetz, A. Moustakas, F. Itoh, C.H. Heldin, und P. ten Dijke. 2003. Elucidation of Smad requirement in transforming growth factor-beta type I receptor-induced responses. *J Biol Chem.* 278:3751-3761. Epub 2002 Nov 3722.
- Izzi, L., C. Turbide, C. Houde, T. Kunath, und N. Beauchemin. 1999. cis-Determinants in the cytoplasmic domain of CEACAM1 responsible for its tumor inhibitory function. *Oncogene.* 18:5563-5572.
- Jalink, K., E.J. van Corven, T. Hengeveld, N. Morii, S. Narumiya, und W.H. Moolenaar. 1994. Inhibition of lysophosphatidate- and thrombin-induced neurite retraction and neuronal cell rounding by ADP ribosylation of the small GTP-binding protein Rho. *J Cell Biol.* 126:801-810.
- Johnson, E.S. 2004. Protein modification by SUMO. *Annu Rev Biochem.* 73:355-382.
- Juliano, R.L. 2002. Signal transduction by cell adhesion receptors and the cytoskeleton: functions of integrins, cadherins, selectins, and immunoglobulin-superfamily members. *Annu Rev Pharmacol Toxicol.* 42:283-323.
- Kammerer, R., S. Hahn, B.B. Singer, J.S. Luo, und S. von Kleist. 1998. Biliary glycoprotein (CD66a), a cell adhesion molecule of the immunoglobulin superfamily, on human lymphocytes: structure, expression and involvement in T cell activation. *Eur J Immunol.* 28:3664-3674.
- Kammerer, R., T. Popp, B.B. Singer, J. Schlender, und W. Zimmermann. 2004. Identification of allelic variants of the bovine immune regulatory molecule CEACAM1 implies a pathogen-driven evolution. *Gene.* 339:99-109.
- Kammerer, R., D. Stober, B.B. Singer, B. Öbrink, und J. Reimann. 2001. Carcinoembryonic antigen-related cell adhesion molecule 1 on murine dendritic cells is a potent regulator of T cell stimulation. *J Immunol.* 166:6537-6544.
- Kannicht, C., L. Lucka, R. Nuck, W. Reutter, und M. Gohlke. 1999. N-glycosylation of the carcinoembryonic antigen related cell adhesion molecule, C-CAM, from rat liver: detection of oversialylated bi- and triantennary structures. *Glycobiology.* 9:897-906.

- Kenworthy, A.K., B.J. Nichols, C.L. Remmert, G.M. Hendrix, M. Kumar, J. Zimmerberg, und J. Lippincott-Schwartz. 2004. Dynamics of putative raft-associated proteins at the cell surface. *J Cell Biol.* 165:735-746.
- Kerbel, R., und J. Folkman. 2002. Clinical translation of angiogenesis inhibitors. *Nat Rev Cancer.* 2:727-739.
- Kilic, N., L. Oliveira-Ferrer, J.H. Wurmbach, S. Loges, F. Chalajour, S. Neshat-Vahid, J. Weil, M. Fernando, und S. Ergün. 2005. Pro-angiogenic signaling by the endothelial presence of CEACAM1. *J Biol Chem.* 280:2361-2369. Epub 2004 Nov 2369.
- Kim, M., C.V. Carman, und T.A. Springer. 2003. Bidirectional transmembrane signaling by cytoplasmic domain separation in integrins. *Science.* 301:1720-1725.
- Kinashi, T. 2005. Intracellular signalling controlling integrin activation in lymphocytes. *Nat Rev Immunol.* 5:546-559.
- Kirshner, J., C.J. Chen, P. Liu, J. Huang, und J.E. Shively. 2003a. CEACAM1-4S, a cell-cell adhesion molecule, mediates apoptosis and reverts mammary carcinoma cells to a normal morphogenic phenotype in a 3D culture. *Proc Natl Acad Sci U S A.* 100:521-526.
- Kirshner, J., D. Schumann, und J.E. Shively. 2003b. CEACAM1, a cell-cell adhesion molecule, directly associates with annexin II in a three-dimensional model of mammary morphogenesis. *J Biol Chem.* 278:50338-50345.
- Klaile, E., M.M. Müller, C. Kannicht, B.B. Singer, und L. Lucka. 2005. CEACAM1 functionally interacts with filamin A and exerts a dual role in the regulation of cell migration. *J Cell Sci.* Accepted manuscript, 4 August 2005.
- Kumar, P., M.A. Amin, L.A. Harlow, P.J. Polverini, und A.E. Koch. 2003. Src and phosphatidylinositol 3-kinase mediate soluble E-selectin-induced angiogenesis. *Blood.* 101:3960-3968.
- Kuroki, M., H. Abe, T. Imakiirei, S. Liao, H. Uchida, Y. Yamauchi, und S. Oikawa. 2001. Identification and comparison of residues critical for cell-adhesion activities of two neutrophil CD66 antigens, CEACAM6 and CEACAM8. *J Leukoc Biol.* 70:543-550.
- Kuroki, M., T. Yamanaka, Y. Matsuo, S. Oikawa, H. Nakazato, und Y. Matsuoka. 1995. Immunohistochemical analysis of carcinoembryonic antigen (CEA)-related antigens differentially localized in intracellular granules of human neutrophils. *Immunol Invest.* 24:829-843.
- Kusumi, A., I. Koyama-Honda, und K. Suzuki. 2004. Molecular dynamics and interactions for creation of stimulation-induced stabilized rafts from small unstable steady-state rafts. *Traffic.* 5:213-230.
- Lacalle, R.A., E. Mira, C. Gomez-Mouton, S. Jimenez-Baranda, A.C. Martinez, und S. Manes. 2002. Specific SHP-2 partitioning in raft domains triggers integrin-mediated signaling via Rho activation. *J Cell Biol.* 157:277-289. Epub 2002 Apr 2015.
- Lamagna, C., K.M. Hodivala-Dilke, B.A. Imhof, und M. Aurrand-Lions. 2005. Antibody against junctional adhesion molecule-C inhibits angiogenesis and tumor growth. *Cancer Res.* 65:5703-5710.

- Lampugnani, M.G., M. Corada, P. Andriopoulou, S. Esser, W. Risau, und E. Dejana. 1997. Cell confluence regulates tyrosine phosphorylation of adherens junction components in endothelial cells. *J Cell Sci.* 110:2065-2077.
- Lang, I., M.A. Pabst, U. Hiden, A. Blaschitz, G. Dohr, T. Hahn, und G. Desoye. 2003. Heterogeneity of microvascular endothelial cells isolated from human term placenta and macrovascular umbilical vein endothelial cells. *Eur J Cell Biol.* 82:163-173.
- Larsson, J., M.J. Goumans, L.J. Sjostrand, M.A. van Rooijen, D. Ward, P. Leveen, X. Xu, P. ten Dijke, C.L. Mummery, und S. Karlsson. 2001. Abnormal angiogenesis but intact hematopoietic potential in TGF-beta type I receptor-deficient mice. *EMBO J.* 20:1663-1673.
- Lastres, P., A. Letamendia, H. Zhang, C. Rius, N. Almendro, U. Raab, L.A. Lopez, C. Langa, A. Fabra, M. Letarte, und C. Bernabeu. 1996. Endoglin modulates cellular responses to TGF-beta 1. *J Cell Biol.* 133:1109-1121.
- Le Roy, C., und J.L. Wrana. 2005. Clathrin- and non-clathrin-mediated endocytic regulation of cell signalling. *Nat Rev Mol Cell Biol.* 6:112-126.
- Lebrin, F., M. Deckers, P. Bertolino, und P. Ten Dijke. 2005. TGF-beta receptor function in the endothelium. *Cardiovasc Res.* 65:599-608.
- Lebrin, F., M.J. Goumans, L. Jonker, R.L. Carvalho, G. Valdimarsdottir, M. Thorikay, C. Mummery, H.M. Arthur, und P. ten Dijke. 2004. Endoglin promotes endothelial cell proliferation and TGF-beta/ALK1 signal transduction. *EMBO J.* 23:4018-4028. Epub 2004 Sep 4023.
- Leusch, H.G., Z. Drzeniek, Z. Markos-Pusztai, und C. Wagener. 1991. Binding of Escherichia coli and Salmonella strains to members of the carcinoembryonic antigen family: differential binding inhibition by aromatic alpha-glycosides of mannose. *Infect Immun.* 59:2051-2057.
- Lichtenberg, D., F.M. Goni, und H. Heerklotz. 2005. Detergent-resistant membranes should not be identified with membrane rafts. *Trends Biochem Sci.* 30:430-436.
- Limbourg, F.P., K. Takeshita, F. Radtke, R.T. Bronson, M.T. Chin, und J.K. Liao. 2005. Essential role of endothelial Notch1 in angiogenesis. *Circulation.* 111:1826-1832.
- London, E., und D.A. Brown. 2000. Insolubility of lipids in triton X-100: physical origin and relationship to sphingolipid/cholesterol membrane domains (rafts). *Biochim Biophys Acta.* 23:1-2.
- Lucka, L., I. Cichocka, K. Bäumler, K. Bechler, und W. Reutter. 1995. A short isoform of carcinoembryonic-antigen-related rat liver cell-cell adhesion molecule (C-CAM/gp110) mediates intercellular adhesion. Sequencing and recombinant functional analysis. *Eur J Biochem.* 234:527-535.
- Lucka, L., M. Fernando, D. Grunow, C. Kannicht, A.K. Horst, P. Nollau, und C. Wagener. 2005. Identification of Lewis^X structures of the cell adhesion molecule CEACAM1 from human granulocytes. *Glycobiology.* 15:87-100.

- Luttun, A., M. Dewerchin, D. Collen, und P. Carmeliet. 2000. The role of proteinases in angiogenesis, heart development, restenosis, atherosclerosis, myocardial ischemia, and stroke: insights from genetic studies. *Curr Atheroscler Rep.* 2:407-416.
- Madore, N., K.L. Smith, C.H. Graham, A. Jen, K. Brady, S. Hall, und R. Morris. 1999. Functionally different GPI proteins are organized in different domains on the neuronal surface. *EMBO J.* 18:6917-6926.
- Mahrenholz, A.M., C.H. Yeh, J.E. Shively, und S.A. Hefta. 1993. Microsequence and mass spectral analysis of nonspecific cross-reacting antigen 160, a CD15-positive neutrophil membrane glycoprotein. Demonstration of identity with biliary glycoprotein. *J Biol Chem.* 268:13015-13018.
- Mandell, K.J., und C.A. Parkos. 2005. The JAM family of proteins. *Adv Drug Deliv Rev.* 57:857-867.
- Manes, S., G. del Real, und A.C. Martinez. 2003. Pathogens: raft hijackers. *Nat Rev Immunol.* 3:557-568.
- Masuda, M., M. Osawa, H. Shigematsu, N. Harada, und K. Fujiwara. 1997. Platelet endothelial cell adhesion molecule-1 is a major SH-PTP2 binding protein in vascular endothelial cells. *FEBS Lett.* 408:331-336.
- Mayor, S., und F.R. Maxfield. 1995. Insolubility and redistribution of GPI-anchored proteins at the cell surface after detergent treatment. *Mol Biol Cell.* 6:929-944.
- McAllister, K.A., K.M. Grogg, D.W. Johnson, C.J. Gallione, M.A. Baldwin, C.E. Jackson, E.A. Helmbold, D.S. Markel, W.C. McKinnon, und J. Murrell. 1994. Endoglin, a TGF-beta binding protein of endothelial cells, is the gene for hereditary haemorrhagic telangiectasia type 1. *Nat Genet.* 8:345-351.
- Miura, H.S., K. Nakagaki, und F. Taguchi. 2004. N-terminal domain of the murine coronavirus receptor CEACAM1 is responsible for fusogenic activation and conformational changes of the spike protein. *J Virol.* 78:216-223.
- Möller, M.J., R. Kammerer, F. Grunert, und S. von Kleist. 1996. Biliary glycoprotein (BGP) expression on T cells and on a natural-killer-cell sub-population. *Int J Cancer.* 65:740-745.
- Muenzner, P., M. Rohde, S. Kneitz, und C.R. Hauck. 2005. CEACAM engagement by human pathogens enhances cell adhesion and counteracts bacteria-induced detachment of epithelial cells. *J Cell Biol.* 170:825-836. Epub 2005 Aug 22.
- Mukherjee, S., und F.R. Maxfield. 2004. Membrane domains. *Annu Rev Cell Dev Biol.* 20:839-866.
- Mulder, K.M. 2000. Role of Ras and Mapks in TGFbeta signaling. *Cytokine Growth Factor Rev.* 11:23-35.
- Munro, S. 2003. Lipid rafts: elusive or illusive? *Cell.* 115:377-388.
- Myoken, Y., M. Kan, G.H. Sato, W.L. McKeehan, und J.D. Sato. 1990. Bifunctional effects of transforming growth factor-beta (TGF-beta) on endothelial cell growth correlate with phenotypes of TGF-beta binding sites. *Exp Cell Res.* 191:299-304.

- Nair, K.S., und S.M. Zingde. 2001. Adhesion of neutrophils to fibronectin: role of the cd66 antigens. *Cell Immunol.* 208:96-106.
- Najjar, S.M., V.A. Blakesley, S.L. Calzi, H. Kato, D. Le Roith, und C.V. Choice. 1997. Differential phosphorylation of pp120 by insulin and insulin-like growth factor-1 receptors: role for the C-terminal domain of the beta-subunit. *Biochemistry*. 36:6827-6834.
- Nakagaki, K., und F. Taguchi. 2005. Receptor-independent spread of a highly neurotropic murine coronavirus JHMV strain from initially infected microglial cells in mixed neural cultures. *J Virol.* 79:6102-6110.
- Nangia-Makker, P., Y. Honjo, R. Sarvis, S. Akahani, V. Hogan, K.J. Pienta, und A. Raz. 2000. Galectin-3 induces endothelial cell morphogenesis and angiogenesis. *Am J Pathol.* 156:899-909.
- Navarro, P., L. Ruco, und E. Dejana. 1998. Differential localization of VE- and N-cadherins in human endothelial cells: VE-cadherin competes with N-cadherin for junctional localization. *J Cell Biol.* 140:1475-1484.
- Nawroth, R., G. Poell, A. Ranft, S. Kloep, U. Samulowitz, G. Fachinger, M. Golding, D.T. Shima, U. Deutsch, und D. Vestweber. 2002. VE-PTP and VE-cadherin ectodomains interact to facilitate regulation of phosphorylation and cell contacts. *EMBO J.* 21:4885-4895.
- Nedellec, P., G.S. Dveksler, E. Daniels, C. Turbide, B. Chow, A.A. Basile, K.V. Holmes, und N. Beauchemin. 1994. Bgp2, a new member of the carcinoembryonic antigen-related gene family, encodes an alternative receptor for mouse hepatitis viruses. *J Virol.* 68:4525-4537.
- Newman, P.J., und D.K. Newman. 2003. Signal transduction pathways mediated by PECAM-1: new roles for an old molecule in platelet and vascular cell biology. *Arterioscler Thromb Vasc Biol.* 23:953-964.
- Nguyen, M., N.A. Strubel, und J. Bischoff. 1993. A role for sialyl Lewis-X/A glycoconjugates in capillary morphogenesis. *Nature*. 365:267-269.
- Nitta, T., M. Hata, S. Gotoh, Y. Seo, H. Sasaki, N. Hashimoto, M. Furuse, und S. Tsukita. 2003. Size-selective loosening of the blood-brain barrier in claudin-5-deficient mice. *J Cell Biol.* 161:653-660.
- Nittka, S., J. Gunther, C. Ebisch, A. Erbersdobler, und M. Neumaier. 2004. The human tumor suppressor CEACAM1 modulates apoptosis and is implicated in early colorectal tumorigenesis. *Oncogene*. 23:9306-9313.
- Nyberg, P., L. Xie, und R. Kalluri. 2005. Endogenous inhibitors of angiogenesis. *Cancer Res.* 65:3967-3979.
- Öbrink, B. 1991. C-CAM (cell-CAM 105)--a member of the growing immunoglobulin superfamily of cell adhesion proteins. *Bioessays*. 13:227-234.
- Öbrink, B. 1997. CEA adhesion molecules: multifunctional proteins with signal-regulatory properties. *Curr Opin Cell Biol.* 9:616-626.

- Ocklind, C., und B. Öbrink. 1982. Intercellular adhesion of rat hepatocytes. Identification of a cell surface glycoprotein involved in the initial adhesion process. *J Biol Chem.* 257:6788-6795.
- Odin, P., M. Asplund, C. Busch, und B. Öbrink. 1988. Immunohistochemical localization of cellCAM 105 in rat tissues: appearance in epithelia, platelets, and granulocytes. *J Histochem Cytochem.* 36:729-739.
- Oh, E.S., H. Gu, T.M. Saxton, J.F. Timms, S. Hausdorff, E.U. Frevert, B.B. Kahn, T. Pawson, B.G. Neel, und S.M. Thomas. 1999. Regulation of early events in integrin signaling by protein tyrosine phosphatase SHP-2. *Mol Cell Biol.* 19:3205-3215.
- Oliferenko, S., K. Paiha, T. Harder, V. Gerke, C. Schwarzler, H. Schwarz, H. Beug, U. Guntzert, und L.A. Huber. 1999. Analysis of CD44-containing lipid rafts: Recruitment of annexin II and stabilization by the actin cytoskeleton. *J Cell Biol.* 146:843-854.
- Olsson, H., Wikstrom K, Kjellstrom G, und Öbrink B. 1995. Cell adhesion activity of the short cytoplasmic domain isoform of C-CAM (C-CAM2) in CHO cells. *FEBS Lett.* 365:51-56
- Ordonez, C., R.A. Screamton, C. Ilantzis, und C.P. Stanners. 2000. Human carcinoembryonic antigen functions as a general inhibitor of anoikis. *Cancer Res.* 60:3419-3424.
- Osawa, M., M. Masuda, K. Kusano, und K. Fujiwara. 2002. Evidence for a role of platelet endothelial cell adhesion molecule-1 in endothelial cell mechanosignal transduction: is it a mechanoresponsive molecule? *J Cell Biol.* 158:773-785. Epub 2002 Aug 2012.
- Pappin, D.J. 2003. Peptide mass fingerprinting using MALDI-TOF mass spectrometry. *Methods Mol Biol.* 211:211-219.
- Parise, L.V. 2003. JAM-1 regulation of endothelial cell migration: implications for angiogenesis. *Arterioscler Thromb Vasc Biol.* 23:2119-2120.
- Pepper, M.S. 2001. Extracellular proteolysis and angiogenesis. *Thromb Haemost.* 86:346-355.
- Pike, L.J. 2003. Lipid rafts: bringing order to chaos. *J Lipid Res.* 44:655-667.
- Pike, L.J. 2004. Lipid rafts: heterogeneity on the high seas. *Biochem J.* 378:281-292.
- Posey, J.A., M.B. Khazaeli, A. DelGrosso, M.N. Saleh, C.Y. Lin, W. Huse, und A.F. LoBuglio. 2001. A pilot trial of Vitaxin, a humanized anti-vitronectin receptor (anti alpha v beta 3) antibody in patients with metastatic cancer. *Cancer Biother Radiopharm.* 16:125-132.
- Poy, M.N., R.J. Ruch, M.A. Fernström, Y. Okabayashi, und S.M. Najjar. 2002. Shc and CEA-CAM1 interact to regulate the mitogenic action of insulin. *J Biol Chem.* 277:1076-1084.
- Prall, F., P. Nollau, M. Neumaier, H.D. Haubeck, Z. Drzeniek, U. Helmchen, T. Loning, und C. Wagener. 1996. CD66a (BGP), an adhesion molecule of the carcinoembryonic antigen family, is expressed in epithelium, endothelium, and myeloid cells in a wide range of normal human tissues. *J Histochem Cytochem.* 44:35-41.
- Pralle, A., P. Keller, E.L. Florin, K. Simons, und J.K. Horber. 2000. Sphingolipid-cholesterol rafts diffuse as small entities in the plasma membrane of mammalian cells. *J Cell Biol.* 148:997-1008.

- Quintanilla, M., J.R. Ramirez, E. Perez-Gomez, D. Romero, B. Velasco, M. Letarte, J.M. Lopez-Novoa, und C. Bernabeu. 2003. Expression of the TGF-beta coreceptor endoglin in epidermal keratinocytes and its dual role in multistage mouse skin carcinogenesis. *Oncogene*. 22:5976-5985.
- Resh, M.D. 1994. Myristylation and palmitylation of Src family members: the fats of the matter. *Cell*. 76:411-413.
- Risau, W., und I. Flamme. 1995. Vasculogenesis. *Annu Rev Cell Dev Biol*. 11:73-91.
- Robitaille, J., L. Izzi, E. Daniels, B. Zelus, K.V. Holmes, und N. Beauchemin. 1999. Comparison of expression patterns and cell adhesion properties of the mouse biliary glycoproteins bgp1 and bgp2. *Eur J Biochem*. 264:534-544.
- Röper, K., D. Corbeil, und W.B. Huttner. 2000. Retention of prominin in microvilli reveals distinct cholesterol-based lipid micro-domains in the apical plasma membrane. *Nat Cell Biol*. 2:582-592.
- Ruchaud-Sparagano, M.H., S.C. Stocks, H. Turley, und I. Dransfield. 1997. Activation of neutrophil function via CD66: differential effects upon beta 2 integrin mediated adhesion. *Br J Haematol*. 98:612-620.
- Rundhaug, J.E. 2005. Matrix metalloproteinases and angiogenesis. *J Cell Mol Med*. 9:267-285.
- Sadekova, S., N. Lamarche-Vane, X. Li, und N. Beauchemin. 2000. The CEACAM1-L glycoprotein associates with the actin cytoskeleton and localizes to cell-cell contact through activation of Rho-like GTPases. *Mol Biol Cell*. 11:65-77.
- Sakisaka, T., und Y. Takai. 2004. Biology and pathology of nectins and nectin-like molecules. *Curr Opin Cell Biol*. 16:513-521.
- Sawa, H., K. Kamada, H. Sato, S. Sendo, A. Kondo, I. Saito, M. Edlund, und B. Öbrink. 1994. C-CAM expression in the developing rat central nervous system. *Brain Res Dev Brain Res*. 78:35-43.
- Schägger, H., und G. von Jagow. 1987. Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal Biochem*. 166:368-379.
- Schmelz, M., R. Moll, C. Kuhn, und W.W. Franke. 1994. Complexus adhaerentes, a new group of desmoplakin-containing junctions in endothelial cells: II. Different types of lymphatic vessels. *Differentiation*. 57:97-117.
- Schoenwaelder, S.M., L.A. Petch, D. Williamson, R. Shen, G.S. Feng, und K. Burridge. 2000. The protein tyrosine phosphatase Shp-2 regulates RhoA activity. *Curr Biol*. 10:1523-1526.
- Schönherr, E., und H.J. Hausser. 2000. Extracellular matrix and cytokines: a functional unit. *Dev Immunol*. 7:89-101.
- Schroeder, R., E. London, und D. Brown. 1994. Interactions between saturated acyl chains confer detergent resistance on lipids and glycosylphosphatidylinositol (GPI)-anchored proteins: GPI-anchored proteins in liposomes and cells show similar behavior. *Proc Natl Acad Sci U S A*. 91:12130-12134.

- Schuck, S., M. Honsho, K. Ekroos, A. Shevchenko, und K. Simons. 2003. Resistance of cell membranes to different detergents. *Proc Natl Acad Sci U S A.* 100:5795-5800.
- Schuck, S., und K. Simons. 2004. Polarized sorting in epithelial cells: raft clustering and the biogenesis of the apical membrane. *J Cell Sci.* 117:5955-5964.
- Schumann, D., C.J. Chen, B. Kaplan, und J.E. Shively. 2001. Carcinoembryonic antigen cell adhesion molecule 1 directly associates with cytoskeleton proteins actin and tropomyosin. *J Biol Chem.* 276:47421-47433.
- Schwartz, M.A. 2001. Integrin signaling revisited. *Trends Cell Biol.* 11:466-470.
- Shalaby, F., J. Ho, W.L. Stanford, K.D. Fischer, A.C. Schuh, L. Schwartz, A. Bernstein, und J. Rossant. 1997. A requirement for Flk1 in primitive and definitive hematopoiesis and vasculogenesis. *Cell.* 89:981-990.
- Shalaby, F., J. Rossant, T.P. Yamaguchi, M. Gertsenstein, X.F. Wu, M.L. Breitman, und A.C. Schuh. 1995. Failure of blood-island formation and vasculogenesis in Flk-1-deficient mice. *Nature.* 376:62-66.
- Shlapatska, L.M., S.V. Mikhalap, A.G. Berdova, O.M. Zelensky, T.J. Yun, K.E. Nichols, E.A. Clark, und S.P. Sidorenko. 2001. CD150 association with either the SH2-containing inositol phosphatase or the SH2-containing protein tyrosine phosphatase is regulated by the adaptor protein SH2D1A. *J Immunol.* 166:5480-5487.
- Sigismund, S., S. Polo, und P.P. Di Fiore. 2004. Signaling through monoubiquitination. *Curr Top Microbiol Immunol.* 286:149-185.
- Singer, B.B., E. Klaile, I. Scheffrahn, M.M. Müller, R. Kammerer, W. Reutter, B. Öbrink, und L. Lucka. 2005. CEACAM1 (CD66a) mediates delay of spontaneous and Fas ligand-induced apoptosis in granulocytes. *Eur J Immunol.* 35:1949-1959.
- Singer, B.B., I. Scheffrahn, R. Heymann, K. Sigmundsson, R. Kammerer, und B. Öbrink. 2002. Carcinoembryonic antigen-related cell adhesion molecule 1 expression and signaling in human, mouse, and rat leukocytes: evidence for replacement of the short cytoplasmic domain isoform by glycosylphosphatidylinositol-linked proteins in human leukocytes. *J Immunol.* 168:5139-5146.
- Singer, S.J., und G.L. Nicolson. 1972. The fluid mosaic model of the structure of cell membranes. *Science.* 175:720-731.
- Skubitz, K.M., K.D. Campbell, K. Ahmed, und A.P. Skubitz. 1995. CD66 family members are associated with tyrosine kinase activity in human neutrophils. *J Immunol.* 155:5382-5390.
- Skubitz, K.M., K.D. Campbell, und A.P. Skubitz. 2000. Synthetic peptides of CD66a stimulate neutrophil adhesion to endothelial cells. *J Immunol.* 164:4257-4264.
- Skubitz, K.M., T.P. Ducker, und S.A. Goueli. 1992. CD66 monoclonal antibodies recognize a phosphotyrosine-containing protein bearing a carcinoembryonic antigen cross-reacting antigen on the surface of human neutrophils. *J Immunol.* 148:852-860.
- Skubitz, K.M., T.P. Ducker, A.P. Skubitz, und S.A. Goueli. 1993. Antiserum to carcinoembryonic antigen recognizes a phosphotyrosine- containing protein in human colon cancer cell lines. *FEBS Lett.* 318:200-204.

- Sohl, G., und K. Willecke. 2004. Gap junctions and the connexin protein family. *Cardiovasc Res.* 62:228-232.
- Solowiej, A., P. Biswas, D. Graesser, und J.A. Madri. 2003. Lack of platelet endothelial cell adhesion molecule-1 attenuates foreign body inflammation because of decreased angiogenesis. *Am J Pathol.* 162:953-962.
- Song, K.S., S. Li, T. Okamoto, L.A. Quilliam, M. Sargiacomo, und M.P. Lisanti. 1996. Co-purification and direct interaction of Ras with caveolin, an integral membrane protein of caveolae microdomains. Detergent-free purification of caveolae microdomains. *J Biol Chem.* 271:9690-9697.
- Stocks, S.C., und M.A. Kerr. 1993. Neutrophil NCA-160 (CD66) is the major protein carrier of selectin binding carbohydrate groups LewisX and sialyl lewisX. *Biochem Biophys Res Commun.* 195:478-483.
- Stuart, R.O., E.J. Barros, E. Ribeiro, und S.K. Nigam. 1995. Epithelial tubulogenesis through branching morphogenesis: relevance to collecting system development. *J Am Soc Nephrol.* 6:1151-1159.
- Stupack, D.G., und D.A. Cheresh. 2004. Integrins and angiogenesis. *Curr Top Dev Biol.* 64:207-238.
- Sundberg, U., N. Beauchemin, und B. Öbrink. 2004. The cytoplasmic domain of CEACAM1-L controls its lateral localization and the organization of desmosomes in polarized epithelial cells. *J Cell Sci.* 117:1091-1104.
- Suri, C., P.F. Jones, S. Patan, S. Bartunkova, P.C. Maisonpierre, S. Davis, T.N. Sato, und G.D. Yancopoulos. 1996. Requisite role of angiopoietin-1, a ligand for the TIE2 receptor, during embryonic angiogenesis. *Cell.* 87:1171-1180.
- Tadokoro, S., S.J. Shattil, K. Eto, V. Tai, R.C. Liddington, J.M. de Pereda, M.H. Ginsberg, und D.A. Calderwood. 2003. Talin binding to integrin beta tails: a final common step in integrin activation. *Science.* 302:103-106.
- Tan, K., B.D. Zelus, R. Meijers, J.H. Liu, J.M. Bergelson, N. Duke, R. Zhang, A. Joachimiak, K.V. Holmes, und J.H. Wang. 2002. Crystal structure of murine sCEACAM1a[1,4]: a coronavirus receptor in the CEA family. *EMBO J.* 21:2076-2086.
- Tedder, T.F., D.A. Steeber, A. Chen, und P. Engel. 1995. The selectins: vascular adhesion molecules. *FASEB J.* 9:866-873.
- Teixeira, A.M., J. Fawcett, D.L. Simmons, und S.M. Watt. 1994. The N-domain of the biliary glycoprotein (BGP) adhesion molecule mediates homotypic binding: domain interactions and epitope analysis of BGPs. *Blood.* 84:211-219.
- Thompson, J.A., F. Grunert, und W. Zimmermann. 1991. Carcinoembryonic antigen gene family: molecular biology and clinical perspectives. *J Clin Lab Anal.* 5:344-366.
- Thorp, E.B., und T.M. Gallagher. 2004. Requirements for CEACAMs and cholesterol during murine coronavirus cell entry. *J Virol.* 78:2682-2692.
- Tingstrom, A., I. Blikstad, M. Aurivillius, und B. Öbrink. 1990. C-CAM (cell-CAM 105) is an adhesive cell surface glycoprotein with homophilic binding properties. *J Cell Sci.* 96:17-25.

- Tingstrom, A., und B. Öbrink. 1989. Distribution and dynamics of cell surface-associated cellCAM 105 in cultured rat hepatocytes. *Exp Cell Res.* 185:132-142.
- Ukropec, J.A., M.K. Hollinger, S.M. Salva, und M.J. Woolkalis. 2000. SHP2 association with VE-cadherin complexes in human endothelial cells is regulated by thrombin. *J Biol Chem.* 275:5983-5986.
- Umbreit, J.N., und J.L. Strominger. 1973. Relation of detergent HLB number to solubilization and stabilization of D-alanine carboxypeptidase from *Bacillus subtilis* membranes. *Proc Natl Acad Sci U S A.* 70:2997-3001.
- Uyttendaele, H., G. Marazzi, G. Wu, Q. Yan, D. Sassoon, und J. Kitajewski. 1996. Notch4int-3, a mammary proto-oncogene, is an endothelial cell-specific mammalian Notch gene. *Development.* 122:2251-2259.
- van der Flier, A., und A. Sonnenberg. 2001. Function and interactions of integrins. *Cell Tissue Res.* 305:285-298.
- van Gisbergen, K.P., C.A. Aarnoudse, G.A. Meijer, T.B. Geijtenbeek, und Y. van Kooyk. 2005a. Dendritic cells recognize tumor-specific glycosylation of carcinoembryonic antigen on colorectal cancer cells through dendritic cell-specific intercellular adhesion molecule-3-grabbing nonintegrin. *Cancer Res.* 65:5935-5944.
- van Gisbergen, K.P., I.S. Ludwig, T.B. Geijtenbeek, und Y. van Kooyk. 2005b. Interactions of DC-SIGN with Mac-1 and CEACAM1 regulate contact between dendritic cells and neutrophils. *FEBS Lett.* 573:13.
- Vestweber, D. 2000. Molecular mechanisms that control endothelial cell contacts. *J Pathol.* 190:281-291.
- Virji, M., D. Evans, J. Griffith, D. Hill, L. Serino, A. Hadfield, und S.M. Watt. 2000. Carcinoembryonic antigens are targeted by diverse strains of typable and non-typable *Haemophilus influenzae*. *Mol Microbiol.* 36:784-795.
- Virji, M., D. Evans, A. Hadfield, F. Grunert, A.M. Teixeira, und S.M. Watt. 1999. Critical determinants of host receptor targeting by *neisseria meningitidis* and *neisseria gonorrhoeae*: identification of opa adhesiotopes on the N-domain of CD66 molecules. *Mol Microbiol.* 34:538-551.
- Wang, H.U., Z.F. Chen, und D.J. Anderson. 1998. Molecular distinction and angiogenic interaction between embryonic arteries and veins revealed by ephrin-B2 and its receptor Eph-B4. *Cell.* 93:741-753.
- Watt, S.M., A.M. Teixeira, G.Q. Zhou, R. Doyonnas, Y. Zhang, F. Grunert, R.S. Blumberg, M. Kuroki, K.M. Skubitz, und P.A. Bates. 2001. Homophilic adhesion of human CEACAM1 involves N-terminal domain interactions: structural analysis of the binding site. *Blood.* 98:1469-1479.
- Wells, L., K. Vosseller, und G.W. Hart. 2001. Glycosylation of nucleocytoplasmic proteins: signal transduction and O-GlcNAc. *Science.* 291:2376-2378.
- Williams, A.F., und A.N. Barclay. 1988. The immunoglobulin superfamily-domains for cell surface recognition. *Annu Rev Immunol.* 6:381-405.
- Wolozin, B. 2002. Cholesterol and Alzheimer's disease. *Biochem Soc Trans.* 30:525-529.

- Yang, S., J. Graham, J.W. Kahn, E.A. Schwartz, und M.E. Gerritsen. 1999. Functional roles for PECAM-1 (CD31) and VE-cadherin (CD144) in tube assembly and lumen formation in three-dimensional collagen gels. *Am J Pathol.* 155:887-895.
- Yu, D.H., C.K. Qu, O. Henegariu, X. Lu, und G.S. Feng. 1998. Protein-tyrosine phosphatase Shp-2 regulates cell spreading, migration, and focal adhesion. *J Biol Chem.* 273:21125-21131.
- Zanetti, A., M.G. Lampugnani, G. Balconi, F. Breviario, M. Corada, L. Lanfrancone, und E. Dejana. 2002. Vascular endothelial growth factor induces SHC association with vascular endothelial cadherin: a potential feedback mechanism to control vascular endothelial growth factor receptor-2 signaling. *Arterioscler Thromb Vasc Biol.* 22:617-622.
- Zehhauser, R., R. Kammerer, A. Eisenried, A. McLellan, T. Moore, und W. Zimmermann. 2005. Identification of a novel group of evolutionarily conserved members within the rapidly diverging murine Cea family. *Genomics.* 86:566-580.
- Zhou, G.Q., Y. Zhang, und S. Hammarström. 2001. The carcinoembryonic antigen (CEA) gene family in non-human primates. *Gene.* 264:105-112.
- Zhou, H., A. Fuks, G. Alcaraz, T.J. Bolling, und C.P. Stanners. 1993. Homophilic adhesion between Ig superfamily carcinoembryonic antigen molecules involves double reciprocal bonds. *J Cell Biol.* 122:951-960.
- Zimmermann, W. 1992. Struktur und Expression der CEA-Genfamilie in Mensch und Nager. Habilitationsschrift, Albert-Ludwigs-Universität, Freiburg i.Br.
- Zimmermann, W., M. Weiss, und J.A. Thompson. 1989. cDNA cloning demonstrates the expression of pregnancy-specific glycoprotein genes, a subgroup of the carcinoembryonic antigen gene family, in fetal liver. *Biochem Biophys Res Commun.* 163:1197-1209.
- Zimrin, A.B., M.S. Pepper, G.A. McMahon, F. Nguyen, R. Montesano, und T. Maciag. 1996. An antisense oligonucleotide to the notch ligand jagged enhances fibroblast growth factor-induced angiogenesis in vitro. *J Biol Chem.* 271:32499-32502.