

## 9 Literature

- Alter, M.J. (2002) Prevention of spread of hepatitis C. *Hepatology*, **36**, S93-98.
- Arima, N., Kao, C.Y., Licht, T., Padmanabhan, R. and Sasaguri, Y. (2001) Modulation of cell growth by the hepatitis C virus nonstructural protein NS5A. *J Biol Chem*, **276**, 12675-12684.
- Bartenschlager, R. and Lohmann, V. (2000) Replication of the hepatitis C virus. *Baillieres Best Pract Res Clin Gastroenterol*, **14**, 241-254.
- Bartosch, B., Dubuisson, J. and Cosset, F.L. (2003a) Infectious hepatitis C virus pseudo-particles containing functional E1-E2 envelope protein complexes. *J Exp Med*, **197**, 633-642.
- Bartosch, B., Vitelli, A., Granier, C., Goujon, C., Dubuisson, J., Pascale, S., Scarselli, E., Cortese, R., Nicosia, A. and Cosset, F.L. (2003b) Cell entry of hepatitis C virus requires a set of co-receptors that include the CD81 tetraspanin and the SR-B1 scavenger receptor. *J Biol Chem*, **278**, 41624-41630.
- Basu, A., Steele, R., Ray, R. and Ray, R.B. (2004) Functional properties of a 16 kDa protein translated from an alternative open reading frame of the core-encoding genomic region of hepatitis C virus. *J Gen Virol*, **85**, 2299-2306.
- Baumert, T.F., Ito, S., Wong, D.T. and Liang, T.J. (1998) Hepatitis C virus structural proteins assemble into viruslike particles in insect cells. *J Virol*, **72**, 3827-3836.
- Behrens, S.E., Tomei, L. and De Francesco, R. (1996) Identification and properties of the RNA-dependent RNA polymerase of hepatitis C virus. *Embo J*, **15**, 12-22.
- Birnboim, H.C. and Doly, J. (1979) A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res*, **7**, 1513-1523.
- Blight, K.J., Kolykhalov, A.A. and Rice, C.M. (2000) Efficient initiation of HCV RNA replication in cell culture. *Science*, **290**, 1972-1974.
- Blindenbacher, A., Duong, F.H., Hunziker, L., Stutvoet, S.T., Wang, X., Terracciano, L., Moradpour, D., Blum, H.E., Alonzi, T., Tripodi, M., La Monica, N. and Heim, M.H. (2003) Expression of hepatitis c virus proteins inhibits interferon alpha signaling in the liver of transgenic mice. *Gastroenterology*, **124**, 1465-1475.
- Bouchard, C., Thieke, K., Maier, A., Saffrich, R., Hanley-Hyde, J., Ansorge, W., Reed, S., Sicinski, P., Bartek, J. and Eilers, M. (1999) Direct induction of cyclin D2 by Myc contributes to cell cycle progression and sequestration of p27. *Embo J*, **18**, 5321-5333.
- Brass, V., Bieck, E., Montserret, R., Wolk, B., Hellings, J.A., Blum, H.E., Penin, F. and Moradpour, D. (2002) An amino-terminal amphipathic alpha-helix mediates membrane association of the hepatitis C virus nonstructural protein 5A. *J Biol Chem*, **277**, 8130-8139.
- Brinster, R.L., Allen, J.M., Behringer, R.R., Gelinas, R.E. and Palmiter, R.D. (1988) Introns increase transcriptional efficiency in transgenic mice. *Proc Natl Acad Sci U S A*, **85**, 836-840.
- Bruder, J.T., Heidecker, G. and Rapp, U.R. (1992) Serum-, TPA-, and Ras-induced expression from Ap-1/Ets-driven promoters requires Raf-1 kinase. *Genes Dev*, **6**, 545-556.
- Bukh, J., Pietschmann, T., Lohmann, V., Krieger, N., Faulk, K., Engle, R.E., Govindarajan, S., Shapiro, M., St Claire, M. and Bartenschlager, R. (2002) Mutations that permit efficient replication of hepatitis C virus RNA in Huh-7 cells prevent productive replication in chimpanzees. *Proc Natl Acad Sci U S A*, **99**, 14416-14421.

- Chai, J. and Tarnawski, A.S. (2002) Serum response factor: discovery, biochemistry, biological roles and implications for tissue injury healing. *J Physiol Pharmacol*, **53**, 147-157.
- Chang, F., Steelman, L.S., Lee, J.T., Shelton, J.G., Navolanic, P.M., Blalock, W.L., Franklin, R.A. and McCubrey, J.A. (2003) Signal transduction mediated by the Ras/Raf/MEK/ERK pathway from cytokine receptors to transcription factors: potential targeting for therapeutic intervention. *Leukemia*, **17**, 1263-1293.
- Chisari, F.V., Klopchin, K., Moriyama, T., Pasquinelli, C., Dunsford, H.A., Sell, S., Pinkert, C.A., Brinster, R.L. and Palmiter, R.D. (1989) Molecular pathogenesis of hepatocellular carcinoma in hepatitis B virus transgenic mice. *Cell*, **59**, 1145-1156.
- Chiu, V.K., Bivona, T., Hach, A., Sajous, J.B., Silletti, J., Wiener, H., Johnson, R.L., 2nd, Cox, A.D. and Philips, M.R. (2002) Ras signaling on the endoplasmic reticulum and the Golgi. *Nat Cell Biol*, **4**, 343-350.
- Chong, H., Vikis, H.G. and Guan, K.L. (2003) Mechanisms of regulating the Raf kinase family. *Cell Signal*, **15**, 463-469.
- Choo, Q.L., Kuo, G., Weiner, A.J., Overby, L.R., Bradley, D.W. and Houghton, M. (1989) Isolation of a cDNA clone derived from a blood-borne non-A, non-B viral hepatitis genome. *Science*, **244**, 359-362.
- Chung, Y.M., Park, K.J., Choi, S.Y., Hwang, S.B. and Lee, S.Y. (2001) Hepatitis C virus core protein potentiates TNF-alpha-induced NF-kappaB activation through TRAF2-IKKbeta-dependent pathway. *Biochem Biophys Res Commun*, **284**, 15-19.
- Coito, C., Diamond, D.L., Neddermann, P., Korth, M.J. and Katze, M.G. (2004) High-throughput screening of the yeast kinome: identification of human serine/threonine protein kinases that phosphorylate the hepatitis C virus NS5A protein. *J Virol*, **78**, 3502-3513.
- Crespo, P., Xu, N., Daniotti, J.L., Troppmair, J., Rapp, U.R. and Gutkind, J.S. (1994) Signaling through transforming G protein-coupled receptors in NIH 3T3 cells involves c-Raf activation. Evidence for a protein kinase C-independent pathway. *J Biol Chem*, **269**, 21103-21109.
- de la Fuente, C., Maddukuri, A., Kehn, K., Baylor, S.Y., Deng, L., Pumfery, A. and Kashanchi, F. (2003) Pharmacological cyclin-dependent kinase inhibitors as HIV-1 antiviral therapeutics. *Curr HIV Res*, **1**, 131-152.
- Dhillon, A.S. and Kolch, W. (2002) Untying the regulation of the Raf-1 kinase. *Arch Biochem Biophys*, **404**, 3-9.
- Di Bisceglie, A.M. and Hoofnagle, J.H. (2002) Optimal therapy of hepatitis C. *Hepatology*, **36**, S121-127.
- Disson, O., Haouzi, D., Desagher, S., Loesch, K., Hahne, M., Kremer, E.J., Jacquet, C., Lemon, S.M., Hibner, U. and Lerat, H. (2004) Impaired clearance of virus-infected hepatocytes in transgenic mice expressing the hepatitis C virus polyprotein. *Gastroenterology*, **126**, 859-872.
- Dubuisson, J., Hsu, H.H., Cheung, R.C., Greenberg, H.B., Russell, D.G. and Rice, C.M. (1994) Formation and intracellular localization of hepatitis C virus envelope glycoprotein complexes expressed by recombinant vaccinia and Sindbis viruses. *J Virol*, **68**, 6147-6160.
- Dudley, D.T., Pang, L., Decker, S.J., Bridges, A.J. and Saltiel, A.R. (1995) A synthetic inhibitor of the mitogen-activated protein kinase cascade. *Proc Natl Acad Sci U S A*, **92**, 7686-7689.
- Elazar, M., Liu, P., Rice, C.M. and Glenn, J.S. (2004) An N-terminal amphipathic helix in hepatitis C virus (HCV) NS4B mediates membrane association, correct localization of replication complex proteins, and HCV RNA replication. *J Virol*, **78**, 11393-11400.

- El-Serag, H.B. (2002) Hepatocellular carcinoma and hepatitis C in the United States. *Hepatology*, **36**, S74-83.
- English, J.M. and Cobb, M.H. (2002) Pharmacological inhibitors of MAPK pathways. *Trends Pharmacol Sci*, **23**, 40-45.
- Enomoto, N., Sakuma, I., Asahina, Y., Kurosaki, M., Murakami, T., Yamamoto, C., Izumi, N., Marumo, F. and Sato, C. (1995) Comparison of full-length sequences of interferon-sensitive and resistant hepatitis C virus 1b. Sensitivity to interferon is conferred by amino acid substitutions in the NS5A region. *J Clin Invest*, **96**, 224-230.
- Erhardt, A., Hassan, M., Heintges, T. and Haussinger, D. (2002) Hepatitis C virus core protein induces cell proliferation and activates ERK, JNK, and p38 MAP kinases together with the MAP kinase phosphatase MKP-1 in a HepG2 Tet-Off cell line. *Virology*, **292**, 272-284.
- Evans, M.J., Rice, C.M. and Goff, S.P. (2004) Phosphorylation of hepatitis C virus nonstructural protein 5A modulates its protein interactions and viral RNA replication. *Proc Natl Acad Sci U S A*, **101**, 13038-13043.
- Favata, M.F., Horiuchi, K.Y., Manos, E.J., Daulerio, A.J., Stradley, D.A., Feese, W.S., Van Dyk, D.E., Pitts, W.J., Earl, R.A., Hobbs, F., Copeland, R.A., Magolda, R.L., Scherle, P.A. and Trzaskos, J.M. (1998) Identification of a novel inhibitor of mitogen-activated protein kinase kinase. *J Biol Chem*, **273**, 18623-18632.
- Feinstone, S.M., Kapikian, A.Z., Purcell, R.H., Alter, H.J. and Holland, P.V. (1975) Transfusion-associated hepatitis not due to viral hepatitis type A or B. *N Engl J Med*, **292**, 767-770.
- Flory, E., Weber, C.K., Chen, P., Hoffmeyer, A., Jassoy, C. and Rapp, U.R. (1998) Plasma membrane-targeted Raf kinase activates NF-kappaB and human immunodeficiency virus type 1 replication in T lymphocytes. *J Virol*, **72**, 2788-2794.
- Fontana, R.J. and Lok, A.S. (2002) Noninvasive monitoring of patients with chronic hepatitis C. *Hepatology*, **36**, S57-64.
- Foy, E., Li, K., Wang, C., Sumpter, R., Jr., Ikeda, M., Lemon, S.M. and Gale, M., Jr. (2003) Regulation of interferon regulatory factor-3 by the hepatitis C virus serine protease. *Science*, **300**, 1145-1148.
- Frese, M., Barth, K., Kaul, A., Lohmann, V., Schwarzle, V. and Bartenschlager, R. (2003) Hepatitis C virus RNA replication is resistant to tumour necrosis factor-alpha. *J Gen Virol*, **84**, 1253-1259.
- Fried, M.W. (2002) Side effects of therapy of hepatitis C and their management. *Hepatology*, **36**, S237-244.
- Gale, M., Jr., Blakely, C.M., Kwieciszewski, B., Tan, S.L., Dossett, M., Tang, N.M., Korth, M.J., Polyak, S.J., Gretch, D.R. and Katze, M.G. (1998) Control of PKR protein kinase by hepatitis C virus nonstructural 5A protein: molecular mechanisms of kinase regulation. *Mol Cell Biol*, **18**, 5208-5218.
- Gale, M.J., Jr., Korth, M.J., Tang, N.M., Tan, S.L., Hopkins, D.A., Dever, T.E., Polyak, S.J., Gretch, D.R. and Katze, M.G. (1997) Evidence that hepatitis C virus resistance to interferon is mediated through repression of the PKR protein kinase by the nonstructural 5A protein. *Virology*, **230**, 217-227.
- Gao, L., Aizaki, H., He, J.W. and Lai, M.M. (2004) Interactions between viral nonstructural proteins and host protein hVAP-33 mediate the formation of hepatitis C virus RNA replication complex on lipid raft. *J Virol*, **78**, 3480-3488.
- Ghosh, A.K., Majumder, M., Steele, R., Meyer, K., Ray, R. and Ray, R.B. (2000a) Hepatitis C virus NS5A protein protects against TNF-alpha mediated apoptotic cell death. *Virus Res*, **67**, 173-178.

- Ghosh, A.K., Majumder, M., Steele, R., Ray, R. and Ray, R.B. (2003) Modulation of interferon expression by hepatitis C virus NS5A protein and human homeodomain protein PTX1. *Virology*, **306**, 51-59.
- Ghosh, A.K., Majumder, M., Steele, R., Yaciuk, P., Chrivia, J., Ray, R. and Ray, R.B. (2000b) Hepatitis C virus NS5A protein modulates transcription through a novel cellular transcription factor SRCAP. *J Biol Chem*, **275**, 7184-7188.
- Girard, S., Vossman, E., Misek, D.E., Podevin, P., Hanash, S., Brechot, C. and Beretta, L. (2004) Hepatitis C virus NS5A-regulated gene expression and signaling revealed via microarray and comparative promoter analyses. *Hepatology*, **40**, 708-718.
- Gong, G., Waris, G., Tanveer, R. and Siddiqui, A. (2001) Human hepatitis C virus NS5A protein alters intracellular calcium levels, induces oxidative stress, and activates STAT-3 and NF-kappa B. *Proc Natl Acad Sci U S A*, **98**, 9599-9604.
- Gosert, R., Egger, D., Lohmann, V., Bartenschlager, R., Blum, H.E., Bienz, K. and Moradpour, D. (2003) Identification of the hepatitis C virus RNA replication complex in Huh-7 cells harboring subgenomic replicons. *J Virol*, **77**, 5487-5492.
- Grakoui, A., McCourt, D.W., Wychowski, C., Feinstone, S.M. and Rice, C.M. (1993a) Characterization of the hepatitis C virus-encoded serine proteinase: determination of proteinase-dependent polyprotein cleavage sites. *J Virol*, **67**, 2832-2843.
- Grakoui, A., McCourt, D.W., Wychowski, C., Feinstone, S.M. and Rice, C.M. (1993b) A second hepatitis C virus-encoded proteinase. *Proc Natl Acad Sci U S A*, **90**, 10583-10587.
- Hahn, W.C., Counter, C.M., Lundberg, A.S., Beijersbergen, R.L., Brooks, M.W. and Weinberg, R.A. (1999) Creation of human tumour cells with defined genetic elements. *Nature*, **400**, 464-468.
- Hanahan, D. and Weinberg, R.A. (2000) The hallmarks of cancer. *Cell*, **100**, 57-70.
- He, Y., Nakao, H., Tan, S.L., Polyak, S.J., Neddermann, P., Vijaysri, S., Jacobs, B.L. and Katze, M.G. (2002) Subversion of cell signaling pathways by hepatitis C virus nonstructural 5A protein via interaction with Grb2 and P85 phosphatidylinositol 3-kinase. *J Virol*, **76**, 9207-9217.
- Higuchi, M., Tanaka, E. and Kiyosawa, K. (2002) Epidemiology and clinical aspects on hepatitis C. *Jpn J Infect Dis*, **55**, 69-77.
- Hindley, A. and Kolch, W. (2002) Extracellular signal regulated kinase (ERK)/mitogen activated protein kinase (MAPK)-independent functions of Raf kinases. *J Cell Sci*, **115**, 1575-1581.
- Honda, A., Arai, Y., Hirota, N., Sato, T., Ikegaki, J., Koizumi, T., Hatano, M., Kohara, M., Moriyama, T., Imawari, M., Shimotohno, K. and Tokuhisa, T. (1999) Hepatitis C virus structural proteins induce liver cell injury in transgenic mice. *J Med Virol*, **59**, 281-289.
- Hoofnagle, J.H. (2002) Course and outcome of hepatitis C. *Hepatology*, **36**, S21-29.
- Hoshino, R., Chatani, Y., Yamori, T., Tsuruo, T., Oka, H., Yoshida, O., Shimada, Y., Ari-i, S., Wada, H., Fujimoto, J. and Kohno, M. (1999) Constitutive activation of the 41-/43-kDa mitogen-activated protein kinase signaling pathway in human tumors. *Oncogene*, **18**, 813-822.
- Huang, L., Sineva, E.V., Hargittai, M.R., Sharma, S.D., Suthar, M., Raney, K.D. and Cameron, C.E. (2004) Purification and characterization of hepatitis C virus non-structural protein 5A expressed in *Escherichia coli*. *Protein Expr Purif*, **37**, 144-153.
- Huser, M., Luckett, J., Chiloeches, A., Mercer, K., Iwobi, M., Giblett, S., Sun, X.M., Brown, J., Marais, R. and Pritchard, C. (2001) MEK kinase activity is not necessary for Raf-1 function. *Embo J*, **20**, 1940-1951.

- Ide, Y., Tanimoto, A., Sasaguri, Y. and Padmanabhan, R. (1997) Hepatitis C virus NS5A protein is phosphorylated in vitro by a stably bound protein kinase from HeLa cells and by cAMP-dependent protein kinase A-alpha catalytic subunit. *Gene*, **201**, 151-158.
- Ide, Y., Zhang, L., Chen, M., Inchauspe, G., Bahl, C., Sasaguri, Y. and Padmanabhan, R. (1996) Characterization of the nuclear localization signal and subcellular distribution of hepatitis C virus nonstructural protein NS5A. *Gene*, **182**, 203-211.
- Janosch, P., Kieser, A., Eulitz, M., Lovric, J., Sauer, G., Reichert, M., Gounari, F., Buscher, D., Baccarini, M., Mischak, H. and Kolch, W. (2000) The Raf-1 kinase associates with vimentin kinases and regulates the structure of vimentin filaments. *Faseb J*, **14**, 2008-2021.
- Janosch, P., Schellerer, M., Seitz, T., Reim, P., Eulitz, M., Brielmeier, M., Kolch, W., Sedivy, J.M. and Mischak, H. (1996) Characterization of IkappaB kinases. IkappaB-alpha is not phosphorylated by Raf-1 or protein kinase C isozymes, but is a casein kinase II substrate. *J Biol Chem*, **271**, 13868-13874.
- Johnston, V.K., Maley, D., Gagnon, R.C., Grassmann, C.W., Behrens, S.E. and Sarisky, R.T. (2003) Kinetic profile of a heterocyclic HCV replicon RNA synthesis inhibitor. *Biochem Biophys Res Commun*, **311**, 672-677.
- Kaneko, T., Tanji, Y., Satoh, S., Hijikata, M., Asabe, S., Kimura, K. and Shimotohno, K. (1994) Production of two phosphoproteins from the NS5A region of the hepatitis C viral genome. *Biochem Biophys Res Commun*, **205**, 320-326.
- Karasarides, M., Chiloehes, A., Hayward, R., Niculescu-Duvaz, D., Scanlon, I., Friedlos, F., Ogilvie, L., Hedley, D., Martin, J., Marshall, C.J., Springer, C.J. and Marais, R. (2004) B-RAF is a therapeutic target in melanoma. *Oncogene*, **23**, 6292-6298.
- Kato, N., Yoshida, H., Kioko Ono-Nita, S., Kato, J., Goto, T., Otsuka, M., Lan, K., Matsushima, K., Shiratori, Y. and Omata, M. (2000) Activation of intracellular signaling by hepatitis B and C viruses: C-viral core is the most potent signal inducer. *Hepatology*, **32**, 405-412.
- Kato, T., Miyamoto, M., Date, T., Yasui, K., Taya, C., Yonekawa, H., Ohue, C., Yagi, S., Seki, E., Hirano, T., Fujimoto, J., Shirai, T. and Wakita, T. (2003) Repeated hepatocyte injury promotes hepatic tumorigenesis in hepatitis C virus transgenic mice. *Cancer Sci*, **94**, 679-685.
- Kawamura, T., Furusaka, A., Koziel, M.J., Chung, R.T., Wang, T.C., Schmidt, E.V. and Liang, T.J. (1997) Transgenic expression of hepatitis C virus structural proteins in the mouse. *Hepatology*, **25**, 1014-1021.
- Kim, J., Lee, D. and Choe, J. (1999) Hepatitis C virus NS5A protein is phosphorylated by casein kinase II. *Biochem Biophys Res Commun*, **257**, 777-781.
- Kim, W.R. (2002) The burden of hepatitis C in the United States. *Hepatology*, **36**, S30-34.
- Knipe, D.M. and Howley, P.M. (2001) *Fields Virology*. Lippincott Williams & Wilkins, Philadelphia.
- Koike, K., Tsutsumi, T., Fujie, H., Shintani, Y. and Kyoji, M. (2002) Molecular mechanism of viral hepatocarcinogenesis. *Oncology*, **62 Suppl 1**, 29-37.
- Kolch, W. (2000) Meaningful relationships: the regulation of the Ras/Raf/MEK/ERK pathway by protein interactions. *Biochem J*, **351 Pt 2**, 289-305.
- Kolch, W., Kotwaliwale, A., Vass, K. and Janosch, P. (2002) The role of Raf kinases in malignant transformation. *Expert Rev Mol Med*, **2002**, 1-18.
- Krieger, N., Lohmann, V. and Bartenschlager, R. (2001) Enhancement of hepatitis C virus RNA replication by cell culture-adaptive mutations. *J Virol*, **75**, 4614-4624.
- Laemmli, U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**, 680-685.

- Lan, K.H., Sheu, M.L., Hwang, S.J., Yen, S.H., Chen, S.Y., Wu, J.C., Wang, Y.J., Kato, N., Omata, M., Chang, F.Y. and Lee, S.D. (2002) HCV NS5A interacts with p53 and inhibits p53-mediated apoptosis. *Oncogene*, **21**, 4801-4811.
- Land, H., Parada, L.F. and Weinberg, R.A. (1983) Tumorigenic conversion of primary embryo fibroblasts requires at least two cooperating oncogenes. *Nature*, **304**, 596-602.
- Lau, J.Y., Tam, R.C., Liang, T.J. and Hong, Z. (2002) Mechanism of action of ribavirin in the combination treatment of chronic HCV infection. *Hepatology*, **35**, 1002-1009.
- Lee, J.T. and McCubrey, J.A. (2003) BAY-43-9006 Bayer/Onyx. *Curr Opin Investig Drugs*, **4**, 757-763.
- Lerat, H., Honda, M., Beard, M.R., Loesch, K., Sun, J., Yang, Y., Okuda, M., Gosert, R., Xiao, S.Y., Weinman, S.A. and Lemon, S.M. (2002) Steatosis and liver cancer in transgenic mice expressing the structural and nonstructural proteins of hepatitis C virus. *Gastroenterology*, **122**, 352-365.
- Liu, Z.X., Govindarajan, S., Okamoto, S. and Dennert, G. (2000) Fas- and tumor necrosis factor receptor 1-dependent but not perforin-dependent pathways cause injury in livers infected with an adenovirus construct in mice. *Hepatology*, **31**, 665-673.
- Lohmann, V., Hoffmann, S., Herian, U., Penin, F. and Bartenschlager, R. (2003) Viral and cellular determinants of hepatitis C virus RNA replication in cell culture. *J Virol*, **77**, 3007-3019.
- Lohmann, V., Korner, F., Dobierzewska, A. and Bartenschlager, R. (2001) Mutations in hepatitis C virus RNAs conferring cell culture adaptation. *J Virol*, **75**, 1437-1449.
- Lohmann, V., Korner, F., Koch, J., Herian, U., Theilmann, L. and Bartenschlager, R. (1999) Replication of subgenomic hepatitis C virus RNAs in a hepatoma cell line. *Science*, **285**, 110-113.
- Lozach, P.Y., Lortat-Jacob, H., de Lacroix de Lavalette, A., Staropoli, I., Foug, S., Amara, A., Houles, C., Fieschi, F., Schwartz, O., Virelizier, J.L., Arenzana-Seisdedos, F. and Altmeyer, R. (2003) DC-SIGN and L-SIGN are high affinity binding receptors for hepatitis C virus glycoprotein E2. *J Biol Chem*, **278**, 20358-20366.
- Lyons, J.F., Wilhelm, S., Hibner, B. and Bollag, G. (2001) Discovery of a novel Raf kinase inhibitor. *Endocr Relat Cancer*, **8**, 219-225.
- Macdonald, A., Crowder, K., Street, A., McCormick, C. and Harris, M. (2004) The hepatitis C virus NS5A protein binds to members of the Src family of tyrosine kinases and regulates kinase activity. *J Gen Virol*, **85**, 721-729.
- Macdonald, A., Crowder, K., Street, A., McCormick, C., Saksela, K. and Harris, M. (2003) The hepatitis C virus non-structural NS5A protein inhibits activating protein-1 function by perturbing ras-ERK pathway signaling. *J Biol Chem*, **278**, 17775-17784.
- Macdonald, A. and Harris, M. (2004) Hepatitis C virus NS5A: tales of a promiscuous protein. *J Gen Virol*, **85**, 2485-2502.
- Machida, K., Tsukiyama-Kohara, K., Seike, E., Tone, S., Shibasaki, F., Shimizu, M., Takahashi, H., Hayashi, Y., Funata, N., Taya, C., Yonekawa, H. and Kohara, M. (2001) Inhibition of cytochrome c release in Fas-mediated signaling pathway in transgenic mice induced to express hepatitis C viral proteins. *J Biol Chem*, **276**, 12140-12146.
- Majumder, M., Ghosh, A.K., Steele, R., Ray, R. and Ray, R.B. (2001) Hepatitis C virus NS5A physically associates with p53 and regulates p21/waf1 gene expression in a p53-dependent manner. *J Virol*, **75**, 1401-1407.

- Majumder, M., Ghosh, A.K., Steele, R., Zhou, X.Y., Phillips, N.J., Ray, R. and Ray, R.B. (2002) Hepatitis C virus NS5A protein impairs TNF-mediated hepatic apoptosis, but not by an anti-FAS antibody, in transgenic mice. *Virology*, **294**, 94-105.
- Majumder, M., Steele, R., Ghosh, A.K., Zhou, X.Y., Thornburg, L., Ray, R., Phillips, N.J. and Ray, R.B. (2003) Expression of hepatitis C virus non-structural 5A protein in the liver of transgenic mice. *FEBS Lett*, **555**, 528-532.
- Manning, G., Whyte, D.B., Martinez, R., Hunter, T. and Sudarsanam, S. (2002) The protein kinase complement of the human genome. *Science*, **298**, 1912-1934.
- Marcellin, P., Asselah, T. and Boyer, N. (2002) Fibrosis and disease progression in hepatitis C. *Hepatology*, **36**, S47-56.
- Marshall, C. (1999) How do small GTPase signal transduction pathways regulate cell cycle entry? *Curr Opin Cell Biol*, **11**, 732-736.
- Marshall, M. (1995) Interactions between Ras and Raf: key regulatory proteins in cellular transformation. *Mol Reprod Dev*, **42**, 493-499.
- Marusawa, H., Hijikata, M., Chiba, T. and Shimotohno, K. (1999) Hepatitis C virus core protein inhibits Fas- and tumor necrosis factor alpha-mediated apoptosis via NF-kappaB activation. *J Virol*, **73**, 4713-4720.
- Mercer, K.E. and Pritchard, C.A. (2003) Raf proteins and cancer: B-Raf is identified as a mutational target. *Biochim Biophys Acta*, **1653**, 25-40.
- Mikula, M., Schreiber, M., Husak, Z., Kucerova, L., Ruth, J., Wieser, R., Zatloukal, K., Beug, H., Wagner, E.F. and Baccharini, M. (2001) Embryonic lethality and fetal liver apoptosis in mice lacking the c-raf-1 gene. *Embo J*, **20**, 1952-1962.
- Miyasaka, Y., Enomoto, N., Kurosaki, M., Sakamoto, N., Kanazawa, N., Kohashi, T., Ueda, E., Maekawa, S., Watanabe, H., Izumi, N., Sato, C. and Watanabe, M. (2003) Hepatitis C virus nonstructural protein 5A inhibits tumor necrosis factor-alpha-mediated apoptosis in Huh7 cells. *J Infect Dis*, **188**, 1537-1544.
- Moelling, K., Heimann, B., Beimling, P., Rapp, U.R. and Sander, T. (1984) Serine- and threonine-specific protein kinase activities of purified gag-mil and gag-raf proteins. *Nature*, **312**, 558-561.
- Monazahian, M., Bohme, I., Bonk, S., Koch, A., Scholz, C., Grethe, S. and Thomssen, R. (1999) Low density lipoprotein receptor as a candidate receptor for hepatitis C virus. *J Med Virol*, **57**, 223-229.
- Moradpour, D., Bieck, E., Hugle, T., Wels, W., Wu, J.Z., Hong, Z., Blum, H.E. and Bartenschlager, R. (2002) Functional properties of a monoclonal antibody inhibiting the hepatitis C virus RNA-dependent RNA polymerase. *J Biol Chem*, **277**, 593-601.
- Moriya, K., Fujie, H., Shintani, Y., Yotsuyanagi, H., Tsutsumi, T., Ishibashi, K., Matsuura, Y., Kimura, S., Miyamura, T. and Koike, K. (1998) The core protein of hepatitis C virus induces hepatocellular carcinoma in transgenic mice. *Nat Med*, **4**, 1065-1067.
- Muthumani, K., Wadsworth, S.A., Dayes, N.S., Hwang, D.S., Choo, A.Y., Abeyasinghe, H.R., Siekierka, J.J. and Weiner, D.B. (2004) Suppression of HIV-1 viral replication and cellular pathogenesis by a novel p38/JNK kinase inhibitor. *Aids*, **18**, 739-748.
- Nagar, B., Bornmann, W.G., Pellicena, P., Schindler, T., Veach, D.R., Miller, W.T., Clarkson, B. and Kuriyan, J. (2002) Crystal structures of the kinase domain of c-Abl in complex with the small molecule inhibitors PD173955 and imatinib (STI-571). *Cancer Res*, **62**, 4236-4243.

- Nakabayashi, H., Taketa, K., Miyano, K., Yamane, T. and Sato, J. (1982) Growth of human hepatoma cells lines with differentiated functions in chemically defined medium. *Cancer Res*, **42**, 3858-3863.
- Nakamoto, Y., Guidotti, L.G., Kuhlen, C.V., Fowler, P. and Chisari, F.V. (1998) Immune pathogenesis of hepatocellular carcinoma. *J Exp Med*, **188**, 341-350.
- Neddermann, P., Clementi, A. and De Francesco, R. (1999) Hyperphosphorylation of the hepatitis C virus NS5A protein requires an active NS3 protease, NS4A, NS4B, and NS5A encoded on the same polyprotein. *J Virol*, **73**, 9984-9991.
- Neddermann, P., Quintavalle, M., Di Pietro, C., Clementi, A., Cerretani, M., Altamura, S., Bartholomew, L. and De Francesco, R. (2004) Reduction of hepatitis C virus NS5A hyperphosphorylation by selective inhibition of cellular kinases activates viral RNA replication in cell culture. *J Virol*, **78**, 13306-13314.
- NIH. (2002) National Institutes of Health Consensus Development Conference Statement: Management of hepatitis C: 2002--June 10-12, 2002. *Hepatology*, **36**, S3-20.
- Noble, M.E., Endicott, J.A. and Johnson, L.N. (2004) Protein kinase inhibitors: insights into drug design from structure. *Science*, **303**, 1800-1805.
- O'Neill, E. and Kolch, W. (2004) Conferring specificity on the ubiquitous Raf/MEK signaling pathway. *Br J Cancer*, **90**, 283-288.
- Park, K.J., Choi, S.H., Lee, S.Y., Hwang, S.B. and Lai, M.M. (2002) Nonstructural 5A protein of hepatitis C virus modulates tumor necrosis factor alpha-stimulated nuclear factor kappa B activation. *J Biol Chem*, **277**, 13122-13128.
- Pasquinelli, C., Shoenberger, J.M., Chung, J., Chang, K.M., Guidotti, L.G., Selby, M., Berger, K., Lesniewski, R., Houghton, M. and Chisari, F.V. (1997) Hepatitis C virus core and E2 protein expression in transgenic mice. *Hepatology*, **25**, 719-727.
- Pavlovic, D., Neville, D.C., Argaud, O., Blumberg, B., Dwek, R.A., Fischer, W.B. and Zitzmann, N. (2003) The hepatitis C virus p7 protein forms an ion channel that is inhibited by long-alkyl-chain iminosugar derivatives. *Proc Natl Acad Sci U S A*, **100**, 6104-6108.
- Pawlotsky, J.M. (2002) Use and interpretation of virological tests for hepatitis C. *Hepatology*, **36**, S65-73.
- Penin, F., Brass, V., Appel, N., Ramboarina, S., Montserret, R., Ficheux, D., Blum, H.E., Bartenschlager, R. and Moradpour, D. (2004) Structure and function of the membrane anchor domain of hepatitis C virus nonstructural protein 5A. *J Biol Chem*.
- Pietschmann, T. and Bartenschlager, R. (2003) Tissue culture and animal models for hepatitis C virus. *Clin Liver Dis*, **7**, 23-43.
- Pietschmann, T., Lohmann, V., Rutter, G., Kurpanek, K. and Bartenschlager, R. (2001) Characterization of cell lines carrying self-replicating hepatitis C virus RNAs. *J Virol*, **75**, 1252-1264.
- Pileri, P., Uematsu, Y., Campagnoli, S., Galli, G., Falugi, F., Petracca, R., Weiner, A.J., Houghton, M., Rosa, D., Grandi, G. and Abrignani, S. (1998) Binding of hepatitis C virus to CD81. *Science*, **282**, 938-941.
- Pinkert, C.A., Ornitz, D.M., Brinster, R.L. and Palmiter, R.D. (1987) An albumin enhancer located 10 kb upstream functions along with its promoter to direct efficient, liver-specific expression in transgenic mice. *Genes Dev*, **1**, 268-276.
- Pleschka, S., Wolff, T., Ehrhardt, C., Hobom, G., Planz, O., Rapp, U.R. and Ludwig, S. (2001) Influenza virus propagation is impaired by inhibition of the Raf/MEK/ERK signaling cascade. *Nat Cell Biol*, **3**, 301-305.

- Polyak, S.J., Khabar, K.S., Paschal, D.M., Ezelle, H.J., Duverlie, G., Barber, G.N., Levy, D.E., Mukaida, N. and Gretch, D.R. (2001) Hepatitis C virus nonstructural 5A protein induces interleukin-8, leading to partial inhibition of the interferon-induced antiviral response. *J Virol*, **75**, 6095-6106.
- Pouyssegur, J., Volmat, V. and Lenormand, P. (2002) Fidelity and spatio-temporal control in MAP kinase (ERKs) signaling. *Biochem Pharmacol*, **64**, 755-763.
- Poynard, T., Yuen, M.F., Ratziu, V. and Lai, C.L. (2003) Viral hepatitis C. *Lancet*, **362**, 2095-2100.
- Qadri, I., Iwahashi, M., Capasso, J.M., Hopken, M.W., Flores, S., Schaack, J. and Simon, F.R. (2004) Induced oxidative stress and activated expression of manganese superoxide dismutase during hepatitis C virus replication: role of JNK, p38 MAPK and AP-1. *Biochem J*, **378**, 919-928.
- Qadri, I., Iwahashi, M. and Simon, F. (2002) Hepatitis C virus NS5A protein binds TBP and p53, inhibiting their DNA binding and p53 interactions with TBP and ERCC3. *Biochim Biophys Acta*, **1592**, 193-204.
- Racanelli, V. and Rehermann, B. (2003) Hepatitis C virus infection: when silence is deception. *Trends Immunol*, **24**, 456-464.
- Ray, R.B., Meyer, K., Steele, R., Shrivastava, A., Aggarwal, B.B. and Ray, R. (1998) Inhibition of tumor necrosis factor (TNF-alpha)-mediated apoptosis by hepatitis C virus core protein. *J Biol Chem*, **273**, 2256-2259.
- Reed, K.E., Xu, J. and Rice, C.M. (1997) Phosphorylation of the hepatitis C virus NS5A protein in vitro and in vivo: properties of the NS5A-associated kinase. *J Virol*, **71**, 7187-7197.
- Reyes, G.R. (2002) The nonstructural NS5A protein of hepatitis C virus: an expanding, multifunctional role in enhancing hepatitis C virus pathogenesis. *J Biomed Sci*, **9**, 187-197.
- Robert-Koch-Institut. (2004) [Virushepatitis B und C im Jahre 2003]. *Epidemiologisches Bulletin*, **37**, 307-318.
- Sanger, F., Nicklen, S. and Coulson, A.R. (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A*, **74**, 5463-5467.
- Scarselli, E., Ansuini, H., Cerino, R., Roccasecca, R.M., Acali, S., Filocamo, G., Traboni, C., Nicosia, A., Cortese, R. and Vitelli, A. (2002) The human scavenger receptor class B type I is a novel candidate receptor for the hepatitis C virus. *Embo J*, **21**, 5017-5025.
- Seeff, L.B. (2002) Natural history of chronic hepatitis C. *Hepatology*, **36**, S35-46.
- Shrivastava, A., Manna, S.K., Ray, R. and Aggarwal, B.B. (1998) Ectopic expression of hepatitis C virus core protein differentially regulates nuclear transcription factors. *J Virol*, **72**, 9722-9728.
- Stockl, L., Berting, A., Malkowski, B., Foerste, R., Hofschneider, P.H. and Hildt, E. (2003) Integrity of c-Raf-1/MEK signal transduction cascade is essential for hepatitis B virus gene expression. *Oncogene*, **22**, 2604-2610.
- Street, A., Macdonald, A., Crowder, K. and Harris, M. (2004) The Hepatitis C virus NS5A protein activates a phosphoinositide 3-kinase-dependent survival signaling cascade. *J Biol Chem*, **279**, 12232-12241.
- Tan, S.L. and Katze, M.G. (2001) How hepatitis C virus counteracts the interferon response: the jury is still out on NS5A. *Virology*, **284**, 1-12.
- Tan, S.L., Nakao, H., He, Y., Vijaysri, S., Neddermann, P., Jacobs, B.L., Mayer, B.J. and Katze, M.G. (1999) NS5A, a nonstructural protein of hepatitis C virus, binds growth factor receptor-bound protein 2 adaptor protein in a Src homology 3 domain/ligand-dependent manner and perturbs mitogenic signaling. *Proc Natl Acad Sci U S A*, **96**, 5533-5538.

- Tanji, Y., Kaneko, T., Satoh, S. and Shimotohno, K. (1995) Phosphorylation of hepatitis C virus-encoded nonstructural protein NS5A. *J Virol*, **69**, 3980-3986.
- Taylor, D.R., Shi, S.T., Romano, P.R., Barber, G.N. and Lai, M.M. (1999) Inhibition of the interferon-inducible protein kinase PKR by HCV E2 protein. *Science*, **285**, 107-110.
- Tellinghuisen, T.L., Marcotrigiano, J., Gorbalenya, A.E. and Rice, C.M. (2004) The NS5A protein of hepatitis C virus is a zinc metalloprotein. *J Biol Chem*.
- Terrault, N.A. (2002) Sexual activity as a risk factor for hepatitis C. *Hepatology*, **36**, S99-105.
- Thompson, J.F., Hayes, L.S. and Lloyd, D.B. (1991) Modulation of firefly luciferase stability and impact on studies of gene regulation. *Gene*, **103**, 171-177.
- Troppmair, J. and Rapp, U.R. (2003) Raf and the road to cell survival: a tale of bad spells, ring bearers and detours. *Biochem Pharmacol*, **66**, 1341-1345.
- Tsukiyama-Kohara, K., Iizuka, N., Kohara, M. and Nomoto, A. (1992) Internal ribosome entry site within hepatitis C virus RNA. *J Virol*, **66**, 1476-1483.
- Tsutsumi, T., Suzuki, T., Moriya, K., Yotsuyanagi, H., Shintani, Y., Fujie, H., Matsuura, Y., Kimura, S., Koike, K. and Miyamura, T. (2002) Alteration of intrahepatic cytokine expression and AP-1 activation in transgenic mice expressing hepatitis C virus core protein. *Virology*, **304**, 415-424.
- Tu, H., Gao, L., Shi, S.T., Taylor, D.R., Yang, T., Mircheff, A.K., Wen, Y., Gorbalenya, A.E., Hwang, S.B. and Lai, M.M. (1999) Hepatitis C virus RNA polymerase and NS5A complex with a SNARE-like protein. *Virology*, **263**, 30-41.
- Vousden, K.H. and Lu, X. (2002) Live or let die: the cell's response to p53. *Nat Rev Cancer*, **2**, 594-604.
- Wakita, T., Katsume, A., Kato, J., Taya, C., Yonekawa, H., Kanegae, Y., Saito, I., Hayashi, Y., Koike, M., Miyamoto, M., Hiasa, Y. and Kohara, M. (2000) Possible role of cytotoxic T cells in acute liver injury in hepatitis C virus cDNA transgenic mice mediated by Cre/loxP system. *J Med Virol*, **62**, 308-317.
- Wakita, T., Taya, C., Katsume, A., Kato, J., Yonekawa, H., Kanegae, Y., Saito, I., Hayashi, Y., Koike, M. and Kohara, M. (1998) Efficient conditional transgene expression in hepatitis C virus cDNA transgenic mice mediated by the Cre/loxP system. *J Biol Chem*, **273**, 9001-9006.
- Wan, P.T., Garnett, M.J., Roe, S.M., Lee, S., Niculescu-Duvaz, D., Good, V.M., Jones, C.M., Marshall, C.J., Springer, C.J., Barford, D. and Marais, R. (2004) Mechanism of activation of the RAF-ERK signaling pathway by oncogenic mutations of B-RAF. *Cell*, **116**, 855-867.
- Wang, H.G., Rapp, U.R. and Reed, J.C. (1996) Bcl-2 targets the protein kinase Raf-1 to mitochondria. *Cell*, **87**, 629-638.
- Wright, T.L. (2002) Treatment of patients with hepatitis C and cirrhosis. *Hepatology*, **36**, S185-194.
- Xiang, X., Zang, M., Waelde, C.A., Wen, R. and Luo, Z. (2002) Phosphorylation of 338SSYY341 regulates specific interaction between Raf-1 and MEK1. *J Biol Chem*, **277**, 44996-45003.
- Xu, Z., Choi, J., Yen, T.S., Lu, W., Strohecker, A., Govindarajan, S., Chien, D., Selby, M.J. and Ou, J. (2001) Synthesis of a novel hepatitis C virus protein by ribosomal frameshift. *Embo J*, **20**, 3840-3848.
- Yanagi, M., St Claire, M., Emerson, S.U., Purcell, R.H. and Bukh, J. (1999) In vivo analysis of the 3' untranslated region of the hepatitis C virus after in vitro mutagenesis of an infectious cDNA clone. *Proc Natl Acad Sci U S A*, **96**, 2291-2295.
- Yang, X. and Gabuzda, D. (1999) Regulation of human immunodeficiency virus type 1 infectivity by the ERK mitogen-activated protein kinase signaling pathway. *J Virol*, **73**, 3460-3466.

- Yoshida, H., Kato, N., Shiratori, Y., Otsuka, M., Maeda, S., Kato, J. and Omata, M. (2001) Hepatitis C virus core protein activates nuclear factor kappa B-dependent signaling through tumor necrosis factor receptor-associated factor. *J Biol Chem*, **276**, 16399-16405.
- Yoshida, T., Hanada, T., Tokuhisa, T., Kosai, K., Sata, M., Kohara, M. and Yoshimura, A. (2002) Activation of STAT3 by the hepatitis C virus core protein leads to cellular transformation. *J Exp Med*, **196**, 641-653.
- You, L.R., Chen, C.M. and Lee, Y.H. (1999) Hepatitis C virus core protein enhances NF-kappaB signal pathway triggering by lymphotoxin-beta receptor ligand and tumor necrosis factor alpha. *J Virol*, **73**, 1672-1681.
- Zech, B., Kurtenbach, A., Krieger, N., Strand, D., Blencke, S., Morbitzer, M., Salassidis, K., Cotten, M., Wissing, J., Obert, S., Bartenschlager, R., Herget, T. and Daub, H. (2003) Identification and characterization of amphiphysin II as a novel cellular interaction partner of the hepatitis C virus NS5A protein. *J Gen Virol*, **84**, 555-560.
- Zheng, C.F. and Guan, K.L. (1994) Activation of MEK family kinases requires phosphorylation of two conserved Ser/Thr residues. *Embo J*, **13**, 1123-1131.
- Zhu, N., Khoshnan, A., Schneider, R., Matsumoto, M., Dennert, G., Ware, C. and Lai, M.M. (1998) Hepatitis C virus core protein binds to the cytoplasmic domain of tumor necrosis factor (TNF) receptor 1 and enhances TNF-induced apoptosis. *J Virol*, **72**, 3691-3697.