

9. Appendix

9.1 References

- Adams, M.D., Kerlavage, A.R., Fleischmann, R.D., Fuldner, R.A., Bult, C.J., Lee, N.H., Kirkness, E.F. et al.** Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence. *Nature* **1995**, 377: 3-174
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J.** Basic local alignment search tool. *Journal of Molecular Biology* **1990**, 215: 403-410
- Bains, W., and Smith, G.C.** A novel method for nucleic acid sequence determination. *Journal of Theoretical Biology* **1988**, 135: 303-307
- Bartlet-Jones, M., William, A.J., Hansen, H.F. and Pappin, D.J.C.** Peptide ladder sequencing by mass spectrometry using a novel volatile degradation reagent. *Rapid Communications in Mass Spectrometry* **1994**, 8: 737-742
- Bauer, O., Janitz, M., Guerasimova, A., Herwig, R., Lehrach, H., and Radelof, U.** Gene Expression Analysis by Oligonucleotide Fingerprinting. in: Lorkowski S., Cullen P. (eds.), Analyzing Gene Expression - A Handbook of Methods. Possibilities and Pitfalls. Wiley-VCH, Weinheim **2002**
- Beattie, W.G., Meng, L., Turner, S.L., Varma, R.S., Dao, D.D., and Beattie, K.L.** Hybridization of DNA targets to glass-tethered oligonucleotide probes. *Molecular Biotechnology* **1995**, 4: 213-225
- Beier, M., and Hoheisel, J.D.** Versatile derivatisation of solid support media for covalent bonding on DNA-microchips. *Nucleic Acids Research* **1999**, 27: 1970-1977
- Benters, R., Niemeyer, C.M., and Wöhrle, D.** Dendrimer-activated-solid supports for nucleic acid and protein microarrays. *ChemBioChem* **2001**, 2: 686-694
- Benters, R., Niemeyer, C.M., Drutschmann, D., Blohm, D., and Wöhrle, D.** DNA microarrays with PAMAM dendritic linker systems. *Nucleic Acids Research* **2002**, 30: e10
- Binz, P., Müller, M., Walther, D., Bienvenut, W.V., Gras, R., Hoogland, C., Bouchet, G. et al.** A molecular scanner to automate proteomic research and to display proteome images. *Analytical Chemistry* **1999**, 71: 4981-4988

- Birnboim, H.C., and Doly J.** A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Research* **1979**, 7: 1513-1523
- Bonaldo, M.F., Lennon, G., and Soares, M.B.** Normalization and subtraction: two approaches to facilitate gene discovery. *Genome Research* **1996**, 6: 791-806
- Bonner, J., Kung, G., and Bekhov, I.** A method for the hybridization of nucleic acid molecules at low temperature. *Biochemistry* **1967**, 6: 3650-3653
- Brockman, J.M., Frutos, A.G., Corn, R.M.** A multistep chemical modification procedure to create DNA arrays on gold surfaces for the study of protein-DNA interactions with surface plasmon resonance imaging. *Journal of the American Chemical Society* **1999**, 121: 8044 -8051
- Brown, R.S., and Lennon, J.J.** Mass resolution improvement by incorporation of pulsed ion extraction in a matrix-assisted laser desorption/ionization linear time-of-flight mass spectrometer. *Analytical Chemistry* **1995**, 67: 1998-2003
- Butler, J.M., Jiang-Baucom, P., Huang, M., Belgrader, P., and Girard, J.** Peptide nucleic acid characterization by MALDI-TOF mass spectrometry. *Analytical Chemistry* **1996**, 68: 3283-3287
- Chechetkin, V.R., Turygin, A.Y., Proudnikov, D.Y., Prokopenko, D.V., Kirillov, E.V., and Mirzabekov, A.D.** Sequencing by hybridization with the generic 6-mer oligonucleotide microarray: an advanced scheme for data processing. *Journal of Biomolecular Structure and Dynamics* **2000**, 18: 83-101
- Cherny, D.Y., Belotserkovskii, B.P., Frank-Kamenetskii, M.D., Egholm, M., Buchardt, O., Berg, R.H., and Nielsen, P.E.** DNA unwinding upon strand displacement of binding of PNA to double stranded DNA, *Proceedings of the National Academy of Science of the United States of America* **1993**, 90: 1667-1670
- Clark, M.D., Panopoulou, G.D., Cahill, D.J., Bussow, K., and Lehrach, H.** Construction and analysis of arrayed cDNA libraries. *Methods in Enzymology* **1999**, 303: 205-233
- Clark, M.D., Hennig, S., Herwig, R., Clifton, S.W., Marra, M.A., Lehrach, H., Johnson, S.L. et al.** An oligonucleotide fingerprint normalized and expressed sequence tag characterized zebrafish cDNA library. *Genome Research* **2001**, 11: 1594-1602
- Colby, S.M., King, T.B., and Reilly, J.P.** Improving the resolution of matrix-assisted laser desorption/ionization time-of-flight mass spectrometry by exploiting the correlation between ion position and velocity. *Rapid Communications in Mass Spectrometry* **1994**, 8: 865-868

- Craig, A.G., Nizetic, D., Hoheisel, J.D., Zehetner, G., and Lehrach, H.** Ordering of cosmid clones covering the Herpes simplex virus type I (HSV-I) genome: a test case for fingerprinting by hybridization. *Nucleic Acids Research* **1990**, 18: 2653-2660
- Drmanac, R., Labat, I., Brukner, I., and Crkvenjakov, R.** Sequencing of megabase plus DNA by hybridization: theory of the method. *Genomics* **1989**, 4: 114-128
- Drmanac, R., Strezoska, Z., Labat, I., Drmanac, S., and Crkvenjakov, R.** Reliable hybridization of oligonucleotides as short as six nucleotides. *DNA and Cell Biology* **1990**, 9: 527-534
- Drmanac, R., Labat Snezana, V.D., Crkvenjakov, R., Vicentic, A., and Gemmell, A.** Sequencing by hybridization: Towards an automated sequencing of one million M13 clones arrayed on membranes. *Electrophoresis* **1992**, 13: 566-573
- Drmanac, R., Drmanac, S., Strezoska, Z., Paunesku, T., Labat, I., Zeremski, M., Snoddy, J. et al.** DNA sequence determination by hybridization: A strategy for efficient large-scale sequencing. *Science* **1993**, 260: 1649-1652
- Drmanac, S., Stavropoulos, N.A., Labat, I., Vonau, J., Hauser, B., Soares, M.B. and Drmanac, R.** Gene-representing cDNA clusters defined by hybridization of 57,419 clones from infant brain libraries with short oligonucleotide probes. *Genomics* **1996**, 37: 29-40
- Eggers, M., Hogan, M., Reich, R.K., Lamture, J., Ehrlich, D., Hollis, M., Kosicki, B. et al.** A microchip for quantitative detection of molecules utilizing luminescent and radioisotope reporter groups. *Biotechniques* **1994**, 17: 516-525
- Egholm, M., Buchardt, O., Christensen, L., Behrens, C., Freier, S.M., Driver, D.A., Berg, R.H. et al.** PNA hybridizes to complementary oligonucleotides obeying the Watson-Crick hydrogen-bonding rules. *Nature* **1993**, 365: 566-568
- Eickhoff, H., Schuchhardt, J., Ivanov, I., Meier-Ewert, S., O'Brien, J., Malik, A., Tandon, N. et al.** Tissue gene expression analysis using arrayed normalized cDNA libraries. *Genome Research* **2000**, 10: 1230-1240
- Ewing, B., and Green, P.** Analysis of expressed sequence tags indicates 35,000 human genes. *Nature Genetics* **2000**, 25: 232-234
- Fodor, S.P.A., Read, L.J., Pirrung, M.C., Stryer, L., Lu, A.M., and Solas, D.** Light-directed, spatially addressable parallel chemical synthesis. *Science* **1991**, 251: 767-773

- Gilles, P.N., Wu, D.J., Foster, C.B., Dillon, P.J., and Chanock, S.J.** Single nucleotide polymorphic discrimination by an electronic dot blot assay on semiconductor microchips. *Nature Biotechnology* **1999**, 17: 365-370
- Good, L., and Nielsen, P.E.** Antisense inhibition of gene expression in bacteria by PNA targeted to mRNA. *Nature Biotechnology* **1998**, 16: 355-358
- Gong, Z., Yan, T., Liao, J., Lee, S.E., He, J., and Hew, C.L.** Rapid identification and isolation of zebrafish cDNA clones. *Gene* **1997**, 201: 87-98
- Griffin, T.J., Tang, W., and Smith, L.M.** Genetic analysis by peptide nucleic acid affinity MALDI-TOF mass spectrometry. *Nature Biotechnology* **1997**, 15: 1368-1372
- Guerasimova, A., Nyarsik, L., Girnus, I., Steinfath, M., Wruck, W., Griffiths, H., Herwig, R. et al.** New tools for oligonucleotide fingerprinting. *Biotechniques* **2001**, 31: 490-495
- Gut, I.G., Jeffery, W.A., Pappin, D.J.C., and Beck, S.** Analysis of DNA by 'charge tagging' and matrix-assisted laser desorption/ionization mass spectrometry. *Rapid Communications in Mass Spectrometry* **1997**, 11: 43-50
- Haas, S.A., Beissbarth, T., Rivals, E., Krause, A., and Vingron, M.** GeneNest: automated generation and visualization of gene indices. *Trends in Genetics* **2000**, 16: 521-523
- Henke, W., Herdel, K., Jung, K., Schnorr, D., and Loening, S.A.** Betaine improves the PCR amplification of GC-rich DNA sequences. *Nucleic Acids Research* **1997**, 25: 3957-3958
- Hillenkamp, F., Karas, M., Beavis, R.C., and Chait, B.T.** Matrix-assisted laser desorption/ionization mass spectrometry of biopolymers. *Analytical Chemistry* **1991**, 63: 1193A-1203A
- Heller, M.J., Forster, A.H., and Tu, E.** Active microelectronic chip devices which utilize controlled electrophoretic fields for multiplex DNA hybridization and other genomic applications. *Electrophoresis* **2000**, 21: 157-164
- Herwig, R., Poustka, A.J., Muller, C., Bull, C., Lehrach, H., and O'Brien, J.** Large-scale clustering of cDNA-fingerprinting data. *Genome Research* **1999**, 9: 1093-1105
- Herwig, R., Schmitt, A.O., Steinfath, M., O'Brien, J., Seidel, H., Meier-Ewert, S., Lehrach, H. et al.** Information theoretical probe selection for hybridisation experiments. *Bioinformatics* **2000**, 16: 890-898

- Herwig, R., Schulz, B., Weisshaar, B., Hennig, S., Steinfath, M., Drungowski, M., Stahl, D. et al.** Construction of a ‘unigene’ cDNA clone set by oligonucleotide fingerprinting allows access to 25,000 potential sugar beet genes. *The Plant Journal* **2002**, 32: 845-857
- Hoheisel, J.D., Craig, A.G., and Lehrach H.** Effect of 5-bromo- and 5-methyldeoxycytosine on duplex stability and discrimination of the NotI octadeoxynucleotide. Quantitative measurements using thin-layer chromatography. *Journal of Biological Chemistry* **1990**, 265: 16656-16660
- Hoheisel, J.D., Lennon, G.G., Zehetner, G., and Lehrach, H.** Use of high coverage reference libraries of *Drosophila melanogaster* for relational data analysis. A step towards mapping and sequencing of the genome. *Journal of Molecular Biology* **1991**, 220: 903-914
- Hung, K.C., Ding, H. and Guo, B.** Use of poly(tetrafluoroethylene)s as a sample support for the MALDI-TOF analysis of DNA and proteins. *Analytical Chemistry* **1999**, 71: 518-521
- Igloi, G.L.** Variability in the stability of DNA-peptide nucleic acid (PNA) single-base mismatched duplexes – real-time hybridization during affinity electrophoresis in PNA-containing gels. *Proceedings of the National Academy of Science of the United States of America* **1998**, 95: 8562-8567
- Jensen, K.K., Orum, H., Nielsen, P.E., and Norden, B.** Kinetics for hybridization of peptide nucleic acids (PNA) with DNA and RNA studied with BIAcore technique. *Biochemistry* **1997**, 36: 5072-5077
- Jordan, C.E., Frutos, A.G., Thiel, A.J., and Corn, R.M.** Surface plasmon resonance imaging measurements of DNA hybridization adsorption and Streptavidin/DNA multilayer formation at chemically modified gold surfaces. *Analytical Chemistry* **1997**, 69: 4939 -4947
- Karas, M., and Hillenkamp, F.** Laser desorption ionization of proteins with molecular masses exceeding 10,000 daltons. *Analytical Chemistry* **1988**, 60: 2299-2301
- Karas, M., Gluckmann, M., and Schafer, J.** Ionization in matrix-assisted laser desorption/ionization: singly charged molecular ions are the lucky survivors. *Journal of Mass Spectrometry* **2000**, 35: 1-12
- Khrapko, K.R., Lysov YU.P., Khorlyn, A.A., Shick, V.V., Florentiev, V.L., and Mirzabekov, A.D.** An oligonucleotide hybridization approach to DNA sequencing. *FEBS letters* **1989**, 256: 118-122

- Khrapko, K.R., Lysov YU.P., Khorlyn, A.A., Ivanov, I.B., Yershov, G.M., Vasilenko, S.K., Florentiev, V.L. et al.** A method for DNA sequencing by hybridization with oligonucleotide matrix. *Journal of DNA Sequencing and Mapping* **1991**, 1: 375-388
- Klump, H.** Thermodynamic values of the helix-coil transition of DNA in the presence of quaternary ammonium salt. *Biochimica et Biophysica Acta* **1977**, 475: 605-610
- Krengel, U.** Einführung in die Wahrscheinlichkeitstheorie und Statistik. Friedrich Vieweg & Sohn, Braunschweig **1991**
- Lamture, J.B., Beattie, K.L., Burke, B.E., Eggers, M.D., Ehrlich, D.J., Fowler, R., Hollis, M.A. et al.** Direct detection of nucleic acid hybridization on the surface of a charge coupled device. *Nucleic Acids Research* **1994**, 22: 2121-2125
- Lansdorp, P.M., Verwoerd, N.P., van de Rijke, F.M., Dragowska, V., Little, R.W., Dirks, M.T., Raap, A.K. et al.** Heterogeneity in Telomer length of human chromosomes. *Human Molecular Genetics* **1996**, 5: 685-691
- Lashkari, D.A., DeRisi, J.L., McCusker, J.H., Namath, A.F., Gentile, C., Hwang, S.Y., Brown, P.O. et al.** Yeast microarrays for genome wide parallel genetic and gene expression analysis. *Proceedings of the National Academy of Science of the United States of America* **1997**, 94: 13057-13062
- Livache, T., Roget, A., Dejane, E., Barthet, C., Bidan, G., and Teoule, R.** Preparation of a DNA matrix via an electrochemically directed copolymerization of pyrrole and oligonucleotides bearing a pyrrole group. *Nucleic Acids Research* **1994**, 22: 2915-2921
- Livache, T., Fouque, B., Roget, A., Marchand, J., Bidan, G., Teoule, R., and Mathis, G.** Polypyrrole DNA chip on a silicon device: Example of hepatitis C virus genotyping. *Analytical Biochemistry* **1998**, 255: 188-194
- Lottspeich, F., and Zorbas, H.** (eds) Bioanalytik. Spektrum Akademischer Verlag, Heidelberg/Berlin **1998**
- Lyubimova, T., Caglio, S., Gelfi, C., Righetti, P.G., and Rabilloud, T.** Photopolymerization of polyacrylamide gels with methylene blue. *Electrophoresis* **1993**, 14: 40-50
- Lysov, I.P., Florentiev, V.L., Khorlin, A.A., Khrapko, K.R., Shick, V.V., and Mirzabekov, A.D.** Determination of the nucleotide sequence of DNA using hybridization with oligonucleotides. A new method. *Dokl Akad Nauk SSSR* **1988**, 303: 1508-1511

- Marra, M.A., Hillier, L., and Waterston, R.H.** Expressed sequence tags – ESTablishing bridges between genomes. *Trends in Genetics* **1998**, 14: 4-7
- Maier, E., Meier-Ewert, S., Ahmadi, A.R., Curtis, J., and Lehrach, H.** Application of robotic technology to automated sequence fingerprint analysis by oligonucleotide hybridization. *Journal of Biotechnology* **1994**, 35: 191-203
- Marmur, J., and Doty, P.** Determination of the base composition of deoxyribonucleic acid from its thermal denaturation temperature. *Journal of Molecular Biology* **1962**, 5: 109-118
- McComb, M.E., Oleschuk, R.D., Manley, D.M., Donald, L., Chow, A., O`Neil, J.D.J., Ens, W. et al.** Use of a non-porous polyurethane membrane as a sample support for Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of peptides and proteins. *Rapid Communications in Mass Spectrometry* **1997**, 11: 1716-1722
- McConaughy, B.L., Laird, C.D., and McCarthy, B.L.** Nucleic acid reassociation in formamide. *Biochemistry* **1969**, 8: 3289-3295
- Meier-Ewert, S., Maier, E., Ahmadi, A., Curtis, J., and Lehrach, H.** An automated approach to generating expressed sequence catalogues. *Nature* **1993**, 361: 375-376
- Meier-Ewert, S., Lange, J., Gerst, H., Herwig, R., Schmitt, A., Freund, J., Elge, T. et al.** Comparative gene expression profiling by oligonucleotide fingerprinting. *Nucleic Acids Research* **1998**, 26: 2216-2223
- Mullis, K., Faloona, F., Scharf, S., Saiki, R., Horn, G., and Erlich H.** Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. *Cold Spring Harbor Symposium in Quantitative Biology* **1986**, 51: 263-273
- Nielsen, P.E., Egholm, M., Berg, R.H., and Buchardt, O.** Sequence-selective recognition of DNA by strand displacement with a thymine-substituted polyamide. *Science* **1991**, 254: 1497-1500
- Orosz, J.M., and Wetmur, J.G.** DNA melting temperatures and renaturation rates in concentrated alkylammonium salt solutions. *Biopolymers* **1977**, 16: 1183-1199
- Orum, H., Nielsen, P.E., Egholm, M., Berg, R.H., Buchardt, O., and Stanley, C.** Single base pair mutation analysis by PNA directed PCR clamping. *Nucleic Acids Research* **1993**, 21: 5332-5336

- Orum, H., Jorgensen, M., Koch, T., Nielsen, P.E., Larsson, C., and Stanley, C.**
Sequence specific purification of nucleic acids by PNA controlled hybrid selection.
Biotechniques **1995**, 19: 472-480
- Parinov, S., Barsky, V., Yershov, G., Kirillov, E., Timofeev, E., Belgovski, A., and Mirzabekov, A.** DNA sequencing by hybridization to microchip octa- and decanucleotides extended by stacked pentanucleotides. *Nucleic Acids Research* **1996**, 24: 2998-3004
- Pease, A.N., Solas, D., Sullivan, E.J., Cronin, M.T., Holmes, C.P., and Fodor, S.P.A.**
Light-generated oligonucleotide arrays for rapid DNA sequence analysis. *Proceedings of the National Academy of Science of the United States of America* **1994**, 91: 5022-5026
- Peffer, N.J., Hanvey, J.C., Bisi, J.E., Thomson, S.A., Hassman, C.F., Noble, S.A., and Babiss, L.E.** Strand-invasion of duplex DNA by peptide nucleic acid oligomers. *Proceedings of the National Academy of Science of the United States of America* **1993**, 90: 10648-10652
- Perry-O`Keefe, H., Yao, X.W., Coull, J., Fuchs, M., and Egholm, M.** PNA pre-gel hybridization, an alternative to Southern blotting. *Proceedings of the National Academy of Science of the United States of America* **1996**, 93: 14670-14675
- Poustka, A., Pohl, T., Barlow, D.P., Zehetner, G., Craig, A., Michiels, F., Ehrich, E. et al.** Molecular approaches to mammalian genetics. in: Cold Spring Harbor Symposium on Quantitative Biology, Vol. 51. Cold Spring Harbor Laboratory Press, Cold Spring Harbor **1986**
- Poustka, A.J., Herwig, R., Krause, A., Hennig, S., Meier-Ewert, S., and Lehrach, H.**
Toward the gene catalogue of sea urchin development: the construction and analysis of an unfertilized egg cDNA library highly normalized by oligonucleotide fingerprinting.
Genomics **1999**, 59: 122-133
- Radelof, U., Hennig, S., Seranski, P., Steinfath, M., Ramser, J., Reinhardt, R., Poustka, A. et al.** Preselection of shotgun clones by oligonucleotide fingerprinting: an efficient and high throughput strategy to reduce redundancy in large-scale sequencing projects. *Nucleic Acids Research* **1998**, 26: 5358-5364
- Ratilainen, T., Holmen, A., Tuite, E., Haaima, G., Christensen, L., Nielsen, P.E., and Norden, B.** Hybridization of peptide nucleic acid. *Biochemistry* **1998**, 37: 12331-12342

- Ratilainen, T., Holmen, A., Tuite, E., Nielsen, P.E., and Norden, B.** Thermodynamics of sequence-specific binding of PNA to DNA. *Biochemistry* **2000**, 39: 7781-7791
- Rehman, F.N., Audeh, M., Abrams, E.S., Hammond, P.W., Kenney, M. and Boles, T.C.** Immobilization of acrylamide-modified oligonucleotides by co-polymerization. *Nucleic Acids Research* **1999**, 27: 649-655
- Rogers, Y.H., Jiang-Baucom, P., Huang, Z.J., Bogdanov, V., Anderson, S., and Boyce-Jacino, M.T.** Immobilization of oligonucleotides onto a glass support via disulfide bonds: A method for preparation of DNA microarrays. *Analytical Biochemistry* **1999**, 266: 23-30
- Ross, P.L., Lee, K., and Belgrader P.** Discrimination of single-nucleotide polymorphisms in human DNA using peptide nucleic acid probes detected by MALDI-TOF mass spectrometry. *Analytical Chemistry* **1997**, 69: 4197-4202
- Sambrook, J., Fritsch, E.F., and Maniatis, T.** Molecular Cloning: A Laboratory Manual. Cold Spring Harbor Laboratory Press, Cold Spring Harbor **1989**
- Sanger, F., Nickens, S., and Coulson, A.R.** DNA sequencing with chain-terminating inhibitors. *Proceedings of the National Academy of Science of the United States of America* **1977**, 74: 5463-5467
- SantaLucia, J.Jr., Allawi, H.T., and Seneviratne, P.A.** Improved Nearest-Neighbor Parameters for Predicting DNA Duplex Stability. *Biochemistry* **1996**, 35: 3555 -3562
- Schena, M., Shalon, D., Davis, R.W., and Brown, P.O.** Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science* **1995**, 270: 467-470
- Schlag, E.W., Grottemeyer, J., and Levine, R.D.** Do large molecules ionize? *Chemical Physics Letters* **1992**, 190: 521-527
- Sinibaldi, R., O'Connell, C., Seidel, C., Rodriguez, H.** Gene Expression Analysis on Medium-Density Oligonucleotide Arrays. in: Rampal, J.B. (eds.) Methods in molecular biology, Vol. 170: DNA arrays: methods and protocols. Humana Press, Totowa **2001**
- Smith, E.A., Wanat, M.J., Cheng, Y.F., Barreira, S.V.P., Frutos, A.G., and Corn R.M.** Formation, spectroscopic characterization, and application of sulphydryl-terminated alkanethiol monolayers for the chemical attachment of DNA onto gold surfaces. *Langmuir* **2001**, 17: 2502-2507

- Soares, M.B., Bonaldo, M.F., Jelene, P., Su, L., Lawton, L., and Efstratiadis, A.** Construction and characterization of a normalized cDNA library. *Proceedings of the National Academy of Science U.S.A.* **1994**, 91: 9228-9232
- Southern, E.M., Maskos, U., and Elder, J.K.** Analyzing and comparing nucleic acid sequences by hybridization to arrays of oligonucleotides: evaluation using experimental models. *Genomics* **1992**, 13: 1008-1017
- Steel, A.B., Levicky, R.L., Herne, T.M., and Tarlov, M.J.** Immobilization of nucleic acids at solid surfaces: effect of oligonucleotide length on layer assembly. *Biophysical Journal* **2000**, 79: 975-981
- Stomakhin, A.A., Vasiliskov, V.A., Timofeev, E., Schulga, D., Cotter, R.J., and Mirzabekov, A.D.** DNA sequence analysis by hybridization with oligonucleotide microchips: MALDI mass spectrometry identification of 5mers contiguously stacked to microchip oligonucleotides. *Nucleic Acids Research* **2000**, 28: 1193-1198
- Strother, T., Cai, W., Zhao, X.S., Hamers, R.J., and Smith, L.M.** Synthesis and characterization of DNA-modified silicon (111) surfaces. *Journal of the American Chemical Society* **2000a**, 122: 1205-1209
- Strother, T., Hamers, R.J., and Smith, L.M.** Covalent attachment of oligo-deoxyribonucleotides to amine-modified Si (001) surfaces. *Nucleic Acids Research* **2000b**, 28: 3535-3541
- Sugimoto, N., Satoh, N., Yasuda, K., and Nakano, S.** Stabilization factors affecting duplex formation of peptide nucleic acid with DNA. *Biochemistry* **2001**, 40: 8444-8451
- Tackett, A.J., Corey, D.R., and Raney, K.D.** Non-Watson-Crick interactions between PNA and DNA inhibit the ATPase activity of bacteriophage T4 Dda helicase. *Nucleic Acids Research* **2002**, 30: 950-957
- Tatusova, T.A., and Madden, T.L.** BLAST 2 Sequences, a new tool for comparing protein and nucleotide sequences. *FEMS Microbiology Letters* **1999**, 174: 247-250
- Thiel, A.J., Frutos, A.G., Jordan, C.E., Corn, R.M., and Smith, L.M.** In situ surface plasmon resonance imaging detection of DNA hybridization to oligonucleotide arrays on gold surfaces. *Analytical Chemistry* **1997**, 69: 4948-4956
- Tomac, S., Sarkar, M., Ratialainen, T., Wittung, P., Nielsen, P.E., Norden, B., and Graslund, A.** Ionic effects on the stability and conformation of peptide nucleic acid complexes. *Journal of the American Chemical Society* **1996**, 118: 5544-5552

- Tomalia, D.A., Naylor, A.M., and Goddard, W.A.** Starburst dendrimers: molecular-level control of size, shape, surface chemistry, topology and flexibility from atoms to macroscopic matter. *Angewandte Chemie Int. Ed. Engl.* **1990**, 29: 138-175
- Van Ausdall, D.A., and Marshall, W.S.** Automated high-throughput mass spectrometric analysis of synthetic oligonucleotides. *Analytical Biochemistry* **1998**, 256: 220-228
- Velculescu, V.E., Zhang, L., Vogelstein, B., and Kinzler, K.W.** Serial analysis of gene expression. *Science* **1995**, 270: 484-487
- Wang, J., Palecek, E., Nielsen, P.E., Rivas, G., Cai, X., Shiraishi, H., Dontha, N. et al.** Peptide nucleic acid probes for sequence-specific DNA biosensors. *Journal of the American Chemical Society* **1996**, 118: 7667-7670
- Weiler, J., Gausepohl, H., Hauser, N., Jensen, O.N., and Hoheisel, J. D.** Hybridization based DNA screening on peptide nucleic acid (PNA) oligomer arrays. *Nucleic Acids Research* **1997**, 25: 2792-2799
- Wetmur, J.G.** DNA probes: applications of the principles of nucleic acid hybridization. *Critical Reviews in Biochemistry & Molecular Biology* **1991**, 26: 227-259
- Williams, J.C., Case-Green, S.C., Mir, K.U., and Southern, E.M.** Studies of oligonucleotide interactions by hybridization to arrays: the influence of dangling ends on duplex yield. *Nucleic Acids Research* **1994**, 22: 1365-1367
- Wittung, P., Nielsen, P.E., Buchardt, O., Egholm, M., and Norden, B.** DNA-like double helix formed by peptide nucleic acid. *Nature* **1994**, 368: 561-563
- Worrall, T.A., Cotter, R.J., and Woods, A.S.** Purification of contaminated peptides and proteins on synthetic membrane surfaces for matrix-assisted laser desorption/ionization mass spectrometry. *Analytical Chemistry* **1998**, 70: 750-756
- Yares, J.R., 3rd.** Mass spectrometry and the age of the proteome. *Journal of Mass Spectrometry* **1998**, 33: 1-19
- Yershov, G., Barsky, V., Belgovskiy, A., Kirillov, E., Kreindlin, E., Ivanov, I., Parinov, S. et al.** DNA analysis and diagnostics on oligonucleotide microchips. *Proceedings of the National Academy of Science U.S.A.* **1996**, 93: 4913-4918

9.2 Index of figures/tables

Figure 3.1	Principle of oligonucleotide fingerprinting	7
Figure 3.2	Outcome of oligonucleotide fingerprinting	7
Figure 3.3	Impact of normalization on the redundancy of EST projects	10
Figure 3.4	Principle of MALDI-TOF MS	12
Figure 3.5	Chemical structure of PNA	14
Figure 4.1	Concept of multiplexed OFP	17
Table 5.1	charge-tagged PNA set "6mer global"	23
Table 5.2	charge-tagged PNA set "6mer sub1"	24
Table 5.3	charge-tagged PNA set "6mer sub2"	24
Table 5.4	charge-tagged PNA set "6mer sub3"	25
Table 5.5	charge-tagged PNA set "7mer global"	25
Table 5.6	charge-tagged PNA set "7mer sub1"	26
Table 5.7	charge-tagged PNA set "7mer sub2"	27
Figure 7.1	Comparison of clustering quality of 8mer, 7mer, and 6mer probes	41
Figure 7.2	Impact of varying probe numbers on clustering quality	42
Figure 7.3	Impact of positive charge-tagging on PNA detection	44
Figure 7.4	Parallel detection of 40 different PNA hexamers and heptamers	45
Figure 7.5	Impact of altered individual probe concentration on hybridization	47
Figure 7.6	Impact of global probe concentration on hybridization	48
Figure 7.7	Impact of target DNA concentration on hybridization	50
Figure 7.8	Impact of the addition of formamide on hybridization	51
Figure 7.9	Impact of temperature on hybridization in the presence of formamide	53
Figure 7.10	Correlation analysis of genomic DNA clones hybridized with global PNA sets	54
Figure 7.11	Hybridization results of selected genomic DNA clones hybridized with global PNA sets	55
Figure 7.12	Correlation analysis of genomic DNA clones hybridized with PNA set "6mer sub1"	56
Figure 7.13	Hybridization results of selected genomic DNA clones hybridized with PNA set "6mer sub1"	57
Figure 7.14	Correlation analysis of genomic DNA clones hybridized with PNA set "6mer sub2"	58
Figure 7.15	Correlation analysis of cDNA clones hybridized with PNA set "6mer sub1"	59

Figure 7.16	Hybridization results of selected cDNA clones hybridized with PNA set “6mer sub1”	60
Figure 7.17	Correlation analysis of cDNA clones hybridized with PNA set “6mer sub2”	60
Figure 7.18	6-plex PNA hybridization with a PCR product immobilized on a XNA on Gold™ biochip	64
Figure 7.19	Development of nylon-based immobilization system	65
Figure 7.20	6-plex PNA hybridization with a PCR product immobilized on a metallic CAST™ slide	66
Figure 7.21	6-plex PNA hybridization with a PCR product immobilized on PAMAM functionalized surfaces	67
Figure 7.22	Comparison of DNA microarrays hybridized with a fluorescent DNA probe	69
Figure 7.23	Numeric analysis of fluorescence DNA hybridization results	70

9.3 Abbreviations

A	adenine
app	approximately
BLAST	basic local alignment search tool
bp	base pairs
C	cytosine
°C	degree Celsius
cDNA	complementary DNA
cm	centimeter
Da	Dalton
dATP	2'-deoxyadenosine 5'-triphosphate
dCTP	2'-deoxycytidine 5'-triphosphate
dGTP	2'-deoxyguanosine 5'-triphosphate
DNA	deoxyribonucleic acid
DTT	dithiothreithole
dTTP	2'-deoxythymidine 5'-triphosphate
EDTA	ethylenediamine tetraacetic acid
EST	expressed sequence tag
G	guanine
h	hour
kb	kilo base pairs
m/z	mass-to-charge ratio
MALDI	matrix-assisted laser desorption/ionization
min	minutes
mL	milliliter
mM	millimoles per liter
MPIMG	Max-Planck-Institute for Molecular Genetics
mRNA	messenger RNA
MS	mass spectrometry
MTP	microtiter plate
µg	microgram
µL	microliter
µM	micromoles per liter
NCBI	National Center of Biotechnology Information
nM	nanomoles per liter

nm	nanometer
OD	optical density
OFP	oligonucleotide fingerprinting
p.a.	pro analysi
PAMAM	polyamidoamine
PCR	polymerase chain reaction
PNA	peptide nucleic acid
RNA	ribonucleic acid
RZPD	Deutsches Ressourcenzentrum für Genomforschung
SAGE	serial analysis of gene expression
SAM	self-assembled monolayer
SBH	sequencing by hybridization
SDS	sodium dodecylsulfate
sec	seconds
SNP	single-nucleotide polymorphism
T	thymine
T _m	melting temperature
TEA	triethylamine
TEACl	tetraethylammonium chloride
TEMED	N,N,N',N'-tetramethyl-1,2-diaminomethane
TFA	trifluoroacetic acid
TMACl	tetramethylammonium chloride
TOF	time-of-flight
U	units
V	Volt
v/v	volume per volume
w/v	weight per volume

9.4 Curriculum Vitae

Personal Details

Name: Oliver Bauer
Academic title: Diplom-Biochemiker
Nationality: German
Date of Birth: 26.12.1973
Place of Birth: Berlin, Germany

Scientific Education

since 06/00	Ph.D. thesis: “Technology development for Oligonucleotide Fingerprinting: applying multiplexed PNA hybridizations and MALDI-TOF mass spectrometry detection”, Max-Planck-Institute for Molecular Genetics, Department Prof. Dr. H. Lehrach, Berlin, Germany
04/94 – 03/98/ 05/99 – 05/00	Studies of Biochemistry at “Freie Universität Berlin”, degree: “Diplom-Biochemiker”
	Diploma thesis: “Functional analysis of differentially expressed genes in the embryonic development of <i>Danio Rerio</i> ”, Max-Planck-Institute for Molecular Genetics, Department Prof. Dr. H. Lehrach, Berlin, Germany
04/98 – 04/99	Community service in the field of hematologic/oncologic research at Charité/Campus Virchow-Klinikum, Berlin, Germany
10/96 – 07/97	Visiting studies of Biochemistry at St. Anne’s College, University of Oxford, England
06/93	“Abitur”, Werner-von-Siemens-Gymnasium, Berlin, Germany

9.5 Publications

9.5.1 Articles/Book chapters

Bauer, O., Guerasimova, A., Sauer, S., Thamm, S., Steinfath, M., Herwig, R., Janitz, M., Lehrach, H., and Radelof, U. Multiplexed hybridizations of positively charge-tagged PNA detected by MALDI-TOF mass spectrometry. *in preparation*

Bauer, O., Janitz, M., Guerasimova, A., Herwig, R., Lehrach, H., and Radelof, U. Gene Expression Analysis by Oligonucleotide Fingerprinting. in: Lorkowski S., Cullen P. (eds.), Analyzing Gene Expression - A Handbook of Methods. Possibilities and Pitfalls. Wiley-VCH, Weinheim 2002

Bauer, O., Guerasimova, A., Steinfath, M., Lehrach, H., and Radelof, U. Oligonucleotide fingerprinting by multiplex PNA hybridization and MALDI-TOF mass spectrometry detection. in: Wadzack J., Haese A., Löhmer B. (eds.), Progress Report 1999-2002 - German Human Genome Project, German Human Genome Project – Managing Office of the Scientific Coordinating Committee, Berlin 2002

Klein, A., Miera, O., Bauer, O., Golfier, S., and Schriever, F. Chemosensitivity of B-cell chronic lymphocytic leukemia and correlated expression of proteins regulating apoptosis, cell cycle and DNA repair. *Leukemia* 2000, 14: 40-46

9.5.2 Poster presentations

“Oligonucleotide fingerprinting by multiplex PNA hybridization and MALDI-TOF-MS”, EuroBiochips, 2002, Berlin, Germany

“Oligonucleotide fingerprinting by multiplex PNA hybridization and MALDI-TOF-MS”, German Human Genome Meeting (DHGP), 2001, Braunschweig, Germany

“Oligonucleotide fingerprinting by multiplex PNA hybridization and MALDI-TOF-MS”, 49th ASMS Conference on Mass Spectrometry and Allied Topics, 2001, Chicago, U.S.A.

“Towards multiplexed oligonucleotide fingerprinting by the use of MALDI-TOF-MS”. German Human Genome Meeting (DHGP), 2000, Heidelberg, Germany