

V LITERATURVERZEICHNIS

- Addington-Hall, J. & Kalra, L. (2001). Who should measure quality of life? *British Medical Journal*, 322, 1417-1420.
- Ahmed, S., Mayo, N. E., Wood-Dauphinee, S., Hanley, J. A. & Cohen, S. R. (2005a). The structural equation modelling technique did not show a response shift, contrary to the results of the then test and the individualized approaches. *Journal of Clinical Epidemiology*, 58, 1125-1133.
- Ahmed, S., Mayo, N. E., Wood-Dauphinee, S., Hanley, J. A. & Cohen, S. R. (2005b). Using the Patient Generated Index to evaluate response shift post-stroke. *Quality of Life Research*, 14, 2247-2257.
- Ahnis, A. (2005). Inkontinenz, Scham, Ekel - sprechen wir darüber?! In A. Kuhlmeier, H. P. Rosemeier & M. Rauchfuß (Hrsg.), *Tabus in Medizin und Pflege* (S. 115-133). Frankfurt am Main: Peter Lang.
- Andersen, E. M., Gravitt, G. W., Aydelotte, M. E. & Podgorski, C. A. (1999). Limitations of the SF-36 in a sample of nursing home residents. *Age and Ageing*, 28, 562-566.
- Anderson, J. R. (2001). *Kognitive Psychologie*. Heidelberg: Spektrum
- Andrews, F. M. & Withey, S. B. (1974). Developing measures of perceived life quality: results from several national surveys. *Social Indicators Research*, 1, 1-26.
- Anonym (1966). Medicine and quality of life. *Annals of Internal Medicine*, 64, 711
- Anonym (2006). Freude oder Frust? *Bleibgesund Plus*, 47, 11.
- Anschütz, F. (1991). Altersphysiologische Veränderungen der Organe. *Zeitschrift für die gesamte Innere Medizin*, 46, 451-460.
- Baltes, M. M. (1995). Verlust der Selbständigkeit im Alter: Theoretische Überlegungen und empirische Befunde. *Psychologische Rundschau*, 46, 159-170.
- Baltes, M. M. (1998). The psychology of the oldest-old: the fourth age. *Current Opinion in Psychiatry*, 11, 411-415.
- Baltes, M. M. & Carstensen, L. L. (1996). Gutes Leben im Alter: Überlegungen zu einem prozeßorientierten Metamodell erfolgreichen Alterns. *Psychologische Rundschau*, 47, 199-215.
- Baltes, M. M., Kohli, M. & Sames, K. (Hrsg.) (1989). *Erfolgreiches Altern*. Bern: Huber.
- Baltes, M. M. & Lang, F. R. (1997). Everyday functioning and successful aging: the impact of resources. *Psychology and Aging*, 12, 433-443.
- Baltes, M. M., Maas, I., Wilms, H.-U. & Borchelt, M. (1996). Alltagskompetenz im Alter: Theoretische Überlegungen und empirische Befunde. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 525-542). Berlin: Akademie Verlag.
- Baltes, P. B. (1997). On the incomplete architecture of human ontogeny. *American Psychologist*, 52, 366-380.
- Baltes, P. B. (1993). The aging mind: potential and limits. *Gerontologist*, 33, 580-594.

- Baltes, P. B. (1990). Entwicklungspsychologie der Lebensspanne: Theoretische Leitsätze. *Psychologische Rundschau*, 41, 1-24.
- Baltes, P. B. & Smith, J. (2003). New frontiers in the future of aging: from successful aging of the young old to the dilemmas of the fourth age. *Gerontology*, 49, 123-135.
- Baltes, P. B. & Baltes, M. M. (1990a). Psychological perspectives on successful aging: The model of selective optimization with compensation. In P. B. Baltes & M. M. Baltes (Hrsg.), *Successful aging. Perspectives from the behavioral sciences* (S. 1-34). Cambridge: University Press.
- Baltes, P. B. & Baltes, M. M. (Hrsg.) (1990b). *Successful aging. Perspectives from the behavioral sciences*. Cambridge: University Press.
- Bäckman, L., Small, B. J., Wahlin, A. & Larsson, M. (2000). Cognitive functioning in very old age. In F.I.M.Craik & T. A. Salthouse (Eds.), *The handbook of aging and cognition* (2nd ed., S. 499-558). Hillsdale: Lawrence Erlbaum Associates.
- Beaumont, J. G. & Kenealy, P. M. (2004). Quality of life perceptions and social comparisons in healthy old age. *Ageing & Society*, 24, 755-769.
- Becker, P. (1997). Prävention und Gesundheitsförderung. In R. Schwarzer (Hrsg.), *Gesundheitspsychologie* (S. 517-534). Göttingen: Hogrefe.
- Bengel, J. & Belz-Merk, M. (1997). Subjektive Gesundheitsvorstellungen. In R. Schwarzer (Hrsg.), *Gesundheitspsychologie* (S. 23-41). Göttingen: Hogrefe.
- Bergner, M., Bobbitt, R. A., Carter, W. B. & Gilson, B. S. (1981). The Sickness Impact Profile: development and final revision of a health status measure. *Medical Care*, 19, 787-805.
- Bernhard, J., Lowy, A., Mathys, N., Herrmann, R. & Hüryny, C. (2004). Health related quality of life: a changing construct? *Quality of Life Research*, 13, 1187-1197.
- Böhmer, F. (2003). Medizinische Besonderheiten beim älteren Patienten. In R. Neck (Hrsg.), *Altern und Alterssicherung aus wissenschaftlicher Sicht* (S. 47-57). Frankfurt am Main: Peter Lang.
- Böhmer, F. (2000). Multimorbidität. In I. Füsgen (Hrsg.), *Der ältere Patient. Problemorientierte Diagnostik und Therapie* (S. 63-69). München: Urban und Fischer.
- Borchelt, M. (2005). Persönliche Mitteilung.
- Borchelt, M., Gilberg, R., Horgas, A. L. & Geiselmann, B. (1996). Zur Bedeutung von Krankheit und Behinderung im Alter. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 449-474). Berlin: Akademie Verlag.
- Borglin, G., Edberg, A.-K. & Hallberg, I. R. (2005). The experience of quality of life among older people. *Journal of Aging Studies*, 19, 201-220.
- Borkenau, P. & Ostendorf, F. (1993). *NEO-Fünf-Faktoren Inventar (NEO-FFI) nach Costa und McCrae. Handanweisung*. Göttingen: Hogrefe.
- Bortz, J. (1999). *Statistik für Sozialwissenschaftler*. Berlin: Springer.
- Bortz, J. & Döring, N. (2003). *Forschungsmethoden und Evaluation für Human- und Sozialwissenschaftler*. Berlin: Springer.

- Bosma, H., van Boxtel, M. P. J., Ponds, R. W. H. M., Houx, P. J. H. & Jolles, J. (2003). Education and age-related cognitive decline: the contribution of mental workload. *Educational Gerontology, 29*, 165-173.
- Bowling, A. (1995). What things are important in people's lives? A survey of the public's judgements to inform scales of health related quality of life. *Social Science and Medicine, 41*, 1447-1462.
- Bowling, A. (1996). The effects of illness on quality of life: findings from a survey of households in Great Britain. *Journal of Epidemiology and Community Health, 50*, 149-155.
- Bowling, A., Banister, D., Sutton, S., Evans, O. & Windsor, J. (2002). A multidimensional model of the quality of life in older age. *Aging and Mental Health, 6*, 355-371.
- Bowling, A., Gabriel, Z., Dykes, J., Dowding, L. M., Evans, O., Fleissig, A. et al. (2003). Let's ask them: a national survey of definitions of quality of life and its enhancement among people aged 65 and over. *International Journal of Aging and Human Development, 56*, 269-306.
- Bowling, A. (2005). Just one question: If one question works, why ask several? *Journal of Epidemiology and Community Health, 59*, 342-345.
- Bowling, A. & Dieppe, P. (2005). What is successful ageing and who should define it? *British Medical Journal, 331*, 1548-1551.
- Bradburn, N. M. (1969). *The structure of psychological well-being*. Chicago: Aldine.
- Bradburn, N. M. & Caplovitz, D. (1965). *Reports on happiness: a pilot study of behavior related to mental health*. Chicago: Aldine.
- Brandtstädtter, J. (2002). Searching for paths to successful development and aging: integrating developmental and action-theoretical perspectives. In L. Pulkkinen & A. Caspi (Hrsg.), *Paths to successful development. Personality in the life course* (S. 380-409). Cambridge: University Press.
- Brandtstädtter, J. & Baltes-Götz, B. (1990). Personal control over development and quality of life perspectives in adulthood. In P. B. Baltes & M. M. Baltes (Hrsg.), *Successful aging. Perspectives from the behavioral sciences* (S. 197-224). Cambridge: University Press.
- Brandtstädtter, J. & Greve, W. (1994a). Explaining the resilience of the aging self: reply to Carstensen and Freund. *Developmental Review, 14*, 93-102.
- Brandtstädtter, J. & Greve, W. (1994b). The aging self: stabilizing and protective processes. *Developmental Review, 14*, 52-80.
- Brandtstädtter, J. & Greve, W. (1992). Das Selbst im Alter: adaptive und protektive Mechanismen. *Zeitschrift für Entwicklungspsychologie und Pädagogische Psychologie, 24*, 269-297.
- Brandtstädtter, J., Meiniger, C. & Gräser, H. (2003). Handlungs- und Sinnressourcen: Entwicklungsmuster und protektive Effekte. *Zeitschrift für Entwicklungspsychologie und Pädagogische Psychologie, 35*, 49-58.
- Brandtstädtter, J. & Rothermund, K. (2002). The life-course dynamics of goal pursuit and goal adjustment: a two-process framework. *Developmental Review, 22*, 117-150.

- Brandtstädt, J. & Rothermund, K. (1994). Self-percepts of control in middle and later adulthood: buffering losses by rescaling goals. *Psychology and Aging, 9*, 265-273.
- Brazier, J. E., Walters, S. J., Nicholl, J. P. & Kohler, B. (1996). Using the SF-36 and Euroqol on an elderly population. *Quality of Life Research, 5*, 195-204.
- Brenner, M. H. (1995). Quality of life assessment in medicine: A historical view of basic science and applications. In I. Guggenmoos-Holzmann, K. Bloomfield, H. Brenner & U. Flick (Hrsg.), *Quality of life and health. Concepts, methods and applications* (S. 41-57). Berlin: Blackwell Wissenschafts-Verlag.
- Brickman, P. & Campbell, D. T. (1971). Hedonic relativism and planning the good society. In M. H. Appley (Hrsg.), *Adaptation-level theory. A symposium* (S. 287-302). New York: Academic Press.
- Brickman, P., Coates, D. & Janoff-Bulman, R. (1978). Lottery winners and accident victims: is happiness relative? *Journal of Personality and Social Psychology, 36*, 917-927.
- Brief, A. P., Butcher, A. H., George, J. M. & Link, K. E. (1993). Integrating bottom-up and top-down theories of subjective well-being: the case of health. *Journal of Personality and Social Psychology, 64*, 646-653.
- Browne, J. P., O'Boyle, C. A., McGee, H. M., Joyce, C. R., McDonald, N. J., O'Malley, K. et al. (1994). Individual quality of life in the healthy elderly. *Quality of Life Research, 3*, 235-244.
- Browne, J. P., O'Boyle, C. A., McGee, H. M., McDonald, N. J. & Joyce, C. R. (1997). Development of a direct weighting procedure for quality of life domains. *Quality of Life Research, 6*, 301-309.
- Bullinger, M. (2000). Lebensqualität - Aktueller Stand und neuere Entwicklungen der internationalen Lebensqualitätsforschung. In U. Ravens-Sieberer & A. Cieza (Hrsg.), *Lebensqualität und Gesundheitsökonomie in der Medizin* (S. 13-24). Landsberg: ecomed.
- Bullinger, M. & Kirchberger, I. (1998). *SF-36 Fragebogen zum Gesundheitszustand. Handanweisung*. Göttingen: Hogrefe.
- Bulmahn, T. (1996). Determinanten des subjektiven Wohlbefindens. In W. Zapf & R. Habich (Hrsg.), *Wohlfahrtsentwicklung im vereinten Deutschland: Sozialstruktur, sozialer Wandel und Lebensqualität* (S. 79-96). Berlin: Edition Sigma.
- Bundesministerium für Familie, Senioren, Frauen und Jugend (Hrsg.) (2002). *Vierter Bericht zur Lage der älteren Generation in der Bundesrepublik Deutschland: Risiken, Lebensqualität und Versorgung Hochaltriger - unter besonderer Berücksichtigung demenzieller Erkrankungen*. Berlin: BMFSFJ.
- Calman, K. C. (1984). Quality of life in cancer patients - an hypothesis. *Journal of Medical Ethics, 10*, 124-127.
- Campbell, A., Converse, P. & Rodgers, W. L. (1976). *The quality of American life: Perceptions, evaluations, and satisfactions*. New York: Russell Sage Foundation.
- Campbell, D. T. & Fiske, D. W. (1959). Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin, 56*, 81-105.
- Cantril, H. (1965). *The pattern of human concerns*. New Brunswick, NJ: Rutgers.

- Carr, A. J. & Higginson, I. J. (2001). Are quality of life measures patient centred? *British Medical Journal*, 322, 1357-1360.
- Carstensen, L. L. (1995). Evidence for a life-span theory of socioemotional selectivity. *Current Directions in Psychological Science*, 4, 151-156.
- Carstensen, L. L., Fung, H. H. & Charles, S. T. (2003). Socioemotional selectivity theory and the regulation of emotion in the second half of life. *Motivation and Emotion*, 27, 103-123.
- Charles, S. T., Reynolds, C. A. & Gatz, M. (2001). Age-related differences and change in positive and negative affect over 23 years. *Journal of Personality and Social Psychology*, 80, 136-151.
- Clark, L. A. & Watson, D. (1991). General affective dispositions in physical and psychological health. In C. R. Snyder & D. R. Forsyth (Hrsg.), *Handbook of social and clinical psychology. The health perspective* (S. 221-245). New York: Pergamon Press.
- Costa, P. T. Jr. & McCrae, R. R. (1980). Influence of extraversion and neuroticism on subjective well-being: happy and unhappy people. *Journal of Personality and Social Psychology*, 38, 668-678.
- Cumming, E. & Henry, W. E. (1961). *Growing old: the process of disengagement*. New York: Basic Books.
- de Groot, V., Beckerman, H., Lankhorst, G. J. & Bouter, L. M. (2003). How to measure comorbidity. A critical review of available methods. *Journal of Clinical Epidemiology*, 56, 221-229.
- Derry, S. J. (1996). Cognitive schema theory in the constructivist debate. *Educational Psychologist*, 31, 163-174.
- Diekmann, Andreas (2007). *Empirische Sozialforschung. Grundlagen, Methoden, Anwendung*. Reinbeck: Rowohlt.
- Diener, E. (2000). Subjective well-being. *American Psychologist*, 55, 34-43.
- Diener, E. (1984). Subjective well-being. *Psychological Bulletin*, 95, 542-575.
- Diener, E. & Emmons, R. A. (1984). The independence of positive and negative affect. *Journal of Personality and Social Psychology*, 47, 1105-1117.
- Diener, E. & Larsen, R. J. (1993). The experience of emotional well-being. In M. Lewis & J. M. Haviland (Hrsg.), *Handbook of emotion* (S. 405-415). New York: Guilford Press.
- Diener, E. & Lucas, R. E. (2000). Subjective emotional well-being. In M. Lewis & J. M. Haviland (Hrsg.), *Handbook of emotions* (S. 325-337). New York: Guilford.
- Diener, E. & Lucas, R. E. (1999). Personality and subjective well-being. In D. Kahnemann & E. Diener (Hrsg.), *Well-being: The foundations of hedonic psychology* (S. 213-229). New York: Russel Sage Foundation.
- Diener, E. & Suh, E. (1997a). Measuring quality of life: economic, social, and subjective indicators. *Social Indicators Research*, 40, 189-216.
- Diener, E. & Suh, E. (1997b). Subjective well-being and age: an international analysis. *Annual Review of Gerontology and Geriatrics*, 17, 304-324.

- Diener, E., Suh, E., Lucas, R. E. & Smith, H. (1999). Subjective well-being: three decades of progress. *Psychological Bulletin, 125*, 276-302.
- Dijkers, M. (1999). Measuring quality of life: methodological issues. *American Journal of Physical Medicine and Rehabilitation, 78*, 286-300.
- Ding-Greiner, C. & Lang, E. (2004). Alternsprozesse und Krankheitsprozesse - Grundlagen. In A. Kruse & M. Martin (Hrsg.), *Enzyklopädie der Gerontologie. Alternsprozesse in multidisziplinärer Sicht* (S. 182-206). Bern: Hans Huber.
- Ebner, N. C., Freund, A. M. & Baltes, P. B. (2006). Developmental changes in personal goal orientation from young to late adulthood: from striving for gains to maintenance and prevention of losses. *Psychology and Aging, 21*, 664-678.
- Fahrenberg, J., Mytek, M., Schumacher, J. & Brähler, E. (2000). *Fragebogen zur Lebenszufriedenheit (FLZ)*. Göttingen: Hogrefe.
- Farquhar, M. (1995a). Elderly people's definitions of quality of life. *Social Science and Medicine, 41*, 1439-1446.
- Farquhar, M. (1995b). Definitions of quality of life: a taxonomy. *Journal of Advanced Nursing, 22*, 502-508.
- Fava, G. A. (1990). Methodological and conceptual issues in research on quality of life. *Psychotherapy and Psychosomatics, 54*, 70-76.
- Fay, F. (2001). *International handbook of personal construct psychology*. New York: Wiley.
- Felce, D. & Perry, J. (1997). Quality of life: the scope of the term and the breadth of measurement. In R. I. Brown (Hrsg.), *Quality of life for people with disabilities. Models, research and practice* (2nd ed., S. 56-71). Cheltenham: Stanley Thornes.
- Feist, G. J., Bodner, T. E., Jacobs, J. F., Miles, M. & Tan, V. (1995). Integrating top-down and bottom-up-structural models of subjective well-being: a longitudinal investigation. *Journal of Personality and Social Psychology, 68*, 138-150.
- Ferring, D. & Filipp, S.-H. (1999). Soziale Netze im Alter: Selektivität in der Netzwerkgestaltung, wahrgenommene Qualität der Sozialbeziehungen und Affekt. *Zeitschrift für Entwicklungspsychologie und Pädagogische Psychologie, 31*, 127-137.
- Filipp, S.-H. & Aymanns, P. (1997). Subjektive Krankheitstheorien. In R. Schwarzer (Hrsg.), *Gesundheitspsychologie* (S. 3-21). Göttingen: Hogrefe.
- Filipp, S.-H. & Buch-Bartos, K. (1994). Vergleichsprozesse und Lebenszufriedenheit im Alter: Ergebnisse einer Pilotstudie. *Zeitschrift für Entwicklungspsychologie und Pädagogische Psychologie, 26*, 22-34.
- Filipp, S.-H. & Ferring, D. (1998). Befindlichkeitsregulation durch temporale und soziale Vergleichsprozesse im Alter? *Zeitschrift für Klinische Psychologie, 27*, 93-97.
- Filipp, S.-H. & Mayer, A.-K. (2002). Gesundheitsbezogene Lebensqualität alter und hochbetagter Frauen und Männer. In Deutsches Zentrum für Altersfragen (Hrsg.), *Expertisen zum Vierten Altenbericht der Bundesregierung. Band 1: Das hohe Alter. Konzepte, Forschungsfelder, Lebensqualität* (S. 315-414). Hannover: Vincentz.
- Fischer, G., Junius-Walker, U., Aeffner, K.-H., Doering, T., Karst, M., Riesberg, A. et al. (2002). Hausärztliche Versorgung Hochaltriger und demenziell Erkrankter. In

- Deutsches Zentrum für Altersfragen (Hrsg.), *Expertisen zum Vierten Altenbericht der Bundesregierung. Band 3: Hochaltrigkeit und Demenz als Herausforderung an die Gesundheits- und Pflegeversorgung* (S. 5-179). Hannover: Vincentz.
- Fitzpatrick, R. (1999). Assessment of quality of life as an outcome: finding measurements that reflect individuals' priorities. *Quality in Health Care*, 8, 1-2.
- Fitzpatrick, R., Davey, C., Buxton, M. J. & Jones, D. R. (1998). Evaluating patient-based outcome measures for use in clinical trials. *Health Technology Assessment*, 2, i-74.
- Fitzsimmons, D., George, S., Payne, S. & Johnson, C. D. (1999). Differences in perception of quality of life issues between health professionals and patients with pancreatic cancer. *Psycho-Oncology*, 8, 135-143.
- Fleischmann, U. M. & Oswald, W. D. (2001). Diagnostik im Alter. In R.-D. Stieglitz, U. Baumann & H. J. Freyberger (Hrsg.), *Psychodiagnostik in klinischer Psychologie, Psychiatrie, Psychotherapie* (S. 301-314). Stuttgart: Thieme.
- Flick, U. (2002). *Qualitative Sozialforschung. Eine Einführung*. Reinbeck: Rowohlt.
- Flick, U. (1995). *Qualitative Forschung. Theorien, Methoden, Anwendung in Psychologie und Sozialwissenschaften*. Hamburg: Rowohlt.
- Fliege, H. & Filipp, S.-H. (2000). Subjektive Theorien zu Glück und Lebensqualität - Ergebnisse explorativer Interviews mit 65- bis 74jährigen. *Zeitschrift für Gerontologie und Geriatrie*, 33, 307-313.
- Folstein, M. F., Folstein, S. E. & McHugh, P. R. (1975). "Mini-mental state". A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12, 189-198.
- Fortin, M., Bravo, G., Hudon, C., Lapointe, L., Almirall, J., Dubois, M.-F. et al. (2006). Relationship between multimorbidity and health-related quality of life of patients in primary care. *Quality of Life Research*, 15, 83-91.
- Fortin, M., Lapointe, L., Hudon, C., Vanasse, A., Ntetu, A. L. & Maltais, D. (2004). Multimorbidity and quality of life in primary care: a systematic review. *Health and Quality of Life Outcomes*, 2, 51-62.
- Franke, H. & Schramm, A. (1993). *Multimorbidität und Polypathie in der Praxis*. München: MMV Medizin Verlag.
- Freund, A. M. & Baltes, P. B. (1998). Selection, optimization, and compensation as strategies of life management: correlations with subjective indicators of successful aging. *Psychology and Aging*, 13, 531-543.
- Freund, A. M. & Smith, J. (1999). Content and function of the self-definition in old and very old age. *Journal of Gerontology Series B: Psychological Sciences and Social Sciences*, 54, P55-P67.
- Führer, M. J. (2000). Subjectifying quality of life as a medical rehabilitation outcome. *Disability and Rehabilitation*, 22, 481-489.
- Füsgen, I. (2005). Harninkontinenz im Alter- State of the Art. *Zeitschrift für Gerontologie und Geriatrie*, 38, I/4-I/9.
- Garms-Homolova, V. & Gilgen, R. (2000). *RAI 2.0. Resident Assessment Instrument. Beurteilung, Dokumentation und Pflegeplanung in der Langzeitpflege und geriatrischen Rehabilitation*. Bern: Huber.

- Garratt, A., Schmidt, L., Mackintosh, A. & Fitzpatrick, R. (2002). Quality of life measurement: bibliographic study of patient assessed health outcome measures. *British Medical Journal*, 324, 1417.
- Gauggel, S. & Birkner, B. (1999). Validität und Reliabilität einer deutschen Version der Geriatrischen Depressionsskala (GDS). *Zeitschrift für Klinische Psychologie*, 28, 18-27.
- Gerbershagen, H. U., Limm, H. & Cieza, A. (2000). Kopfschmerz. In U. Ravens-Sieberer & A. Cieza (Hrsg.), *Lebensqualität und Gesundheitsökonomie in der Medizin. Konzepte - Methoden - Anwendungen* (S. 229-242). Landsberg: ecomed.
- Gerok, W. & Brandtstädt, J. (1995). Normales, krankhaftes und optimales Altern: Variations- und Modifikationsspielräume. In P. B. Baltes & J. Mittelstrass (Hrsg.), *Zukunft des Alterns und gesellschaftliche Entwicklung* (S. 356-385). Berlin: Walter de Gruyter.
- Gill, T. M. & Feinstein, A. R. (1994). A critical appraisal of the quality of quality-of-life measurements. *Journal of the American Medical Association*, 272, 619-626.
- Glatzer, W. & Zapf, W. (Hrsg.) (1984). *Lebensqualität in der Bundesrepublik: Objektive Lebensbedingungen und subjektives Wohlbefinden*. Frankfurt am Main: Campus-Verlag.
- Gower, J. C. (1998). Similarity, dissimilarity, and distance measure. In P. Armitage & T. Colton (Hrsg.), *Encyclopedia of biostatistics* (S. 1097-4100). Chichester: Wiley.
- Grimby, A. & Svanborg, A. (1997). Morbidity and health-related quality of life among ambulant elderly citizens. *Aging: Clinical and Experimental Research*, 9, 356-364.
- Gunzelmann, T. & Oswald, W. D. (2005). *Gerontologische Diagnostik und Assesment*. Stuttgart: Kohlhammer.
- Guyatt, G. H., Feeny, D. H. & Patrick, D. L. (1993). Measuring health-related quality of life. *Annals of Internal Medicine*, 118, 622-629.
- Guyatt, G. H., Townsend, M., Berman, L. B. & Keller, J. L. (1987). A comparison of Likert and visual analogue scales for measuring change in function. *Journal of Chronic Disorders*, 40, 1129-1133.
- Häfner, H. (1992). Psychiatrie des höheren Lebensalters. In P. B. Baltes & J. Mittelstrass (Hrsg.), *Zukunft des Alterns und gesellschaftliche Entwicklung* (S. 151-179). Berlin: Walter de Gruyter.
- Hansel, N. N., Wu, A. W., Chang, B. & Diette, G. B. (2004). Quality of life in tuberculosis: patient and provider perspectives. *Quality of Life Research*, 13, 639-652.
- Harris, J. R., Pedersen, N. L., Stacey, C., McClearn, G. E. & Nesselroade, J. R. (1992). Age differences in the etiology of the relationship between life-satisfaction and self-rated health. *Journal of Aging and Health*, 4, 349-368.
- Hautzinger, M., Bailer, M., Keller, F. & Worall, H. (1995). *Beck-Depressions-Inventar (BDI)*. Göttingen: Hogrefe.
- Hayes, V., Morris, J., Wolfe, C. & Morgan, M. (1995). The SF-36 health survey questionnaire: is it suitable for use with older adults? *Age and Ageing*, 24, 120-125.
- Hayflick, L. (1998). How and why we age. *Experimental Gerontology*, 33, 639-653.

- Haywood, K. L., Garratt, A. M. & Fitzpatrick, R. (2005a). Older people specific health status and quality of life: a structured review of self-assessed instruments. *Journal of Evaluation in Clinical Practice*, 11, 315-327.
- Haywood, K. L., Garratt, A. M. & Fitzpatrick, R. (2005b). Quality of life in older people: a structured review of generic self-assessed health instruments. *Quality of Life Research*, 14, 1651-1668.
- Headey, B., Veenhoven, R. & Wearing, A. (1991). Top-down versus bottom-up theories of subjective well-being. *Social Indicators Research*, 24, 81-100.
- Heckhausen, J. (1997). Developmental regulation across adulthood: primary and secondary control of age-related challenges. *Developmental Psychology*, 33, 176-187.
- Heckhausen, J., Dixon, R. A. & Baltes, P. B. (1989). Gains and losses in development throughout adulthood as perceived by different adult age groups. *Developmental Psychology*, 25, 109-121.
- Heckhausen, J. & Schulz, R. (1995). A life-span theory of control. *Psychological Review*, 102, 284-304.
- Heinonen, H., Aro, A. R., Aalto, A.-M. & Uutela, A. (2005). Erratum. *Quality of Life Research*, 14, 1793-1794.
- Heinonen, H., Aro, A. R., Aalto, A.-M. & Uutela, A. (2004). Is the evaluation of the global quality of life determined by emotional status? *Quality of Life Research*, 13, 1347-1356.
- Helgeson, V. S. (1992). Moderators of the relation between perceived control and adjustment to chronic illness. *Journal of Personality and Social Psychology*, 63, 656-666.
- Helmchen, H., Baltes, M. M., Geiselmann, B., Kanowski, S., Linden, M., Reischies, F. M. et al. (1996). Psychische Erkrankungen im Alter. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 185-219). Berlin: Akademie Verlag.
- Hendry, F. & McVittie, C. (2004). Is quality of life a healthy concept? Measuring and understanding life experiences of older people. *Qualitative Health Research*, 14, 961-975.
- Higginson, I. J. & Carr, A. J. (2001). Measuring quality of life: Using quality of life measures in the clinical setting. *British Medical Journal*, 322, 1297-1300.
- Hill, S., Harries, U. & Popay, J. (1996). Is the short form 36 (SF-36) suitable for routine health outcomes assessment in health care for older people? Evidence from preliminary work in community based health services in England. *Journal of Epidemiology and Community Health*, 50, 94-98.
- Hirsch, R. D. (2005, Februar). *Substitution ethischer durch technisch-formale Verantwortung*. Vortrag auf der 7. Jahrestagung der Deutschen Gesellschaft für Gerontopsychiatrie und -psychotherapie, Frankfurt am Main.
- Holzhausen, M., Bornschlegel, U. & Mischke, A. (2006). Multimorbidität im Alter. *Geriatrie Journal*, 8, 42-45.
- Horton, R. (2002). Differences in assessment of symptoms and quality of life between patients with advanced cancer and their specialist palliative care nurses in a home care setting. *Palliative Medicine*, 16, 488-494.

- Hunt, S. M. (1997). The problem of quality of life. *Quality of Life Research*, 6, 205-212.
- Hunt, S. M., McEwen, J. & McKenna, S. P. (1985). Measuring health status: a new tool for clinicians and epidemiologists. *Journal of the Royal College of General Practitioners*, 35, 185-188.
- Idler, E. L. (1993). Age differences in self-assessments of health: age changes, cohort differences, or survivorship? *Journal of Gerontology: Social Sciences*, 48, S289-S300.
- Institut für Gerontologie der Universität Heidelberg & Sektion Gerontopsychiatrie an der Psychiatrischen Universitätsklinik Heidelberg (Hrsg.) (2004). *1. Zwischenbericht: Projekt "Identifizierung bzw. Entwicklung von Instrumenten zur Erfassung von Lebensqualität gerontopsychiatrisch erkrankter Menschen in stationären Einrichtungen der Altenhilfe". H.I.L.D.E. (Heidelberger Instrument zur Lebensqualität Demenzkranker)*.
- Isaakowitz, D. M. & Smith, J. (2003). Positive and negative affect in very old age. *Journal of Gerontology: Psychological Sciences*, 58B, P143-P152.
- Jankowicz, A. D. (1987). Whatever became of George Kelly? Applications and implications. *American Psychologist*, 42, 481-487.
- Jerusalem, M. (1997). Grenzen der Bewältigung. In C. Tesch-Römer, C. Salewski & G. Schwarz (Hrsg.), *Psychologie der Bewältigung* (S. 261-271). Weinheim: BeltzPVU.
- Joyce, C. R., Hickey, A., McGee, H. M. & O'Boyle, C. A. (2003). A theory-based method for the evaluation of individual quality of life: the SEIQoL. *Quality of Life Research*, 12, 275-280.
- Joyce, C. R. B. (1991). Entwicklung der Lebensqualität in der Medizin. *Aktuelle Onkologie*, 63, 11-22.
- Kage, A., Nitschke, I., Fimmel, S. & Köttgen, E. (1996). Referenzwerte im Alter: Beeinflussung durch Alter, Medikation und Morbidität. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 405-427). Berlin: Akademie Verlag.
- Kahn, R. L. (2002). On "Successful aging and well-being: self-rated compared with Rowe and Kahn". *The Gerontologist*, 42, 725-726.
- Kahnemann, E., Diener, E. & Schwarz, N. (Hrsg.) (1999). *Well-being: The foundations of hedonic psychology*. New York: Russel Sage.
- Kaplan, R. M. (2003). The significance of quality of life in health care. *Quality of Life Research*, 12 Suppl 1, 3-16.
- Kastrup, M. & Mezzich, J. E. (2001). Quality of life: a dimension in multiaxial classification. *European Archives of Psychiatry and Clinical Neuroscience*, 251, II32-II37.
- Katz, J. N., Chang, L. C., Sangha, O., Fossel, A. H. & Bates, D. W. (1996). Can comorbidity be measured by questionnaire rather than medical record review? *Medical Care*, 34, 73-84.
- Katz, S., Ford, A. B., Moskowitz, R. W., Jackson, B. A. & Jaffe, M. W. (1963). Studies of illness in the aged. The index of ADL: a standardized measure of biological and

- psychosocial functioning. *Journal of the American Medical Association*, 185, 914-919.
- Kelly, G. A. (1991). *The psychology of personal constructs. Vol. 1. A theory of personality*. London: Routledge. (Originalarbeit publiziert 1955)
- Kessler, J., Folstein, S. E. & Denzler, P. (1990). *MMST. Mini-Mental-Status-Test. Deutschsprachige Fassung (Handanweisung)*. Weinheim: Beltz.
- Kilian, R., Matschinger, H. & Angermeyer, M. C. (2001). The impact of chronic illness on subjective quality of life: a comparison between general population and hospital inpatients with somatic and psychiatric disorders. *Clinical Psychology and Psychotherapy*, 8, 206-213.
- Krohne, H. W., Egloff, B., Kohlmann, C.-W. & Tausch, A. (1996). Untersuchungen mit einer deutschen Version der "Positive and Negative Affect Schedule" (PANAS). *Diagnostica*, 42, 139-156.
- Kruse, A. (2004). Lebensqualität bei Demenzerkrankungen - eine theoretisch-konzeptuelle Analyse. *Zeitschrift für Gerontologie und Geriatrie*, 37, I/38
- Kruse, A. (1992a). Multimorbidität und Polypathie: Analyse des subjektiven Gesundheitszustandes und Vorschläge für ein erweitertes Verständnis der Gesundheit im Alter. In R. D. Hirsch, J. Bruder, H. Radebold & H. K. Schneider (Hrsg.), *Multimorbidität im Alter. Herausforderung für die Psychotherapie* (S. 62-74). Bern: Huber.
- Kruse, A. (1992b). Psychologische Aspekte der Multimorbidität. In R. D. Hirsch, J. Bruder, H. Radebold & H. K. Schneider (Hrsg.), *Multimorbidität im Alter. Herausforderung für die Psychotherapie* (S. 26-35). Bern: Huber.
- Kruse, A. & Schmitt, E. (2002). Gesundheit und Krankheit im hohen Alter. In K. Hurrelmann & P. Kolip (Hrsg.), *Geschlecht, Gesundheit und Krankheit. Männer und Frauen im Vergleich* (S. 206-222). Bern: Huber.
- Kruse, A. & Wahl, H.-W. (1999). III. Soziale Beziehungen. *Zeitschrift für Gerontologie und Geriatrie*, 32, 333-347.
- Kunzmann, U., Little, T. & Smith, J. (2002). Perceiving control: a double-edged sword in old age. *Journal of Gerontology: Psychological Sciences*, 57B, P484-P491.
- Lance, C. E., Lautenschlager, G. J., Sloan, C. E. & Varca, P. E. (1989). A comparison between bottom-up, top-down, and bidirectional models of relationships between global and life facet satisfaction. *Journal of Personality*, 57, 601-624.
- Lance, C. E., Mallard, A. G. C. & Michalos, A. C. (1995). Tests of the causal directions of global-life facet satisfaction relationship. *Social Indicators Research*, 24, 69-92.
- LaRue, A., Bank, L., Jarvik, L. & Hetland, M. (1979). Health in old age: how do physicians' ratings and self-ratings compare? *Journal of Gerontology*, 34, 687-691.
- Lauver, D. & Knapp, T. R. (1993). Sum-of-products variables: a methodological critique. *Research in Nursing and Health*, 16, 385-391.
- Lawton, M. P. (2001). Emotion in later life. *Current Directions in Psychological Science*, 10, 120-123.
- Lawton, M. P. (1994). Quality of life in Alzheimer disease. *Alzheimer Disease and Associated Disorders*, 8, 138-150.

- Lawton, M. P. (1991). A multidimensional view of quality of life in frail elders. In J. E. Birren, J. E. Lubben, J. C. Rowe & D. E. Deutchman (Hrsg.), *The concept and measurement of quality of life in the frail elderly* (S. 3-27). San Diego: Academic Press.
- Lawton, M. P. (1975). The Philadelphia Geriatric Center Morale Scale: a revision. *Journal of Gerontology*, 30, 85-89.
- Lawton, M. P. & Brody, E. M. (1969). Assessment of older people: self-maintaining and instrumental activities of daily living. *The Gerontologist*, 9, 179-186.
- Lawton, M. P., Kleban, M. H., Dean, J., Rajagopal, D. & Parmelee, P. A. (1992a). The factorial generality of brief positive and negative affect measures. *Journal of Gerontology: Psychological Sciences*, 47, 228-237.
- Lawton, M. P., Kleban, M. H., Rajagopal, D. & Dean, J. (1992b). Dimensions of affective experience in three age groups. *Psychology and Aging*, 7, 171-184.
- Lawton, M. P. & Lawrence, R. H. (1994). Assessing health. In M. P. Lawton (Hrsg.), *Annual review of gerontology and geriatrics, Vol. 14. Focus on assessment techniques* (S. 23-56). New York: Springer.
- Lehr, U. (1987). Subjektiver und objektiver Gesundheitszustand im Lichte von Längsschnittstudien. In U. Lehr & H. Thomae (Hrsg.), *Formen seelischen Alterns. Ergebnisse der Bonner Gerontologischen Längsschnittstudie (BOLS)* (S. 153-159). Stuttgart: Enke.
- Lehr, U. & Thomae, H. (Hrsg.) (1987). *Formen seelischen Alterns. Ergebnisse der Bonner Gerontologischen Längsschnittstudie (BOLSA)*. Stuttgart: Enke.
- Leonardi, F., Spazzafumo, L., Marcellini, F. & Gagliardi, C. (1999). The top-down/bottom-up controversy from a constructionist approach. A method for measuring top-down effects applied to a sample of older people. *Social Indicators Research*, 48, 187-216.
- Leplege, A. & Hunt, S. (1997). The problem of quality of life in medicine. *Journal of the American Medical Association*, 278, 47-50.
- Leventhal, H. & Colman, S. (1997). Quality of life: a process view. *Psychology and Health*, 12, 753-767.
- Lienert, G. A. & Raatz, U. (1998). *Testaufbau und Testanalyse*. Weinheim: BeltzPVU.
- Lindenberger, U. (2000). Anwendungsorientierte Interpretation zentraler Befunde kognitiver Forschung. In H.-W. Wahl & C. Tesch-Römer (Hrsg.), *Angewandte Gerontologie in Schlüsselbegriffen* (S. 83-89). Stuttgart: Kohlhammer.
- Lomas, J., Pickard, L. & Mohide, A. (1987). Patient versus clinician item generation for quality-of-life measures. The case of language-disabled adults. *Medical Care*, 25, 764-769.
- Lucas, R. E., Diener, E. & Suh, E. (1996). Discriminant validity of well-being measures. *Journal of Personality and Social Psychology*, 71, 616-628.
- Macduff, C. (2000). Respondent-generated quality of life measures: useful tools for nursing or more fool's gold? *Journal of Advanced Nursing*, 32, 375-382.

- Macduff, C. & Russell, E. (1998). The problem of measuring change in individual health-related quality of life by postal questionnaire: use of the patient-generated index in a disabled population. *Quality of Life Research*, 7, 761-769.
- Maddox, G. L. (1987). Aging differently. *Gerontologist*, 27, 557-564.
- Magai, C. (2001). Emotions over the life span. In J. E. Birren & K. W. Schaie (Hrsg.), *Handbook of the psychology of aging* (S. 399-426). San Diego: Academic Press.
- Magnus, K., Diener, E., Fujita, F. & Pavot, W. (1993). Extroversion and Neuroticism as predictors of objective life events - a longitudinal analysis. *Journal of Personality and Social Psychology*, 65, 1046-1053.
- Mahoney, F. I. & Barthel, D. W. (1965). Functional evaluation: the Barthel Index. *Maryland Medical Journal*, 14, 61-65.
- Mallard, A. G. C., Lance, C. E. & Michalos, A. (1997). Culture as moderator of overall life satisfaction - life facet satisfaction relationships. *Social Indicators Research*, 40, 259-284.
- Mallinson, S. (1998). The Short-Form 36 and older people: some problems encountered when using postal administration. *Journal of Epidemiology and Community Health*, 52, 324-328.
- Mallinson, S. (2002). Listening to respondents: a qualitative assessment of the Short-Form 36 Health Status Questionnaire. *Social Science and Medicine*, 54, 11-21.
- Maltoni, M., Pirovano, M., Scarpi, E., Marinari, M., Indelli, M., Arnoldi, E. et al. (1995). Prediction of survival of patients terminally ill with cancer. Results of an Italian prospective multicentric study. *Cancer*, 75, 2613-2622.
- Marsiske, M., Delius, J., Maas, I., Scherer, H. & Tesch-Römer, C. (1996). Sensorische Systeme im Alter. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 379-403). Berlin: Akademie Verlag.
- Martin, P. (2003). Coping with multiple chronic health conditions. In L. W. Poon, S. H. Gueldner & B. M. Sprouse (Hrsg.), *Successful aging and adaptation with chronic disease* (S. 209-219). New York: Springer.
- Maturana, H. R. & Varela, F. J. (1987). *Der Baum der Erkenntnis. Die biologischen Wurzeln menschlichen Erkennens*. Bern: Scherz.
- Mayer, K. U. & Baltes, P. B. (Hrsg.) (1996). *Die Berliner Altersstudie*. Berlin: Akademie Verlag.
- Mayer, K. U., Baltes, P. B., Gerok, W., Häfner, H., Helmchen, H., Kruse, A. et al. (1992). Gesellschaft, Politik und Altern. In P. B. Baltes & J. Mittelstrass (Hrsg.), *Zukunft des Alterns und gesellschaftliche Entwicklung* (S. 721-757). Berlin: Walter de Gruyter.
- Mayer, K. U. & Wagner, M. (1996). Lebenslagen und soziale Ungleichheit im hohen Alter. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 251-275). Berlin: Akademie Verlag.
- Mayring, P. (2003). *Qualitative Inhaltsanalyse. Grundlagen und Techniken*. Weinheim: Beltz.
- McClearn, G. E. (1997). Biomarkers of age and aging. *Experimental Gerontology*, 32, 87-94.

- McColl, E., Meadows, K. & Barofsky, I. (2003). Cognitive aspects of survey methodology and quality of life assessment. *Quality of Life Research*, 12, 217-218.
- McCrae, R. R. & Costa, P. T. (2003). *Personality in adulthood: A Five-Factor Theory perspective*. New York: The Guilford Press.
- McCrae, R. R. & Costa, P. T. (1999). A Five-Factor theory of personality. In L. A. Pervin & O. P. John (Hrsg.), *Handbook of personality: Theory and research* (S. 139-153). New York: The Guilford Press.
- Mehlsen, M., Kirkegaard Thomsen, D., Viidak, A., Olesen, F. & Zachariae, R. (2005). Cognitive processes involved in the evaluation of life satisfaction: implications for well-being. *Aging & Mental Health*, 9, 281-290.
- Mellner, C. & Lundberg, U. (2003). Self- and physician-rated general health in relation to symptoms and diseases among women. *Psychology, Health & Medicine*, 8, 123-134.
- Menotti, A., Mulder, I., Nissinen, A., Giampaoli, S., Feskens, E. J. & Kromhout, D. (2001). Prevalence of morbidity and multimorbidity in elderly male populations and their impact on 10-year all-cause mortality: The FINE study (Finland, Italy, Netherlands, Elderly). *Journal of Clinical Epidemiology*, 54, 680-686.
- Michalos, A. (1985). Multiple Discrepancies Theory (MDT). *Social Indicators Research*, 16, 347-413.
- Michelson, H., Bolund, C. & Brandberg, Y. (2001). Multiple chronic health problems are negatively associated with health related quality of life (HRQoL) irrespective of age. *Quality of Life Research*, 9, 1093-1104.
- Montepare, J. M. & Clements, A. E. (2001). "Age schemas": guides to processing information about the self. *Journal of Adult Development*, 8, 99-108.
- Moons, P. (2004). Why call it health-related quality of life when you mean perceived health status? *European Journal of Cardiovascular Nursing*, 3, 275-277.
- Moreland, J. D., Richardson, J. A., Goldsmith, C. H. & Clase, C. M. (2004). Muscle weakness and falls in older adults: a systematic review and meta-analysis. *Journal of the American Geriatrics Society*, 52, 1121-1129.
- Mountain, L. A., Campbell, S. E., Seymour, D. G., Primrose, W. R. & Whyte, M. I. (2004). Assessment of individual quality of life using the SEIQoL-DW in older medical patients. *The Quarterly Journal of Medicine*, 97, 519-524.
- Mroczek, D. K. & Kolarz, C. M. (1998). The effect of age on positive and negative affect. *Journal of Personality and Social Psychology*, 75, 1333-1349.
- Mroczek, D. K. & Spiro, A. (2005). Change in life satisfaction during adulthood: findings from the Veterans Affairs Normative Aging Study. *Journal of Personality and Social Psychology*, 88, 189-202.
- Myers, D. G. & Diener, E. (1995). Who is happy? *Psychological Science*, 6, 10-19.
- Naegele, G. (1998). Lebenslage älterer Menschen. In A. Kruse (Hrsg.), *Psychosoziale Gerontologie. Band 1: Grundlagen* (S. 106-128). Göttingen: Hogrefe.
- Neugarten, B. L. (1979). The future and the young-old. In A. Monk (Hrsg.), *The age of aging: A reader in social gerontology* (S. 344-355). Buffalo, NY: Prometheus Books.

- Noll, H.-H. & Schöb, A. (2002). Lebensqualität im Alter. In Deutsches Zentrum für Altersfragen (Hrsg.), *Expertisen zum vierten Altenbericht der Bundesregierung. Band I: Das hohe Alter. Konzepte, Forschungsfelder, Lebensqualität.* (S. 229-313). Hannover: Vincentz.
- Nybo, H., Gaist, D., Jeune, B., McGue, M., Vaupel, J. W. & Christensen, K. (2001). Functional status and self-rated health in 2,262 nonagenarians: the Danish 1905 Cohort Survey. *Journal of the American Geriatrics Society*, 49, 601-609.
- O'Boyle, C. A. (1997). Measuring the quality of later life. *Philosophical Transactions of the Royal Society of London, Series B: Biology*, 352, 1871-1879.
- O'Boyle, C. A. & Waldron, D. (1997). Quality of life issues in palliative medicine. *Journal of Neurology*, 244 Suppl 4, S18-S25.
- Oishi, S. & Diener, E. (2001). Re-examining the general positivity model of subjective well-being: the discrepancy between specific and global domain satisfaction. *Journal of Personality*, 69, 641-666.
- Olthuis, G. & Dekkers, W. (2005). Quality of life considered as well-being: views from philosophy and palliative care practice. *Theoretical Medicine and Bioethics*, 26, 307-337.
- Paci, E., Miccinesi, G., Toscani, F., Tamburini, M., Brunelli, C., Constantini, M. et al. (2001). Quality of life assessment and outcome of palliative care. *Journal of Pain and Symptom Management*, 21, 179-188.
- Patel, K. K., Veenstra, D. L. & Patrick, D. L. (2003). A review of selected patient-generated outcome measures and their application in clinical trials. *Value in Health*, 6, 595-603.
- Pavot, W. & Diener, E. (1993a). The affective and cognitive context of self-reported measures of subjective well-being. *Social Indicators Research*, 28, 1-20.
- Pavot, W. & Diener, E. (1993b). Review of Satisfaction With Life Scale. *Psychological Assessment*, 5, 164-172.
- Pavot, W., Diener, E., Randall, C. C. & Sandvik, E. (1991). Further validation of the Satisfaction With Life Scale: evidence for the cross-method convergence of well-being measures. *Journal of Personality Assessment*, 57, 149-161.
- Pearlman, R. A. & Uhlmann, R. F. (1988). Quality of life in chronic diseases: perceptions of elderly patients. *Journal of Gerontology: Medical Sciences*, 43, M25-M30.
- Pendergast, D. R., Fisher, N. M. & Calkins, E. (1993). Cardiovascular, neuromuscular, and metabolic alterations with age leading to frailty. *Journals of Gerontology*, 48 (Special Issue), 61-67.
- Perls, T. T. (1995). The oldest old. *Scientific American*, 272, 70-75.
- Pick, P., Brüggemann, J., Grote, C., Grünhagen, E. & Lampert, T. (2004). *Schwerpunktbericht der Gesundheitsberichterstattung des Bundes. Pflege*. Berlin.
- Pinquart, M. (2001). Correlates of subjective health in older adults: a meta-analysis. *Psychology and Aging*, 16, 414-426.
- Poon, L. W., Basford, L., Dowzer, C. & Booth, A. (2003). Coping with comorbidity. In L. W. Poon, S. H. Gueldner & B. M. Sprouse (Hrsg.), *Successful aging and adaptation with chronic disease* (S. 116-150). New York: Springer.

- Poon, L. W., Gueldner, S. H. & Sprouse, B. M. (Hrsg.) (2003). *Successful aging and adaptation with chronic disease*. New York: Springer.
- Poulin, M., Haase, C. M. & Heckhausen, J. (2005). Engagement and disengagement across life span: an analysis of two-process models of developmental regulation. In W. Greve, K. Rothermund & D. Wentura (Hrsg.), *The adaptive self. Personal continuity and intentional self-development* (S. 117-135). Göttingen: Hogrefe.
- Radoschewski, M. (2000). Gesundheitsbezogene Lebensqualität - Konzepte und Maße. Entwicklungen und Stand im Überblick. *Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz*, 43, 165-189.
- Raskin, J. D. (2001). The modern, the postmodern, and George Kelly's Personal Construct Psychology. *American Psychologist*, 56, 368-369.
- Ravens-Sieberer, U. & Cieza, A. (Hrsg.) (2000). *Lebensqualität und Gesundheitsökonomie in der Medizin*. Landsberg: ecomed.
- Reischies, F. M. & Lindenberger, U. (1996). Grenzen und Potentiale kognitiver Leistungsfähigkeit im Alter. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 351-377). Berlin: Akademie Verlag.
- Reyes-Gibby, C. C., Aday, L. & Cleeland, C. (2002). Impact of pain on self-rated health in the community-dwelling older adults. *Pain*, 95, 75-82.
- Richard, L., Laforest, S., Dufresne, F. & Sapinski, J. P. (2005). The quality of life of older adults living in an urban environment: professional and lay perspectives. *Canadian Journal on Aging*, 24, 19-30.
- Riediger, M. & Freund, A. M. (2006). Focusing and restricting: two aspects of motivational selectivity in adulthood. *Psychology and Aging*, 21, 173-185.
- Robert Koch-Institut (Hrsg.) (2003). *Multimorbidität in Deutschland. Stand – Entwicklung – Folgen*. Berlin: Robert Koch-Institut.
- Rojas, M. (2006). Life satisfaction and satisfaction in domains of life: is it a simple relationship? *Journal of Happiness Studies*, 7, 467-497.
- Rokeach, M. (1985). Inducing change and stability in belief systems and personality structures. *Journal of Social Issues*, 41, 153-171.
- Rosenberg, R. (1995). Health-related quality of life between naturalism and hermeneutics. *Social Science and Medicine*, 41, 1411-1415.
- Rost, J. (2004). *Lehrbuch Testtheorie - Testkonstruktion*. Bern: Huber.
- Rothermund, K. & Brandstädter, J. (2003). Coping with deficits and losses in later life: from compensatory action to accommodation. *Psychology and Aging*, 18, 896-905.
- Rowe, J. W. (1999). Geriatrics, prevention, and the remodeling of medicare. *New England Journal of Medicine*, 340, 720-721.
- Rowe, J. W. & Kahn, R. L. (1998). *Successful aging: The MacArthur Foundation Study*. New York: Pantheon Books.
- Rowe, J. W. & Kahn, R. L. (1987). Human aging: usual and successful. *Science*, 237, 143-149.
- Rudinger, G. & Thomae, H. (1990). The Bonn Longitudinal Study of Aging: Coping, life adjustment, and life satisfaction. In P. B. Baltes & M. M. Baltes (Hrsg.), *Successful*

- aging. Perspectives from the behavioral sciences* (S. 265-295). Cambridge: University Press.
- Ruta, D. A., Garratt, A. M., Leng, M., Russell, I. T. & MacDonald, L. M. (1994). A new approach to the measurement of quality of life. *The Patient-Generated Index. Medical Care*, 32, 1109-1126.
- Ruta, D. A., Garratt, A. M. & Russell, I. T. (1999). Patient centred assessment of quality of life for patients with four common conditions. *Quality in Health Care*, 8, 22-29.
- Ryff, C. D. (1989a). Happiness is everything, or is it? Explorations on the meaning of psychological well-being. *Journal of Personality and Social Psychology*, 57, 1069-1081.
- Ryff, C. D. (1989b). In the eye of the beholder: views of psychological well-being among middle-aged and older adults. *Psychology and Aging*, 4, 195-210.
- Ryff, C. D. & Singer, B. (1998). The contours of positive human health. *Psychological Inquiry*, 9, 1-28.
- Sanders, C., Egger, M., Donovan, J., Tallon, D. & Frankel, S. (1998). Reporting on quality of life in randomised controlled trials: bibliographic study. *British Medical Journal*, 317, 1191-1194.
- Schaie, K. W. (1996). Intellectual development in adulthood. In J. E. Birren & K. W. Schaie (Hrsg.), *Handbook of the psychology of aging* (S. 266-286). San Diego: Academic Press.
- Schieber, F. (2006). Vision and aging. In J. E. Birren & K. W. Schaie (Hrsg.), *Handbook of the psychology of aging* (S. 129-161). Amsterdam: Elsevier.
- Schindler, I., Staudinger, U. M., & Nesselroade, J. R. (2006). Development and structural dynamics of personal life investment in old age. *Psychology and Aging*, 21, 737-753.
- Schmidt, S. J. (Hrsg.) (2003). *Der Diskurs des radikalen Konstruktivismus*. Frankfurt am Main: Suhrkamp.
- Schneekloth, U. (2006). *Hilfe- und Pflegebedürftige in Alteneinrichtungen 2005. Schnellbericht zur Repräsentativerhebung im Forschungsprojekt „Möglichkeiten und Grenzen selbständige Lebensführung in Einrichtungen“ (MuG IV)*. Verfügbar unter: <http://www.bmfsfj.bund.de/RedaktionBMFSFJ/Abteilung3/Pdf-Anlagen/hilfe-und-pflegebeduerftige-in-alteneinrichtungen,property=pdf,bereich=rwb=true.pdf> [3.7.2007]
- Schneekloth, U. & Wahl, H.-W. (2005). *Möglichkeiten und Grenzen selbständiger Lebensführung in privaten Haushalten (MuG III). Repräsentativbefunde und Vertiefungsstudien zu häuslichen Pflegearrangements, Demenz und professionellen Versorgungsangeboten. Integrierter Abschlussbericht*. Verfügbar unter: <http://www.bmfsfj.de/Publikationen/mug/01-Redaktion/PDF-Anlagen/gesamtdokument,property=pdf,bereich=mug,rwb=true.pdf> [3.7.2007]
- Schneider, G., Driesch, G., Kruse, A., Wachter, M., Nehen, H. G. & Heuft, G. (2004). What influences self-perception of health in the elderly? The role of objective health condition, subjective well-being and sense of coherence. *Archives of Gerontology and Geriatrics*, 39, 227-237.

- Schramm, A. (1988). Polypathie und Multimorbidität. In E. Lang (Hrsg.), *Praktische Geriatrie* (S. 81-84). Stuttgart: Ferdinand Enke.
- Schramm, A., Franke, H. & Chowanetz, W. (1982). Multimorbidität und Polypathie im Alter. *Zeitschrift für Allgemeine Medizin*, 58, 234-237.
- Schulz-Hausgenoss, A., Schönberg, F. & Naegele, G. (2004). Erfassen des "patient view" von Demenzkranken in vollstationären Einrichtungen. *Zeitschrift für Gerontologie und Geriatrie*, 37, I/30
- Schumacher, J., Klaiberg, A. & Brähler, E. (2003). Diagnostik von Lebensqualität und Wohlbefinden. In J. Schumacher, A. Klaiberg & E. Brähler (Hrsg.), *Diagnostische Verfahren zu Lebensqualität und Wohlbefinden (Diagnostik für Klinik und Praxis, Band 2)* (S. 9-24). Göttingen: Hogrefe.
- Schwartz, C. E. & Sprangers, M. A. (1999). Methodological approaches for assessing response shift in longitudinal health-related quality-of-life research. *Social Science & Medicine*, 48, 1531-1548.
- Schwarz, N. (1999). Self-reports. How the questions shape the answers. *American Psychologist*, 54, 93-105.
- Schwarz, N. & Strack, F. (1991). Evaluating one's life: a judgment model of subjective well-being. In F. Strack, M. Argyle & N. Schwarz (Hrsg.), *Subjective well-being. An interdisciplinary perspective* (S. 27-47). Oxford: Pergamon Press.
- Schwarzer, R. H. (1997). *Gesundheitspsychologie*. Göttingen: Hogrefe.
- Settersten, R. A. & Mayer, K. U. (1997). The measurement of age, age structuring, and the life course. *Annual Review of Sociology*, 23, 233-261.
- Seymour, D. G., Ball, A. E., Russell, E. M., Primrose, W. R., Garratt, A. M. & Crawford, J. R. (2001). Problems in using health survey questionnaires in older patients with physical disabilities. The reliability and validity of the SF-36 and the effect of cognitive impairment. *Journal of Evaluation in Clinical Practice*, 7, 411-418.
- Skevington, S. M., Sartorius, N. & Amir, M. (2004). Developing methods for assessing quality of life in different cultural settings. The history of the WHOQOL instruments. *Social Psychiatry and Psychiatric Epidemiology*, 39, 1-8.
- Slevin, M. L. (1992). Quality of life: philosophical question or clinical reality? *British Medical Journal*, 305, 466-469.
- Slevin, M. L., Plant, H., Lynch, D., Drinkwater, J. & Gregory, W. M. (1988). Who should measure quality of life, the doctor or the patient? *British Journal of Cancer*, 57, 109-112.
- Smith, J. (2003). The gain-loss dynamic in lifespan development: Implications for change in self and personality during old and very old age. In U. M. Staudinger & U. Lindenberger (Hrsg.), *Understanding human development: Dialogues with lifespan psychology* (S. 215-241). Boston: Kluwer Academic Publishers.
- Smith, J. & Baltes, P. B. (1997). Profiles of psychological functioning in the old and oldest old. *Psychology and Aging*, 12, 458-472.
- Smith, J. & Baltes, P. B. (1996). Altern aus psychologischer Perspektive: Trends und Profile im hohen Alter. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 221-250). Berlin: Akademie Verlag.

- Smith, J., Borchelt, M., Maier, H. & Jopp, D. (2002). Health and well-being in the young old and oldest old. *Journal of Social Issues*, 58, 715-732.
- Smith, J., Fleeson, W., Geiselmann, B., Settersten, R. & Kunzmann, U. (1996). Wohlbefinden im hohen Alter: Vorhersagen aufgrund objektiver Lebensbedingungen und subjektiver Bewertungen. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 497-523). Berlin: Akademie Verlag.
- Smith, K. W., Avis, N. E. & Assmann, S. F. (1999). Distinguishing between quality of life and health status in quality of life research: a meta-analysis. *Quality of Life Research*, 8, 447-459.
- Sowarka, D. (2000). Merkmale der Lebensqualität in Pflegeeinrichtungen. In H. Entzian, K. I. Giercke, T. Klie & R. Schmidt (Hrsg.), *Soziale Gerontologie. Forschung und Praxisentwicklung im Pflegewesen und in der Altenarbeit* (S. 69-82). Frankfurt am Main: Mabuse-Verlag.
- Spiro, A. & Bossé, R. (2000). Relationship between health-related quality of life and well-being: the gerontologist's new clothes? *International Journal of Aging and Human Development*, 50, 297-318.
- Sprangers, M. A., de Regt, E. B., Andries, F., van Agt, H. M., Bijl, R. V., de Boer, J. B. et al. (2000). Which chronic conditions are associated with better or poorer quality of life? *Journal of Clinical Epidemiology*, 53, 895-907.
- Sprangers, M. A. & Schwartz, C. E. (1999). Integrating response shift into health-related quality of life research: a theoretical model. *Social Science & Medicine*, 48, 1507-1515.
- Sprangers, M. A. G., Cull, A., Bjordal, K., Groenvold, M. & Aaronson, N. K. (1993). The European Organization for Research and Treatment of Cancer. Approach to quality of life assessment: guidelines for developing questionnaire modules. EORTC Study Group on Quality of Life. *Quality of Life Research*, 2, 287-295.
- Stacey, C. A. & Gatz, M. (1991). Cross-sectional age differences and longitudinal change on the Bradburn Affect Balance Scale. *Journal of Gerontology: Psychological Sciences*, 46, P76-P78.
- Stadnyk, K., Calder, J. & Rockwood, K. (1998). Testing the measurement properties of the Short Form-36 Health Survey in a frail elderly population. *Journal of Clinical Epidemiology*, 51, 827-835.
- Statistisches Bundesamt (2004). *Durchschnittliche weitere Lebenserwartung*. Verfügbar unter: <http://www.destatis.de/basis/d/bevoe/bevoetab3.php> [5.5.2006]
- Staudinger, U. M. (2000). Viele Gründe sprechen dagegen, und trotzdem geht es vielen Menschen gut: Das Paradox des subjektiven Wohlbefindens. *Psychologische Rundschau*, 51, 185-197.
- Staudinger, U. M. (1997). Grenzen der Bewältigung und ihre Überschreitung: Vom Entweder-Oder zum Sowohl-Als-Auch und weiter. In C. Tesch-Römer, C. Salewski & G. Schwarz (Hrsg.), *Psychologie der Bewältigung* (S. 247-260). Weinheim: BeltzPVU.
- Staudinger, U. M. & Freund, A. M. (1998). Krank und "arm" im hohen Alter und trotzdem guten Mutes? Untersuchungen im Rahmen eines Modells psychologischer Widerstandsfähigkeit. *Zeitschrift für Klinische Psychologie*, 27, 78-85.

- Staudinger, U. M., Freund, A. M., Linden, M. & Maas, I. (1996). Selbst, Persönlichkeit und Lebensgestaltung im Alter: Psychologische Widerstandsfähigkeit und Vulnerabilität. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 321-350). Berlin: Akademie Verlag.
- Steinhagen-Thiessen, E. & Borchelt, M. (1996). Morbidität, Medikation und Funktionalität im Alter. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 151-183). Berlin: Akademie Verlag.
- Steinhagen-Thiessen, E., Gerok, W. & Borchelt, M. (1992). Innere Medizin und Geriatrie. In P. B. Baltes & J. Mittelstrass (Hrsg.), *Zukunft des Alterns und gesellschaftliche Entwicklung* (S. 124-150). Berlin: Walter de Gruyter.
- Steverink, N. & Timmer, E. (2001). Das subjektive Alterserleben. In F. Dittmann-Kohli, C. Bode & G. J. Westerhof (Hrsg.), *Die zweite Lebenshälfte - Psychologische Perspektiven. Ergebnisse des Alterssurveys* (S. 451-484). Stuttgart: Kohlhammer.
- Strawbridge, W. J., Wallhagen, M. & Cohen, R. D. (2002). Successful aging and well-being: self-rated compared with Rowe and Kahn. *The Gerontologist*, 42, 727-733.
- Streiner, D. L. & Norman, G. R. (2003). *Health measurement scales. A practical guide to their development and use*. Oxford: University Press.
- Stuck, A. E., Walther, J. M., Nikolaus, T., Bula, C. J., Hohmann, C. & Beck, J. C. (1999). Risk factors for functional status decline in community-living elderly people: a systematic literature review. *Social Science and Medicine*, 48, 445-469.
- Taylor, S. & Brown, J. D. (1994). Positive illusions and well-being revisited: separating fact from fiction. *Psychological Bulletin*, 116, 21-27.
- Taylor, S. E. & Brown, J. D. (1988). Illusion and well-being: a social psychological perspective on mental health. *Psychological Bulletin*, 103, 193-210.
- Testa, M. D. & Simonson, D. C. (1996). Current concepts: assessment of quality-of-life outcomes. *The New England Journal of Medicine*, 334, 835-840.
- Tesch-Römer, C. (Hrsg.) (2002). *Gerontologie und Sozialpolitik*. Stuttgart: Kohlhammer.
- Thomae, H. (1987). Alltagsbelastungen im Alter und Versuche ihrer Bewältigung. In U. Lehr & H. Thomae (Hrsg.), *Formen seelischen Alterns* (S. 92-114). Stuttgart: Enke.
- Thunedborg, K., Allerup, P., Bech, P. & Joyce, C. R. B. (1993). Development of the repertory grid for measurement of individual quality of life in clinical trials. *International Journal of Methods in Psychiatry Research*, 3, 45-56.
- Tombaugh, T. N. & McIntyre, N. J. (1992). The mini-mental state examination: a comprehensive review. *Journal of the American Geriatrics Society*, 40, 922-935.
- Tully, M. P. & Cantrill, J. A. (2000). The validity of the modified patient generated index-- a quantitative and qualitative approach. *Quality of Life Research*, 9, 509-520.
- Ubel, P. A., Loewenstein, G. & Jepson, C. (2003). Whose quality of life? A commentary exploring discrepancies between health state evaluations of patients and the general public. *Quality of Life Research*, 12, 599-607.
- United Nations (2004). World population policies. Verfügbar unter: http://www.un.org/esa/population/publications/wpp2003/Publication_index.htm [8.6.2007]

- United Nations (2003). World population prospects. The 2002 revision. Verfügbar unter:
<http://www.un.org/esa/population/publications/wpp2002/WPP2002-HIGHLIGHTSrev1.PDF> [8.6.2007]
- van den Akker, M., Buntinx, F., Metsemakers, J. F., van der, A. M. & Knottnerus, J. A. (2001). Psychosocial patient characteristics and GP-registered chronic morbidity: a prospective study. *Journal of Psychosomatic Research*, 50, 95-102.
- van den Akker, M., Buntinx, F., Roos, S. & Knottnerus, J. A. (2001). Problems in determining occurrence rates of multimorbidity. *Journal of Clinical Epidemiology*, 54, 675-679.
- van den Akker, M., Buntinx, F., Metsemakers, J. F., Roos, S. & Knottnerus, J. A. (1998). Multimorbidity in general practice: prevalence, incidence, and determinants of co-occurring chronic and recurrent diseases. *Journal of Clinical Epidemiology*, 51, 367-375.
- van den Akker, M., Buntinx, F. & Knottnerus, J. A. (1996). Comorbidity or multimorbidity: what's in a name? A review of literature. *European Journal of General Practice*, 2, 65-70.
- Veenhoven, R. (undatiert). *World Database of Happiness*. Verfügbar unter:
<http://worlddatabaseofhappiness.eur.nl/> [3.7.2007]
- Veenhoven, R. (2000). The four qualities of life. Ordering concepts and measures of the good life. *Journal of Happiness Studies*, 1, 1-39.
- Veenhoven, R. (1997). *Advances in understanding happiness*. Verfügbar unter:
<http://www2.eur.nl/fsw/research/veenhoven/Pub1990s/97c-full.pdf> [3.7.2007]
- Veenhoven, R. (1996). Developments in satisfaction research. *Social Indicators Research*, 37, 1-46.
- von Faber, M., Bootsma-van der Wiel, A., van Exel, E., Gussekloo, J., Lagaay, A. M., van Dongen, E. et al. (2001). Successful aging in the oldest old. Who can be characterized as successfully aged? *Annals of Internal Medicine*, 161, 2694-2700.
- von Glaserfeld, E. (1997). *Radikaler Konstruktivismus. Ideen, Ergebnisse, Probleme*. Frankfurt am Main: Suhrkamp.
- von Renteln Kruse, W. (2001). Epidemiologische Aspekte der Morbidität im Alter. *Zeitschrift für Gerontologie und Geriatrie*, 34, I/10-I/15.
- Wagner, G., Schütze, Y. & Lang, F. R. (1996). Soziale Beziehungen alter Menschen. In K. U. Mayer & P. B. Baltes (Hrsg.), *Die Berliner Altersstudie* (S. 301-319). Berlin: Akademie Verlag.
- Wahl, H.-W. & Rott, C. (2002). Konzepte und Definitionen der Hochaltrigkeit. In Deutsches Zentrum für Altersfragen (Hrsg.), *Expertisen zum Vierten Altenbericht der Bundesregierung. Band 1: Das hohe Alter. Konzepte, Forschungsfelder, Lebensqualität* (S. 5-95). Hannover: Vincentz.
- Wahl, H.-W. & Tesch-Römer, C. (2001). Aging, sensory loss, and social functioning. In N. Charness, D. Parks & B. A. Sabel (Hrsg.), *Communication, technology and aging: opportunities and challenges for the future* (S. 108-126). New York: Springer.
- Wahl, H.-W. & Tesch-Römer, C. (Hrsg.) (2000). *Angewandte Gerontologie in Schlüsselbegriffen*. Stuttgart: Kohlhammer.

- Wahl, H.-W. & Tesch-Römer, C. (1998). Interventionsgerontologie im deutschsprachigen Raum: Eine sozial- und verhaltenswissenschaftliche Bestandsaufnahme. *Zeitschrift für Gerontologie und Geriatrie*, 31, 76-88.
- Ware, J. E. & Sherbourne, C. D. (1992). The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Medical Care*, 30, 473-483.
- Watson, D., Clark, L. A. & Tellegen, A. (1988). Development and validation of brief measures of positive and negative affect: the PANAS scales. *Journal of Personality and Social Psychology*, 54, 1063-1070.
- Wensing, M., Vingerhoets, E. & Grol, R. (2001). Functional status, health problems, age and comorbidity in primary care patients. *Quality of Life Research*, 10, 141-148.
- Wentura, D. & Greve, W. (2000). Krise und Bewältigung. In H.-W. Wahl & C. Tesch-Römer (Hrsg.), *Angewandte Gerontologie in Schlüsselbegriffen*. Stuttgart: Kohlhammer.
- Weyerer, S. (2000). Epidemiologie. In H.-W. Wahl & C. Tesch-Römer (Hrsg.), *Angewandte Gerontologie in Schlüsselbegriffen* (S. 27-32). Stuttgart: Kohlhammer.
- Weyerer, S. & Schäufele, M. (1999). Epidemiologie körperlicher und psychischer Beeinträchtigungen im Alter. In A. Zimber & S. Weyerer (Hrsg.), *Arbeitsbelastung in der Altenpflege* (S. 3-23). Göttingen: Verlag für Angewandte Psychologie.
- Whitbourne, S. K. (1996). Psychological perspectives on the normal aging process. In L. L. Carstensen, B. A. Edelstein & L. Dornbrand (Hrsg.), *The practical handbook of clinical gerontology* (S. 3-35). Thousand Oaks: Sage.
- WHO (1946). *Constitution of the World Health Organization*. Verfügbar unter: http://whqlibdoc.who.int/hist/official_records/constitution.pdf [3.7.2007]
- WHOQoL Group (1995). The World Health Organization Quality of Life assessment (WHOQOL): position paper from the World Health Organization. *Social Science and Medicine*, 41, 1403-1409.
- WHOQoL Group (1993). Study protocol for the World Health Organization project to develop a Quality of Life assessment instrument (WHOQOL). *Quality of Life Research*, 2, 153-159.
- Wissenschaftlicher Rat der Dudenredaktion (Hrsg.) (2005). *Duden 05: Das Fremdwörterbuch*. Mannheim: Dudenverlag.
- Woollacott, M. H. (1993). Age-related changes in posture and movement. *Journals of Gerontology*, 48 (Special Issue), 56-60.
- Yi, Z. & Vaupel, J. W. (2002). Functional capacity and self-evaluation of health and life of oldest old in China. *Journal of Social Issues*, 58, 733-748.
- Zank, S., Wilms, H.-U. & Baltes, M. M. (1997). Gesundheit und Alter. In R. Schwarzer (Hrsg.), *Gesundheitspsychologie* (S. 245-263). Göttingen: Hogrefe.
- Zapf, W. & Habich, R. (Hrsg.) (1997). *Wohlfahrtsentwicklung im vereinten Deutschland. Sozialstruktur, sozialer Wandel und Lebensqualität*. Berlin: Ed. Sigma.