

Literaturverzeichnis

- Alder, H.; Yoshinouchi, M.; Prystowsky, M. B.; Appasamy, P. und Baserga, R. A conserved region in intron 1 negatively regulates the expression of the PCNA gene. *Nucleic Acids Res* 1992; **20** (7): 1769-75.
- Almadori, G.; Galli, J.; Cadoni, G.; Bussu, F. und Maurizi, M. Human papillomavirus infection and cyclin D1 gene amplification in laryngeal squamous cell carcinoma: biologic function and clinical significance. *Head Neck* 2002; **24** (6): 597-604.
- Altieri, A.; Garavello, W.; Bosetti, C.; Gallus, S. und La Vecchia, C. Alcohol consumption and risk of laryngeal cancer. *Oral Oncol* 2005; **41** (10): 956-65.
- Benhamou, S. und Sarasin, A. Variability in nucleotide excision repair and cancer risk: a review. *Mutat Res* 2000; **462** (2-3): 149-58.
- Bertz, J.; Hentschel, S.; Hundsdörfer, G.; Kaatsch, P.; Katalinic, A.; Lehnert, M.; Schön, D.; Stegmaier, C.; Ziegler, H. Krebs in Deutschland - Häufigkeiten und Trends. 4. überarbeitete, aktualisierte Auflage, Arbeitsgemeinschaft Bevölkerungsbezogener Krebsregister in Deutschland, Saarbrücken, 2004. URL: <http://www.krebsregister.saarland.de/publikationen/PDF/KID2004.PDF>
- Bidoli, E.; Bosetti, C.; La Vecchia, C.; Levi, F.; Parpinel, M.; Talamini, R.; Negri, E.; Maso, L. D. und Franceschi, S. Micronutrients and laryngeal cancer risk in Italy and Switzerland: a case-control study. *Cancer Causes Control* 2003; **14** (5): 477-84.
- Boyle, P.; Macfarlane, G. J.; Zheng, T.; Maisonneuve, P.; Evstifeeva, T. und Scully, C. Recent advances in epidemiology of head and neck cancer. *Curr Opin Oncol* 1992; **4** (3): 471-7.
- Brockmöller, J.; Kerb, R.; Drakoulis, N.; Nitz, M. und Roots, I. Genotype and phenotype of glutathione S-transferase class mu isoenzymes mu and psi in lung cancer patients and controls. *Cancer Res* 1993; **53** (5): 1004-11.
- Brooks, P. J. und Theruvathu, J. A. DNA adducts from acetaldehyde: implications for alcohol-related carcinogenesis. *Alcohol* 2005; **35** (3): 187-93.
- Cascorbi, I.; Brockmöller, J.; Mrozikiewicz, P. M.; Bauer, S.; Loddenkemper, R. und Roots, I. Homozygous rapid arylamine N-acetyltransferase (NAT2) genotype as a susceptibility factor for lung cancer. *Cancer Res* 1996; **56** (17): 3961-6.
- Chang, C. D.; Ottavio, L.; Travali, S.; Lipson, K. E. und Baserga, R. Transcriptional and posttranscriptional regulation of the proliferating cell nuclear antigen gene. *Mol Cell Biol* 1990; **10** (7): 3289-96.
- Chen, P.; Wiencke, J.; Aldape, K.; Kesler-Diaz, A.; Miike, R.; Kelsey, K.; Lee, M.; Liu, J. und Wrensch, M. Association of an ERCC1 polymorphism with adult-onset glioma. *Cancer Epidemiol Biomarkers Prev* 2000; **9** (8): 843-7.
- Cheng, L.; Eicher, S. A.; Guo, Z.; Hong, W. K.; Spitz, M. R. und Wei, Q. Reduced DNA repair capacity in head and neck cancer patients. *Cancer Epidemiol Biomarkers Prev* 1998; **7** (6): 465-8.
- Christmann, M.; Tomicic, M. T.; Roos, W. P. und Kaina, B. Mechanisms of human DNA repair: an update. *Toxicology* 2003; **193** (1-2): 3-34.

- de Boer, J. G. Polymorphisms in DNA repair and environmental interactions. *Mutat Res* 2002; **509** (1-2): 201-10.
- Dietz, A. Kehlkopfkrebs - eine Frage der persönlichen Suszeptibilität. *HNO* 2002; **50** (2): 105-8.
- Don, R. H.; Cox, P. T.; Wainwright, B. J.; Baker, K. und Mattick, J. S. 'Touchdown' PCR to circumvent spurious priming during gene amplification. *Nucleic Acids Res* 1991; **19** (14): 4008.
- El-Serag, H. B.; Hepworth, E. J.; Lee, P. und Sonnenberg, A. Gastroesophageal reflux disease is a risk factor for laryngeal and pharyngeal cancer. *Am J Gastroenterol* 2001; **96** (7): 2013-8.
- Fan, F.; Liu, C.; Tavare, S. und Arnheim, N. Polymorphisms in the human DNA repair gene XPF. *Mutat Res* 1999; **406** (2-4): 115-20.
- Ford, B. N.; Ruttan, C. C.; Kyle, V. L.; Brackley, M. E. und Glickman, B. W. Identification of single nucleotide polymorphisms in human DNA repair genes. *Carcinogenesis* 2000; **21** (11): 1977-81.
- Friedberg, E. C. How nucleotide excision repair protects against cancer. *Nat Rev Cancer* 2001; **1** (1): 22-33.
- Goode, E. L.; Ulrich, C. M. und Potter, J. D. Polymorphisms in DNA repair genes and associations with cancer risk. *Cancer Epidemiol Biomarkers Prev* 2002; **11** (12): 1513-30.
- Harfe, B. D. und Jinks-Robertson, S. Mismatch repair proteins and mitotic genome stability. *Mutat Res* 2000; **451** (1-2): 151-67.
- Heid, I. M.; Lamina, C.; Bongardt, F.; Fischer, G.; Klopp, N.; Huth, C.; Kuchenhoff, H.; Kronenberg, F.; Wichmann, H. E. und Illig, T. Wie gut können Haplotypen in den populationsbasierten KORA-Studien rekonstruiert werden? *Gesundheitswesen* 2005; **67** (Suppl 1): 132-6.
- Heidemann, E. und Bokemeyer, C. Therapie-Empfehlungen der Internistischen Onkologie: Solide Tumoren. Deutsche Gesellschaft für Hämatologie und Onkologie e.V.; 2. Auflage, W. Zuckschwerdt Verlag, München, Bern, Wien, New York, 1998. URL: http://www.dgho.de/_cmsdata/_file/file_23.pdf
- Henning, S.; Cascorbi, I.; Münchow, B.; Jahnke, V. und Roots, I. Association of arylamine N-acetyltransferases NAT1 and NAT2 genotypes to laryngeal cancer risk. *Pharmacogenetics* 1999; **9** (1): 103-11.
- Hoeijmakers, J. H. Genome maintenance mechanisms for preventing cancer. *Nature* 2001; **411** (6835): 366-74.
- Hu, J. J.; Mohrenweiser, H. W.; Bell, D. A.; Leadon, S. A. und Miller, M. S. Symposium overview: genetic polymorphisms in DNA repair and cancer risk. *Toxicol Appl Pharmacol* 2002; **185** (1): 64-73.
- IARC. Alcohol drinking. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. International Agency for Research on Cancer, Lyon, 1988. ISBN: 92 832 1244 4. URL: <http://monographs.iarc.fr/ENG/Monographs/vol44/volume44.pdf>

- Jahnke, V. Bösartige Tumoren des Larynx. In: E. Naumann H.; Helms J.; Herberhold C. und Kastenbauer, eds. Oto-Rhino-Laryngologie in Klinik und Praxis. (Band 3) Georg Thieme Verlag, Stuttgart-New York, 1995: 388-421.
- Jahnke, V.; Matthias, C.; Fryer, A. und Strange, R. Glutathione S-transferase and cytochrome-P-450 polymorphism as risk factors for squamous cell carcinoma of the larynx. *Am J Surg* 1996; **172** (6): 671-3.
- Johne, A.; Kopke, K.; Gerloff, T.; Mai, I.; Rietbrock, S.; Meisel, C.; Hoffmeyer, S.; Kerb, R.; Fromm, M. F.; Brinkmann, U.; Eichelbaum, M.; Brockmöller, J.; Cascorbi, I. und Roots, I. Modulation of steady-state kinetics of digoxin by haplotypes of the P-glycoprotein MDR1 gene. *Clin Pharmacol Ther* 2002; **72** (5): 584-94.
- Khan, S. G.; Metter, E. J.; Tarone, R. E.; Bohr, V. A.; Grossman, L.; Hedayati, M.; Bale, S. J.; Emmert, S. und Kraemer, K. H. A new xeroderma pigmentosum group C poly(AT) insertion/deletion polymorphism. *Carcinogenesis* 2000; **21** (10): 1821-5.
- Khan, S. G.; Muniz-Medina, V.; Shahlavi, T.; Baker, C. C.; Inui, H.; Ueda, T.; Emmert, S.; Schneider, T. D. und Kraemer, K. H. The human XPC DNA repair gene: arrangement, splice site information content and influence of a single nucleotide polymorphism in a splice acceptor site on alternative splicing and function. *Nucleic Acids Res* 2002; **30** (16): 3624-31.
- Koufman, J. A. und Burke, A. J. The etiology and pathogenesis of laryngeal carcinoma. *Otolaryngol Clin North Am* 1997; **30** (1): 1-19.
- Leadon, S. A. und Lawrence, D. A. Preferential repair of DNA damage on the transcribed strand of the human metallothionein genes requires RNA polymerase II. *Mutat Res* 1991; **255** (1): 67-78.
- Licitra, L.; Bernier, J.; Grandi, C.; Locati, L.; Merlano, M.; Gatta, G. und Lefebvre, J. L. Cancer of the larynx. *Crit Rev Oncol Hematol* 2003; **47** (1): 65-80.
- Ma, X.; Jin, Q.; Forsti, A.; Hemminki, K. und Kumar, R. Single nucleotide polymorphism analyses of the human proliferating cell nuclear antigen (PCNA) and flap endonuclease (FEN1) genes. *Int J Cancer* 2000; **88** (6): 938-42.
- Maier, H.; de Vries, N. und Weidauer, H. Beruf und Krebs im Bereich von Mundhöhle, Pharynx und Larynx. *HNO* 1990; **38** (8): 271-8.
- Maier, H.; Dietz, A.; Gewelke, U.; Heller, W. D. und Weidauer, H. Tobacco and alcohol and the risk of head and neck cancer. *Clin Investig* 1992a; **70** (3-4): 320-7.
- Maier, H.; Gewelke, U.; Dietz, A. und Heller, W. D. Risk factors of cancer of the larynx: results of the Heidelberg case-control study. *Otolaryngol Head Neck Surg* 1992b; **107** (4): 577-82.
- Maier, H.; Gewelke, U.; Dietz, A.; Thamm, H.; Heller, W. D. und Weidauer, H. Kehlkopfkarzinom und Berufstätigkeit - Ergebnisse der Heidelberger Kehlkopfkrebsstudie. *HNO* 1992c; **40** (2): 44-51.
- Maier, H. und Tisch, M. Epidemiology of laryngeal cancer: results of the Heidelberg case-control study. *Acta Otolaryngol Suppl* 1997; **527**: 160-4.

- Maier, H.; Tisch, M.; Dietz, A. und Conradt, C. Arbeiter in der Bauindustrie: Eine Hochstrisikogruppe für Krebserkrankungen des oberen Atmungs- und Verdauungstraktes? *HNO* 1999; **47** (8): 730-6.
- Maier, H.; Tisch, M.; Kyrberg, H.; Conradt, C. und Weidauer, H. Berufliche Schadstoffexposition und Ernährung: Risikofaktoren für Mundhöhlen-, Rachen- und Kehlkopfkarzinome? *HNO* 2002; **50** (8): 743-52.
- Marín, M. S.; López-Cima, M. F.; García-Castro, L.; Pascual, T.; Marrón, M. G. und Tardón, A. Poly (AT) polymorphism in intron 11 of the XPC DNA repair gene enhances the risk of lung cancer. *Cancer Epidemiol Biomarkers Prev* 2004; **13** (11 Pt 1): 1788-93.
- Marquardt, H; Pfau, W. Chemische Kanzerogenese. In: Marquardt H; Schäfer, S, eds. Lehrbuch der Toxikologie. 2. Auflage, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 2004: 157-193.
- Matthias, C.; Jahnke, V.; Fryer, A.; Strange, R.; Ollier, W. und Hajeer, A. Influence of tumour necrosis factor microsatellite polymorphisms on susceptibility to head and neck cancer. *Acta Otolaryngol* 1998; **118** (2): 284-8.
- Matthias, C.; Jahnke, V.; Jones, P. W.; Hoban, P. R.; Alldersea, J. E.; Worrall, S. F.; Fryer, A. A. und Strange, R. C. Cyclin D1, glutathione S-transferase, and cytochrome P450 genotypes and outcome in patients with upper aerodigestive tract cancers: assessment of the importance of individual genes using multivariate analysis. *Cancer Epidemiol Biomarkers Prev* 1999; **8** (9): 815-23.
- Matullo, G.; Guerrera, S.; Sacerdote, C.; Polidoro, S.; Davico, L.; Gamberini, S.; Karagas, M.; Casetta, G.; Rolle, L.; Piazza, A. und Vineis, P. Polymorphisms/haplotypes in DNA repair genes and smoking: a bladder cancer case-control study. *Cancer Epidemiol Biomarkers Prev* 2005; **14** (11 Pt 1): 2569-78.
- Mellan, I. und Hanawalt, P. C. Induction of the Escherichia coli lactose operon selectively increases repair of its transcribed DNA strand. *Nature* 1989; **342** (6245): 95-8.
- Mohrenweiser, H. W. und Jones, I. M. Variation in DNA repair is a factor in cancer susceptibility: a paradigm for the promises and perils of individual and population risk estimation? *Mutat Res* 1998; **400** (1-2): 15-24.
- Mohrenweiser, H. W.; Xi, T.; Vazquez-Matias, J. und Jones, I. M. Identification of 127 amino acid substitution variants in screening 37 DNA repair genes in humans. *Cancer Epidemiol Biomarkers Prev* 2002; **11** (10 Pt 1): 1054-64.
- National Center for Biotechnology Information, U.S. National Library of Medicine. SNP's linked from Locus Link: Variations in genomic region of ERCC4, 2001. (Accessed 27.10.2001 at http://www.ncbi.nlm.nih.gov/SNP/snp_ref.cgi?locusId=2072&chooseRs=het#maintab)
- National Center for Biotechnology Information, U.S. National Library of Medicine. Reference SNP(refSNP) Cluster Report: rs2020955, 2006a. (Accessed 10.05.2006 at http://www.ncbi.nlm.nih.gov/SNP/snp_ref.cgi?searchType=adhoc_search&type=rs&rs=s2020955)
- National Center for Biotechnology Information, U.S. National Library of Medicine. Reference SNP(refSNP) Cluster Report: rs2020956, 2006b. (Accessed 10.05.2006 at http://www.ncbi.nlm.nih.gov/SNP/snp_ref.cgi?searchType=adhoc_search&type=rs&rs=s2020956)

- Ottavio, L.; Chang, C. D.; Rizzo, M. G.; Travali, S.; Casadevall, C. und Baserga, R. Importance of introns in the growth regulation of mRNA levels of the proliferating cell nuclear antigen gene. *Mol Cell Biol* 1990; **10** (1): 303-9.
- Preston, R. J. Interindividual variations in susceptibility and sensitivity: linking risk assessment and risk management. *Toxicology* 1996; **111** (1-3): 331-41.
- Qiao, Y.; Spitz, M. R.; Guo, Z.; Hadeyati, M.; Grossman, L.; Kraemer, K. H. und Wei, Q. Rapid assessment of repair of ultraviolet DNA damage with a modified host-cell reactivation assay using a luciferase reporter gene and correlation with polymorphisms of DNA repair genes in normal human lymphocytes. *Mutat Res* 2002a; **509** (1-2): 165-74.
- Qiao, Y.; Spitz, M. R.; Shen, H.; Guo, Z.; Shete, S.; Hedayati, M.; Grossman, L.; Mohrenweiser, H. und Wei, Q. Modulation of repair of ultraviolet damage in the host-cell reactivation assay by polymorphic XPC and XPD/ERCC2 genotypes. *Carcinogenesis* 2002b; **23** (2): 295-9.
- Ramroth, H.; Dietz, A. und Becher, H. Interaction effects and population-attributable risks for smoking and alcohol on laryngeal cancer and its subsites. A case-control study from Germany. *Methods Inf Med* 2004; **43** (5): 499-504.
- Riedl, T.; Hanaoka, F. und Egly, J. M. The comings and goings of nucleotide excision repair factors on damaged DNA. *Embo J* 2003; **22** (19): 5293-303.
- Roots, I.; Brockmöller, J.; Drakoulis, N. und Loddenkemper, R. Mutant genes of cytochrome P-450IID6, glutathione S-transferase class Mu, and arylamine N-acetyltransferase in lung cancer patients. *Clin Investig* 1992; **70** (3-4): 307-19.
- Sambrook, J., Fritsch, E.F., Maniatis, T. Molecular cloning: a laboratory manual. 2. Auflage, Cold Spring Harbor Laboratory Press. Cold Spring Harbor, New York, 1989.
- Sanger, F.; Nicklen, S. und Coulson, A. R. DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* 1977; **74** (12): 5463-7.
- Schantz, S. P.; Hsu, T. C.; Ainslie, N. und Moser, R. P. Young adults with head and neck cancer express increased susceptibility to mutagen-induced chromosome damage. *Jama* 1989; **262** (23): 3313-5.
- Shen, H.; Spitz, M. R.; Qiao, Y.; Guo, Z.; Wang, L. E.; Bosken, C. H.; Amos, C. I. und Wei, Q. Smoking, DNA repair capacity and risk of nonsmall cell lung cancer. *Int J Cancer* 2003; **107** (1): 84-8.
- Shen, H.; Sturgis, E. M.; Khan, S. G.; Qiao, Y.; Shahlaei, T.; Eicher, S. A.; Xu, Y.; Wang, X.; Strom, S. S.; Spitz, M. R.; Kraemer, K. H. und Wei, Q. An intronic poly (AT) polymorphism of the DNA repair gene XPC and risk of squamous cell carcinoma of the head and neck: a case-control study. *Cancer Res* 2001; **61** (8): 3321-5.
- Shen, M. R.; Jones, I. M. und Mohrenweiser, H. Nonconservative amino acid substitution variants exist at polymorphic frequency in DNA repair genes in healthy humans. *Cancer Res* 1998; **58** (4): 604-8.
- Shivji, M. K.; Podust, V. N.; Hubscher, U. und Wood, R. D. Nucleotide excision repair DNA synthesis by DNA polymerase epsilon in the presence of PCNA, RFC, and RPA. *Biochemistry* 1995; **34** (15): 5011-7.

- Smith, C. J.; Perfetti, T. A.; Garg, R. und Hansch, C. IARC carcinogens reported in cigarette mainstream smoke and their calculated log P values. *Food Chem Toxicol* 2003a; **41** (6): 807-17.
- Smith, T. R.; Levine, E. A.; Perrier, N. D.; Miller, M. S.; Freimanis, R. I.; Lohman, K.; Case, L. D.; Xu, J.; Mohrenweiser, H. W. und Hu, J. J. DNA-repair genetic polymorphisms and breast cancer risk. *Cancer Epidemiol Biomarkers Prev* 2003b; **12** (11 Pt 1): 1200-4.
- Stephens, M. und Scheet, P. Accounting for decay of linkage disequilibrium in haplotype inference and missing-data imputation. *Am J Hum Genet* 2005; **76** (3): 449-62.
- Stephens, M.; Smith, N. J. und Donnelly, P. A new statistical method for haplotype reconstruction from population data. *Am J Hum Genet* 2001; **68** (4): 978-89.
- Sturgis, E. M.; Dahlstrom, K. R.; Spitz, M. R. und Wei, Q. DNA repair gene ERCC1 and ERCC2/XPD polymorphisms and risk of squamous cell carcinoma of the head and neck. *Arch Otolaryngol Head Neck Surg* 2002; **128** (9): 1084-8.
- Sturgis, E. M. und Wei, Q. Genetic susceptibility--molecular epidemiology of head and neck cancer. *Curr Opin Oncol* 2002; **14** (3): 310-7.
- Sugasawa, K.; Shimizu, Y.; Iwai, S. und Hanaoka, F. A molecular mechanism for DNA damage recognition by the xeroderma pigmentosum group C protein complex. *DNA Repair (Amst)* 2002; **1** (1): 95-107.
- Syrjänen, S. Human papillomavirus (HPV) in head and neck cancer. *J Clin Virol* 2005; **32** (Suppl 1): 59-66.
- Tomescu, D.; Kavanagh, G.; Ha, T.; Campbell, H. und Melton, D. W. Nucleotide excision repair gene XPD polymorphisms and genetic predisposition to melanoma. *Carcinogenesis* 2001; **22** (3): 403-8.
- van Duin, M.; de Wit, J.; Odijk, H.; Westerveld, A.; Yasui, A.; Koken, H. M.; Hoeijmakers, J. H. und Bootsma, D. Molecular characterization of the human excision repair gene ERCC-1: cDNA cloning and amino acid homology with the yeast DNA repair gene RAD10. *Cell* 1986; **44** (6): 913-23.
- van Steeg, H. The role of nucleotide excision repair and loss of p53 in mutagenesis and carcinogenesis. *Toxicol Lett* 2001; **120** (1-3): 209-19.
- Varzim, G.; Monteiro, E.; Silva, R. A.; Fernandes, J. und Lopes, C. CYP1A1 and XRCC1 gene polymorphisms in SCC of the larynx. *Eur J Cancer Prev* 2003; **12** (6): 495-9.
- Venema, J.; Bartosova, Z.; Natarajan, A. T.; van Zeeland, A. A. und Mullenders, L. H. Transcription affects the rate but not the extent of repair of cyclobutane pyrimidine dimers in the human adenosine deaminase gene. *J Biol Chem* 1992; **267** (13): 8852-6.
- Volker, M.; Mone, M. J.; Karmakar, P.; van Hoffen, A.; Schul, W.; Vermeulen, W.; Hoeijmakers, J. H.; van Driel, R.; van Zeeland, A. A. und Mullenders, L. H. Sequential assembly of the nucleotide excision repair factors in vivo. *Mol Cell* 2001; **8** (1): 213-24.
- Wight, R.; Paleri, V. und Arullendran, P. Current theories for the development of nonsmoking and nondrinking laryngeal carcinoma. *Curr Opin Otolaryngol Head Neck Surg* 2003; **11** (2): 73-7.

- Wong, G. K. S.; Yu, J.; Yang, Z.; Passey, D.; Kibukawa, M.; Paddock, M.; Olson, M. Gene based polymorphism discovery rs1800067, G67516, 2000a. (Accessed 27.10.2001 at <http://www.ncbi.nlm.nih.gov/entrez/viewer.fcgi?db=nucleotide&val=12277038>)
- Wong, G. K. S.; Yu, J.; Yang, Z.; Passey, D.; Kibukawa, M.; Paddock, M.; Olson, M. Gene based polymorphism discovery rs1800124, G67515, 2000b. (Accessed 27.10.2001 at <http://www.ncbi.nlm.nih.gov/entrez/viewer.fcgi?db=nucleotide&val=12277037>)
- Wong, G. K. S.; Yu, J.; Yang, Z.; Passey, D.; Kibukawa, M.; Paddock, M.; Olson, M. Gene based polymorphism discovery rs2020955, G67511, 2000c. (Accessed 27.10.2001 at <http://www.ncbi.nlm.nih.gov/entrez/viewer.fcgi?db=nucleotide&val=12277033>)
- Wood, R. D.; Mitchell, M.; Sgouros, J. und Lindahl, T. Human DNA repair genes. *Science* 2001; **291** (5507): 1284-9.
- Wu, X.; Gu, J.; Hong, W. K.; Lee, J. J.; Amos, C. I.; Jiang, H.; Winn, R. J.; Fu, K. K.; Cooper, J. und Spitz, M. R. Benzo[a]pyrene diol epoxide and bleomycin sensitivity and susceptibility to cancer of upper aerodigestive tract. *J Natl Cancer Inst* 1998; **90** (18): 1393-9.
- Yin, J.; Li, J.; Vogel, U. und Wang, H. Polymorphisms of DNA repair genes: ERCC1 G19007A and ERCC2/XPD C22541A in a northeastern Chinese population. *Biochem Genet* 2005; **43** (9-10): 543-8.
- Yin, J.; Rockenbauer, E.; Hedayati, M.; Jacobsen, N. R.; Vogel, U.; Grossman, L.; Bolund, L. und Nexo, B. A. Multiple single nucleotide polymorphisms on human chromosome 19q13.2-3 associate with risk of Basal cell carcinoma. *Cancer Epidemiol Biomarkers Prev* 2002; **11** (11): 1449-53.
- Yin, J.; Vogel, U.; Gerdes, L. U.; Dybdahl, M.; Bolund, L. und Nexo, B. A. Twelve single nucleotide polymorphisms on chromosome 19q13.2-13.3: linkage disequilibria and associations with basal cell carcinoma in Danish psoriatic patients. *Biochem Genet* 2003; **41** (1-2): 27-37.
- Yu, J. J.; Lee, K. B.; Mu, C.; Li, Q.; Abernathy, T. V.; Bostick-Bruton, F. und Reed, E. Comparison of two human ovarian carcinoma cell lines (A2780/CP70 and MCAS) that are equally resistant to platinum, but differ at codon 118 of the ERCC1 gene. *Int J Oncol* 2000; **16** (3): 555-60.
- Yu, J. J.; Mu, C.; Lee, K. B.; Okamoto, A.; Reed, E. L.; Bostick-Bruton, F.; Mitchell, K. C. und Reed, E. A nucleotide polymorphism in ERCC1 in human ovarian cancer cell lines and tumor tissues. *Mutat Res* 1997; **382** (1-2): 13-20.
- Zimmermann, R.; Budach, W.; Dammann, F.; Einsele, H.; v. Ohle, C.; Preßler, H.; Ruck, P.; Wehrmann, M.; Zenner, H.-P. Therapieempfehlungen des Interdisziplinären Tumorzentrums Tübingen: Pharynx- und Larynx tumoren. 1. Auflage, ITZ, Tübingen, 2003.