

## References

- Adam, J. and T.H. Green, The effects of pressure and temperature on the partitioning of Ti, Sr and REE between amphibole, clinopyroxene and basanitic melts, *Chem. Geol.*, 117, 219-233, 1994.
- Aichele, H., Interpretation refraktionsseismischer Messungen im Gebiet des Fränkisch-Schwäbischen Jura, *Doctoral thesis, 105p.*, Stuttgart, 1976.
- Alinaghi, A., G. Bock, R. Kind, W. Hanka, K. Wylegalla, TOR and SVEKALAPKO Working Groups, Receiver function analysis of the crust and upper mantle from the North German Basin to the Archaen Baltic Shield, *Geophys. J. Int.*, 155, 641-652, 2003.
- Allen, J.C., A.L. Boettcher, and G. Marland, Amphiboles in andesite and basalts: I. Stability as a function of P-T-fO<sub>2</sub>, *Am. Min.*, 60, 1069-1085, 1975.
- Anders, E. and N. Grevesse, Abundances of the elements: Meteoric and solar. *Geochimica et Cosmochimica Acta*, 53, 197-214, 1989.
- Anderson, T. and E.-R. Neumann, Fluid inclusions in mantle xenoliths, *Lithos*, 55, 301-320, 2001.
- Ascencio, E., J.H. Knapp, T.J. Owens, and G. Helffrich, Mapping fine-scale heterogeneities within the continental mantle lithosphere beneath Scotland: Combining active- and passive-source seismology, *Geology*, 31(6), 477-480, 2003.
- Babuška, V. and J. Plomerová, Subcrustal lithosphere around the Saxothuringian-Moldanubian Suture Zone - a model derived from anisotropy of seismic wave velocities, *Tectonophysics*, 332, 185-199, 2001.
- Babuška V., J. Plomerová, and BOHEMA working group, Seismic Experiment Searches for Active Magmatic Source in Deep Lithosphere, Central Europe, *EOS Transactions*, 84(40), 409, 416-417, 2003.
- Bachmann, G.H., M. Müller, and K. Weggen, Evolution of the Molasse Basin (Germany, Switzerland), *Tectonophysics*, 137, 77-92, 1987.
- Baldridge, W.S., G.R. Keller, V. Haak, E. Wendlandt, G.R. Jiraček, and K.H. Olsen, The Rio Grande Rift; in *Continental rifts: evolution, structure, tectonics, Developments in Geotectonics*, vol. 25, edited by K.H. Olsen, 233-275, Elsevier, 1995.
- Ballhaus, C., R.F. Berry, and D.H. Green, High pressure experimental calibration of the olivine-orthopyroxene-spinel oxygen geobarometer: implications for the oxidation state of the upper mantle, *Contrib. Mineral. Petrol.*, 107, 27-40, 1991.
- Bankwitz, P., G. Schneider, H. Kämpf, and E. Bankwitz, Structural characteristics of epicentral areas in Central Europe: Study case Cheb Basin (Czech Republic), *J. Geodyn.*, 35, 5-32, 2003a.
- Bankwitz, P., E. Bankwitz, K. Bräuer, H. Kämpf, and M. Störr, Deformation structures in Plio- and Pleistocene sediments (NW Bohemia, Central Europe), *Geol. Soc. Spec. Pub.*, London, 216, 73-93, 2003b.
- Barclay, J. and I.S.E. Carmichael, A Hornblende Basalt from Western Mexico: Water-saturated Phase Relations Constrain a Pressure-Temperature Window of Eruptibility, *J. Petrol.*, 45(3), 485-506, 2004.
- Bayerisches Geologisches Landesamt, Geologie von Bayern, CD-ROM, Bayerisches Geologisches Landesamt, München, 1998.
- Becker, H.J., Pyroxenites and hornblendites from the maar-type volcanoes of the Westeifel, Federal Republic of Germany, *Contrib. Mineral. Petrol.*, 65, 45-52, 1977.
- Behr, H.-J., H.-J. Dürbaum, and P. Bankwitz (Editors), Crustal structure of the Saxothuringian Zone: Results of the deep seismic profile MVE-90(East), *Z. geol. Wiss.*, 22(6), 647-769, 1994.
- Best, M.G., Igneous and metamorphic petrology, Blackwell Science, Oxford, 2003.
- Bleibinhaus, F., D. Stich, M. Simon, and H. Gebrande, New results from amplitude preserving prestack depth migration of the Münchberg/Vogtland segment of the MVE deep seismic survey, *J. Geodyn.*, 35, 33-43, 2003.
- Blundy, J.D. and T.J.B. Holland, Calcic amphibole equilibria and a new amphibole-plagioclase geothermometer, *Contrib. Mineral. Petrol.*, 104, 208-224, 1990.
- Bormann, P. (Ed.), Monitoring and analysis of the earthquake swarm 1985/86 in the region Vogtland/Western Bohemia, *ZIPE-Veröff.*, Nr. 110, 282 p., Zentralinstitut für Physik der Erde, Potsdam, 1989.
- Bormann, P., P., Bankwitz, W. Conrad, and Ch. Oelsner, Crustal structure and development in Central Europe. *Gerlands Beitr. Geophysik*, 98/5, 353-367, Leipzig, 1989.
- Bormann, P., G. Grünthal, R. Kind, and H. Montag, Upper mantle anisotropy beneath Central Europe from SKS wave splitting: effects of absolute plate motion and lithosphere-asthenosphere boundary topography?, *J. Geodyn.*, 22 (1/2), 11-32, 1996.
- Bostock, M.G., Seismic imaging of lithospheric discontinuities and continental evolution, *Lithos*, 48, 1-16, 1999.
- Boušková, A., J. Horálek, T. Fischer, and Z. Hudová, Time and Space Variations of Local Seismic Signals in the NW-Bohemia/Vogtland Swarm Region, *Geophys. Research Abstracts*, Vol. 5, 08495, 2003.
- Boušková, A., T. Fischer, J. Horálek, and Z. Hudová, Seismic activity after 2000 swarm and new results in the Western Bohemia/Vogtland area, *Geolines*, 17, 25, 2004.

## References

---

- Braile, L.W., B. Wang, C.R. Daudt, G.R. Keller, and J.P. Patel, Modeling the 2-D seismic velocity structure across the Kenya rift, in *Crustal and upper mantle structure of the Kenya rift*, edited by C. Prodehl, G.R. Keller and M.A. Khan, *Tectonophysics*, 236, 179-200, 1994.
- Bräuer, K., H. Kämpf, G. Strauch, and S.M. Weise, Isotopic evidence ( ${}^3\text{He}/{}^4\text{He}$ ,  ${}^{13}\text{C}_{\text{CO}_2}$ ) of fluid-triggered intraplate seismicity, *J. Geophys. Res.*, 108(B2), 2070, doi: 10.1029/2002JB002077, 2003.
- Bräuer, K., H. Kämpf, S. Niedermann, G. Strauch, and S.M. Weise, Evidence for a nitrogen flux directly derived from the European subcontinental mantle in the western Eger Rift, Central Europe, *Geochim. Cosmochim. Acta*, 68, 4935-4947, 2004.
- Brey, G.P. and T. Köhler, Geothermometry in Four-phase Lherzolites II. New Thermobarometers, and Practical Assesment of Existing Thermobarometers, *J. Petrol.*, 31(6), 1353-1378, 1990.
- Caress, D.W., M.K. McNutt, R.S. Detrik, and J.C. Mutter, Seismic imaging of hotspot related crustal underplating beneath the Marquesas Island, *Nature*, 373, 600-603, 1995.
- Christensen, N.I., Poisson's ratio and crustal seismology, *J. Geophys. Res.*, 101(B2), 3,139-3,156, 1996.
- Christensen, N.I., Section VI – Seismic velocities, in *Practical Handbook of Physical Properties of Rocks and Minerals*, edited by I.S.E. Carmichael, 430-546, CRC press, Cleveland Ohio, 1989.
- Christensen, N.I. and W.D. Mooney, Seismic velocity structure and composition of the continental crust: A global view, *J. Geophys. Res.*, 100(B7), 9761-9788, 1995.
- Christensen, N.I., L.G. Medaris Jr., H.F. Wang, and E. Jelínek, Depth variation of seismic anisotropy and petrology in central European lithosphere: A tectonothermal synthesis from spinel lherzolite, *J. Geophys. Res.*, 106(B1), 645-664, 2001.
- Čermák, V., Results of Heat Flow Studies in Czechoslovakia, in *Crustal Structure of the Bohemian Massif and the West Carpathians, Exploration of the Deep Continental Crust*, edited by V. Bucha, and M. Blížkovský, 85-120, Springer-Verlag Berlin Heidelberg New York, 1994.
- Chevrot, S., Vinnik, L.P., and J.-P. Montagner, Global-scale analysis of the mantle Pds phases, *J. Geophys. Res.*, 104(B9), 20,203-20,219, 1999.
- Clauser, C., P. Giese, E. Huenges, T. Kohl, H. Lehmann, L. Rybach, J. Safanda, H. Wilhelm, K. Windloff, and G. Zoth, The thermal regime of the crystalline continental crust: Implications from the KTB, *J. Geophys. Res.*, 102(B8), 18,417-18,441, 1997.
- Cox, K.G., Continental magmatic underplating, *Phil. Trans. R. Soc. Lond., A* 342, 155-166, 1993.
- Credner, H., Die vogtländischen Erdbebenwärme während der Zeit des Juli und August 1900, *Ber. ü. Verh. Kgl. Sächs. Ges. Wiss. Leipzig*, 52, 153-177, 1900.
- Dahm, T., J. Horálek, and J. Šílený, Comparison of absolute and relative moment tensor solutions for the January 1997 West Bohemia earthquake swarm, *Studia geoph. et geod.*, 44(2), 233-250, 2000.
- Deer, W.A., R.A. Howie, and J. Zussmann, Rock-forming minerals vol. 5: Non-Silicates, Longmans, Green and Co Ltd, London, 371 p, 1963.
- Deer, W.A., R.A. Howie, and J. Zussmann, An Introduction to the Rock-Forming Minerals – 2<sup>nd</sup> edition, Longman Scientific & Technical, Burnt Mill, Harlow, 1992.
- DEKORP Research Group, Results of the DEKORP 4/KTB Oberpfalz deep seismic reflection investigations, *J. Geophys.*, 62, 69-101, 1988.
- DEKORP Research Group (B), The deep seismic reflection profiles DEKORP 3/MVE-90, *Z. für geol. Wiss.*, 22(6), 623-825, 1994.
- DEKORP and Orogenic Processes Working Groups, Structure of the Saxonian granulites: geological and geophysical constraints on the exhumation of high-pressure/high-temperature rocks in the mid-European Variscan belt, *Tectonics*, 18(5), 756-773, 1999.
- Detrik, R.S., P. Buhl, E. Vera, J. Mutter, J. Orcutt, J. Madsen, and T. Brocher, Multi-channel seismic imaging of a crustal magma chamber along the East Pacific Rise, *Nature*, 326, 35-41, 1987.
- Dezes, P. and P.A. Ziegler, Depth of the European Moho, <http://comp1.geol.unibas.ch>, 2002.
- Dezes, P., S.M. Schmid, and P.A. Ziegler, Evolution of the European Cenozoic Rift System: interaction of the Alpine and Pyrenean orogens with their foreland lithosphere, *Tectonophysics*, 389, 1-33, 2004.
- Downes, H., The nature of the lower continental crust of Europe: petrological and geochemical evidence from xenoliths, *Phys. Earth Planet. Inter.*, 79, 195-218, 1993.
- Downes, H., Formation and Modification of the Shallow Sub-continental Lithospheric Mantle: a Review of Geochemical Evidence from Ultramafic Xenolith Suites and Tectonically Emplaced Ultramafic Massifs of Western and Central Europe, *J. Petrol.*, 4, 233-250, 2001.
- Dulski, P., Reference Materials for Geochemical Studies: New Analytical Data by ICP-MS and Critical Discussion of Reference Values, *Geostandards Newsletter*, 25(1), 87-125, 2001.
- Dziewonski, A.M. and D.L. Anderson, Preliminary reference Earth model, *Phys. Earth Planet. Inter.*, 25, 297-356, 1981.
- Emmermann, R. and J. Lauterjung, The German Continental Deep Drilling Program KTB: Overview and major results, *J. Geophys. Res.*, 102, 18,179-18,201, 1997.
- Enderle, U., K. Schuster, C. Prodehl, A. Schulze, and J. Bribach, The refraction seismic experiment GRANU95 in the Saxothuringian belt, SE-Germany, *Geophys. J. Int.*, 133, 245-259, 1998.

- Ernst, W.G. and J. Liu, Experimental phase-equilibrium study of Al- and Ti-contents of calcic amphibole in MORB – A semiquantitative thermobarometer, *Am. Min.*, 83, 952-969, 1998.
- Faber, S., J. Plomerová, and V. Babuška, Deep-seated lateral variations beneath the GRF array inferred from mislocation patterns and P residuals, *J. Geophys.*, 60, 139-148, 1986.
- Fabries, J., Spinel-olivine geothermometry in peridotites from ultramafic complexes, *Contrib. Mineral. Petrol.*, 69, 329-336, 1979.
- Fabries, J., J.-P. Lorand, and M. Guiraud, Petrogenesis of the amphibole-rich veins from the Lherz orogenic lherzolite massif (Eastern Pyrenees, France): a case study for the origin of the orthopyroxene-bearing amphibole pyroxenites in the lithospheric mantle, *Contrib. Mineral. Petrol.*, 140, 383-403, 2001.
- Faul, U.H., D.R. Toomey, and H.S. Waff, Intergranular basaltic melt is distributed in thin, elongated inclusions, *Geophys. Res. Lett.*, 21(1), 29-32, 1994.
- Fei, Y., J. van Orman, J. Li, W. van Westrenem, C. Sanloup, W. Minarik, K. Hirose, T. Komabayashi, M. Walter, and K. Funakoshi, Experimentally determined postspinel transformation boundary in Mg<sub>2</sub>SiO<sub>4</sub> using MgO as internal pressure standard and its geophysical implications, *J. Geophys. Res.*, 109, B02305, doi:10.1029/2003JB002552, 2004.
- Ferrucci, F., A. Hirn, G. De Natale, J. Virieux, and L. Mirabile, P-SV Conversions at a Shallow Boundary Beneath Campi Flegrei Caldera (Italy): Evidence for the Magma chamber, *J. Geophys. Res.* 97(B11), 15,351-15,359, 1992.
- Fiala, J. and Z. Vejnar, The Cheb-Dyleň Crystalline Unit, relations to the Moldanubian Zone, in *Geological model of Western Bohemia related to the KTB borehole in Germany*, edited by S. Vrána and V. Štědrá, *J. Geol. Sci., Geology*, 47, 56-57, 1997.
- Fiala, J. and Z. Vejnar, The lithology, geochemistry, and metamorphic gradation of the crystalline basement of the Cheb (Eger) Tertiary Basin, Saxothuringian Unit, *Bull. Geosciences*, 79(1), 41-52, 2004.
- Fischer, T. and J. Horálek, Space-time distribution of earthquake swarms in the principal focal zone of the NW-Bohemian/Vogtland seismoactive region: period 1985-2001, *J. Geodyn.*, 35, 125-144, 2003.
- Förster A. and H.-J. Förster, Crustal composition and mantle heat flow: Implications from surface heat flow and radiogenic heat production in the Variscan Erzgebirge (Germany), *J. Geophys. Res.*, 105(B12), 27,917-27,938, 2000.
- Förster, A., H.-J. Förster, and D. Stromeyer, An internally consistent present-day thermo-petrological model of the Erzgebirge crust (ext. abstr): Intern. Conf. Geology without Frontiers, Czech and Slovak Geological Societies, *J. Czech Geol. Soc.*, 48, 1-1, 49-50, 2003.
- Franz, L. and W. Seifert, Basement studies in a continental suture zone – Xenoliths from the Mid-German Crystalline Rise (Rhön area, Mid-European Variscides), *N. Jb. Miner. Abh.*, 173(3), 263-303, 1998.
- Franz, L., W. Seifert, and W. Kramer, Thermal evolution of the mantle underneath the Mid-German Crystalline Rise: Evidence from mantle xenoliths from the Rhön area (Central Germany). *Mineral. Petrol.*, 61, 1-25, 1997.
- Frey, F.A. and M. Prinz, Ultramafic inclusions from San Carlos, Arizona: petrologic and geochemical data bearing on their petrogenesis, *Earth Planet. Sci. Lett.*, 38, 129-176, 1978.
- Furlong, K. and D.M. Fountain, Continental Crustal Underplating: Thermal Considerations And Seismic-Petrologic Consequences, *J. Geophys. Res.*, 91(B8), 8285-8294, 1986.
- Garmany, J., Accumulations of melt at the base of young oceanic crust, *Nature*, 340, 628-632, 1989.
- Gautheron, C. and A. Moreira, Helium signature of the subcontinental lithospheric mantle, *Earth Planet. Sci. Lett.*, 199, 39-47, 2002.
- Geissler, W.H., H. Kämpf, R. Kind, K. Bräuer, K. Klinge, T. Plenefisch, J. Horálek, J. Zednik, and V. Nehybka, Seismic location of a CO<sub>2</sub> source in the upper mantle of the western Eger rift, Central Europe, *Tectonics*, subm, 2004a.
- Geissler, W.H., H. Kämpf, P. Bankwitz, E. Bankwitz, Das quartäre Tephra-Tuff-Vorkommen von Mýtina (Südrand des westlichen Eger-Grabens/Tschechische Republik): Indikationen für Ausbruchs- und Deformationsprozesse, *Z. Geol. Wiss.* 32(1), 31-54, 2004b.
- Giese, P., Results of the Generalized Interpretation of the Deep-Seismic Sounding Data, in *Explosion Seismology in Central Europe - Data and Results*, edited by P. Giese, C. Prodehl, and A. Stein, *Crustal and Upper Mantle Structure in Europe*, No. 1, 201-214, Springer Verlag Berlin Heidelberg New York, 1976.
- Giese, P., Main Features of Geophysical Structures in Central Europe, in *Pre-Permian Geology of Central and Eastern Europe*, edited by R.D. Dallmeyer, W. Franke, and K. Weber, pp. 7-25, Springer-Verlag Berlin Heidelberg, 1995.
- Ginzburg, A., J. Makris, K. Fuchs, B. Perathoner, and C. Prodehl, Detailed structure of the crust and upper mantle along the Jordan-Dead Sea Rift, *J. Geophys. Res.*, 84, 5605-5612, 1979.
- Glahn, A., P.M. Sachs, and U. Achauer, A teleseismic and petrologic study of the crust and upper mantle beneath the geothermal anomaly Urach/SW-Germany, *Phys. Earth Planet. Interior*, 69, 176-206, 1992.
- Goes, S., W. Spakman, and H. Bijwaard, A Lower Mantle Source for Central European Volcanism, *Science*, 286, 1928-1930, 1999.

## References

---

- Gossler, J., R. Kind, S.V. Sobolev, H. Kämpf, K. Wylegalla, M. Stiller, and TOR Working Group, Major crustal features from the Harz Mountains to the Baltic Shield derived from receiver functions. *Tectonophysics*, 314(1-3), 321-333, 1999.
- Granet, M., M. Wilson, and U. Achauer, Imaging a mantle plume beneath the Massif Central (France), *Earth Planet Sci. Lett.*, 136, 281-296, 1995.
- Gray, A.L., Inductively Coupled Plasma Source Mass Spectrometry, in *Inorganic Mass Spectrometry*, edited by F. Adams, R. Gijbel, and R. Van Grieken, pp. 257-300, Wiley-Interscience, New York, 1988.
- Green, D.H. and T.J. Falloon, Pyrolite: A Ringwood Concept and Its Current Expression, in *The Earth's Mantle – Composition, Structure and Evolution*, edited by I. Jackson, pp. 311-378, Cambridge University Press, Cambridge-New York-Melbourne, 1998.
- Grevemeyer, I. and E.R. Flueh, Crustal underplating and its implications for subsidence and state of isostasy along the Ninetyeast Ridge hotspot trail, *Geophys. J. Int.*, 142, 643-649, 2000.
- Griesshaber, E., R.K. O'Nions, and E.R. Oxburgh, Helium and carbon isotope systematics in crustal fluids from the Eifel, the Rhine Graben and Black Forest, F.R.G., *Chem. Geol.*, 99, 213-235, 1992.
- Griffin, W.L. and S.Y. O'Reilly, The composition of the lower crust and the nature of the continental Moho – xenolith evidence, in *Mantle Xenoliths*, edited by P.H. Nixon, 413-430, John Wiley & Sons Ltd., 1987.
- Guterch, A., M. Grad, A. Špičák, E. Brueckl, E. Hegedus, G.R. Keller, H. Thybo, CELEBRATION 2000, ALP 2002, SUDETES 2003 Working Groups, An overview of recent seismic refraction experiments in Central Europe, *Stud. Geophys. Geod.*, 47, 651-657, 2003.
- Hacker, B.R. and G.A. Abers, Subduction Factory 3: An Excel worksheet and macro for calculating the densities, seismic wave speeds, and H<sub>2</sub>O contents of minerals and rocks at pressure and temperature, *Geochem. Geophys. Geosyst. G3*, 5(1), Q01005, doi:10.1029/2003GC000614, 2004.
- Hales, A.L., A seismic discontinuity in the lithosphere, *Earth Planet. Sci. Lett.*, 7, 44-46, 1969.
- Hammarstrom, J.M., and E-an Zen, Aluminum in hornblende: an empirical igneous geobarometer, *Am. Min.*, 71, 1297-1313, 1986.
- Hammond, W.C. and E.D. Humphreys, Upper mantle seismic wave velocity: Effects of realistic partial melt geometries, *J. Geophys. Res.*, 105(B5), 10,975-10,986, 2000.
- Hansteen, T.H., A. Klügel, and H.-U. Schmincke, Multi-stage magma ascent beneath the Canary Islands: evidence from fluid inclusions, *Contrib. Mineral. Petrol.*, 132, 48-64, 1998.
- Hegner, E. and T.W. Vennemann, Role of fluids in the origin of Tertiary European intraplate volcanism: Evidence from O, H, and Sr isotopes melilitites, *Geology*, 25(11), 1035-1038, 1997.
- Hegner, E. and A. Kröner, Review of Nd isotopic data and xenocrystic and detrital zircon ages from the pre-Variscan basement in the eastern Bohemian Massif: speculations on palinspastic reconstructions, in *Orogenic Processes: Quantification and Modeling in the Variscan Belt*, edited by W. Franke, V. Haak, O. Oncken and D. Tanner, *Spec. Publ. Geol. Soc. London*, 179, 113-129, 2000.
- Helffrich, G.R. and B.J. Wood, The Earths mantle, *Nature*, 412, 501-507, 2001.
- Helz, R.T., Phase relation and composition of amphiboles produced in studies of the melting behavior of rocks, in *Amphiboles*, edited by H. Ribbe, *Reviews in Mineralogy*, 9B, 279-353, Mineral. Soc. Amer., 1982.
- Hermann, A., Relativrelokalisierung von Erdbebenschwärm en in der Saxothuringischen Seismotektonischen Province, *Doctoral Thesis*, University of Jena, 2002.
- Hermann, A. and H. Kämpf, Seismicity in the central part of the Naab-Pritzwalk-Rostock lineament, related to mantle fluid activity ? *Geophys. Research Abstracts*, Vol. 4, EGS02-A-05193, 2002.
- Hermann, A., T. Meier, G. Jentzsch, and A. Ziegert, Similarity of waveforms and relative relocation of the earthquake swarm 1997/98 near Werdau, *J. Geodyn.*, 35, 191-208, 2003.
- Higgins, M.D. and J. Roberge, Crystal Size Distribution of Plagioclase and Amphibole from Soufriere Hills Volcano, Montserrat: Evidence for Dynamic Crystallization-Textural Coarsening Cycles, *J. Petrol.*, 44, 1401-1411, 2003.
- Holbrook, W.S., D. Gajewski, A. Kramer, and C. Prodehl, An interpretation of Wide-Angle Compressional and Shear Wave Data in Southwest Germany: Poisson's Ratio and Petrological Implications, *J. Geophys. Res.*, 93, 12,081-12,106, 1988.
- Holland, T., and J. Blundy, Non-ideal interactions in calcic amphiboles and their bearing on amphibole-plagioclase thermometry, *Contrib. Mineral. Petrol.*, 116, 433-447, 1994.
- Hollister, L.S., G.C. Grissom, E.K. Peters, H.W. Stowell, and V.B. Sisson, Confirmation of the empirical correlation of Al in hornblende with pressure of solidification of calc-alkaline plutons, *Am. Min.*, 72, 231-239, 1987.
- Horálek, J., J. Šílený, T. Fischer, A. Slancová, and A. Boušková, The scenario of the January 1997 West Bohemia Earthquake Swarm, *Studia geoph. et geod.*, 44(4), 491-521, 2000a.
- Horálek, J., T. Fischer, A. Boušková, and P. Jedlička, Western Bohemia/Vogtland region in the light of the WEBNET network, *Studia geoph. et geod.*, 44(2), 107-125, 2000b.
- Horálek, J., J. Šílený, and T. Fischer, Moment tensors of the January 1997 earthquake swarm in NW Bohemia (Czech Republic): double-couple vs. non-double-couple events, *Tectonophysics*, 356, 65-85, 2002.

- Huckenholz, H.G. and T. Noussinanos, Evaluation of temperature and pressure conditions in alkali basalts and their peridotite xenoliths in NE Bavaria, Western Germany, *N. Jb. Min. Abh.*, 129, 139-159, 1977.
- Huckenholz, H.G. and T. Kunzmann, Tertiärer Vulkanismus im bayerischen Teil des Egergrabens und des mesozoischen Vorlandes, *Beih. z. Eur. J. Mineral.*, 5(2), 1-34, 1993.
- Huckenholz, H.G., M.C. Gilbert, and T. Kunzmann, Stability and phase relations of calcic amphiboles crystallized from magnesio-hastingsite compositions in the 1 to 45 kbar pressure range, *N. Jb. Min. Abh.*, 164, 229-268, 1992.
- Illies, H.J., Intraplate tectonics in stable Europe as related to plate tectonic on the Alpine system, *Geol. Rundsch.*, 64(3), 677-699, 1975.
- Irvine, T.N., Chromian spinel as a petrogenetic indicator. I. Theory, *Can. J. Earth Sci.*, 2, 648-72, 1965.
- Irving, A.J., Megacrysts from the Newer Basalts and other basaltic rocks of southeastern Australia, *Geol. Soc. Am. Bull.*, 85, 1503-1514, 1974.
- Jackson, E.D., Chemical variation in coexisting chromite and olivine in the chromitite zones of the Stillwater complex, *Econ. Geol. Mon.*, 4, 41-71, 1969.
- James, D.E., F.R. Boyd, D. Schutt, D.R. Bell, and R.W. Carlson, Xenolith constraints on seismic velocities in the upper mantle beneath southern Africa, *Geochem. Geophys. Geosyst.* G3, 5(1), Q01002, doi:10.1029/2003GC000551, 2004.
- Janský, J., J. Horálek, J. Málek, and A. Boušková, Homogenous Velocity Models of the West Bohemian Swarm Region Obtained by Grid Search, *Studia geoph. et geod.*, 44(2), 158-174, 2000.
- Jarchow, C.M., G.A. Thompson, R.D. Catchings, and W.D. Mooney, Seismic Evidence for Active Magmatic Underplating Beneath the Basin and Range Province, Western United States, *J. Geophys. Res.*, 93, 22,095-22,108, 1993.
- Jones, A.P., J.V. Smith, J.B. Dawson, and E.C. Hansen, Metamorphism, partial melting and K-metasomatism of garnet-scapolite-kyanite granulite xenoliths from Lashaine, Tanzania, *J. Geol.*, 91, 143-165, 1983.
- Johnson, R.W. (ed.), Intraplate Volcanism in Eastern Australia and New Zealand, Cambridge University Press, Cambridge-New York-Port Chester-Melbourne-Sydney, 394 p., 1989.
- Johnson, M.C. and M.J. Rutherford, Experimental calibration of the aluminium-in-hornblende geobarometer with application to Long Valley caldera (California) volcanic rocks, *Geology*, 17, 837-841, 1989.
- Kämpf, H., M. Malkovsky, and F.H. Weinlich, Vulkanismus – Mineralwässer – Seismizität im Bereich der Marienbader Störungszone, in *Münchberger Gneissmasse und ihr geologischer Rahmen*, edited by H. Kämpf, P. Bankwitz, and E. Bielefeld, 1. Jahrestagung der Gesellschaft für Geowissenschaften, Falkenstein, Oktober 1992, pp. 127-155, 1992.
- Kämpf, H., Vogtland earthquake swarms and their relation to reflection seismic indications, in *Crustal structure of the Saxothuringian Zone: Results of deep seismic profile MVE-90 (East)*, edited by H.-J. Behr, H.-J. Dürbaum, and P. Bankwitz, *Z. geol. Wiss.*, 22, 696-700, 1994.
- Kämpf, H., W. Seifert, and M. Ziemann, Mantel-Kruste-Wechselwirkungen im Bereich der Marienbader Störungszone, Teil 1: Neue Ergebnisse zum quartären Vulkanismus in NW-Böhmen, *Z. geol. Wiss.*, 21, 117-134, 1993.
- Kämpf, H., W. Seifert, and P. Dulski, Mantle and crustal xenoliths from the Quaternary volcano Železná Hůrka, western Eger rift, in *Magmatism and Rift Basin evolution*, edited by J. Ulrych, V. Cajz, and J. Adamovic, IGCP 369 workshop, Czech Republic, Liblice, September 7-11, 1998, excursion guide and abstract volume, p 74, 1998.
- Kämpf, H., K. Bräuer, G. Strauch, and S.M. Weise, Indications for an Active Magma Chamber in the Upper Mantle Below the Western Eger Graben, Czech Republic, *EOS, 1999 Spring Meeting*, V52A-03 (abstract), 1999a.
- Kämpf, H., W. Geissler, H.-J. Müller, and M. Uhlig, Quantitative characterization of microscopic porous networks in Quaternary upper mantle xenoliths of western Eger Rift, Czech Republic, in *Workshop on fluids and fractures in the lithosphere, Nancy, 26-27 March 1999, abstracts*, edited by M. Lespinasse and J.-L. Vigneresse, 84, 1999b.
- Katsura, T., H. Yamada, O. Nishikawa, M. Song, A. Kubo, T. Shinmei, S. Yokoshi, Y. Aizawa, T. Yoshino, M.J. Walter, and E. Ito, Olivine-wadsleyite transition in the system (Mg,Fe)2SiO4, *J. Geophys. Res.*, 109, B02209, doi:10.1029/2003JB002438, 2004.
- Keller, G.R., J. Mechle, L.W. Braile, W.D. Mooney, and C. Prodehl, Seismic structure of the uppermost mantle beneath the Kenya rift, in *Crustal and Upper Mantle Structure of the Kenya Rift*, edited by C. Prodehl, G.R. Keller, and M.A. Khan, *Tectonophysics*, 236, 210-216, 1994.
- Kennett, B.L.N. (Ed.), IASPEI 1991 Seismological tables, Research School of Earth Sciences, Australian National Univ., Canberra, 1991.
- Kennett, B.L.N. and E.R. Engdahl, Traveltimes for global earthquake location and phase identification, *Geophys. J. Int.*, 105, 429-465, 1991.
- Kind, R., The reflectivity method for different source and receiver structures and comparison with GRF data, *J. Geophys.*, 58, 146-152, 1985.

## References

---

- Kind, R. and L.P. Vinnik, The upper-mantle discontinuities underneath the GRF array from P-to-S converted phases, *J. Geophys.*, 62, 138-147, 1988.
- Kind, R., G.L. Kosarev, and N.V. Petersen, Receiver functions at the Stations of the German Regional Seismic Network (GRSN), *Geophys. J. Int.*, 121, 191-202, 1995.
- Kind, R., X. Yuan, J. Saul, D. Nelson, S.V. Sobolev, J. Mechie, W. Zhao, G. Kosarev, J. Ni, U. Achauer, and M. Jiang, Seismic images of crust and upper mantle beneath Tibet: Evidence for Eurasian plate subduction, *Science* 298, 1219-1221, 2002.
- Klein, C. and C.S. Hurlbut Jr., Manual of mineralogy, 21<sup>st</sup> ed, after J.D. Dana, John Wiley & Sons, New York, 1993.
- Klinge, K., T. Plenefisch, and K. Stammler, The earthquake swarm 2000 in the region Vogtland/NW-Bohemia - Earthquake recording at German Stations and temporal distribution of events, *J. Geodyn.*, 35, 83-96, 2003.
- Knott, J., Das Erzgebirgische Schwarmbeben zu Hartenberg vom 1. Jänner bis Feber 1824, *Sitzungsber. Deutsch. Naturwiss.-med. Ver. Böhmen, Lotus Prag N.F.*, 19, 167-191, 1899.
- Knothe, C., Die Struktur der Erdkruste Mittel- und Südosteuropas nach Angaben der Tiefenseismik, *Geodätisch geophysikalische Veröffentlichungen, NKGG, Reihe III*, 27, 59-68, 1972.
- Koch, U. and J. Heinicke, Hydrological pre- and co-seismic effects of the latest Vogtland-NW Bohemian swarmquake period (August to December 2000), *J. Geodyn.*, 35, 107-123, 2003.
- Köhler, T.P. and G.P. Brey, Calcium exchange between olivine and clinopyroxene calibrated as a geothermobarometer for natural peridotites from 2 to 60 kbar with applications, *Geochim. Cosmochim. Acta*, 54, 2375-2388, 1990.
- Köhler, W., H. Grosser, and P. Bormann, Investigation of plane solutions, spectra and focal processes, in *Monitoring and Analysis of the Earthquake swarm 1985/86 in the Region Vogtland/Western Bohemia*, edited by P. Bormann, *ZIPE-Veröff.*, Nr. 110, 165-193, Zentralinstitut für Physik der Erde, Potsdam, 1989
- Kosarev, G., R. Kind, S.V. Sobolev, X. Yuan, W. Hanka, and S. Oreshin, Seismic Evidence for a Detached Indian Lithospheric Mantle Beneath Tibet, *Science*, 283, 1306-1309, 1999.
- Krawczyk, C.M., Stein, E., Choi, S., Oettinger, G., Schuster, K., Götze, H.-J., Haak, V., Oncken, O., Prodehl, C. und A. Schulze, Geophysical constraints on exhumation mechanism of high-pressure rocks: the Saxo-Thuringian case between the Franconian Line and Elbe Zone, in *Orogenic Processes: Quantification and Modelling in the Variscan Belt*, edited by W. Franke, V. Oncken, and D. Tanner, *Geological Society, London Special Publications*, 179, 303-322, 2000.
- Kramer, W., Magmengenetische Aspekte der Lithosphärenentwicklung, *Schriftenreihe für Geologische Wissenschaften (Series in Geological Sciences)*, 26, 136 p., Akademie-Verlag, Berlin, 1988.
- Kramer, W. and W. Seifert, Mafische Xenolithen und Magmatite im östlichen Saxothuringikum und westlichen Lugikum: Ein Beitrag zum Krustenbau und zur regionalen Geologie, *Z. geol. Wiss.* 28(1/2), 133-156, 2000.
- Kretz, R., Symbols for rock-forming minerals, *Am. Min.*, 68, 277-279, 1983.
- Krüger, F. and M. Weber, The effect of low-velocity sediments on the mislocation vectors of the GRF array, *Geophys. J. Int.*, 108, 387-393, 1992.
- Kuno, H. and K.I. Aoki, Chemistry of ultramafic nodules and their bearing on the origin of basaltic magmas, *Phys. Earth Planet. Int.*, 3, 273-301, 1970.
- Langston, C.A., Structure Under Mount Rainier, Washington, Inferred From Teleseismic Body Waves, *J. Geophys. Res.*, 84(B9), 4,749-4,762, 1979.
- Lapp, M. and K. Weber, Postkinematische Alteration von Metagrauwacken und Phylliten der Bohrung Neualbenreuth, *KTB-Report 92-4*, 241-250, 1992.
- Le Bas, M.J., Nephelinites and carbonatites, in *Alkaline igneous rocks*, edited by J.G. Fitton and B.G.J. Upton, *Geol. Soc. Spec. Pub.*, 30, 53-83, London, 1987.
- Le Bas, M.J., R.W. Le Maitre, and A.R. Woolley, The construction of the total alkali-silica chemical classification of volcanic rocks, *Mineral. Petrol.*, 46, 1-22, 1992.
- Lebedev, S., S. Chevrot, and R.D. van der Hilst, Seismic evidence for Olivine Phase Changes at the 410- and 660-Kilometer Discontinuities, *Science*, 296, 1300-1302, 2002.
- Le Maitre, R.W. (ed.), A classification of igneous rocks and glossary terms, Blackwell Scientific Publications, Oxford London Edinburgh Boston Melbourne, 193 p., 1989.
- Leake, B.E., Nomenclature of amphiboles, *Am. Min.*, 63, 1023-1052, 1978.
- Leake, B.E., Nomenclature of amphiboles – Report of the Subcommittee on Amphiboles of the International Mineralogical Association Commission on New Minerals and Mineral Names, *Eur. J. Mineral.*, 9, 623-651, 1997.
- Lehrberger, G., A. Saurle, and U. Hartmann, Anwendung des SAR-DGM bei der tektonischen Interpretation des Moldanubikums am Westrand der Böhmisches Masse, *Geol. Bav.*, 107, 269-280, 2003.
- Li, X., R. Kind, K. Priestley, S.V. Sobolev, F. Tilman, X. Yuan, and M. Weber, Mapping the Hawaiian plume conduit with converted seismic waves, *Nature*, 405, 938-941, 2000a.
- Li, X., S.V. Sobolev, R. Kind, X. Yuan, and C. Estabrook, A detailed receiver function image of the upper mantle discontinuities in the Japan subduction zone, *Earth Planet. Sci. Lett.*, 183, 527-541, 2000b.

- Li, X., R. Kind, and X. Yuan, Seismic study of upper mantle and transition zone beneath hotspots, *Phys. Earth Planet. Inter.* 136, 79-92, 2003a.
- Li, X., G. Bock, A. Vafidis, R. Kind, H.-P. Harjes, W. Hanka, K. Wylegalla, M. van der Meijde, and X. Yuan, Receiver function study of the Hellenic subduction zone: imaging crustal thickness variations and the oceanic Moho of the descending African lithosphere, *Geophys. J. Int.*, 155, 733-748, 2003b.
- Lindsley, D.H., Pyroxene thermometry, *Am. Min.*, 68, 477-493, 1983.
- Linnemann, U., M. Gehmlich, M. Tichomirova, B. Buschmann, L. Nasdala, P. Jonas, H. Lützner, and K. Bombach, From Cadomian subduction to Early Paleozoic rifting: the evolution of Saxo-Thuringia at the margin of Gondwana in the light of single zircon geochronology and basin development (central European Variscides, Germany), in *Orogenic Processes: Quantification and Modelling in the Variscan Belt*, edited by W. Franke, V. Haak, O. Oncken, and D. Tanner, *Spec. Publ. Geol. Soc. London*, 179, 131-153, 2000.
- Lippoldt, H.J., K-Ar Age Determinations and correlation of tertiary volcanic activity in Central Europe, *Geol. Jb.*, D52, 119-141, 1982.
- Lloyd, F.E., Upper mantle metasomatism beneath a continental rift: clinopyroxenes in alkalic alkalic mafic lavas and nodules from southwest Uganda, *Mineral. Mag.*, 44, 315-323, 1981
- Lloyd, F.E., Characterization of mantle metasomatic fluids in spinel lherzolites and clinopyroxenites from the West Eifel and South Uganda, in *Mantle metasomatism*, edited by M.A. Menzies and C.J. Hawkesworth, Academic Press, London, pp 91-120, 1987.
- Lloyd, F.E. and D.K. Bailey, Light element metasomatism of the continental mantle: the evidence and the consequences, *Phys. Chem. Earth*, 9, 389-416, 1975
- Lüschen, E., S. Sobolov, U. Werner, W. Söllner, K. Fuchs, B. Gurevich, and P. Hubral, Fluid Reservoir (?) beneath the KTB Drillbit indicated by seismic shear-wave observations, *Geophys. Res. Lett.*, 20(10), 923-926, 1993.
- Macgregor, I.D., The effect of CaO, Cr<sub>2</sub>O<sub>3</sub>, Fe<sub>2</sub>O<sub>3</sub> and Al<sub>2</sub>O<sub>3</sub> on the stability of spinel and garnet peridotites, *Phys. Earth Planet. Interiors*, 3, 372-377, 1970.
- Málek, J., J. Janský, and J. Horálek, Layered Velocity Models of the Western Bohemian Region, *Studia geoph. et geod.*, 44(4), 475-490, 2000.
- Málek, J., M. Broz, T. Fischer, J. Horálek, P. Hrubcová, J. Janský, O. Novotny, and B. Ruzek, Seismic measurements along short profiles in western Bohemia during the Celebration 2000 experiment, *Acta Montana IRSM AS CR, Series A*, No. 18(121), 15-28, 2001.
- Malkovsky, M., Saxonische Tektonik der Böhmisches Masse, *Geol. Rundschau*, 65, 127-143, 1976.
- Marty, B., R.K. O'Nions, E.R. Oxburgh, D. Martel, and S. Lombardi, Helium isotopes in Alpine regions, *Tectonophysics*, 206, 71-78, 1992
- Matthews, D. H., Seismic reflections from lower crust around Britain, in *The Nature of the Lower Continental Crust*, edited by J. Dawson, D. Carswell, J. Hall, and K. Wedepohl, pp 11-21, Blackwell Oxford, 1986.
- Matthews, A., C. Fouillac, R. Hill, R.K. O'Nions, and E.R. Oxburgh, Mantle-derived volatiles in continental crust: The Massif Central of France, *Earth Planet Sci. Lett.*, 85, 117-128, 1987.
- May, F., Quantifizierung des CO<sub>2</sub>-Flusses zur Abbildung magmatischer Prozesse im Untergrund der Westeifel, 170 p., Shaker Verlag, Aachen, 2002.
- Mayerová, M., Z. Nakladalová, I. Ibrmajer, and M. Fejfar, Construction of the Moho Discontinuity Map, in *Crustal Structure of the Bohemian Massif and the West Carpathians*, edited by V. Bucha and M. Blížkovský, *Exploration of the Deep Continental Crust*, pp 20-21, Springer-Verlag Berlin Heidelberg New York, 1994.
- McKenzie, D., A possible mechanism for epirogenetic uplift, *Nature*, 307, 616-618, 1984.
- McLennann, S.M., Rare earth elements in sedimentary rocks: Influence of provenance and sedimentary processes, in *Geochemistry and Mineralogy of Rare Earth Elements*, edited by B.R. Lipin and G.A. McKay, p 169-200, Mineral. Soc. Am., Washington, DC, 1989.
- McPherson, E., M.F. Thirlwall, I.J. Parkinson, M.A. Menzies, J.L. Bodinier, A. Woodland, and G. Bussod, Geochemistry of metasomatism adjacent to amphibole-bearing veins in the Lherz peridotite massif, *Chem. Geol.*, 134, 134-157, 1996.
- Mechie, J., G.R. Keller, C. Prodehl, S. Gaciri, L.W. Braile, W.D. Mooney, D. Gajewski, and K.-J. Sandmeier, Crustal structure beneath the Kenya Rift from axial profile data, in *Crustal and upper mantle structure of the Kenya rift*, edited by C. Prodehl, G.R. Keller, and M.A. Khan, *Tectonophysics*, 236, 179-200, 1994a.
- Mechie, J., K. Fuchs, and R. Altherr, The relationship between seismic velocity, mineral composition, temperature and pressure in the upper mantle – with an application to the Kenya rift and its eastern flank, in *Crustal and upper mantle structure of the Kenya rift*, edited by C. Prodehl, G.R. Keller, and M.A. Khan, *Tectonophysics*, 236, 453-464, 1994b.
- Medaris, L.G., J.H. Fournelle, H.F. Wang, and E. Jelinek, Thermobarometry and reconstructed chemical compositions of spinel-pyroxene symplectites: evidence for pre-existing garnet in lherzolite xenoliths from Czech Neogene lavas, *Russ. Geol. Geophys.*, 38(1), 260-268, 1997.

## References

---

- Medaris, L.G., H.F. Wang, J.H. Fournelle, J.H. Zimmer, and E. Jelinek, A cautionary tale of spinel peridotite thermobarometry: an example from xenoliths of Kozakov volcano, Czech Republic, *Geolines*, 9, 92-96, 1999.
- Mengel, K., Crustal xenoliths from Tertiary volcanics of the Northern Hessian Depression. Petrological and chemical evolution, *Contrib. Mineral. Petrol.*, 104, 8-26, 1990.
- Mengel, K. and H. Kern, Evolution of the petrological and seismic Moho – Implications for the continental crust/mantle boundary, *Terra Nova*, 4, 109-123, 1991.
- Mengel, K., P.M. Sachs, H.G. Stosch, G. Wörner, and G. Loock, Crustal xenoliths from Cenozoic volcanic fields of West Germany: Implications for structure and composition of the continental crust, *Tectonophysics*, 195, 271-289, 1991.
- Menzies, M.A., and J.L. Bodinier, Growth of the European lithospheric mantle – dependence of upper-mantle peridotite facies and chemical heterogeneity on tectonics and age, *Phys. Earth Planet. Int.*, 79, 219-240, 1993.
- Merle, O., and L. Michon, The formation of the West European rift: A new model as exemplified by the Massif Central, *Bull. Soc. Geol. France*, t. 172, No. 2, pp. 213-221, 2001.
- Mingram, B., A. Kröner, E. Hegner, and O. Krentz, Zircon ages, geochemistry, and Nd isotopic systematics of pre-Variscan orthogneisses from the Erzgebirge, Saxony (Germany), and geodynamic interpretation, *Int. J. Earth Sci. (Geol. Rundsch.)*, 93, 706-727, 2004.
- Morimoto, N., Nomenclature of Pyroxenes, *Mineral. Petrol.*, 39, 55-76, 1988.
- Mueller, H.J., Modelling the lower crust by simulation of the in situ conditions: an example from the Saxon Erzgebirge, *Phys. Earth Planet. Inter.*, 92, 3-15, 1995.
- Neuhöfer, H., The Catalogue of the Vogtland/Western Bohemia Earthquakes and VOCATUS as an Auxiliary Code, *Stud. Geophys. Geod.*, 44(4), 549-555, 2000.
- Neuhöfer H. and T. Meier, Seismicity in the Vogtland/western Bohemia earthquake region between 1962 and 1998, *Stud. Geophys. Geod.*, 48, 539-562, 2004.
- Nimis, P., A clinopyroxene geobarometer for basaltic systems based on crystal-structure modeling, *Contrib. Mineral. Petrol.*, 121, 115-125, 1995.
- Nimis, P., Clinopyroxene geobarometry of magmatic rocks. Part 2. Structural geobarometers for basic to acid, tholeiitic and mildly alkaline magmatic systems, *Contrib. Mineral. Petrol.*, 135, 62-74, 1999.
- Nimis, P. and P. Ulmer, Clinopyroxene geobarometry of magmatic rocks Part 1: An expanded structural geobarometer for anhydrous and hydrous, basic and ultrabasic systems, *Contrib. Mineral. Petrol.*, 133, 122-135, 1998.
- Okrusch, M., B. Schröeder, and A. Schnüttgen, Granulite-facies metabasite ejecta in the Laacher See area, Eifel, West Germany, *Lithos*, 12, 251-270, 1979.
- O'Neill, H.S.C., The transition between spinel lherzolite and garnet lherzolite, and its use as a geobarometer, *Contrib. Mineral. Petrol.*, 77, 185-194, 1981.
- O'Neill, H.S.C. and V.J. Wall, The Olivine-Orthopyroxene-Spinel Oxygen Geobarometer, the Nickel Precipitation Curve, and the Oxygen Fugacity of the Earth's Upper Mantle, *J. Petrol.*, 28(6), 1169-1191, 1987.
- O'Nions, R.K. and E.R. Oxburgh, Helium, volatile fluxes and the development of continental crust, *Earth Planet. Sci. Lett.*, 90, 331-347, 1988.
- O'Nions, R.K., E. Griesshaber, and E.R. Oxburgh, Rocks that are too hot to handle, *Nature*, 341, 391, 1989.
- Opletal, M., Předběžná zpráva o nálezu xenolitů charnockitických hornin v čedičových horninách Českého středohoří, *Čas. Mineral. Geol.*, 12/3, 301-303, 1967.
- Opletal, M. and S. Vrána, Charnockite xenoliths in the Tertiary volcanites of the České středohoří Mts., northern Bohemia, *Sbor. Geol. Ved Geologie*, 44, 51-78, 1989.
- O'Reilly, S.Y. and W.L. Griffin, A xenolith-derived geotherm for southeastern Australia and its geophysical implications, *Tectonophysics*, 111, 41-63, 1985.
- O'Reilly, S.Y., I. Jackson, and C. Bezant, Equilibration temperatures and elastic wave velocities for upper mantle rocks from eastern Australia: implications for the interpretation of seismological models, *Tectonophysics*, 185, 67-82, 1990.
- O'Reilly, S.Y., D. Chen, W.L. Griffin, and G.C. Ryan, Minor elements in olivine from spinel lherzolite xenoliths: implications for thermobarometry, *Mineral. Mag.*, 61, 257-269, 1997.
- Otten, M.T., The origin of brown hornblende in the Artfjället gabbro and dolerites, *Contrib. Mineral. Petrol.*, 86, 189-199, 1984.
- Parotidis, M., E. Rothert, and S.A. Shapiro, Pore-pressure diffusion : A possible triggering mechanism for the earthquake swarms 2000 in Vogtland/NW-Bohemia, central Europe, *Geoph. Res. Lett.*, 30(20), 2075, doi:10.1029/2003GL018110, 2003.
- Passier, M.L. and R.K. Snieder, Correlation between shear wave upper mantle structure and tectonic surface expressions: Application to central and southern Germany, *J. Geophys. Res.*, 101, 25,293-25,304, 1996.
- Pasteris, J.D., Fluid inclusions in mantle xenoliths, in *Mantle xenoliths*, edited by P.H. Nixon, pp. 691-707, Wiley, Chichester, 1987.

- Pearson, D.G., D. Canil, and S.B. Shirey, Chapter 7 – Mantle samples included in volcanic rocks: xenoliths and diamonds, in *Treatise On Geochemistry: Vol. 2, The Mantle*, edited by R.W. Carlson, pp. 171-277, Elsevier, New York, 2004.
- Petersen, N.L., L. Vinnik, G. Kosarev, R. Kind, S. Oreshin, and K. Stammler, Sharpness of the mantle discontinuities, *Geophys. Res. Lett.*, 20, 859-862, 1993.
- Plenefisch, T. and K. Klinge, Temporal variations of focal mechanisms in the Nový Kostel focal zone (Vogtland/NW-Bohemia) - Comparison of the swarms 1985/86, 1994, 1997 and 2000, *J. Geodyn.*, 35, 145-156, 2003.
- Plenefisch, T., K. Klinge, and R. Kind, Upper mantle anisotropy at the transition zone of the Saxothuringicum and Moldanubicum in southeast Germany revealed by shear wave splitting, *Geophys. J. Int.*, 144, 309-319, 2001.
- Plešinger, A., H. Neunhöfer, and E. Wielandt, Deep Structure of the Bohemian Massif from Phase Velocities of Seismic Surface Waves, in *Crustal Structure of the Bohemian Massif and the West Carpathians, Exploration of the Deep Continental Crust*, edited by V. Bucha, and M. Blížkovský, pp. 53-62, Springer-Verlag Berlin Heidelberg New York, 1994.
- Plomerová, J. and V. Babuška, Lithospheric thickness in the contact zone of the Moldanubicum and Saxothuringicum in central Europe, *Phys. Earth Planet. Int.*, 51, 159-165, 1988.
- Plomerová, J., V. Babuška, J. Sileny, and J. Horalek, Seismic Anisotropy and Velocity Variations in the Mantle beneath the Saxothuringicum-Moldanubicum Contact in Central Europe, *Pure appl. geophys.*, 151, 365-394, 1998.
- Pouchou, J.L. and F. Pichoir, A new model for quantitative X-ray microanalysis, Part I. Applications to the analyses of homogenous samples, *Rech. Aerosp.*, 3, 13-38, 1984.
- Prodehl, C., S. Mueller, A. Glahn, M. Gutscher, and V. Haak, Lithospheric cross sections of the European Central rift system, in *Geodynamics of Rifting, Volume I. Case history studies on rifts: Europe and Asia*, edited by P.A. Ziegler, *Tectonophysics*, 208, 113-138, 1992.
- Prodehl, C., S. Müller, and V. Haak, The European Cenozoic rift system, in *Continental rifts: evolution, structure, tectonics*, edited by K.H. Olsen, Developments in *Geotectonics*, 25, 133-212, Elsevier, 1995.
- Proft, E., Kammerbühl und Eisenbühl, die Schichtvulkane des Egerer Beckens, *Jahrb. Geol. Reichsanstalt Wien*, 44, 25-85, Wien, 1894.
- Rajkes, S. and K.-P. Bonjer, Large-Scale Mantle Heterogeneities Beneath the Rhenish Massif and its Vicinity from Teleseismic P-Residuals Measurements, in *Plateau Uplift. The Rhenish Shield - A Case History*, edited by K. Fuchs, K. von Gehlen, H. Mälzer, H. Murawski, and A. Semmel, 315-331, Springer-Verlag Berlin Heidelberg, 1983.
- Regenauer-Lieb, K., Dilatant plasticity applied to Alpine collision: ductile void growth in the intraplate area beneath the Eifel volcanic field, *J. Geodynamics*, 27, 1-21, 1999.
- Renno, A.D., B.R. Hacker, and K.P. Stanek, An Early Cretaceous (126 Ma) ultramafic alkaline lamprophyre from the Quarry Klunst (Ebersbach, Lusatia, Germany), *Z. geol. Wiss.*, 31(1), 31-36, 2003.
- Reuss, A.E., Die geologischen Verhältnisse des Egerer Bezirks und des Ascher Gebietes in Böhmen, *Abh. Geol. Reichsanstalt Wien*, 1, 1-73, Wien, 1852.
- Richter, P. and G. Stettner, Lithologische und geochemische Profilierung im Kambroordovizium des südlichen Waldsassener Schiefergebirges, *Geol. Bavarica*, 98, 175-217, 1993.
- Righter, K. and I.S.E. Carmichael, Mega-xenocrysts in alkali olivine basalts: Fragments of disrupted mantle assemblages, *Am. Min.*, 78, 1230-1245, 1993.
- Righter, K. and I.S.E. Carmichael, Phase equilibria of phlogopite lamprophyres from western Mexico: biotite-liquid equilibria and p-T estimates for biotite-bearing igneous rocks, *Contrib. Min. Petrol.*, 123, 1-21, 1996.
- Ritter, J.R.R., M. Jordan, U.R. Christensen, and U. Achauer, A mantle plume below the Eifel volcanic fields, Germany, *Earth Planet. Sci. Lett.*, 186, 7-14, 2001.
- Roeder, P.L., I.H. Campbell, and H.E. Jamieson, A Re-Evaluation of the Olivine-Spinel Geothermometer, *Contrib. Mineral. Petrol.*, 68, 325-334, 1979.
- Röllig, G., M. Viehweg, and N. Reuter, The ultramafic lamprophyres and carbonatites of Delitzsch/GDR, *Z. Angew. Geol.*, 36, 49-54, 1990.
- Rollinson, H.R., Using Geochemical Data: Evaluation, Presentation, Interpretation, Longman Scientific & Technical, Burnt Mill, Harlow, 1993.
- Rößler, D., G. Rümpker, and F. Krüger, Ambiguous Moment Tensors and Radiation Patterns in Anisotropic Media with Applications to Modeling of Earthquake Mechanism in W-Bohemia, *Studia geoph. et geodet.*, 48(1), 233-250, 2004.
- Rost, S. and Q. Williams, Seismic detection of sublithospheric plume head residue beneath the Pitcairn hot-spot chain, *Earth Planet. Sci. Lett.*, 209, 71-83, 2003.
- Rudnick, R.L. and D.M. Fountain, Nature and Composition of the Continental Crust: A Lower Crustal Perspective, *Rev. Geophys.*, 33, 267-309, 1995.

## References

---

- Rudnick, R.L., W.F. McDonough, and B.W. Chappell, Carbonatite metasomatism in the northern Tanzanian upper mantle: petrographic and geochemical characteristics, *Earth Planet. Sci. Lett.*, 114, 463-475, 1993.
- Sachs, P.M. and T.H. Hansteen, Pleistocene underplating and metasomatism of the Lower Continental crust: a xenolith study, *J. Pet.*, 41, 331-356, 2000.
- Schmidt, M.W., Amphibole composition in tonalite as a function of pressure: an experimental calibration of the Al-in-hornblende barometer, *Contrib. Mineral. Petrol.*, 110, 304-310, 1992.
- Schmoll, J., R. Bittner, H.-J. Dürbaum, T. Heinrichs, R. Meißner, C. Reichert, T. Rühl, and H. Wiederhold, Oberpfalz Deep Seismic Reflection Survey and Velocity Studies, in *The German Continental Deep Drilling Program (KTB)*, edited by R. Emmermann and J. Wohlenberg, *Exploration of the Deep Continental Crust*, pp. 363-383, Springer Verlag, 1989.
- Schulze A. and E. Lück, Some results of deep seismic investigations in East Germany, *Phys. Earth Planet. Inter.*, 69, 231-238, 1992.
- Schulze, D.J., Megacrysts from alkalic volcanic rocks, in *Mantle Xenoliths*, edited by P.H. Nixon, pp. 433-451, John Wiley & Sons Ltd., 1987.
- Seifert, W. and H. Kämpf, Ba-enrichment in phlogopite of a nephelinite from Bohemia, *Eur. J. Mineral.*, 6, 497-502, 1994.
- Seifert, W. and R. Thomas, Silicate-carbonate Immiscibility: A Melt Inclusion Study of Olivine Melilitite and Wehrlite Xenoliths im Tephrite from the Elbe Zone, Germany, *Chem. Erde*, 55, 263-279, 1995.
- Seifert, W.,H. Kämpf, and J. Wasternack, Compositional variation in apatite, phlogopite and other accessory minerals of the ultramafic Delitzsch complex, Germany: implication for cooling history of carbonatites, *Lithos*, 53, 81-100, 2000.
- Shaocheng Ji, Qin Wang, Bin Xia, Handbook of Seismic Properties of Minerals, Rocks and Ores, Polytechnic International Press, Montreal, 630 p., 2002.
- Shaw, C.S.J., Origin of Sulfide blebs in variably metasomatized mantle xenoliths, Quaternary West Eifel volcanic field, Germany, *Can. Min.*, 35, 1453-1463, 1997.
- Shearer, P.M., Constraints on Upper Mantle Discontinuities From Observations of Long-Period Reflected and Converted Phases, *J. Geophys. Res.*, 96(B11), 18,147-18,182, 1991.
- Shearer, P.M., Upper mantle discontinuities, in Earth's deep interior: Mineral Physics and Tomography – From the Atomic to the Global Scale, *AGU Geophys. Monograph*, 117, 115-131, 2000.
- Spear, F.S., An experimental study of hornblende stability and compositional variability in amphibolite, *Am. J. Science*, 281, 697-734, 1981.
- Špičák, A., J. Horálek, A. Bouškova, Č. Tomek and J. Vanek, Magma intrusions and earthquake swarm occurrence in the Western part of the Bohemian Massif, *Studia geoph. et geod.*, 43, 87-106, 1999.
- Špičák, A. and J. Horálek, Possible role of fluids in the process of earthquake swarm generation in the West Bohemia/Vogtland seismoactive region, *Tectonophysics*, 336, 151-161, 2001.
- Špičáková, L., D. Uličný, and G. Koudelková, Tectonosedimentary Evolution of the Cheb Basin (NW Bohemia, Czech Republic) between Late Oligocene and Pliocene: A Preliminary Note, *Studia geoph. et geod.*, 44(4), 556-580, 2000.
- Stackebrandt, W. and H.J. Franzke, Alpidic Reactivation of the Variscan Consolidated Lithosphere – The Activity of some Fracture Zones in Central Europe, *Z. geol. Wiss.*, 17(7), 699-712, 1989.
- Stammler, K., R. Kind, N. Petersen, G. Kosarev, L. Vinnik, and L. Qiyuan, The upper mantle discontinuities: correlated or anticorrelated?, *Geophys. Res. Lett.*, 19, 1563-1566, 1992.
- Stammler, K., SeismicHandler: programmable multichannel data handler for interactive and automatic processing of seismological analyses, *Comp. Geosci.*, 19, 135-140, 1993.
- Strößenreuther, U., Die Struktur der Erdkruste am Südwest-Rand der Böhmischen Masse, abgeleitet aus refraktionsseismischen Messungen der Jahre 1970 und 1978/79, *Doctoral Thesis*, Ludwig-Maximilian-University Munich, 1982.
- Švancara, J., I. Gnojek, F. Hubatka, and K. Dědáček, Geophysical Field Pattern in the West Bohemian Geodynamic Active Area, *Studia geoph. et geod.*, 44(2), 307-326, 2000.
- SZGRF-Seismologisches Zentralobservatorium Gräfenberg, Erlangen, SZGRF Vogtland Bulletin 1994-1997, [http://www.szgrf.bgr.de/bul\\_vogt\\_szgrf.html](http://www.szgrf.bgr.de/bul_vogt_szgrf.html).
- Tait, S.R., Samples from the crystallizing boundary layer of a zoned magma chamber, *Contrib. Mineral. Petrol.*, 100, 470-483, 1988.
- Tanner, D.C., J.H. Behrmann, O. Oncken, and K. Weber, Three-dimensional retro-modelling of transpression on a linked fault system: the Upper Cretaceous deformation on the western border of the Bohemian Massif, Germany, in: *Continental Transpressional and Transtensional Tectonics*, edited by R.E. Holdsworth and J.F. Dewey, *Geological Society London Special Publications*, 135, 275-287, 1998.
- Tillmanns, M., M. Simon, A. Zitzelsberger, and H. Gebrände, Neue Seismographien aus dem Umfeld der Kontinentalen Tiefbohrung (KTB), Oberpfalz, *Geologica Bavarica*, 101, 291-314, 1996.
- Thomas, R., Results of investigations on melt inclusions in various magmatic rocks from the northern border of the Bohemian Massif, in *Proceedings of the 1<sup>st</sup> International Conference on the Bohemian Massif, Prague, Czechoslovakia, Sept. 26-Oct. 3, 1988*, edited by Z. Kukal, 298-306, Czech Geological Surv., Prague, 1992.

- Todt W. and H.J. Lippolt, K-Ar Altersbestimmung an Vulkaniten bekannter paläomagnetischer Feldrichtung, I. Oberpfalz und Oberfranken, *J. Geophys.*, 41, 43-61, 1975.
- Tomek, Č., V. Dvořáková, and S. Vrána, Geological interpretation of the 9HR and 503M seismic profiles in Western Bohemia, in *Geological model of Western Bohemia related to the KTB borehole in Germany*, edited by S. Vrána and V. Štědrá, *J. Geol. Sci., Geology*, 47, 43-50, 1997.
- Trappe, H. and T. Wever, Seismic evidence of increased tectonothermal activity near the Oberpfalz deep continental drilling location (SE Germany), *Geologische Rundschau*, 79/3, 649-658, 1990.
- Ulrych, J. and E. Pivec, Age-related Contrasting Alkaline Volcanic Series in North Bohemia, *Chem. Erde*, 57, 311-336, 1997.
- Ulrych, J., E. Pivec, M. Lang, V. Kropáček, and K. Balogh, Cenozoic intraplate volcanic rock series of the Bohemian Massif: a review, in *Proceedings IGCP No. 369/2a Magmatism and Rift Basin Evolution, Liblice 1998*, edited by J. Ulrych, V. Cajz, and J. Adamovic, *Geolines*, 9, 123-133, 1999.
- Ulrych, J., E. Pivec, P. Povondra, and J. Rutšek, Upper-mantle xenoliths in melilitic rocks of the Osečná Complex, North Bohemia, *J. Czech Geol. Soc.*, 45/1-2, 79-93, 2000.
- Ulrych, J., F.E. Lloyd, and K. Balogh, Age Relations and Geochemical Constraints of Cenozoic Alkaline Volcanic Series in W Bohemia: A Review, *Geolines*, 15, 168-180, 2003.
- Vanderhaege, O. and C. Teyssier, Formation of the Shuswap metamorphic complex during late-orogenic collapse of the Canadian Cordillera: Role of ductile thinning and partial melting of the mid- to lower crust, *Geodynamica Acta*, 10, 41-58, 1997.
- Vavryčuk, V., Inversion for parameters of tensile earthquakes, *J. Geophys. Res.*, 106, 16,339-16,355, 2001.
- Vavryčuk, V., Non-double-couple earthquakes of 1997 January in West Bohemia, Czech Republic: Evidence for tensile faulting, *Geophys. J. Int.*, 149, 364-373, 2002.
- Vinnik, L.P., Detection of waves converted from P to SV in the mantle, *Phys. Earth Planet. Inter.*, 15, 39-45, 1977.
- Vinnik, L.P., V.G. Krishna, R. Kind, P. Bormann, and K. Stammmer, Shear wave splitting in the records of the German Regional Seismic Network, *Geoph. Res. Lett.*, 21(6), 457-460, 1994.
- Vinx, R. and D. Jung, Pargasitic-kaersutitic amphibole from a basanitic diatreme at the Rosenberg, north of Kassel (North Germany), *Contrib. Mineral. Petrol.*, 65, 135-142, 1977.
- Vokurka, K. and P. Povondra, Geothermometry and Geobarometry of Lherzolite Nodules from Kozakov, NE Bohemia, Czechoslovakia, *Acta Univ. Carol.*, 4, 261-272, 1983.
- Vrána, S., J. Cháb, and V. Štědrá, Main results of the project, in *Geological model of Western Bohemia related to the KTB borehole in Germany*, edited by S. Vrána and V. Štědrá, *J. Geol. Sci., Geology*, 47, 43-50, 1997.
- Wagner, G.A., D.A. Coyle, J. Duyster, F. Henjes-Kunst, A. Peterek, B. Schröder, B. Stöckhert, K. Wemmer, G. Zulauf, H. Ahrendt, R. Bischoff, E. Hejl, J. Jacobs, D. Menzel, Nand Lal, P. Van den haute, C. Vercoutere, and B. Welzel, Post-Variscan thermal and tectonic evolution of the KTB site and its surroundings, *J. Geophys. Res.*, 102(B8), 18,221-18,232, 1997.
- Wagner, G.A., K. Gögen, R. Jonckheere, I. Wagner, and C. Woda, Dating of Quaternary volcanoes Komorní Hůrka (Kammerbühl) and Železna Hůrka (Eisenbühl), Czech Republic, by TL, ESR, alpha-recoil and fission track chronometry, *Z. geol. Wiss.*, 30(3), 191-200, 2002.
- Webb, S.A. and B.J. Wood, Spinel-pyroxene-garnet relationships and their dependence on Cr/Al ratio. *Contrib. Mineral. Petrol.*, 92, 471-480, 1986.
- Weinlich, F.H., K. Bräuer, H. Kämpf, G. Strauch, J. Tesař, and S.M. Weise, An active subcontinental mantle volatile system in the western Eger rift, Central Europe: Gas flux, isotopic (He, C, and N) and compositional fingerprints, *Geochim. Cosmochim. Acta*, 63, 3,653-3,671, 1999.
- Weinlich, F.H., K. Bräuer, H. Kämpf, G. Strauch, J. Tesař, and S.M. Weise, Gas Flux and Tectonic Structure in the Western Eger Rift, Karlovy Vary – Oberpfalz and Oberfranken, Bavaria, *Geolines*, 15, 181-187, 2003.
- Weise, S.M., K. Bräuer, H. Kämpf, G. Strauch and U. Koch, Transport of mantle volatiles through the crust traced by seismically released fluids: a natural experiment in the earthquake swarm area Vogtland/NW Bohemia, Central Europe, *Tectonophysics*, 336, 137-150, 2001.
- Wells, P.R.A., Pyroxene Thermometry in Simple and Complex Systems, *Contr. Mineral. Petrol.*, 62, 129-139, 1977.
- Wessels, P. and W.H.F. Smith, New, improved version of Generic Mapping Tools released, *EOS Trans. Am. Geophys. Union*, 79, 579, 1998.
- Wever, T. and R. Meissner, About the nature of reflections from the lower continental crust, *Ann. Geophys.*, 5B, 349-352, 1987.
- Wilkinson, J.F.G. and R.W. Le'Maitre, Upper Mantle Amphiboles and Micas and TiO<sub>2</sub>, K<sub>2</sub>O, and P<sub>2</sub>O<sub>5</sub> Abundances and 100 Mg/(Mg+Fe<sup>2+</sup>) Ratios of Common Basalts and Andesites: Implications for Modal Mantle Metasomatism and Undepleted Mantle Compositions, *J. Petrol.*, 28, 37-73, 1987.
- Wilshire, H.G. and N.J. Trask, Structural and textural relationships of amphibole and phlogopite in peridotite inclusions, Dish Hill, California, *Am. Min.*, 56, 240-255, 1971.
- Wilson, A.D., A new method for the determination of ferrous iron in rocks and minerals, *Bull. Geol. Surv. G.B.*, 9, 56-58, 1955.

## References

---

- Wilson, C.K., C.H. Jones, and H. Gilbert, Single-chamber silicic magma system inferred from shear wave discontinuities of the crust and uppermost mantle, Coso geothermal area, California, *J. Geoph. Res.*, 108(B5), 2226, doi:10.1029/2002JB001798, 2003.
- Wilson, M. and H. Downes, Tertiary-Quaternary Extension-Related Alkaline Magmatism in Western and Central Europe, *J. Petrology*, 32, 811-849, 1991.
- Wilson, M. and H. Downes, Mafic alkaline magmatism associated with the European Cenozoic rift system, *Tectonophysics*, 208, 173-182, 1992.
- Wilson, M., J.M. Rosenbaum, and E.A. Dunworth, Melilitites: partial melts of the thermal boundary layer?, *Contrib. Mineral. Petrol.*, 119, 181-196, 1995.
- Wimmenauer, W., The alkaline province of Central Europe and France, in *The Alkaline Rocks*, edited by H. Sørensen, John Wiley & Sons, London, pp. 238-271, 1974.
- Wirth, W., T. Plenefisch, K. Klinge, and K. Stammler, Focal Mechanisms and Stress Field in the Region Vogtland/NW-Bohemia, *Studia Geoph. Geod.*, 44(2), 126-141, 2000.
- Witt, G. and H.A. Seck, Origin of amphibole in recrystallized and porphyroclastic mantle xenoliths from the Rhensih Massif: implications for the nature of mantle metasomatism, *Earth Planet. Sci. Lett.*, 91, 317-340, 1989.
- Witt-Eickschen, G. and G. Kramm, Mantle upwelling and metasomatism beneath Central Europe: geochemical and isotopic constraints from mantle xenoliths from the Rhön (Germany), *J. Petrol.*, 38, 479-493, 1997.
- Wones, D.R. and M.C. Gilbert, Amphiboles in the igneous environment, in *Amphiboles*, edited by H. Ribbe, *Reviews in Mineralogy*, 9B, pp. 355-390, Mineral. Soc. Amer., 1981.
- Woodland, A.B., J. Kornprobst, E. McPherson, J.-L. Bodinier, and M.A. Menzies, Metasomatic interactions in the lithospheric mantle: petrologic evidence from the Lherz massif, French Pyrenees, *Chem. Geol.*, 134, 83-112, 1996.
- Yaxley, G.M., A.J. Crawford, and D.H. Green, Evidence for carbonatite metasomatism and magmatism in spinel peridotite xenoliths from W. Victoria, Australia, *Earth Planet. Sci. Lett.*, 107, 305-317, 1991.
- Yuan, X., J. Ni, R. Kind, J. Mechie, and E. Sandvol, Lithospheric and upper mantle structure of southern Tibet from a seismological passive source experiment, *J. Geophys. Res.*, 102(B12), 27,491-27,500, 1997.
- Yuan, X., S.V. Sobolev, R. Kind, O. Oncken, G. Bock, G. Asch, B. Schurr, F. Graeber, A. Rudloff, W. Hanka, K. Wylegalla, R. Tibi, Ch. Haberland, A. Rietbrock, P. Giese, P. Wigger, P. Röwer, G. Zandt, S. Beck, T. Wallace, M. Pardo, and D. Comte, Subduction and collision processes in the Central Andes constrained by converted seismic phases, *Nature*, 408, 958-961, 2000.
- Yuan, X., S.V. Sobolev, and R. Kind, Moho topography in the central Andes and its geodynamic implications, *Earth Planet. Sci. Letters*, 199, 389-402, 2002.
- Zandt, G. and Ammon, C.J., Continental crust composition constrained by measurements of crustal Poisson's ratio, *Nature*, 374, 152-154, 1995.
- Zandt, G., S.C. Myers, and T.C. Wallace, Crust and mantle structure across the Basin and Range-Colorado Plateau boundary at 37°N latitude and implications for Cenozoic extensional mechanism, *J. Geophys. Res.*, 100(B6), 10,529-10,548, 1995.
- Zanetti, A., R. Vannucci, P. Bottazzi, R. Oberti, and L. Ottolini, Infiltration metasomatism at Lherz as monitored by systematic ion-microprobe investigations close to a hornblendite vein, *Chem. Geol.*, 134, 113-133, 1996.
- Zhu, L. and H. Kanamori, Moho depth variation in southern California from teleseismic receiver functions, *J. Geophys. Res.*, 105(B2), 2,969-2,980, 2000.
- Zeyen, H., O. Novak, M. Landes, C. Prodehl, L. Driad, and A. Hirn, Refraction-seismic investigations of the northern Massif Central (France), *Tectonophysics*, 275, 9-117, 1997.
- Ziegler, P.A., European Cenozoic rift system, *Tectonophysics*, 208, 91-111, 1992.
- Zimanowski, B., Fragmentationsprozesse beim explosiven Vulkanismus in der Westeifel, *PhD thesis*, Univ. Mainz, 251 p., Mainz, 1986.
- Zulauf, G. and J. Duyster, Faults and veins in the superdeep well KTB: constraints on the amount of Alpine intra-plate thrusting and stacking of Variscan basement (Bohemian Massif, Germany), *Geol. Rundsch.*, 86, Suppl, S28-S33, 1997a.
- Zulauf, G. and J. Duyster, Supracrustal intraplate thickening of Variscan basement due to Alpine foreland compression: Results from the superdeep well KTB (Bohemian Massif, Germany), *Tectonics*, 16(5), 730-743, 1997b.
- Zussmann, J. (ed.), Physical methods in determinative mineralogy, 2.ed., Academic Press, London, 720 p., 1977.