

Literaturverzeichnis

- [1] W. Shockley und H. J. Queisser. Detailed Balance Limit of Efficiency of p-n Junction Solar Cells. *J. Appl. Phys.*, **32**(3): S. 510–519, (1961).
- [2] T. Tiedje, E. Yablonovitch, G. D. Cody und B. G. Brooks. Limiting Efficiency of Silicon Solar Cells. *IEEE Trans. Electron. Devices*, **ED 31**: S. 711–716, (1984).
- [3] A. De Vos und H. Pauwels. On the thermodynamic limit of photovoltaic energy conversion. *Appl. Phys.*, **25**: S. 119–125, (1981).
- [4] A. De Vos. Detailed balance limit of the efficiency of tandem solar cells. *J. Phys. D: Appl. Phys.*, **13**: S. 839–846, (1980).
- [5] P. Würfel und T. Trupke. Solarzellen der dritten Generation. *Physik Journal*, **2**(12): S. 45–51, (2003).
- [6] A. Luque und A. Marti. Increasing the Efficiency of Ideal Solar Cells by Photon Induced Transitions at Intermediate Levels. *Phys. Rev. Lett.*, **78**(26): S. 5014–5017, (1997).
- [7] S. Kolodinski, J. H. Werner, T. Wittchen und H. J. Queisser. Quantum efficiencies exceeding unity due to impact ionization in silicon solar cells. *Appl. Phys. Lett.*, **63**(17): S. 2405–2407, (1993).
- [8] P. T. Landsberg, H. Nussbaumer und G. Willeke. Band-band impact ionization and solar cell efficiency. *J. Appl. Phys.*, **74**: S. 1451–1452, (1993).
- [9] J. H. Werner, S. Kolodinski und H. J. Queisser. Novel Optimization Principles and Efficiency Limits for Semiconductor Solar Cells. *Phys. Rev. Lett.*, **72**(24): S. 3851–3854, (1994).
- [10] R. Corkish, D. S.-P. Chan und M. A. Green. Excitons in silicon diodes and solar cells: A three particle theory. *J. Appl. Phys.*, **79**(1): S. 195–202, (1996).
- [11] S. Zh. Karazhanov, Y. Zhang, A. Mascarenhas und S. Deb. The effect of excitons on CdTe solar cells. *J. Appl. Phys.*, **87**(12): S. 8786–8792, (2000).

- [12] M. A. Green. Third Generation Photovoltaics: Ultra-high Conversion Efficiency at Low Cost. *Prog. Photovolt.: Res. Appl.*, **9**: S. 123–135, (2001).
- [13] R. T. Ross und A. J. Nozik. Efficiency of hot-carrier solar energy converters. *J. Appl. Phys.*, **53**(5): S. 3813–3818, (1982).
- [14] A. J. Nozik. Quantum dot solar cells. *Physica E*, **14**: S. 115–120, (2002).
- [15] K. W. J. Barnham, I. Ballard, J. P. Connolly, N. J. Ekins-Daukes, B. G. Klufftinger, J. Nelson und C. Rohr. Quantum well solar cells. *Physica E*, **14**: S. 27–36, (2002).
- [16] H. J. Queisser. Photovoltaic conversion at reduced dimensions. *Physica E*, **14**: S. 1–10, (2002).
- [17] D. S. Boudreaux, F. Williams und A. J. Nozik. Hot carrier injection at semiconductor-electrolyte junctions. *J. Appl. Phys.*, **51**(4): S. 2158–2163, (1980).
- [18] C. A. Koval und P. R. Segar. Mechanistic Aspects of Reductions by Hot Electrons in p-InP/Acetonitrile Photoelectrochemical Cells. *J. Phys. Chem.*, **94**: S. 2033–2039, (1990).
- [19] J. Shah. *Ultrafast Spectroscopy of Semiconductors and Semiconductor Nanostructures*, Band 115 aus *Solid-State Sciences*. Springer Verlag, Berlin, 2. Auflage, (1999).
- [20] H. J. Stocker und H. Kaplan. Theory of Oscillatory Photoconductivity in Semiconductors: Boltzmann-Equation Approach. *Phys. Rev.*, **150**(2): S. 619–631, (1966).
- [21] R.W. Shaw. Intrinsic Oscillatory Photoconductivity and Band Structure of GaAs. *Phys. Rev. B.*, **3**(10): S. 3283–3287, (1971).
- [22] L. Reggiani. *Hot-Electron Transport in Semiconductors*, Band 58 aus *Topics in Applied Physics*. Springer-Verlag, Berlin, (1985).
- [23] P. Y. Yu und M. Cardona. *Fundamentals of Semiconductors*. Springer, Berlin, 3. Auflage, (2001).
- [24] E. Schöll, Hrsg. *Theory of Transport Properties of Semiconductor Nanostructures*, Band 4 aus *Electronic Materials Series*. Chapman & Hall, London, (1998).
- [25] B. R. Nag. *Theory of electrical transport in Semiconductors*, Band 3 aus *The Science of the Solid State*. Pergamon Press, Oxford, (1972).
- [26] B. R. Nag. *Electron Transport in Compound Semiconductors*, Band 11 aus *Solid-State Sciences*. Springer-Verlag, Berlin, (1980).
- [27] E. M. Conwell. *High Field Transport in Semiconductors*, Band 9 aus *Solid State Physics*. Academic Press, New York und London, (1967).

- [28] B. K. Ridley. *Quantum Processes in Semiconductors*. Clarendon Press, Oxford, 4. Auflage, (1999).
- [29] C. Jacoboni und L. Reggiani. The Monte Carlo method for the solution of charge transport in semiconductors with applications to covalent materials. *Rev. Mod. Phys.*, **55**(3): S. 645–705, (1983).
- [30] C. J. Joachain. *Quantum collision theory*. North-Holland, Amsterdam, (1987).
- [31] L. Töben, R. Ernstorfer, L. Gundlach und F. Willig. *in preparation*.
- [32] V. N. Abakumov, V. I. Perel und I. N. Yassievich. *Nonradiative Recombination in Semiconductors*, Band 33 aus *Modern Problems in Condensed Matter Sciences*. North-Holland, Amsterdam, (1991).
- [33] W. Shockley und W. T. Read, Jr. Statistics of Recombinations of Holes and Electrons. *Phys. Rev.*, **87**(5): S. 835–842, (1952).
- [34] J. C. Bourgoin und M. Zazoui. Carrier capture on defects in multiband semiconductors. *Phys. Rev. B*, **45**(19): S. 11324–11327, (1992).
- [35] L. Reggiani, L. Varani, V. Mitin und C. M. VanVliet. Molecular-Dynamics Calculation of the Recombination Cross Section at Ionized Impurities in Semiconductors. *Phys. Rev. Lett.*, **63**(10): S. 1094–1097, (1989).
- [36] M. Lax. Cascade Capture of Electrons in Solids. *Phys. Rev.*, **119**(5): S. 1502–1523, (1960).
- [37] M. Lax. Giant Traps. *J. Phys. Chem. Solids*, **8**: S. 66–73, (1959).
- [38] A. Palma, J. A. Jimenez-Tejada, A. Godoy, J. A. Lopez-Villanueva und J. E. Carceller. Monte Carlo study of the statistics of electron capture by shallow donors in silicon at low temperatures. *Phys. Rev. B*, **51**(20): S. 14147–14151, (1995).
- [39] D. Bimberg, H. Münzel, A. Steckenborn und J. Christen. Kinetics of relaxation and recombination of nonequilibrium carriers in GaAs: Carrier capture by impurities. *Phys. Rev. B*, **31**(12): S. 7788–7799, (1985).
- [40] A. Lohner, M. Wörner, T. Elsässer und W. Kaiser. Picosecond Capture of Photoexcited Holes by Shallow Acceptors in p-type GaAs. *Phys. Rev. Lett.*, **68**(26): S. 3920–3923, (1992).
- [41] M. Wörner, A. Lohner, T. Elsässer und W. Kaiser. Capture of hot holes by shallow acceptors in p-type GaAs studied by picosecond infrared spectroscopy. *Phys. Rev. B*, **47**(19): S. 12498–12509, (1993).

- [42] J. J. Hopfield, D.G. Thomas und M. Gershenson. Pair Spectra in GaP. *Phys. Rev. Lett.*, **10**(5): S. 162–164, (1963).
- [43] J. J. Hopfield und D.G. Thomas. Theoretical and Experimental Effects of Spatial Dispersion on the Optical Properties of Crystals. *Phys. Rev.*, **132**(2): S. 563–572, (1963).
- [44] D.G. Thomas, J. J. Hopfield und W.M. Augustyniak. Kinetics of Radiative Recombination at Randomly Distributed Donors and Acceptors. *Phys. Rev.*, **140**(1A): S. A202–220, (1965).
- [45] E. Zacks und A. Halperin. Dependence of the Peak Energy of the Pair-Photoluminescence Band on Excitation Intensity. *Phys. Rev. B*, **6**: S. 3072–3075, (1972).
- [46] V. Swaminathan, V. M. Donnelly und J. Long. A photoluminescence study of Cd-related centers in InP. *J. Appl. Phys.*, **58**(12): S. 4565–4572, (1985).
- [47] W. P. Dumke. Optical Transitions Involving Impurities in Semiconductors. *Phys. Rev.*, **132**(5): S. 1998–2002, (1963).
- [48] D. M. Eagles. Optical Absorption and Recombination Radiation in Semiconductors due to Transitions between Hydrogen-like Acceptor Impurity Levels and the Conduction Band. *J. Phys. Chem. Solids*, **16**: S. 76–83, (1960).
- [49] B. I. Shklovskii und A. L. Efros. *Electronic Properties of Doped Semiconductors*, Band 45 aus *Solid-State Sciences*. Springer, Berlin, (1984).
- [50] N. F. Mott und W. D. Twose. The Theory of Impurity Conduction. *Advances in Physics*, **10**(37-40): S. 107–163, (1961).
- [51] J. S. Blakemore. *Semiconductor Statistics*. Pergamon Press, Oxford, (1962).
- [52] H. Fritzsche und M. Cuevas. Impurity Conduction in Transmutation-Doped p-Type Germanium. *Phys. Rev.*, **119**(4): S. 1238–1245, (1960).
- [53] N. F. Mott und E. A. Davis. *Electronic Processes in non-crystalline Materials*. Clarendon Press, Oxford, (1979).
- [54] D. A. Woodbury und J. S. Blakemore. Impurity Conduction and the Metal-Nonmetal Transition in Manganese-Doped Gallium Arsenide. *Phys. Rev. B*, **8**(8): S. 3803–3810, (1973).
- [55] A. Miller und E. Abrahams. Impurity Conduction at Low Concentrations. *Phys. Rev.*, **120**(3): S. 745–755, (1960).

- [56] R. Mansfield. Hopping Conduction in III-V compounds. In M. Pollak und B. I. Shklovskii, Hrsg., *Hopping Transport in Solids*, S. 349–374. Elsevier Science Publishers, (1991).
- [57] M. Benzaquen und B. Belache. Impurity conduction at low compensation levels in Zn-doped InP. *Phys. Rev. B*, **41**(18): S. 12582–12589, (1990).
- [58] M. Benzaquen, B. Belache, C. Blaauw und R. A. Bruce. Electrical characteristics of zinc-doped indium phosphide. *J. Appl. Phys.*, **68**(4): S. 1694–1701, (1990).
- [59] A. Dargys und J. Kundrotas. *Handbook on Physical Properties of Ge, Si, GaAs and InP*. Science and Encyclopedia Publishers, Vilnius, (1994).
- [60] S. Visbeck. *Entwicklung eines MOCVD-UHV-Transfersystems für die Präparation und Analyse von Halbleitergrenzflächen*. Technische Universität Berlin, Dissertation. (1999).
- [61] T. Hannappel und F. Willig. *Vorrichtung und Verfahren zum Überführen einer Probe aus einem Reaktionsgefäß in ein Ultrahochvakuum*. Deutsches Patent Nr.: **DE 19 837 851**. (1999).
- [62] K. Haberland, P. Kurpas, M. Pristovsek, J.-T. Zettler, M. Weyers, and W. Richter. Spectroscopic process sensors in MOVPE device production. *Appl. Phys. A*, **68**(3): S. 309, (1999).
- [63] L. Töben. *Untersuchung zur Energetik und Dynamik von Elektronen an MOCVD-gewachsenen III-V-Halbleiter-Oberflächen*. Technische Universität Berlin, Dissertation. (2002).
- [64] J. C. Viguie und J. Spitz. Chemical Vapour Deposition at low Temperatures. *J. Electrochem. Soc.*, **122**(4): S. 585–588, (1975).
- [65] J. B. Mooney und S. B. Radding. Spray Pyrolysis Processing. *Ann. Rev. Mater. Sci.*, **12**: S. 81–101, (1982).
- [66] D. Herrmann. *Präparation und Charakterisierung einer SnO₂:F/InP-Solarzelle*. Technische Universität Berlin, Dissertation. (2001).
- [67] K. Knorr. *Untersuchung von Grenzflächenprozessen bei der metallorganischen Gasphasenepitaxie von III-V-Halbleitern*. Technische Universität Berlin, Dissertation. (1998).
- [68] R. F. C. Farrow. The evaporation of InP under Knudsen (equilibrium) and Langmuir (free) evaporation conditions. *J. Phys. D: Appl. Phys.*, **7**: S. 2436–2448, (1974).

- [69] S. Shanthi, H. Anuratha, C. Subramanian und P. Ramasamy. Effect of Fluorine Doping on Structural, Electrical and Optical Properties of Sprayed SnO₂ Thin Films. *J. Cryst. Growth*, **194**(3-4): S. 369–373, (1998).
- [70] D. G. Ivey. Metallurgy of ohmic Contacts to InP. *Canadian Metallurgical Quarterly*, **34**(2): S. 85–113, (1995).
- [71] A. Yamaguchi, H. Asamizu, T. Okada, Y. Iguchi, T. Saitoh, Y. Koide, and M. Murakami. Near-noble transition-metal-based ohmic contacts to p-InP: Comparison of Ni und Pd as a base metal. *Journal of Applied Physics*, **85**(11): S. 7792–7796, (1999).
- [72] R. Dutta, M. A. Shahid und P. J. Sakach. Graded band-gap ohmic contacts to n- and p-type InP. *J. Appl. Phys.*, **69**(7): S. 3968–3974, (1991).
- [73] J. U. Fischbach, G. Benz, N. Stath, M. H. Pilkuhn und K. W. Benz. Free and bound Exciton Decay in Indium Phosphide. *Solid State Commun.*, **11**: S. 721–724, (1972).
- [74] I. Vurgaftman, J. R. Meyer und L. R. Ram-Mohan. Band parameters for III-V compound semiconductors and their alloys. *J. Appl. Phys.*, **89**(11): S. 5816–5875, (2001).
- [75] M. A. Habegger und Y. Fan. Oscillatory intrinsic Photoconductivity of GaSb and InSb. *Phys. Rev. Lett.*, **12**(4): S. 99–101, (1964).
- [76] R. E. Nahory. Oscillatory Photoconductivity of Epitaxial GaAs. *Phys. Rev.*, **178**(3): S. 1293–1295, (1969).
- [77] G. G. Kovalevskaya, D. N. Nasledov und S. V. Slobodchikov. Photoconductivity Oscillations in InP. *phys. stat. sol.*, **23**: S. 755–760, (1967).
- [78] T. Instone und L. Eaves. Oscillatory intrinsic photoconductivity in semi-insulating and high-purity n-type indium phosphide. *J. Phys. C: Solid State Phys.*, **12**: S. L345–348, (1979).
- [79] H. J. Stocker, H. Levinstein und C. R. Stannard Jr. Oscillatory Photoconductivity in InSb. *Phys. Rev.*, **150**(2): S. 613–618, (1966).
- [80] T. Inoue, K. Kainosho, R. Hirano, H. Shimakura, T. Kanazawa und O. Oda. Characterization of high-purity InP by photoluminescence. *J. Appl. Phys.*, **67**(11): S. 7165–7168, (1990).
- [81] Y. P. Varshni. Temperature dependence of the energy gap in semiconductors. *Physica*, **34**: S. 149–154, (1967).
- [82] P. E. Selbmann, M. Gulia, F. Rossi, E. Molinari und P. Lugli. Coupled free-carrier and exciton relaxation in optically excited semiconductors. *Phys. Rev. B*, **54**(7): S. 4660–4673, (1996).

- [83] R. Ulbrich. Capture of Hot Electrons by Ionized Donors in GaAs. *Phys. Rev. Lett.*, **27**(22): S. 1512–1514, (1971).
- [84] R. Benzaquen, R. Leonelli und S. Charbonneau. Exciton-impurity interaction in high-purity InP. *Phys. Rev. B*, **59**(3): S. 1973–1985, (1999).
- [85] W. Rühle und W. Klingenstein. Excitons bound to neutral donors in InP. *Phys. Rev. B*, **18**(12): S. 7011–7021, (1978).
- [86] A. M. White, P. J. Dean und B. Day. On the origin of bound exciton lines in indium phosphide and gallium arsenide. *J. Phys. C: Solid State Phys.*, **7**(7): S. 1400–1411, (1974).
- [87] Y. Makita. Novel Features of Photoluminescence Spectra from Acceptor-doped GaAs: Formation of Acceptor-Acceptor Pair Emissions und optical Compensation Effect. *Mat. Sci. Eng.*, **R 16**(6-8): S. 265–398, (1996).
- [88] E. V. K. Rao, B. Theys, J. L. Benchimol und J. Chevallier. Photoluminescence of as-grown and hydrogenated carbon-doped indium phosphide. *Semicond. Sci. Technol.*, **12**: S. 641–644, (1997).
- [89] J. U. Fischbach, G. Benz, N. Stath und M. H. Pilkuhn. Free and bound Electron Transitions to Acceptors in Indium Phosphide. *Solid State Commun.*, **11**: S. 725–728, (1972).
- [90] B. J. Skromme und G. E. Stillmann. Excited-state-donor-to-acceptor transitions in the photoluminescence spectrum of GaAs und InP. *Phys. Rev. B*, **29**(4): S. 1982–1992, (1984).
- [91] E. A. Montie und G. J. van Gorp. Photoluminescence of Zn-diffused and annealed InP. *J. Appl. Phys.*, **66**(11): S. 5549–5553, (1989).
- [92] Y. Moon, S. Si, E. Yoon und S. J. Kim. Low temperature photoluminescence characteristics of Zn-doped InP grown by metalorganic chemical vapor deposition. *J. Appl. Phys.*, **83**(4): S. 2261–2265, (1998).
- [93] S. Balasubramanian, K. S. R. Rao, N. Balasubramanian und V. Kumar. Effect of hydrogenation and thermal annealing on the photoluminescence of p-InP. *J. Appl. Phys.*, **77**(10): S. 5398–5404, (1995).
- [94] L. Y. Chan, Yu Kin Man, M. Ben-Tzur, E. E. Haller, J. M. Jaklevic, W. Walukiewicz und C. M. Hanson. Lattice location of diffused Zn atoms in GaAs and InP single crystals. *Journal of Applied Physics*, **69**(5): S. 2998–3006, (1991).

- [95] K. Uwai, S. Yamada und K. Takahei. Identification of acceptors and donors in high-purity InP grown by metalorganic chemical vapor deposition. *J. Appl. Phys.*, **61**(3): S. 1059–1062, (1987).
- [96] B. Tuck, F. R. Shepherd, G. Kelly und A. Margittai. Interaction of p-type dopants during diffusion in InP. *Semicond. Sci. Technol.*, **15**: S. 254–258, (2000).
- [97] H. J. Sun, H. P. Gislason, C. F. Rong und G. D. Watkins. Different P_{In} antisites in n- and p-type InP. *Phys. Rev. B*, **48**(23): S. 17092–17104, (1993).
- [98] A. P. Seitsonen, R. Virkkunen, M. J. Puska und R. M. Nieminen. Indium and phosphorus vacancies and antisites in InP. *Phys. Rev. B*, **49**(8): S. 5253–5262, (1994).
- [99] K. R. Duncan, L. Eaves, A. Ramdane, W. B. Roys, M. S. Skolnick und P. J. Dean. An investigation of the 1.36 eV photoluminescence spectrum of heat-treated InP using Zeeman spectroscopy und strain effects. *J. Phys. C: Solid State Phys.*, **17**: S. 1233–1245, (1984).
- [100] B. Wakefield, L. Eaves, K. A. Prior, A. W. Nelson und G. J. Davies. The 1.36 eV radiative transition in InP: its dependence on growth conditions in MBE und MOCVD material. *J. Phys. D: Appl. Phys.*, **17**: S. L133–136, (1984).
- [101] X. Q. Zhou, K. Leo und H. Kurz. Ultrafast relaxation of photoexcited holes in n-doped III-V compounds studied by femtosecond luminescence. *Phys. Rev. B*, **45**(7): S. 3886–3889, (1992).
- [102] R. K. Ahrenkiel, D. J. Dunlavy und T. Hanak. Minority-carrier lifetime in ITO/InP heterojunctions. *J. Appl. Phys.*, **64**(4): S. 1916–1921, (1988).
- [103] E. D. Grann, K. T. Tsen und D. K. Ferry. Nonequilibrium phonon dynamics and electron distribution functions in InP und InAs. *Phys. Rev. B*, **53**(15): S. 9847–9851, (1996).
- [104] S. Usher und G. P. Srivastava. Theoretical study of the anharmonic decay of nonequilibrium LO phonons in semiconductor structures. *Phys. Rev. B*, **50**(19): S. 14179–14186, (1994).
- [105] V. M. Axt. persönliche Mitteilung.
- [106] P. A. Maksym. A theoretical study of hot photoexcited electrons in GaAs. *J. Phys. C: Solid State Phys.*, **15**: S. 3127–3140, (1982).
- [107] R. Ulbrich. Energy Relaxation of Photoexcited Hot Electrons in GaAs. *Phys. Rev. B*, **8**(12): S. 5719–5727, (1973).

- [108] M. Gurioli, P. Borri, M. Colocci, M. Gulia, F. Rossi, E. Molinari, P. E. Selbmann und P. Lugli. Exciton formation and relaxation in GaAs epilayers. *Phys. Rev. B*, **58**(20): S. R13403–13406, (1998).
- [109] P. Würfel. *Physik der Solarzellen*. Spektrum Akademischer Verlag, Heidelberg, Berlin, (1995).
- [110] R. T. Ross. Thermodynamic Limitation on the Conversion of Radiant Energy into Work. *J. Chem. Phys.*, **45**(1): S. 1–7, (1966).
- [111] P. T. Landsberg und G. Tonge. Thermodynamic energy conversion efficiencies. *J. Appl. Phys.*, **51**(7): S. R1–20, (1980).
- [112] W. Ruppel und P. Würfel. Upper limit for the Conversion of Solar Energy. *IEEE Trans. on Electr. Dev.*, **ED-27**(4): S. 877–882, (1980).
- [113] C. H. Henry. Limiting efficiencies of ideal single and multiple energy gap terrestrial solar cells. *J. Appl. Phys.*, **51**(8): S. 4494–4500, (1980).
- [114] P. Würfel. The chemical potential of radiation. *J. Phys. C:Solid State Phys.*, **15**: S. 3967–3985, (1982).
- [115] A. Marti und G. L. Araujo. Limiting efficiencies for photovoltaic energy conversion in multigap systems. *Sol. Ener. Mat. and Sol. Cells*, **43**: S. 203–222, (1996).
- [116] P. Würfel. Solar energy conversion with hot electrons from impact ionisation. *Sol. Ener. Mat. and Sol. Cells*, **46**: S. 43–52, (1997).
- [117] M. A. Green. Potential for low dimensional structures in photovoltaics. *Mat. Sci. Eng.*, **B74**: S. 118–124, (2000).
- [118] W. H. Press, S. A. Teukolsky, W. T. Vetterling und B. P. Flannery. *Numerical recipes in C*. Cambridge University Press, Cambridge, (1992).
- [119] I. N. Bronstein und K. A. Semendjajew. *Taschenbuch der Mathematik*. Teubner Verlag, Stuttgart-Leipzig, 25. Auflage, (1991).
- [120] Halbleiter. In *Landolt-Börnstein, Neue Serie*, Bände **17a**; **22**. Springer-Verlag, Berlin, (1987).

