

9. Literaturverzeichnis

1. Aasrum,M, Prydz, H. Gene targeting of tissue factor, factor X, and factor VII in mice: their involvement in embryonic development: *Biochemistry (Mosc.)*. 2002: Vol. 67, S. 25-32.
2. Ameri,A, Kuppuswamy, M N, Basu, S, Bajaj, S P. Expression of tissue factor pathway inhibitor by cultured endothelial cells in response to inflammatory mediators: *Blood*. 1992: Vol. 79, S. 3219-3226.
3. Andrushko,IA. [The thromboplastic activity of different layers of the vascular wall in radiation sickness]: *Biull.Eksp.Biol.Med*. 1967: Vol. 63, S. 29-32.
4. Aoki,M, Nata, T, Morishita, R, Matsushita, H, Nakagami, H, Yamamoto, K, Yamazaki, K, Nakabayashi, M, Ogihara, T, Kaneda, Y. Endothelial apoptosis induced by oxidative stress through activation of NF-kappaB: antiapoptotic effect of antioxidant agents on endothelial cells: *Hypertension*. 2001: Vol. 38, S. 48-55.
5. Bach,R, Nemerson, Y, Konigsberg, W. Purification and characterization of bovine tissue factor: *J.Biol.Chem*. 1981: Vol. 256, S. 8324-8331.
6. Bach,RR. Initiation of coagulation by tissue factor: *CRC Crit Rev.Biochem*. 1988: Vol. 23, S. 339-368.
7. Bach,RR. Tissue factor encryption: *Arterioscler.Thromb.Vasc.Biol*. 2006: Vol. 26, S. 456-461.
8. Bajaj,MS, Kuppuswamy, M N, Manepalli, A N, Bajaj, S P. Transcriptional expression of tissue factor pathway inhibitor, thrombomodulin and von Willebrand factor in normal human tissues: *Thromb.Haemost*. 1999: Vol. 82, S. 1047-1052.

9. Bajaj,SP, Rapaport, S I, Brown, S F. Isolation and characterization of human factor VII. Activation of factor VII by factor Xa: *J.Biol.Chem.* 1981: Vol. 256, S. 253-259.
10. Banfi,C, Brioschi, M, Wait, R, Begum, S, Gianazza, E, Pirillo, A, Mussoni, L, Tremoli, E. Proteome of endothelial cell-derived procoagulant microparticles: *Proteomics.* 2005: Vol. 5, S. 4443-4455.
11. Banner,DW. The factor VIIa/tissue factor complex: *Thromb.Haemost.* 1997: Vol. 78, S. 512-515.
12. Banner,DW, D'Arcy, A, Chene, C, Winkler, F K, Guha, A, Konigsberg, W H, Nemerson, Y, Kirchhofer, D. The crystal structure of the complex of blood coagulation factor VIIa with soluble tissue factor: *Nature.* 1996: Vol. 380, S. 41-46.
13. Bauer,KA, Kass, B L, ten Cate, H, Hawiger, J J, Rosenberg, R D. Factor IX is activated in vivo by the tissue factor mechanism: *Blood.* 1990: Vol. 76, S. 731-736.
14. Baumgartner,HR, Turitto, V, Weiss, H J. Effect of shear rate on platelet interaction with subendothelium in citrated and native blood. II. Relationships among platelet adhesion, thrombus dimensions, and fibrin formation: *J.Lab Clin.Med.* 1980: Vol. 95, S. 208-221.
15. Bazan,JF. Structural design and molecular evolution of a cytokine receptor superfamily: *Proc.Natl.Acad.Sci.U.S.A.* 1990: Vol. 87, S. 6934-6938.
16. Belting,M, Ahamed, J, Ruf, W. Signaling of the tissue factor coagulation pathway in angiogenesis and cancer: *Arterioscler.Thromb.Vasc.Biol.* 2005: Vol. 25, S. 1545-1550.
17. Biemond,BJ, Levi, M, ten Cate, H, Soule, H R, Morris, L D, Foster, D L, Bogowitz, C A, van der, P T, Buller, H R, ten Cate, J W. Complete inhibition of endotoxin-induced coagulation activation in chimpanzees with a monoclonal

Fab fragment against factor VII/VIIa: *Thromb.Haemost.* 1995: Vol. 73, S. 223-230.

18. Bierhaus,A, Zhang, Y, Deng, Y, Mackman, N, Quehenberger, P, Haase, M, Luther, T, Muller, M, Bohrer, H, Greten, J, . Mechanism of the tumor necrosis factor alpha-mediated induction of endothelial tissue factor: *J.Biol.Chem.* 1995: Vol. 270, S. 26419-26432.
19. Billis,W, Fuks, Z, Kolesnick, R. Signaling in and regulation of ionizing radiation-induced apoptosis in endothelial cells: *Recent Prog.Horm.Res.* 1998: Vol. 53, S. 85-92.
20. Blencowe,BJ. Exonic splicing enhancers: mechanism of action, diversity and role in human genetic diseases: *Trends Biochem.Sci.* 2000: Vol. 25, S. 106-110.
21. Bloem,LJ, Chen, L, Konigsberg, W H, Bach, R. Serum stimulation of quiescent human fibroblasts induces the synthesis of tissue factor mRNA followed by the appearance of tissue factor antigen and procoagulant activity: *J.Cell Physiol.* 1989: Vol. 139, S. 418-423.
22. Bogdanov,VY, Balasubramanian, V, Hathcock, J, Vele, O, Lieb, M, Nemerson, Y. Alternatively spliced human tissue factor: a circulating, soluble, thrombogenic protein: *Nat.Med.* 2003: Vol. 9, S. 458-462.
23. Bogdanov,VY, Hathcock, J, Nemerson, Y. Active tissue factor in blood?: *Nat.Med.* 2004: Vol. 10, S. 1156.
24. Bogdanov,VY, Kirk, R I, Miller, C, Hathcock, J J, Vele, S, Gazdciu, M, Nemerson, Y, Taubman, M B. Identification and characterization of murine alternatively spliced tissue factor: *J.Thromb.Haemost.* 2006: Vol. 4, S. 158-167.

25. Bom, VJ, van Hinsbergh, V W, Reinalda-Poot, H H, Mohanlal, R W, Bertina, R M. Extrinsic activation of human coagulation factors IX and X on the endothelial surface: *Thromb.Haemost.* 1991: Vol. 66, S. 283-291.
26. Brand, K, Fowler, B J, Edgington, T S, Mackman, N. Tissue factor mRNA in THP-1 monocytic cells is regulated at both transcriptional and posttranscriptional levels in response to lipopolysaccharide: *Mol.Cell Biol.* 1991: Vol. 11, S. 4732-4738.
27. Brisset, AC, Terrisse, A D, Dupouy, D, Tellier, L, Pech, S, Navarro, C, Sie, P. Shedding of active tissue factor by aortic smooth muscle cells (SMCs) undergoing apoptosis: *Thromb.Haemost.* 2003: Vol. 90, S. 511-518.
28. Broze, GJ, Jr. Tissue factor pathway inhibitor and the current concept of blood coagulation: *Blood Coagul.Fibrinolysis.* 1995: Vol. 6 Suppl 1, S. S7-13.
29. Broze, GJ, Jr., Gailani, D. The role of factor XI in coagulation: *Thromb.Haemost.* 1993: Vol. 70, S. 72-74.
30. Broze, GJ, Jr., Girard, T J, Novotny, W F. Regulation of coagulation by a multivalent Kunitz-type inhibitor: *Biochemistry.* 1990: Vol. 29, S. 7539-7546.
31. Broze, GJ, Jr., Leykam, J E, Schwartz, B D, Miletich, J P. Purification of human brain tissue factor: *J.Biol.Chem.* 1985: Vol. 260, S. 10917-10920.
32. Broze, GJ, Jr., Majerus, P W. Purification and properties of human coagulation factor VII: *J.Biol.Chem.* 1980: Vol. 255, S. 1242-1247.
33. Bugge, TH, Xiao, Q, Kombrinck, K W, Flick, M J, Holmback, K, Danton, M J, Colbert, M C, Witte, D P, Fujikawa, K, Davie, E W, Degen, J L. Fatal embryonic bleeding events in mice lacking tissue factor, the cell-associated initiator of blood coagulation: *Proc.Natl.Acad.Sci.U.S.A.* 1996: Vol. 93, S. 6258-6263.

34. Butenas,S, Mann, K G. Active tissue factor in blood?: Nat.Med. 2004: Vol. 10, S. 1155-1156.
35. Camerer,E, Rottingen, J A, Iversen, J G, Prydz, H. Coagulation factors VII and X induce Ca²⁺ oscillations in Madin-Darby canine kidney cells only when proteolytically active: J.Biol.Chem. 1996: Vol. 271, S. 29034-29042.
36. Carey,MJ, Rodgers, G M. Disseminated intravascular coagulation: clinical and laboratory aspects: Am.J.Hematol. 1998: Vol. 59, S. 65-73.
37. Carmeliet,P, Mackman, N, Moons, L, Luther, T, Gressens, P, Van, V, I, Demunck, H, Kasper, M, Breier, G, Evrard, P, Muller, M, Risau, W, Edgington, T, Collen, D. Role of tissue factor in embryonic blood vessel development: Nature. 1996: Vol. 383, S. 73-75.
38. Carson,SD, Brozna, J P. The role of tissue factor in the production of thrombin: Blood Coagul.Fibrinolysis. 1993: Vol. 4, S. 281-292.
39. Carson,SD, Henry, W M, Shows, T B. Tissue factor gene localized to human chromosome 1 (1pter----1p21): Science. 1985: Vol. 229, S. 991-993.
40. Censarek,P, Bobbe, A, Grandoch, M, Schror, K, Weber, A A. Alternatively spliced human tissue factor (asHTF) is not pro-coagulant: Thromb.Haemost. 2007: Vol. 97, S. 11-14.
41. Chand,HS, Ness, S A, Kisiel, W. Identification of a novel human tissue factor splice variant that is upregulated in tumor cells: Int.J.Cancer. 2006: Vol. 118, S. 1713-1720.
42. Chu,AJ. Role of tissue factor in thrombosis. Coagulation-inflammation-thrombosis circuit: Front Biosci. 2006: Vol. 11, S. 256-271.
43. Clarke,R, Armitage, J. Antioxidant vitamins and risk of cardiovascular disease. Review of large-scale randomised trials: Cardiovasc.Drugs Ther. 2002: Vol. 16, S. 411-415.

44. Colwill,K, Pawson, T, Andrews, B, Prasad, J, Manley, J L, Bell, J C, Duncan, P I. The Clk/Sty protein kinase phosphorylates SR splicing factors and regulates their intranuclear distribution: EMBO J. 1996: Vol. 15, S. 265-275.
45. Combes,V, Simon, A C, Grau, G E, Arnoux, D, Camoin, L, Sabatier, F, Mutin, M, Sanmarco, M, Sampol, J, Dignat-George, F. In vitro generation of endothelial microparticles and possible prothrombotic activity in patients with lupus anticoagulant: J.Clin.Invest. 1999: Vol. 104, S. 93-102.
46. Courtney,JM, Forbes, C D. Thrombosis on foreign surfaces: Br.Med.Bull. 1994: Vol. 50, S. 966-981.
47. Dackiw,AP, McGilvray, I D, Woodside, M, Nathens, A B, Marshall, J C, Rotstein, O D. Prevention of endotoxin-induced mortality by antitissue factor immunization: Arch.Surg. 1996: Vol. 131, S. 1273-1278.
48. Darko,D, Dornhorst, A, Kelly, F J, Ritter, J M, Chowienczyk, P J. Lack of effect of oral vitamin C on blood pressure, oxidative stress and endothelial function in Type II diabetes: Clin.Sci.(Lond). 2002: Vol. 103, S. 339-344.
49. Davie,EW, Fujikawa, K, Kisiel, W. The coagulation cascade: initiation, maintenance, and regulation: Biochemistry. 1991: Vol. 30, S. 10363-10370.
50. Davie,EW, Ratnoff, O D. Waterfall sequence for intrinsic blot clotting: Science. 1964: Vol. 145, S. 1310-1312.
51. Diamant,M, Tushuizen, M E, Sturk, A, Nieuwland, R. Cellular microparticles: new players in the field of vascular disease?: Eur.J.Clin.Invest. 2004: Vol. 34, S. 392-401.
52. Dickinson,CD, Ruf, W. Active site modification of factor VIIa affects interactions of the protease domain with tissue factor: J.Biol.Chem. 1997: Vol. 272, S. 19875-19879.

53. Donate,F, Kelly, C R, Ruf, W, Edgington, T S. Dimerization of tissue factor supports solution-phase autoactivation of factor VII without influencing proteolytic activation of factor X: *Biochemistry*. 2000: Vol. 39, S. 11467-11476.
54. Drake,TA, Morrissey, J H, Edgington, T S. Selective cellular expression of tissue factor in human tissues. Implications for disorders of hemostasis and thrombosis: *Am.J.Pathol*. 1989: Vol. 134, S. 1087-1097.
55. Eaton,D, Rodriguez, H, Vehar, G A. Proteolytic processing of human factor VIII. Correlation of specific cleavages by thrombin, factor Xa, and activated protein C with activation and inactivation of factor VIII coagulant activity: *Biochemistry*. 1986: Vol. 25, S. 505-512.
56. Edgington,TS, Dickinson, C D, Ruf, W. The structural basis of function of the TF. VIIa complex in the cellular initiation of coagulation: *Thromb.Haemost*. 1997: Vol. 78, S. 401-405.
57. Edgington,TS, Mackman, N, Brand, K, Ruf, W. The structural biology of expression and function of tissue factor: *Thromb.Haemost*. 1991: Vol. 66, S. 67-79.
58. Esmon,CT. The subunit structure of thrombin-activated factor V. Isolation of activated factor V, separation of subunits, and reconstitution of biological activity: *J.Biol.Chem*. 1979: Vol. 254, S. 964-973.
59. Fadok,VA, de Cathelineau, A, Daleke, D L, Henson, P M, Bratton, D L. Loss of phospholipid asymmetry and surface exposure of phosphatidylserine is required for phagocytosis of apoptotic cells by macrophages and fibroblasts: *J.Biol.Chem*. 2001: Vol. 276, S. 1071-1077.
60. Fajardo,LF. The pathology of ionizing radiation as defined by morphologic patterns: *Acta Oncol*. 2005: Vol. 44, S. 13-22.
61. Fink,L, Holschermann, H, Kwapiszewska, G, Moyal, J P, Lengemann, B, Bohle, R M, Santoso, S. Characterization of platelet-specific mRNA by real-

- time PCR after laser-assisted microdissection: *Thromb.Haemost.* 2003: Vol. 90, S. 749-756.
62. Fleck,RA, Rao, L V, Rapaport, S I, Varki, N. Localization of human tissue factor antigen by immunostaining with monospecific, polyclonal anti-human tissue factor antibody: *Thromb.Res.* 1990: Vol. 59, S. 421-437.
 63. Frei,B. On the role of vitamin C and other antioxidants in atherogenesis and vascular dysfunction: *Proc.Soc.Exp.Biol.Med.* 1999: Vol. 222, S. 196-204.
 64. Freyssinet,JM. Cellular microparticles: what are they bad or good for?: *J.Thromb.Haemost.* 2003: Vol. 1, S. 1655-1662.
 65. Fu,XD. The superfamily of arginine/serine-rich splicing factors: *RNA.* 1995: Vol. 1, S. 663-680.
 66. Gailani,D, Broze, G J, Jr. Factor XII-independent activation of factor XI in plasma: effects of sulfatides on tissue factor-induced coagulation: *Blood.* 1993: Vol. 82, S. 813-819.
 67. Garg,AK, Aggarwal, B B. Reactive oxygen intermediates in TNF signaling: *Mol.Immunol.* 2002: Vol. 39, S. 509-517.
 68. Giesen,PL, Rauch, U, Bohrmann, B, Kling, D, Roque, M, Fallon, J T, Badimon, J J, Hember, J, Riederer, M A, Nemerson, Y. Blood-borne tissue factor: another view of thrombosis: *Proc.Natl.Acad.Sci.U.S.A.* 1999: Vol. 96, S. 2311-2315.
 69. Goossens,V, Grooten, J, De Vos, K, Fiers, W. Direct evidence for tumor necrosis factor-induced mitochondrial reactive oxygen intermediates and their involvement in cytotoxicity: *Proc.Natl.Acad.Sci.U.S.A.* 1995: Vol. 92, S. 8115-8119.
 70. Graveley,BR. Sorting out the complexity of SR protein functions: *RNA.* 2000: Vol. 6, S. 1197-1211.

71. Greeno,EW, Bach, R R, Moldow, C F. Apoptosis is associated with increased cell surface tissue factor procoagulant activity: *Lab Invest.* 1996: Vol. 75, S. 281-289.
72. Grethe,S, Ares, M P, Andersson, T, Porn-Ares, M I. p38 MAPK mediates TNF-induced apoptosis in endothelial cells via phosphorylation and downregulation of Bcl-x(L): *Exp.Cell Res.* 2004: Vol. 298, S. 632-642.
73. Grignani,G, Maiolo, A. Cytokines and hemostasis: *Haematologica.* 2000: Vol. 85, S. 967-972.
74. Hampton,MB, Orrenius, S. Dual regulation of caspase activity by hydrogen peroxide: implications for apoptosis: *FEBS Lett.* 1997: Vol. 414, S. 552-556.
75. Harlos,K, Martin, D M, O'Brien, D P, Jones, E Y, Stuart, D I, Polikarpov, I, Miller, A, Tuddenham, E G, Boys, C W. Crystal structure of the extracellular region of human tissue factor: *Nature.* 1994: Vol. 370, S. 662-666.
76. Hathcock,J. Vascular biology-the role of tissue factor: *Semin.Hematol.* 2004: Vol. 41, S. 30-34.
77. Heinrich,PC, Behrmann, I, Muller-Newen, G, Schaper, F, Graeve, L. Interleukin-6-type cytokine signalling through the gp130/Jak/STAT pathway: *Biochem.J.* 1998: Vol. 334 (Pt 2), S. 297-314.
78. Herkert,O, Djordjevic, T, BelAiba, R S, Gorlach, A. Insights into the redox control of blood coagulation: role of vascular NADPH oxidase-derived reactive oxygen species in the thrombogenic cycle: *Antioxid.Redox.Signal.* 2004: Vol. 6, S. 765-776.
79. Himer,J, Wohlgensinger, C, Roux, S, Damico, L A, Fallon, J T, Kirchhofer, D, Nemerson, Y, Riederer, M A. Inhibition of tissue factor limits the growth of venous thrombus in the rabbit: *J.Thromb.Haemost.* 2003: Vol. 1, S. 889-895.

80. Huang,M, Syed, R, Stura, E A, Stone, M J, Stefanko, R S, Ruf, W, Edgington, T S, Wilson, I A. The mechanism of an inhibitory antibody on TF-initiated blood coagulation revealed by the crystal structures of human tissue factor, Fab 5G9 and TF.G9 complex: *J.Mol.Biol.* 1998: Vol. 275, S. 873-894.
81. Kalafatis,M, Swords, N A, Rand, M D, Mann, K G. Membrane-dependent reactions in blood coagulation: role of the vitamin K-dependent enzyme complexes: *Biochim.Biophys.Acta.* 1994: Vol. 1227, S. 113-129.
82. Kelley,RF, Costas, K E, O'Connell, M P, Lazarus, R A. Analysis of the factor VIIa binding site on human tissue factor: effects of tissue factor mutations on the kinetics and thermodynamics of binding: *Biochemistry.* 1995: Vol. 34, S. 10383-10392.
83. Kienast,J, Ostermann, H. Blutgerinnung und Fibrinolyse: *Z.Kardiol.* 1993: Vol. 82 Suppl 2, S. 65-69.
84. Kim,CH, Kim, J H, Lee, J, Hsu, C Y, Ahn, Y S. Thiol antioxidant reversal of pyrrolidine dithiocarbamate-induced reciprocal regulation of AP-1 and NF-kappaB: *Biol.Chem.* 2003: Vol. 384, S. 143-150.
85. Kolesnick,R, Fuks, Z. Radiation and ceramide-induced apoptosis: *Oncogene.* 2003: Vol. 22, S. 5897-5906.
86. Kushak,RI, Nestoridi, E, Lambert, J, Selig, M K, Ingelfinger, J R, Grabowski, E F. Detached endothelial cells and microparticles as sources of tissue factor activity: *Thromb.Res.* 2005: Vol. 116, S. 409-419.
87. Lai,MC, Lin, R I, Tarn, W Y. Differential effects of hyperphosphorylation on splicing factor SRp55: *Biochem.J.* 2003: Vol. 371, S. 937-945.
88. Lee,DK, Grantham, R N, Mannion, J D, Trachte, A L. Carotenoids enhance phosphorylation of Akt and suppress tissue factor activity in human endothelial cells: *J.Nutr.Biochem.* 2006: Vol. 17, S. 780-786.

89. Levi,M, ten Cate, H. Disseminated intravascular coagulation: N.Engl.J.Med. 1999: Vol. 341, S. 586-592.
90. Levi,M, van der Poll, T, ten Cate, H, Kuipers, B, Biemond, B J, Jansen, H M, ten Cate, J W. Differential effects of anti-cytokine treatment on bronchoalveolar hemostasis in endotoxemic chimpanzees: Am.J.Respir.Crit Care Med. 1998: Vol. 158, S. 92-98.
91. Levi,M, van der, P T, ten Cate, H. Tissue factor in infection and severe inflammation: Semin.Thromb.Hemost. 2006: Vol. 32, S. 33-39.
92. Li,N, Karin, M. Ionizing radiation and short wavelength UV activate NF-kappaB through two distinct mechanisms: Proc.Natl.Acad.Sci.U.S.A. 1998: Vol. 95, S. 13012-13017.
93. Livnat,T, Zivelin, A, Martinowitz, U, Salomon, O, Seligsohn, U. Prerequisites for recombinant factor VIIa-induced thrombin generation in plasmas deficient in factors VIII, IX or XI: J.Thromb.Haemost. 2006: Vol. 4, S. 192-200.
94. Lowe,SW, Schmitt, E M, Smith, S W, Osborne, B A, Jacks, T. p53 is required for radiation-induced apoptosis in mouse thymocytes: Nature. 1993: Vol. 362, S. 847-849.
95. Luchtman-Jones,L, Broze, G J, Jr. The current status of coagulation: Ann.Med. 1995: Vol. 27, S. 47-52.
96. Lupu,C, Kruithof, E K, Kakkar, V V, Lupu, F. Acute release of tissue factor pathway inhibitor after in vivo thrombin generation in baboons: Thromb.Haemost. 1999: Vol. 82, S. 1652-1658.
97. Lwaleed,BA, Bass, P S. Tissue factor pathway inhibitor: structure, biology and involvement in disease: J.Pathol. 2006: Vol. 208, S. 327-339.
98. Mac Farlane,RG. An enzyme cascade in the blood clotting mechanism and its function as a biological amplifier: Nature. 1964: Vol. 202, S. 498.

99. Mackman,N. Role of tissue factor in hemostasis, thrombosis, and vascular development: *Arterioscler.Thromb.Vasc.Biol.* 2004: Vol. 24, S. 1015-1022.
100. Mackman,N. Alternatively spliced tissue factor - One cut too many?: *Thromb.Haemost.* 2007: Vol. 97, S. 5-8.
101. Mackman,N, Fowler, B J, Edgington, T S, Morrissey, J H. Functional analysis of the human tissue factor promoter and induction by serum: *Proc.Natl.Acad.Sci.U.S.A.* 1990: Vol. 87, S. 2254-2258.
102. Mackman,N, Morrissey, J H, Fowler, B, Edgington, T S. Complete sequence of the human tissue factor gene, a highly regulated cellular receptor that initiates the coagulation protease cascade: *Biochemistry.* 1989: Vol. 28, S. 1755-1762.
103. Madge,LA, Pober, J S. TNF signaling in vascular endothelial cells: *Exp.Mol.Pathol.* 2001: Vol. 70, S. 317-325.
104. Mallat,Z, Benamer, H, Hugel, B, Benessiano, J, Steg, P G, Freyssinet, J M, Tedgui, A. Elevated levels of shed membrane microparticles with procoagulant potential in the peripheral circulating blood of patients with acute coronary syndromes: *Circulation.* 2000: Vol. 101, S. 841-843.
105. Manley,JL, Tacke, R. SR proteins and splicing control: *Genes Dev.* 1996: Vol. 10, S. 1569-1579.
106. Marutsuka,K, Hatakeyama, K, Yamashita, A, Asada, Y. Role of thrombogenic factors in the development of atherosclerosis: *J.Atheroscler.Thromb.* 2005: Vol. 12, S. 1-8.
107. Mathey-Prevot,B, Perrimon, N. Mammalian and Drosophila blood: JAK of all trades?: *Cell.* 1998: Vol. 92, S. 697-700.
108. Matsunaga,T, Kotamraju, S, Kalivendi, S V, Dhanasekaran, A, Joseph, J, Kalyanaraman, B. Ceramide-induced intracellular oxidant formation, iron

signaling, and apoptosis in endothelial cells: protective role of endogenous nitric oxide: *J.Biol.Chem.* 2004: Vol. 279, S. 28614-28624.

109. Meyer,M, Schreck, R, Baeuerle, P A. H₂O₂ and antioxidants have opposite effects on activation of NF-kappa B and AP-1 in intact cells: AP-1 as secondary antioxidant-responsive factor: *EMBO J.* 1993: Vol. 12, S. 2005-2015.
110. Mietus-Snyder,M, Malloy, M J. Endothelial dysfunction occurs in children with two genetic hyperlipidemias: improvement with antioxidant vitamin therapy: *J.Pediatr.* 1998: Vol. 133, S. 35-40.
111. Misumi,K, Ogawa, H, Yasue, H, Soejima, H, Suefuji, H, Nishiyama, K, Takazoe, K, Kugiyama, K, Tsuji, I, Kumeda, K, Nakamura, S. Comparison of plasma tissue factor levels in unstable and stable angina pectoris: *Am.J.Cardiol.* 1998: Vol. 81, S. 22-26.
112. Morawitz,P. Die Chemie der Blutgerinnung: *Ergebn.Physiol.* 1905: Vol. 4, S. 307-422.
113. Morrissey,JH, Fakhrai, H, Edgington, T S. Molecular cloning of the cDNA for tissue factor, the cellular receptor for the initiation of the coagulation protease cascade: *Cell.* 1987: Vol. 50, S. 129-135.
114. Mullberg,J, Geib, T, Jostock, T, Hoischen, S H, Vollmer, P, Voltz, N, Heinz, D, Galle, P R, Klouche, M, Rose-John, S. IL-6 receptor independent stimulation of human gp130 by viral IL-6: *J.Immunol.* 2000: Vol. 164, S. 4672-4677.
115. Muller,WA, Randolph, G J. Migration of leukocytes across endothelium and beyond: molecules involved in the transmigration and fate of monocytes: *J.Leukoc.Biol.* 1999: Vol. 66, S. 698-704.
116. Muller,YA, Ultsch, M H, Kelley, R F, de Vos, A M. Structure of the extracellular domain of human tissue factor: location of the factor VIIa binding site: *Biochemistry.* 1994: Vol. 33, S. 10864-10870.

117. Muraki,M, Ohkawara, B, Hosoya, T, Onogi, H, Koizumi, J, Koizumi, T, Sumi, K, Yomoda, J, Murray, M V, Kimura, H, Furuichi, K, Shibuya, H, Krainer, A R, Suzuki, M, Hagiwara, M. Manipulation of alternative splicing by a newly developed inhibitor of Clks: *J.Biol.Chem.* 2004: Vol. 279, S. 24246-24254.
118. Nagar,S, Corcoran, J J, Morgan, W F. Evaluating the delayed effects of cellular exposure to ionizing radiation: *Methods Mol.Biol.* 2006: Vol. 314, S. 43-50.
119. Naito,K, Fujikawa, K. Activation of human blood coagulation factor XI independent of factor XII. Factor XI is activated by thrombin and factor XIa in the presence of negatively charged surfaces: *J.Biol.Chem.* 1991: Vol. 266, S. 7353-7358.
120. Nappo,F, De Rosa, N, Marfella, R, De Lucia, D, Ingrosso, D, Perna, A F, Farzati, B, Giugliano, D. Impairment of endothelial functions by acute hyperhomocysteinemia and reversal by antioxidant vitamins: *JAMA.* 1999: Vol. 281, S. 2113-2118.
121. Nawroth,PP, Stern, D M. Modulation of endothelial cell hemostatic properties by tumor necrosis factor: *J.Exp.Med.* 1986: Vol. 163, S. 740-745.
122. Nayler,O, Stamm, S, Ullrich, A. Characterization and comparison of four serine- and arginine-rich (SR) protein kinases: *Biochem.J.* 1997: Vol. 326 (Pt 3), S. 693-700.
123. Nemerson,Y. Tissue factor and hemostasis: *Blood.* 1988: Vol. 71, S. 1-8.
124. Nemerson,Y, Bach, R. Tissue factor revisited: *Prog.Hemost.Thromb.* 1982: Vol. 6, S. 237-261.
125. Nikolakaki,E, Du, C, Lai, J, Giannakouros, T, Cantley, L, Rabinow, L. Phosphorylation by LAMMER protein kinases: determination of a consensus site, identification of in vitro substrates, and implications for substrate preferences: *Biochemistry.* 2002: Vol. 41, S. 2055-2066.

126. Novotny,WF, Girard, T J, Miletich, J P, Broze, G J, Jr. Purification and characterization of the lipoprotein-associated coagulation inhibitor from human plasma: *J.Biol.Chem.* 1989: Vol. 264, S. 18832-18837.
127. Orthner,CL, Rodgers, G M, Fitzgerald, L A. Pyrrolidine dithiocarbamate abrogates tissue factor (TF) expression by endothelial cells: evidence implicating nuclear factor-kappa B in TF induction by diverse agonists: *Blood.* 1995: Vol. 86, S. 436-443.
128. Osterud,B. Tissue factor expression by monocytes: regulation and pathophysiological roles: *Blood Coagul.Fibrinolysis.* 1998: Vol. 9 Suppl 1, S. S9-14.
129. Osterud,B, Bjorklid, E. Sources of tissue factor: *Semin.Thromb.Hemost.* 2006: Vol. 32, S. 11-23.
130. Osterud,B, Rapaport, S I. Activation of factor IX by the reaction product of tissue factor and factor VII: additional pathway for initiating blood coagulation: *Proc.Natl.Acad.Sci.U.S.A.* 1977: Vol. 74, S. 5260-5264.
131. Ott,I. Tissue factor in acute coronary syndromes: *Semin.Vasc.Med.* 2003: Vol. 3, S. 185-192.
132. Ott,I, Fischer, E G, Miyagi, Y, Mueller, B M, Ruf, W. A role for tissue factor in cell adhesion and migration mediated by interaction with actin-binding protein 280: *J.Cell Biol.* 1998: Vol. 140, S. 1241-1253.
133. Paborsky,LR, Caras, I W, Fisher, K L, Gorman, C M. Lipid association, but not the transmembrane domain, is required for tissue factor activity. Substitution of the transmembrane domain with a phosphatidylinositol anchor: *J.Biol.Chem.* 1991: Vol. 266, S. 21911-21916.
134. Pierce,JW, Schoenleber, R, Jesmok, G, Best, J, Moore, S A, Collins, T, Gerritsen, M E. Novel inhibitors of cytokine-induced IkappaBalpha

phosphorylation and endothelial cell adhesion molecule expression show anti-inflammatory effects in vivo: *J.Biol.Chem.* 1997: Vol. 272, S. 21096-21103.

135. Poulsen,LK, Jacobsen, N, Sorensen, B B, Bergenheim, N C, Kelly, J D, Foster, D C, Thastrup, O, Ezban, M, Petersen, L C. Signal transduction via the mitogen-activated protein kinase pathway induced by binding of coagulation factor VIIa to tissue factor: *J.Biol.Chem.* 1998: Vol. 273, S. 6228-6232.
136. Rao,LV, Nordfang, O, Hoang, A D, Pendurthi, U R. Mechanism of antithrombin III inhibition of factor VIIa/tissue factor activity on cell surfaces. Comparison with tissue factor pathway inhibitor/factor Xa-induced inhibition of factor VIIa/tissue factor activity: *Blood.* 1995: Vol. 85, S. 121-129.
137. Rao,LV, Ruf, W. Tissue factor residues Lys165 and Lys166 are essential for rapid formation of the quaternary complex of tissue factor.VIIa with Xa.tissue factor pathway inhibitor: *Biochemistry.* 1995: Vol. 34, S. 10867-10871.
138. Rapaport,SI. Regulation of the tissue factor pathway: *Ann.N.Y.Acad.Sci.* 1991a: Vol. 614, S. 51-62.
139. Rapaport,SI. The extrinsic pathway inhibitor: a regulator of tissue factor-dependent blood coagulation: *Thromb.Haemost.* 1991b: Vol. 66, S. 6-15.
140. Rapaport,SI, Rao, L V. Initiation and regulation of tissue factor-dependent blood coagulation: *Arterioscler.Thromb.* 1992: Vol. 12, S. 1111-1121.
141. Rauch,U, Antoniak, S, Boots, M, Schulze, K, Goldin-Lang, P, Stein, H, Schultheiss, H P, Coupland, S E. Association of tissue-factor upregulation in squamous-cell carcinoma of the lung with increased tissue factor in circulating blood: *Lancet Oncol.* 2005: Vol. 6, S. 254.
142. Rauch,U, Bonderman, D, Bohrmann, B, Badimon, J J, Hember, J, Riederer, M A, Nemerson, Y. Transfer of tissue factor from leukocytes to platelets is mediated by CD15 and tissue factor: *Blood.* 2000: Vol. 96, S. 170-175.

143. Rauch,U, Nemerson, Y. Circulating tissue factor and thrombosis: *Curr.Opin.Hematol.* 2000: Vol. 7, S. 273-277.
144. Rivers,RP, Hathaway, W E, Weston, W L. The endotoxin-induced coagulant activity of human monocytes: *Br.J.Haematol.* 1975: Vol. 30, S. 311-316.
145. Rottingen,JA, Enden, T, Camerer, E, Iversen, J G, Prydz, H. Binding of human factor VIIa to tissue factor induces cytosolic Ca²⁺ signals in J82 cells, transfected COS-1 cells, Madin-Darby canine kidney cells and in human endothelial cells induced to synthesize tissue factor: *J.Biol.Chem.* 1995: Vol. 270, S. 4650-4660.
146. Roy,S, Paborsky, L R, Vehar, G A. Self-association of tissue factor as revealed by chemical crosslinking: *J.Biol.Chem.* 1991: Vol. 266, S. 4665-4668.
147. Ruf,W, Kalnik, M W, Lund-Hansen, T, Edgington, T S. Characterization of factor VII association with tissue factor in solution. High and low affinity calcium binding sites in factor VII contribute to functionally distinct interactions: *J.Biol.Chem.* 1991a: Vol. 266, S. 15719-15725.
148. Ruf,W, Rehemtulla, A, Morrissey, J H, Edgington, T S. Phospholipid-independent and -dependent interactions required for tissue factor receptor and cofactor function: *J.Biol.Chem.* 1991b: Vol. 266, S. 2158-2166.
149. Rugo,RE, Schiestl, R H. Increases in oxidative stress in the progeny of X-irradiated cells: *Radiat.Res.* 2004: Vol. 162, S. 416-425.
150. Salemink,I, Franssen, J, Willems, G M, Hemker, H C, Li, A, Wun, T C, Lindhout, T. Factor Xa cleavage of tissue factor pathway inhibitor is associated with loss of anticoagulant activity: *Thromb.Haemost.* 1998: Vol. 80, S. 273-280.
151. Sandset,PM. Tissue factor pathway inhibitor (TFPI)--an update: *Haemostasis.* 1996: Vol. 26 Suppl 4, S. 154-165.

152. Scarpati,EM, Sadler, J E. Regulation of endothelial cell coagulant properties. Modulation of tissue factor, plasminogen activator inhibitors, and thrombomodulin by phorbol 12-myristate 13-acetate and tumor necrosis factor: *J.Biol.Chem.* 1989: Vol. 264, S. 20705-20713.
153. Scarpati,EM, Wen, D, Broze, G J, Jr., Miletich, J P, Flandermeyer, R R, Siegel, N R, Sadler, J E. Human tissue factor: cDNA sequence and chromosome localization of the gene: *Biochemistry.* 1987: Vol. 26, S. 5234-5238.
154. Schechter,AD, Spirn, B, Rossikhina, M, Giesen, P L, Bogdanov, V, Fallon, J T, Fisher, E A, Schnapp, L M, Nemerson, Y, Taubman, M B. Release of active tissue factor by human arterial smooth muscle cells: *Circ.Res.* 2000: Vol. 87, S. 126-132.
155. Schmidt,A. Zur Blutlehre. Leipzig, FCW Vogel Verlag. 1892.
156. Schreck,R, Albermann, K, Baeuerle, P A. Nuclear factor kappa B: an oxidative stress-responsive transcription factor of eukaryotic cells (a review): *Free Radic.Res.Commun.* 1992: Vol. 17, S. 221-237.
157. Schwartz,BS, Edgington, T S. Immune complex-induced human monocyte procoagulant activity. I. a rapid unidirectional lymphocyte-instructed pathway: *J.Exp.Med.* 1981: Vol. 154, S. 892-906.
158. Seljeflot,I, Hurlen, M, Hole, T, Arnesen, H. Soluble tissue factor as predictor of future events in patients with acute myocardial infarction: *Thromb.Res.* 2003: Vol. 111, S. 369-372.
159. Shaulian,E, Karin, M. AP-1 as a regulator of cell life and death: *Nat.Cell Biol.* 2002: Vol. 4, S. E131-E136.
160. Shinomiya,N. New concepts in radiation-induced apoptosis: 'premitotic apoptosis' and 'postmitotic apoptosis': *J.Cell Mol.Med.* 2001: Vol. 5, S. 240-253.

161. Shoji,M, Hancock, W W, Abe, K, Micko, C, Casper, K A, Baine, R M, Wilcox, J N, Danave, I, Dillehay, D L, Matthews, E, Contrino, J, Morrissey, J H, Gordon, S, Edgington, T S, Kudryk, B, Kreutzer, D L, Rickles, F R. Activation of coagulation and angiogenesis in cancer: immunohistochemical localization in situ of clotting proteins and vascular endothelial growth factor in human cancer: *Am.J.Pathol.* 1998: Vol. 152, S. 399-411.
162. Siddiqui,FA, Desai, H, Amirkhosravi, A, Amaya, M, Francis, J L. The presence and release of tissue factor from human platelets: *Platelets.* 2002: Vol. 13, S. 247-253.
163. So,AK, Varisco, P A, Kemkes-Matthes, B, Herkenne-Morard, C, Chobaz-Peclat, V, Gerster, J C, Busso, N. Arthritis is linked to local and systemic activation of coagulation and fibrinolysis pathways: *J.Thromb.Haemost.* 2003: Vol. 1, S. 2510-2515.
164. Speiser,W, Kapiotis, S, Kopp, C W, Simonitsch, I, Jilma, B, Jansen, B, Exner, M, Chott, A. Effect of intradermal tumor necrosis factor-alpha-induced inflammation on coagulation factors in dermal vessel endothelium. An in vivo study of human skin biopsies: *Thromb.Haemost.* 2001: Vol. 85, S. 362-367.
165. Stoll,G, Bendszus, M. Inflammation and atherosclerosis: novel insights into plaque formation and destabilization: *Stroke.* 2006: Vol. 37, S. 1923-1932.
166. Sugiyama,S, Kugiyama, K, Ogata, N, Doi, H, Ota, Y, Ohgushi, M, Matsumura, T, Oka, H, Yasue, H. Biphasic regulation of transcription factor nuclear factor-kappaB activity in human endothelial cells by lysophosphatidylcholine through protein kinase C-mediated pathway: *Arterioscler.Thromb.Vasc.Biol.* 1998: Vol. 18, S. 568-576.
167. Sun,Q, Mayeda, A, Hampson, R K, Krainer, A R, Rottman, F M. General splicing factor SF2/ASF promotes alternative splicing by binding to an exonic splicing enhancer: *Genes Dev.* 1993: Vol. 7, S. 2598-2608.

168. Takano,M, Mizuno, K. Late coronary thrombosis in a sirolimus-eluting stent due to the lack of neointimal coverage: *Eur.Heart J.* 2006: Vol. 27, S. 1133.
169. van der Houven van Oordt, Diaz-Meco, M T, Lozano, J, Krainer, A R, Moscat, J, Caceres, J F. The MKK(3/6)-p38-signaling cascade alters the subcellular distribution of hnRNP A1 and modulates alternative splicing regulation: *J.Cell Biol.* 2000: Vol. 149, S. 307-316.
170. van der Logt,CP, Reitsma, P H, Bertina, R M. Alternative splicing is responsible for the presence of two tissue factor mRNA species in LPS stimulated human monocytes: *Thromb.Haemost.* 1992: Vol. 67, S. 272-276.
171. Van der Meeren,A, Vandamme, M, Squiban, C, Gaugler, M H, Mouthon, M A. Inflammatory reaction and changes in expression of coagulation proteins on lung endothelial cells after total-body irradiation in mice: *Radiat.Res.* 2003: Vol. 160, S. 637-646.
172. van der Poll,T, Buller, H R, ten Cate, H, Wortel, C H, Bauer, K A, van Deventer, S J, Hack, C E, Sauerwein, H P, Rosenberg, R D, ten Cate, J W. Activation of coagulation after administration of tumor necrosis factor to normal subjects: *N.Engl.J.Med.* 1990: Vol. 322, S. 1622-1627.
173. van der Poll,T, Levi, M, Hack, C E, ten Cate, H, van Deventer, S J, Eerenberg, A J, de Groot, E R, Jansen, J, Gallati, H, Buller, H R, . Elimination of interleukin 6 attenuates coagulation activation in experimental endotoxemia in chimpanzees: *J.Exp.Med.* 1994a: Vol. 179, S. 1253-1259.
174. van der Poll,T, Levi, M, van Deventer, S J, ten Cate, H, Haagmans, B L, Biemond, B J, Buller, H R, Hack, C E, ten Cate, J W. Differential effects of anti-tumor necrosis factor monoclonal antibodies on systemic inflammatory responses in experimental endotoxemia in chimpanzees: *Blood.* 1994b: Vol. 83, S. 446-451.
175. VanWijk,MJ, VanBavel, E, Sturk, A, Nieuwland, R. Microparticles in cardiovascular diseases: *Cardiovasc.Res.* 2003: Vol. 59, S. 277-287.

176. Verheij,M, Dewit, L G, van Mourik, J A. The effect of ionizing radiation on endothelial tissue factor activity and its cellular localization: *Thromb.Haemost.* 1995: Vol. 73, S. 894-895.
177. Versteeg,HH, Ruf, W. Emerging insights in tissue factor-dependent signaling events: *Semin.Thromb.Hemost.* 2006: Vol. 32, S. 24-32.
178. Waksman,R. Late thrombosis after radiation. Sitting on a time bomb: *Circulation.* 1999: Vol. 100, S. 780-782.
179. Wang,T, Zhang, X, Li, J J. The role of NF-kappaB in the regulation of cell stress responses: *Int.Immunopharmacol.* 2002: Vol. 2, S. 1509-1520.
180. Waxman,E, Ross, J B, Laue, T M, Guha, A, Thiruvikraman, S V, Lin, T C, Konigsberg, W H, Nemerson, Y. Tissue factor and its extracellular soluble domain: the relationship between intermolecular association with factor VIIa and enzymatic activity of the complex: *Biochemistry.* 1992: Vol. 31, S. 3998-4003.
181. Werling,RW, Zacharski, L R, Kisiel, W, Bajaj, S P, Memoli, V A, Rousseau, S M. Distribution of tissue factor pathway inhibitor in normal and malignant human tissues: *Thromb.Haemost.* 1993: Vol. 69, S. 366-369.
182. Wilcox,JN, Smith, K M, Schwartz, S M, Gordon, D. Localization of tissue factor in the normal vessel wall and in the atherosclerotic plaque: *Proc.Natl.Acad.Sci.U.S.A.* 1989: Vol. 86, S. 2839-2843.
183. Wu,JY, Maniatis, T. Specific interactions between proteins implicated in splice site selection and regulated alternative splicing: *Cell.* 1993: Vol. 75, S. 1061-1070.
184. Wustrow,T, Fritsche, H M, Wagner, M, Blumel, G, Messerschmidt, O. [Studies about combined lesions - 30th communication. Activation and inhibition of blood-coagulation after whole-body irradiation combined with trauma (author's transl)]: *Strahlentherapie.* 1982: Vol. 158, S. 242-250.

185. Yang,TL, Cui, J, Taylor, J M, Yang, A, Gruber, S B, Ginsburg, D. Rescue of fatal neonatal hemorrhage in factor V deficient mice by low level transgene expression: *Thromb.Haemost.* 2000: Vol. 83, S. 70-77.
186. Zafarullah,M, Li, W Q, Sylvester, J, Ahmad, M. Molecular mechanisms of N-acetylcysteine actions: *Cell Mol.Life Sci.* 2003: Vol. 60, S. 6-20.
187. Zeerleder,S, Asmis, L, Redondo, M, Sulzer, I, Lammle, B. Eine Patientin mit isolierter Verlängerung der aPTT ohne Anamnese einer hämorrhagischen Diathese: schwerer hereditärer Faktor XII-Mangel: *Ther.Umsch.* 1999: Vol. 56, S. 509-512.
188. Zhang,Y, Deng, Y, Luther, T, Muller, M, Ziegler, R, Waldherr, R, Stern, D M, Nawroth, P P. Tissue factor controls the balance of angiogenic and antiangiogenic properties of tumor cells in mice: *J.Clin.Invest.* 1994: Vol. 94, S. 1320-1327.
189. Zhu,BZ, Carr, A C, Frei, B. Pyrrolidine dithiocarbamate is a potent antioxidant against hypochlorous acid-induced protein damage: *FEBS Lett.* 2002: Vol. 532, S. 80-84.
190. Zwaal,RF, Schroit, A J. Pathophysiologic implications of membrane phospholipid asymmetry in blood cells: *Blood.* 1997: Vol. 89, S. 1121-1132.