

References

- Adam, J., Urai, J., Wieneke, B., Oncken, O., Pfeiffer, K., Kukowski, N., Lohrmann, J., Hoth, S., van der Zee, W. and Schmatz, J. (2005). Shear localisation and strain distribution during tectonic faulting—new insights from granular-flow experiments and high-resolution optical image correlation techniques. *Journal of Structural Geology*, 27(2), 283–301.
- Adams, J. (1980). Contemporary uplift and erosion of the Southern Alps, New Zealand. *Geological Society of America Bulletin*, 91(1), I 2–I 4, II 1–II 114.
- Ahnert, F. (1970). Functional relationships between denudation, relief, and uplift in large, mid-latitude drainage basins. *American Journal of Science*, 268(3), 243–263.
- Ahnert, F. (1999). *Einführung in die Geomorphologie*. Eugen Ulmer, Stuttgart, 2 edition.
- Allaby, A. and Allaby, M. (1999). *The concise Oxford dictionary of Earth sciences*. Oxford University Press, Oxford, 2 edition.
- Allen, P. and Allen, J. (2005). *Basin analysis, Principles and applications*. Blackwell Publishing, Oxford, 2 edition.
- Allen, P. A., Burgess, P. M., Galewsky, J. and Sinclair, H. D. (2001). Flexural-eustatic numerical model for drowning of the Eocene perialpine carbonate ramp and implications for Alpine geodynamics. *Geological Society of America Bulletin*, 113(8), 1052–1066.
- Allen, P. A., Crampton, S. L. and Sinclair, H. D. (1991). The inception and early evolution of the North Alpine foreland basin, Switzerland. *Basin Research*, 3(3), 143–163.
- Avouac, J. P. and Burov, E. B. (1996). Erosion as a driving mechanism of intracontinental mountain growth. *Journal of Geophysical Research*, B, 101(8), 17,747–17,769.
- Badertscher, N. P., Beaudoin, G., Therrien, R. and Burkhard, M. (2002). Glarus overthrust: A major pathway for the escape of fluids out of the Alpine orogen. *Geology*, 30(10), 875–878.
- Bangs, N. L. B., Shipley, T. H., Moore, J. C. and Moore, G. F. (1999). Fluid accumulation and channelling along the northern Barbados Ridge décollement thrust. *Journal of Geophysical Research*, B, 104(9), 20,399–20,414.
- Barnard, P. L., Owen, L. A., Sharma, M. C. and Finkel, R. C. (2004). Late Quaternary (Holocene) landscape evolution of a monsoon-influenced high Himalayan valley, Gori Ganga, Nanda Devi, NE Garhwal. *Geomorphology*, 61(1-2), 91–110.
- Barr, T. D. and Dahlen, F. A. (1989). Brittle frictional mountain building; 2, Thermal structure and heat budget. *Journal of Geophysical Research*, B, 94(4), 3923–3947.
- Barr, T. D., Dahlen, F. A. and McPhail, D. C. (1991). Brittle frictional mountain building; 3, Low-grade metamorphism. *Journal of Geophysical Research*, B, 96(6), 10,319–10,338.
- Barrier, L., Nalpas, T., Gapais, D., Proust, J. N., Casas, A. and Bourquin, S. (2002). Influence of syntectonic sedimentation on thrust geometry; field examples from the Iberian Chain (Spain) and analogue modelling. *Sedimentary Geology*, 146(1-2), 91–104.
- Batt, G. E. and Braun, J. (1999). The tectonic evolution of the Southern Alps, New Zealand: Insights from fully thermally coupled dynamical modelling. *Geophysical Journal International*, 136(2), 403–420.
- Beaumont, C. (1981). Foreland basins. *Geophysical Journal, Royal Astronomical Society*, 65(2), 291–329.
- Beaumont, C., Ellis, S., Hamilton, J. and Fullsack, P. (1996). Mechanical model for subduction-collision tectonics of alpine-type compressional orogens. *Geology*, 24(8), 675–678.
- Beaumont, C., Fullsack, P. and Hamilton, J. (1992). Erosional control of active compressional orogens. In McClay, K. R., editor, *Thrust tectonics*, pages 1–18. Chapman and Hall, London, United Kingdom.
- Beaumont, C., Jamieson, R. A., Nguyen, M. H. and Lee, B. (2001). Himalayan tectonics explained by extrusion of a low-viscosity crustal channel coupled to focused surface denudation. *Nature (London)*, 414(6865), 738–742.

- Beaumont, C., Munoz, J. A., Hamilton, J. and Fullsack, P. (2000). Factors controlling the Alpine evolution of the central Pyrenees inferred from a comparison of observations and geodynamical models. *Journal of Geophysical Research, B*, 105(4), 8121–8145.
- Bernal, A., Hardy, S., Gawthorpe, R. and Finch, E. (2004). Stratigraphic expression of the lateral propagation and growth of isolated fault-related uplifts. *Basin Research*, 16(2), 219–233.
- Bilham, R., Larson, K. M., Freymueller, J. T., Jouanne, F., Le, F. P., Leturmy, P., Mugnier, J. L., Gamond, J. F., Glot, J. P., Martinod, J., Chaudury, N. L., Chitrakar, G. R., Gautam, U. P., Koirala, B. P., Pandey, M. R., Ranabhat, R., Sapkota, S. N., Shrestha, P. L., Thakuri, M. C., Timilsina, U. R., Tiwari, D. R., Vidal, G., Vigny, C., Galy, A. and de, V. B. (1997). GPS measurements of present-day convergence across the Nepal Himalaya. *Nature (London)*, 386(6620), 61–64.
- Bombolakis, E. G. (1986). Thrust-fault mechanics and origin of a frontal ramp. In *Thrusting and deformation*, volume 8; 3-4, pages 281–290. Pergamon, Oxford-New York, International.
- Bonini, M., Sokoutis, D., Talbot, C. J., Boccaletti, M. and Milnes, A. G. (1999). Indenter growth in analogue models of Alpine-type deformation. *Tectonics*, 18(1), 119–128.
- Bookhagen, B., Thiede, R. C. and Strecker, M. R. (2005). Late Quaternary intensified monsoon phases control landscape evolution in the northwest Himalaya. *Geology*, 33(2), 149–152.
- Boyer, S. E. (1992). Geometric evidence for synchronous thrusting in the southern Alberta and Northwest Montana thrust belts. In McClay, K. R., editor, *Thrust tectonics*, pages 377–390. Chapman and Hall, London, United Kingdom.
- Boyer, S. E. (1995). Sedimentary basin taper as a factor controlling the geometry and advance of thrust belts. *American Journal of Science*, 295(10), 1220–1254.
- Boyer, S. E. and Elliott, D. (1982). Thrust systems. *American Association of Petroleum Geologists Bulletin*, 66(9), 1196–1230.
- Brace, W. F. and Kohlstedt, D. L. (1980). Limits on lithospheric stress imposed by laboratory experiments. *Journal of Geophysical Research B*, 85(11), 6248–6252.
- Bradley, D. C. and Leach, D. L. (2003). Tectonic controls of Mississippi Valley-type lead-zinc mineralization in orogenic forelands. *Mineralium Deposita*, 38(6), 652–667.
- Brandon, M. T. and Calderwood, A. R. (1990). High-pressure metamorphism and uplift of the Olympic subduction complex. *Geology*, 18(2), 1252–1255.
- Burbank, D. and Anderson, R. (2001). *Tectonic Geomorphology*. Blackwell Publishing, Oxford, 1 edition.
- Burbank, D. W. (2002). Rates of erosion and their implications for exhumation. *Mineralogical Magazine*, 66(1), 25–52.
- Burbank, D. W. and Beck, R. A. (1991). Rapid, long-term rates of denudation. *Geology*, 19(12), 1169–1172.
- Burbank, D. W., Blythe, A. E., Putkonen, J., Pratt, S. B., Gabet, E., Osokin, M., Barros, A. and Ojha, T. P. (2003). Decoupling of erosion and precipitation in the Himalayas. *Nature (London)*, 426(6967), 652–655.
- Burbidge, D. R. and Braun, J. (1998). Analogue models of obliquely convergent continental plate boundaries. *Journal of Geophysical Research, B*, 103(B7), 15221–15237.
- Butler, R. W. H. (1987). Thrust sequences. *Journal of the Geological Society of London*, 144(4), 619–634.
- Butler, R. W. H. (2004). The nature of "roof thrusts" in the Moine thrust belt, NW Scotland: implications for the structural evolution of thrust belts. *Journal of the Geological Society of London*, 161(5), 849–859.
- Butler, R. W. H. and Bowler, S. (1995). Local displacement rate cycles in the life of a fold-thrust belt. *Terra Nova*, 7(4), 408–416.
- Byerlee, J. (1978). Friction of rocks. *Pure Appl. geophys.*, 116(4-5), 615–626.

- Byrne, D. E., Davis, D. M. and Sykes, L. R. (1988). Loci and maximum size of thrust earthquakes and the mechanics of the shallow region of subduction zones. *Tectonics*, 7(4), 833–857.
- Byrne, D. E., Wang, W. h. and Davis, D. M. (1993). Mechanical role of backstops in the growth of fore-arcs. *Tectonics*, 12(1), 123–144.
- Cadell, H. M. (1888). Experimental researches in mountain building. *Transactions of the Royal Society of Edinburgh*, 35.
- Calassou, S., Larroque, C. and Malavieille, J. (1993). Transfer zones of deformation in thrust wedges; an experimental study. *Tectonophysics*, 221(3-4), 325–344.
- Catuneanu, O. and Elango, H. N. (2001). Tectonic control on fluvial styles: The Balfour formation of the Karoo Basin, South Africa. *Sedimentary Geology*, 140(3-4), 291–313.
- Chapple, W. (1978). Mechanics of thin-skinned fold-and-thrust belts. *Bulletin of the Geological Society of America*, 89, 1189–1198.
- Clevis, Q., De Boer, P. L. and Nijman, W. (2004). Differentiating the effect of episodic tectonism and eustatic sea-level fluctuations in foreland basins filled by alluvial fans and axial deltaic systems: insights from a three-dimensional stratigraphic forward model. *Sedimentology*, 51(4), 809–835.
- Cobbold, P. R., Durand, S. and Mourges, R. (2001). Sandbox modelling of thrust wedges with fluid-assisted detachments. *Tectonophysics*, 334(3-4), 245–258.
- Conrad, C. P. and Lithgow Bertelloni, C. (2004). The temporal evolution of plate driving forces: Importance of "slab suction" versus "slab pull" during the Cenozoic. *Journal of Geophysical Research, B*, 109(10), B10407 1–14.
- Corrado, S., Di Bucci, D., Naso, G. and Faccenna, C. (1998). Influence of palaeogeography on thrust system geometries: An analogue modelling approach for the Abruzzi-Molise (Italy) case history. *Tectonophysics*, 296(3-4), 437–453.
- Corti, G., Bonini, M., Conticelli, S., Innocenti, F., Manetti, P. and Sokoutis, D. (2003). Analogue modelling of continental extension: A review focused on the relations between the patterns of deformation and the presence of magma. *Earth Science Reviews*, 63(3-4), 169–247.
- Coutand, I., Strecker, M. R., Arrowsmith, J. R., Hillye, G., Thiede, R. C., Korjenkov, A. and Omuraliev, M. (2002). Late Cenozoic tectonic development of the intramontane Alai Valley, (Pamir-Tien Shan region, central Asia): An example of intracontinental deformation due to the Indo-Eurasia collision. *Tectonics*, 21(6), 3–1 – 3–19.
- Couzens-Schultz, B. A., Vendeville, B. C. and Wiltschko, D. V. (2003). Duplex style and triangle zone formation: Insights from physical modeling. *Journal of Structural Geology*, 25(10), 1623–1644.
- Covey, M. (1986). The evolution of foreland basins to steady state: evidence from the western Taiwan foreland basin. In Allen, P. A. and Homewood, P., editors, *Foreland basins*, pages 77–90. Blackwell Scientific; Special Publication International Association of Sedimentologists 8.
- Crampton, S. L. and Allen, P. A. (1995). Recognition of forebulge unconformities associated with early stage foreland basin development: example from the north Alpine foreland basin. *American Association of Petroleum Geologists Bulletin*, 79(10), 1495–1514.
- Craw, D. and Campbell, J. R. (2004). Tectonic and structural setting for active mesothermal gold vein systems, Southern Alps, New Zealand. *Journal of Structural Geology*, 26(6-7), 995–1005.
- Craw, D., Koons, P. O., Horton, T. and Chamberlain, C. P. (2002). Tectonically driven fluid flow and gold mineralisation in active collisional orogenic belts: Comparison between New Zealand and western Himalaya. *Tectonophysics*, 348(1-3), 135–153.
- Crider, J. G. and Peacock, D. C. P. (2004). Initiation of brittle faults in the upper crust: A review of field observations. *Journal of Structural Geology*, 26(4), 691–707.
- Dadson, S. J., Hovius, N., Chen, H., Dade, W. B., Hsieh, M. L., Willett, S. D., Hu, J. C., Horng, M. J.,

- Chen, M. C., Stark, C. P., Lague, D. and Lin, J. C. (2003). Links between erosion, runoff variability and seismicity in the Taiwan Orogen. *Nature (London)*, 426(6967), 648–651.
- Dahlen, F. A. (1984). Noncohesive critical Coulomb wedges; an exact solution. *Journal of Geophysical Research, B*, 89, 10,125–10,133.
- Dahlen, F. A. (1990). Critical taper model of fold-and-thrust belts and accretionary wedges. *Annual Review of Earth and Planetary Sciences*, 88, 55–99.
- Dahlen, F. A. and Barr, T. D. (1989). Brittle frictional mountain building; 1, Deformation and mechanical energy budget. *Journal of Geophysical Research, B*, 94(4), 3906–3922.
- Dahlen, F. A. and Suppe, J. (1988). Mechanics, growth, and erosion of mountain belts. In Clark, S., Burchfield, B. c. and Suppe, J., editors, *Processes in Continental Lithospheric Deformation*, volume 218, pages 161–178.
- Dahlen, F. A., Suppe, J. and Davis, D. (1984). Mechanics of fold-and-thrust belts and accretionary wedges; cohesive Coulomb theory. *Journal of Geophysical Research, B*, 89, 10,087–10,101.
- Davis, D., Suppe, J. and Dahlen, F. A. (1983). Mechanics of fold-and-thrust belts and accretionary wedges. *Journal of Geophysical Research, B*, 88(2), 1153–1172.
- DeCelles, P. G. and Giles, K. A. (1996). Foreland basin systems. *Basin Research*, 8(2), 105–123.
- Del Castello, M., Pini, G. A. and McClay, K. R. (2004). Effect of unbalanced topography and overloading on Coulomb wedge kinematics: Insights from sand-box modeling. *Journal of Geophysical Research, B*, 109(5), 1–17.
- Densmore, A. L., Ellis, M. A. and Anderson, R. S. (1998). Landsliding and the evolution of normal-fault-bounded mountains. *Journal of Geophysical Research, B*, 103(7), 15,203–15,219.
- Densmore, A. L. and Hovius, N. (2000). Topographic fingerprints of bedrock landslides. *Geology*, 28(4), 371–374.
- Dewey, J. F. (1982). Plate tectonics and the evolution of the British Isles. *Journal of the Geological Society of London*, 139(4), 371–412.
- DiLeonardo, C. G., Moore, J. C., Nissen, S. and Bangs, N. (2002). Control of internal structure and fluid-migration pathways within the Barbados Ridge décollement zone by strike-slip faulting: Evidence from coherence and three-dimensional seismic amplitude imaging. *Bulletin of the Geological Society of America*, 114(1), 51–63.
- Dixon, J. S. (1982). Regional structural synthesis, Wyoming salient of Western Overthrust belt. *American Association of Petroleum Geologists Bulletin*, 66(10), 1560–1580.
- Dominguez, S., Lallemand, S. E., Malavieille, J. and von Huene, R. (1998). Upper plate deformation associated with seamount subduction. *Tectonophysics*, 293(3-4), 207–224.
- Elger, K., Oncken, O. and Glodny, J. (2005). Plateau-style accumulation of deformation - the Southern Altiplano. *Tectonics*, 24, TC4020 1–22.
- Ellis, S. (1996). Forces driving continental collision: reconciling indentation and mantle subduction tectonics. *Geology*, 24(8), 699–702.
- Ellis, S., Fullsack, P. and Beaumont, C. (1995). Oblique convergence of the crust driven by basal forcing: implications for length-scales of deformation and strain partitioning in orogens. *Geophysical Journal International*, 120(1), 24–44.
- England, P. C. and Molnar, P. (1990). Surface uplift, uplift of rocks, and exhumation of rocks. *Geology*, 18(12), 1173–1177.
- Filizola, N., Fraizy, P., Guyot, J. L. and Seyler, F. (2002). Actual erosion by rivers in the Bolivian Andes. In *Andean Geodynamics (ISAG)*, pages 211–214, Toulouse. Institut recherche pour le développement (IRD).
- Fitzgerald, P. G., Munoz, J. A., Coney, P. J. and Baldwin, S. L. (1999). Asymmetric exhumation across the Pyrenean Orogen; implications for the tectonic evolution of a collisional orogen. *Earth and Planetary Science Letters*, 173(3), 157–170.

- Flemings, P. B. and Jordan, T. E. (1989). A synthetic stratigraphic model of foreland basin development. *Journal of Geophysical Research, B*, 94(4), 3851–3866.
- Flemings, P. B. and Jordan, T. E. (1990). Stratigraphic modeling of foreland basins; interpreting thrust deformation and lithosphere rheology. *Geology*, 18(5), 430–434.
- Fujii, Y. (1969). Frequency distribution of the magnitude of the landslides caused by heavy rain-fall. *Zisin = Jishin*, 22(2), 244–247.
- Galewsky, J. (1998). The dynamics of foreland basin carbonate platforms: tectonic and eustatic controls. *Basin Research*, 10(4), 409–416.
- Gerbault, M. and Garcia-Castellanos, D. (2005). Fluvial transport and tectonics: cyclic growth of relief in orogenic high plateau setting. In *EGU*, volume 7, page 2, Vienna. European Geosciences Union.
- Goff, D. and Wiltschko, D. V. (1992). Stresses beneath a ramping thrust sheet. *Journal of Structural Geology*, 14(4), 437–449.
- Gutscher, M. A., Kukowski, N., Malavieille, J. and Lallemand, S. (1996). Cyclical behavior of thrust wedges; insights from high basal friction sandbox experiments. *Geology*, 24(2), 135–138.
- Gutscher, M. A., Kukowski, N., Malavieille, J. and Lallemand, S. E. (1998). Episodic imbricate thrusting and underthrusting; analog experiments and mechanical analysis applied to the Alaskan accretionary wedge. *Journal of Geophysical Research, B*, 103(5), 10,161–10,176.
- Guzzetti, F., Malamud, B. D., Turcotte, D. L. and Reichenbach, P. (2002). Power-law correlations of landslide areas in central Italy. *Earth and Planetary Science Letters*, 195(3-4), 169–183.
- Hall, R. and Nichols, G. (2002). Cenozoic sedimentation and tectonics in Borneo; climatic influences on orogenesis. In *Sediment flux to basins; causes, controls and consequences*, pages 5–22. Geological Society London; Special Publication 191, London.
- Hallet, B., Hunter, L. and Bogen, J. (1996). Rates of erosion and sediment evacuation by glaciers; a review of field data and their implications. *Global and Planetary Change*, 12(1-4), 213–235.
- Harbor, J. and Warburton, J. (1993). Relative rates of glacial and nonglacial erosion in alpine environments. *Arctic and Alpine Research*, 25(1), 1–7.
- Hardy, S., Duncan, C., Masek, J. and Brown, D. (1998). Minimum work, fault activity and the growth of critical wedges in fold and thrust belts. *Basin Research*, 10, 365–373.
- Hay, W. W. (1996). Tectonics and climate. *International Journal of Earth Sciences*, 85(3), 409–437.
- Hilley, G. and Strecker, M. (2005). Processes of oscillatory basin filling and excavation in a tectonically active orogen: Quebrada del Toro Basin, NW Argentina. *Bulletin of the Geological Society of America*, 117(7-8), 887–901.
- Hilley, G. E. and Strecker, M. (2004). Steady state erosion of critical Coulomb wedges with applications to Taiwan and the Himalaya. *Journal of Geophysical Research, B*, 109(01411 1-17).
- Hilley, G. E., Strecker, M. R. and Ramos, V. A. (2004). Growth and erosion of fold-and-thrust belts with an application to the Aconcagua fold-and-thrust belt, Argentina. *Journal of Geophysical Research, B*, 109(1), 01410 1–19.
- Hodges, K. V., Wobus, C., Ruhl, K., Schildgen, T. and Whipple, K. (2004). Quaternary deformation, river steepening, and heavy precipitation at the front of the Higher Himalayan ranges. *Earth and Planetary Science Letters*, 220(3-4), 379–389.
- Hoffmann-Rothe, A., Kukowski, N. and Oncken, O. (2004). Phase dependent strain partitioning in obliquely convergent settings. In *Bollettino di Geofisica*, volume 45 (1 suppl), pages 93–97. GeoMod2004.
- Horton, B. K. (1999). Erosional control on the geometry and kinematics of thrust belt development in the Central Andes. *Tectonics*, 18(6), 1292–1304.
- Hoth, S., Adam, J., Kukowski, N. and Oncken, O. (2006). Influence of erosion on the kinematics of

- bivergent orogens. Results from scaled sandbox simulations. In Willett, S., Hovius, N., Brandon, M. and Fisher, D., editors, *Tectonics, Climate and Landscape Evolution, GSA Special Paper 398, Penrose Conference Series*, pages 201–225.
- Hovius, N. (1996). Regular spacing of drainage outlets from linear mountain belts. *Basin Research*, 8(1), 29–44.
- Hovius, N. (1998). Controls on sediment supply by large rivers. In *Relative role of eustasy, climate, and tectonism in continental rocks*, volume 59, pages 3–16. Society for Sedimentary Geology (SEPM), Tulsa, OK, United States.
- Hovius, N. (2000). Macroscale process systems of mountain belt erosion. In Summerfield M., A., editor, *Geomorphology and global tectonics*, pages 77–205. John Wiley, Chichester, United Kingdom.
- Hovius, N., Stark, C. P. and Allen, P. A. (1997). Sediment flux from a mountain belt derived by landslide mapping. *Geology*, 25(3), 231–234.
- Howard, A. D., Dietrich, W. E. and Seidl, M. A. (1994). Modeling fluvial erosion on regional to continental scales. *Journal of Geophysical Research, B*, 99(7), 13,971–13,986.
- Hubbert, M. (1937). Theory of scale models as applied to the study of geological structures. *Bulletin of the Geological Society of America*, 48, 1459–1520.
- Hubbert, M. K. and Rubey, W. W. (1959). Mechanics of fluid-filled porous solids and its application to overthrust faulting, [Part] 1 of Role of fluid pressure in mechanics of overthrust faulting. *Geological Society of America Bulletin*, 70(2), 115–166.
- Hubert-Ferrari, A., Suppe, J., Van Der Woerd, J., Xin, W. and Lu, H. (2005). Irregular earthquake cycle along the southern Tianshan front, Aksu area, China. *Journal of Geophysical Research, B*, 110, 06402 1–18.
- Jackson, J., Ritz, J.-F., Siame, L., Raisbeck, G., Yiou, F., Norris, R., Youngson, J. and Bennett, E. (2002). Fault growth and landscape development rates in Otago, New Zealand, using in situ cosmogenic ^{10}Be . *Earth and Planetary Science Letters*, 195(3–4), 185–193.
- Jamison, W. R. (1993). Mechanical stability of the triangle zone: the backthrust wedge. *Journal of Geophysical Research, B*, 98(11), 20,015–20,030.
- Ji, J., Shen, J., Balsam, W., Chen, J., Liu, L. and Liu, X. (2005). Asian monsoon oscillations in the north-eastern Qinghai-Tibet Plateau since the late glacial as interpreted from visible reflectance of Qinghai Lake sediments. *Earth and Planetary Science Letters*, 233(1–2), 61–70.
- Jones, M. A., Heller, P. L., Roca, E., Garces, M. and Cabrera, L. (2004). Time lag of syntectonic sedimentation across an alluvial basin: Theory and example from the Ebro Basin, Spain. *Basin Research*, 16(4), 467–488.
- Jordan, T. E. and Flemings, P. B. (1991). Large-scale stratigraphic architecture, eustatic variation, and unsteady tectonism: a theoretical evaluation. *Journal of Geophysical Research, B*, 96(4), 6681–6699.
- Jordan, T. E., Schlunegger, F. and Cardozo, N. (2001). Unsteady and spatially variable evolution of the Neogene Andean Bermejo foreland basin, Argentina. *Journal of South American Earth Sciences*, 14(7), 775–798.
- Karner, G. D. and Watts, A. B. (1983). Gravity anomalies and flexure of the lithosphere at mountain ranges. *Journal of Geophysical Research, B*, 88(12), 10449–10477.
- Keefer, D. K., Moseley, M. E. and deFrance, S. D. (2003). A 38 000-year record of floods and debris flows in the Ilo region of southern Peru and its relation to El Nino events and great earthquakes. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 194(1–3), 41–77.
- Kempf, O. and Pfiffner, O. A. (2004). Early Tertiary evolution of the North Alpine Foreland Basin of the Swiss Alps and adjoining areas. *Basin Research*, 16(4), 549–567.
- Konstantinovskaya, E. and Malavieille, J. (2005). Erosion and exhumation in accretionary orogens: Experimental and geological approaches. *Geochemistry Geophysics Geosystems*, 6(2), 1–25.
- Koons, P. O. (1990). Two-sided orogen; collision and erosion from the sandbox to the Southern Alps, New Zealand. *Geology*, 18(8), 679–682.

- Koons, P. O. (1995). Modeling the topographic evolution of collisional belts. *Annual Review of Earth and Planetary Sciences*, 23, 375–408.
- Koons, P. O., Norris, R. J., Craw, D. and Cooper, A. F. (2003). Influence of exhumation on the structural evolution of transpressional plate boundaries; an example from the Southern Alps, New Zealand. *Geology*, 31(1), 3–6.
- Koons, P. O., Zeitler, P. K., Chamberlain, C. P., Craw, D. and Meltzer, A. S. (2002). Mechanical links between erosion and metamorphism in Nanga Parbat, Pakistan Himalaya. *American Journal of Science*, 302(9), 749–773.
- Kopp, H. and Kukowski, N. (2003). Backstop geometry and accretionary mechanics of the Sunda margin. *Tectonics*, 22(6), 11–1 – 11–16.
- Korup, O., McSaveney, M. J. and Davies, T. R. H. (2004). Sediment generation and delivery from large historic landslides in the Southern Alps, New Zealand. *Geomorphology*, 61(1-2), 189–207.
- Koyi, H. (1995). Mode of internal deformation in sand wedges. *Journal of Structural Geology*, 17(2), 293–300.
- Kuhlemann, J. (2000). Post-collisional sediment budget of circum-Alpine basins (Central Europe). *Memorie di Scienze Geologiche*, 52(1), 1–91.
- Kukowski, N., Lallemand, S. E., Malavieille, J., Gutscher, M.-A. and Reston, T. J. (2002). Mechanical decoupling and basal duplex formation observed in sandbox experiments with application to the Western Mediterranean Ridge accretionary complex. *Marine Geology*, 186(1-2), 29–42.
- Kukowski, N., von, H. R., Malavieille, J. and Lallemand, S. E. (1994). Sediment accretion against a buttress beneath the Peruvian continental margin at 12 degrees S as simulated with sandbox modeling. *Geologische Rundschau*, 83(4), 822–831.
- Kummerow, J., Kind, R., Oncken, O., Giese, P., Ryberg, T., Wylegalla, K. and Scherbaum, F. (2004). A natural and controlled source seismic profile through the Eastern Alps: TRANSALP. *Earth and Planetary Science Letters*, 225(1-2), 115–129.
- Kutzbach, J. E., Prell, W. L. and Ruddiman, W. F. (1993). Sensitivity of Eurasian climate to surface uplift of the Tibetan Plateau. *The Journal of Geology*, 101(2), 177–190.
- Kyser, K. and Hiatt, E. E. (2003). Fluids in sedimentary basins: An introduction. *Journal of Geochemical Exploration*, 80(2-3), 139–149.
- Labaume, P., Seguret, M. and Seyve, C. (1985). Evolution of a turbiditic foreland basin and analogy with an accretionary prism; example of the Eocene South-Pyrenean Basin. *Tectonics*, 4(7), 661–685.
- Lacombe, O. and Mouthereau, F. (2002). Basement-involved shortening and deep detachment tectonics in forelands of orogens; insights from recent collisions belts; Taiwan, Western Alps, Pyrenees. *Tectonics*, 21, 12–1 – 12–22.
- Lallemand, S. E., Schnuerle, P. and Malavieille, J. (1994). Coulomb theory applied to accretionary and nonaccretionary wedges; possible causes for tectonic erosion and/ or frontal accretion. *Journal of Geophysical Research, B*, 99(6), 12,033–12,055.
- Lavé, J. and Avouac, J. (2001). Fluvial incision and tectonic uplift across the Himalayas of central Nepal. *Journal of Geophysical Research, B*, 106(11), 26,561–26,591.
- Le Pichon, X., Lallemand, S. J., Chamot Rooke, N., Lemeur, D. and Pascal, G. (2002). The Mediterranean Ridge backstop and the Hellenic nappes. *Marine Geology*, 186(1-2), 111–125.
- Leach, D. L., Bradley, D., Lewchuk, M. T., Symons, D. T. A., de Marsily, G. and Brannon, J. (2001). Mississippi Valley-type lead-zinc deposits through geological time: Implications from recent age-dating research. *Mineralium Deposita*, 36(8), 711–740.
- Leeder, M. R. (1991). Denudation, vertical crustal movements and sedimentary basin fill. *Geologische Rundschau*, 80(2), 441–458.
- Leturmy, P., Mugnier, J. L., Vinour, P., Baby, P., Colletta, B. and Chabron, E. (2000). Piggyback basin development above a thin-skinned thrust belt with two detachment levels as a function of interactions between tectonic and superficial mass transfer; the case of the Subandean Zone (Bolivia). *Tectonophysics*, 320(1), 45–67.

- Lin, J. C. (2000). Morphotectonic evolution of Taiwan. In Summerfield M., A., editor, *Geomorphology and global tectonics*, pages 135–146. John Wiley, Chichester, United Kingdom.
- Liu, H., McClay, K. R. and Powell, D. (1992). Physical models of thrust wedges. In *Thrust tectonics*, pages 71–81. Chapman and Hall, London, United Kingdom.
- Lohrmann, J., Kukowski, N., Adam, J. and Oncken, O. (2003). The impact of analogue material properties on the geometry, kinematics, and dynamics of convergent sand wedges. *Journal of Structural Geology*, 25(10), 1691–1711.
- Luján, M., Storti, F., Balanya, J. C., Crespo Blanc, A. and Rossetti, F. (2003). Role of décollement material with different rheological properties in the structure of the Aljibe thrust imbricate (Flysch Trough, Gibraltar Arc): An analogue modelling approach. *Journal of Structural Geology*, 25(6), 867–881.
- Macedo, J. and Marshak, S. (1999). Controls on the geometry of fold-thrust belt salients. *Geological Society of America Bulletin*, 111(12), 1808–1822.
- Malavieille, J. (1984). Modélisation expérimentale des chevauchements imbriqués: application aux chaînes de montagnes. *Société Géologique de France, Bulletin*, 7, 129–138.
- Malavieille, J., Lallemand, S., Dominguez, S., Deschamps, A., Lu, C. Y., Liu, C. S. and Schnuerle, P., Angelier, J., Collot, J. Y., Deffontaines, B., Fournier, M., Hsu, S. K., Le, F., Liu, S. Y., Sibuet, J. C., Thareau, N. and Wang, F. (2002). Arc-continent collision in Taiwan; new marine observations and tectonic evolution. In Byrne, T. and Liu, C., editors, *Geology and geophysics of an arc-continent collision, Taiwan*, volume 358, pages 187–211. GSA.
- Mandl, G., de, J. L. N. J. and Maltha, A. (1977). Shear zones in granular material; an experimental study of their structure and mechanical genesis. *Rock Mechanics*, Supplementum 9(2-3), 95–144.
- Marques, F. O. and Cobbold, P. R. (2002). Topography as a major factor in the development of arcuate thrust belts; insights from sandbox experiments. *Tectonophysics*, 348(4), 247–268.
- Marshak, S. (2004). Salients, recesses, arcs, oroclines, and syntaxes; a review of ideas concerning the formation of map-view curves in fold-thrust belts. In *Thrust tectonics and hydrocarbon systems*, volume 82, pages 131–156. American Association of Petroleum Geologists, Memoir, Tulsa, OK, United States.
- Marshak, S. and Wilkerson, M. S. (1992). Effect of overburden thickness on thrust belt geometry and development. *Tectonics*, 11(3), 560–566.
- Martinez, A., Malavielle, J., Lallemand, S. and Collot, J. Y. (2002). Strain partitioning in an accretionary wedge, in oblique convergence: Analogue modelling. *Bulletin de la Société Géologique de France*, 173(1), 17–24.
- Masaferro, J. L., Bulnes, M., Poblet, J. and Eberli, G. P. (2002). Episodic folding inferred from syntectonic carbonate sedimentation: The Santaren anticline, Bahamas foreland. *Sedimentary Geology*, 146(1-2), 11–24.
- Masek, J. G. and Duncan, C. C. (1998). Minimum-work mountain building. *Journal of Geophysical Research, B*, 103(1), 907–917.
- McClay, K. R. (1992). Glossary of thrust tectonics terms. In McClay, K. R., editor, *Thrust tectonics*, pages 419–433. Chapman and Hall, London, United Kingdom.
- McClay, K. R. (1996). Recent advances in analogue modelling; uses in section interpretation and validation. In Buchanan, P. G. and Nieuwland, D., editors, *Modern developments in structural interpretation, validation and modelling*, pages 201–225. Geological Society London; Special Publication 99.
- McClay, K. R. and Whitehouse, P. S. (2004). Analog modeling of doubly vergent thrust wedges. In *Thrust tectonics and hydrocarbon systems*, volume 82, pages 184–206. American Association of Petroleum Geologists, Memoir, Tulsa, OK, United States.
- McClay, K. R., Whitehouse, P. S., Dooley, T. and Richards, M. (2004). 3-D evolution of fold and thrust belts formed by oblique convergence. *Marine and Petroleum Geology*, 21(7), 857–877.

- Meigs, A. and Sauber, J. (2000). Southern Alaska as an example of the long-term consequences of mountain building under the influence of glaciers. *Quaternary Science Reviews*, 19(14-15), 1543–1562.
- Meigs, A. J. (1997). Sequential development of selected Pyrenean thrust faults. *Journal of Structural Geology*, 19(3-4), 481–502.
- Meigs, A. J. and Burbank, D. W. (1997). Growth of the south Pyrenean orogenic wedge. *Tectonics*, 16(2), 239–258.
- Meigs, A. J., Verges, J. and Burbank, D. W. (1996). Ten-million-year history of a thrust sheet. *Geological Society of America Bulletin*, 108(12), 1608–1625.
- Merle, O. and Abidi, N. (1995). Approche expérimentale du fonctionnement des rampes émergentes. *Société Géologique de France, Bulletin*, 166(5), 439 – 450.
- Milliman, J. D. and Syvitski, J. P. M. (1992). Geomorphic/ tectonic control of sediment discharge to the ocean; the importance of small mountainous rivers. *Journal of Geology*, 100(5), 525–544.
- Mitra, G. and Boyer, S. E. (1986). Energy balance and deformation mechanisms of duplexes. *Journal of Structural Geology*, 8(3-4), 291–304.
- Molnar, P. and Lyon, C. H. (1988). Some simple physical aspects of the support, structure, and evolution of mountain belts. In *Processes in continental lithospheric deformation*, volume 218;, pages 179–207. Geological Society of America, Boulder, CO, United States.
- Montgomery, D. R., Balco, G. and Willett, S. D. (2001). Climate, tectonics, and the morphology of the Andes. *Geology*, 29(7), 579–582.
- Montgomery, D. R. and Brandon, M. T. (2002). Topographic controls on erosion rates in tectonically active mountain ranges. *Earth and Planetary Science Letters*, 201(3-4), 481–489.
- Moore, V. M. and Wiltschko, D. V. (2004). Syn-collisional delamination and tectonic wedge development in convergent orogens. *Tectonics*, 23(2), TC2005 1–27.
- Morellato, C., Redini, F. and Doglioni, C. (2003). On the number and spacing of faults. *Terra Nova*, 15(5), 315–321.
- Moretti, I., Labaume, P., Sheppard, S. and Boulegue, J. (2000). Compartmentalisation of fluid flow by thrust faults, Sub-Andean Zone, Bolivia. *Journal of Geochemical Exploration*, 69-70, 493–497.
- Morley, C. K. (1988). Out-of-sequence thrusts. *Tectonics*, 7(3), 539–561.
- Morris, R. G., Sinclair, H. D. and Yelland, A. J. (1998). Exhumation of the Pyrenean orogen; implications for sediment discharge. In *Basin research: thematic set on sediment supply to basins*, volume 10; 1, pages 69–85. Blackwell, Oxford, United Kingdom.
- Mouthereau, F., Lacombe, O., Deffontaines, B., Angelier, J. and Brusset, S. (2001). Deformation history of the southwestern Taiwan foreland thrust belt; insights from tectono-sedimentary analyses and balanced cross-sections. *Earth and Planetary Science Letters*, 333(1-2), 293–322.
- Mugnier, J. L., Baby, P., Colletta, B., Vinour, P., Bale, P. and Leturmy, P. (1997). Thrust geometry controlled by erosion and sedimentation; a view from analogue models. *Geology*, 25(5), 427–430.
- Muir-Wood, R. (1994). Earthquakes, strain-cycling and the mobilization of fluids. In Parnell, J., editor, *Geofluids: origin, migration and evolution of fluids in sedimentary basins*, pages 85–98. Geological Society London; Special Publication 78.
- Mulugeta, G. (1988). Modelling the geometry of Coulomb thrust wedges. *Journal of Structural Geology*, 10(8), 847–859.
- Mulugeta, G. and Koyi, H. (1992). Episodic accretion and strain partitioning in a model sand wedge. *Tectonophysics*, 202(2-4), 319–333.
- Najman, Y., Johnson, K., White, N. and Oliver, G. (2004). Evolution of the Himalayan foreland basin, NW India. *Basin Research*, 16(1), 1–24.
- Naylor, M., Sinclair, H., Willett, S. and Cowie, P. A. (2005). A Discrete Element Model for Orogenesis and Accretionary Wedge Growth. *Journal of Geophysical Research, B*, 110, 12403 1–16.

- Nicol, A., Gillespie, P. A., Childs, C. and Walsh, J. J. (2002). Relay zones between mesoscopic thrust faults in layered sedimentary sequences. *Journal of Structural Geology*, 24(4), 709–727.
- Nieuwland, D. A., Leutscher, J. H. and Gast, J. (2000). Wedge equilibrium in fold-and-thrust belts; prediction of out-of-sequence thrusting based on sandbox experiments and natural examples. *Geologie en Mijnbouw*, 79(1), 81–91.
- Nieuwland, D. A. and Walters, J. V. (1993). Geomechanics of the South Furious Field; an integrated approach towards solving complex structural geological problems, including analogue and finite-element modelling. *Tectonophysics*, 226(1-4), 143–166.
- Noever, D. A. (1993). Himalayan sandpiles. *Physical review*, 47(1), 724–725.
- Panian, J. and Wiltschko, D. (2004). Ramp initiation in a thrust wedge. *Nature (London)*, 427(6975), 624–627.
- Pavlis, T. L., Hamburger, M. W. and Pavlis, G. L. (1997). Erosional processes as a control on the structural evolution of an actively deforming fold and thrust belt; an example from the Pamir-Tien Shan region, Central Asia. *Tectonics*, 16(5), 810–822.
- Pazzaglia, F. J. and Brandon, M. T. (2001). A fluvial record of long-term steady-state uplift and erosion across the Cascadia forearc high, Western Washington State. *American Journal of Science*, 301(4), 385–431.
- Persson, K. S., Garcia-Castellanos, D. and Sokoutis, D. (2004). River transport effects on compressional belts: First results from an integrated analogue-numerical model. *Journal of Geophysical Research, B*, 109, 01409 1–11.
- Persson, K. S. and Sokoutis, D. (2002). Analogue models of orogenic wedges controlled by erosion. *Tectonophysics*, 356(4), 323–336.
- Pfiffner, O. A., Ellis, S. and Beaumont, C. (2000). Collision tectonics in the Swiss Alps; insight from geodynamic modeling. *Tectonics*, 19(6), 1065–1094.
- Platt, J. P. (1986). Dynamics of orogenic wedges and the uplift of high-pressure metamorphic rocks. *Geological Society of America Bulletin*, 97(9), 1037–1053.
- Platt, J. P. (1993). Exhumation of high-pressure rocks; a review of concepts and processes. *Terra Nova*, 5(2), 119–133.
- Price, R. A. (1973). Large-Scale Gravitational Flow of Supracrustal Rocks, Southern Canadian Rockies. In *Gravity and tectonics*. Pages 491–502.
- Ramberg, H. (1981). *Gravity, deformation and the earth's crust*. Academic Press, New York.
- Ranalli, G. (1995). *Rheology of the Earth*. Chapman and Hall, London, 2 edition.
- Rider, M. (2000). *The geological interpretation of well logs*. Whittles Publishing, Caithness, 2 edition.
- Ring, U., Brandon, M. T., Willett, S. D. and Lister, G. S. (1999). Exhumation processes. In *Exhumation processes; normal faulting, ductile flow and erosion*, pages 1–27. Geological Society London; Special Publication 154, London.
- Roddaz, M., Baby, P., Brusset, S., Hermoza, W. and Maria Darrozes, J. (2005). Forebulge dynamics and environmental control in Western Amazonia: The case study of the Arch of Iquitos (Peru). *Tectonophysics*, 399(1-4), 87–108.
- Rouré, F., Nazaji, S., Mushka, K., Fili, I., Cadet, J. P. and Bonneau, M. (2004). Kinematic evolution and petroleum systems; an appraisal of the outer Albanides. In *Thrust tectonics and hydrocarbon systems*, volume 82, pages 474–493. American Association of Petroleum Geologists, Memoir, Tulsa, OK, United States.
- Schäfer, F., Oncken, O., Kemnitz, H. and Romer, R. L. (2000). Upper-plate deformation during collisional orogeny; a case study from the German Variscides (Saxo-Thuringian Zone). In Franke, W., Haak, V., Oncken, O. and Tanner, D., editors, *Orogenic processes; quantification and modelling in the Variscan Belt*, pages 281–302. Geological Society London; Special Publication 179, London.

- Schellart, W. P. (2000). Shear test results for cohesion and friction coefficients for different granular materials; scaling implications for their usage in analogue modelling. *Tectonophysics*, 324(1-2), 1–16.
- Schlunegger, F. (1999). Controls of surface erosion on the evolution of the Alps; constraints from the stratigraphies of the adjacent foreland basins. *International Journal of Earth Sciences*, 88(2), 285–304.
- Schlunegger, F., Melzer, J. and Tucker, G. (2001). Climate, exposed source-rock lithologies, crustal uplift and surface erosion: a theoretical analysis calibrated with data from the Alps/North Alpine Foreland Basin system. *International Journal of Earth Sciences*, 90, 484–499.
- Schlunegger, F. and Simpson, G. (2002). Possible erosional control on lateral growth of the European Central Alps. *Geology*, 30(10), 907–910.
- Schlunegger, F. and Willett, S. D. (1999). Spatial and temporal variations in exhumation of the central Swiss Alps and implications for exhumation mechanisms. In Ring, U., Brandon, M. T., Lister, G. and Willett, S. D., editors, *Exhumation processes; normal faulting, ductile flow and erosion*, pages 157–179. Geological Society London; Special Publication 154, London.
- Schmidt, K. M. and Montgomery, D. R. (1995). Limits to relief. *Science*, 270(5236), 617–620.
- Schulze, D. (1994). Entwicklung und Anwendung eines neuartigen Ringschergerätes. *Aufbereitungstechnik*, 35(10), 524–535.
- Seidl, M. A. and Dietrich, W. E. (1992). The problem of channel erosion into bedrock. In *Functional geomorphology; landform analysis and models*, volume 23, pages 101–124. Catena-Verlag Rodenburg.
- Selby, M. J. (1982). Controls on the stability and inclinations of hillslopes formed on hard rock. *Earth Surface Processes and Landforms*, 7(5), 449–467.
- Sheaf, M. A., Serpa, L. and Pavlis, T. L. (2003). Exhumation rates in the St. Elias Mountains, Alaska. *Tectonophysics*, 367(1-2), 1–11.
- Sibson, R. H. (1994). Crustal stress, faulting and fluid flow. In Parnell, J., editor, *Geofluids: origin, migration and evolution of fluids in sedimentary basins*, pages 69–84. Geological Society London; Special Publication 78.
- Silver, E. A. and Reed, D. L. (1988). Backthrusting in accretionary wedges. *Journal of Geophysical Research, B*, 93(4), 3116–3126.
- Simpson, G. (2004). Role of river incision in enhancing deformation. *Geology*, 32(4), 341–344.
- Simpson, G. and Schlunegger, F. (2003). Topographic evolution and morphology of surfaces evolving in response to coupled fluvial and hillslope sediment transport. *Journal of Geophysical Research, B*, 108(6), ETG 7–1 – 7–16.
- Sinclair, H. D. (1997a). Flysch to molasse transition in peripheral foreland basins; the role of the passive margin versus slab breakoff. *Geology*, 25(12), 1123–1126.
- Sinclair, H. D. (1997b). Tectonostratigraphic model for underfilled peripheral foreland basins; an Alpine perspective. *Geological Society of America Bulletin*, 109(3), 324–346.
- Sinclair, H. D. and Allen, P. A. (1992). Vertical versus horizontal motions in the Alpine orogenic wedge: stratigraphic response in the foreland basin. *Basin Research*, 4, 215–232.
- Sinclair, H. D., Coakley, B. J., Allen, P. A. and Watts, A. B. (1991). Simulation of foreland basin stratigraphy using a diffusion model of mountain belt uplift and erosion; an example from the Central Alps, Switzerland. *Tectonics*, 10(3), 599–620.
- Soto, R., Casas, A. M., Storti, F. and Faccenna, C. (2002). Role of lateral thickness variations on the development of oblique structures at the Western end of the South Pyrenean Central Unit. *Tectonophysics*, 350(3), 215–235.
- Spotila, J. A., Buscher, J. T., Meigs, A. J. and Reiners, P. W. (2004). Long-term glacial erosion of active mountain belts; example of the Chugach-St. Elias Range, Alaska. *Geology*, 32(6), 501–504.

- Stark, C. P. and Hovius, N. (2001). The characterization of landslide size distributions. *Geophysical Research Letters*, 28(6), 1091–1094.
- Storti, F., Marin, R. S., Faccenna, C. and Sainz, A. C. (2001). Role of the backstop-to-cover thickness ratio on vergence partitioning in experimental thrust wedges. *Terra Nova*, 13(6), 413–417.
- Storti, F. and McClay, K. R. (1995). Influence of syn-tectonic sedimentation on thrust wedges in analogue models. *Geology*, 23(11), 999–1002.
- Storti, F., Salvini, F. and McClay, K. R. (2000). Synchronous and velocity-partitioned thrusting and thrust polarity reversal in experimentally produced, doubly-vergent thrust wedges; implications for natural orogens. *Tectonics*, 19(2), 378–396.
- Strecker, M. R., Hilley, G. E., Arrowsmith, J. R. and Coutand, I. (2003). Differential structural and geomorphic mountain-front evolution in an active continental collision zone; the Northwest Pamir, southern Kyrgyzstan. *Geological Society of America Bulletin*, 115(2), 166–181.
- Stüwe, K. (2000). *Geodynamics of the Lithosphere An introduction*. Springer Verlag, Berlin.
- Sugai, T., Ohmori, H. and Hirano, M. (1994). Rock control on magnitude-frequency distribution of landslide. *Transactions of the Japanese Geomorphological Union*, 15(3), 233–251.
- Summerfield, M. A. and Brown, R. W. (1998). Geomorphic factors in the interpretation of fission-track data. In Van den Haute, P. and De Corte, F., editors, *Advances in fission-track geochronology*, pages 19–32. Kluwer, Dordrecht.
- Summerfield, M. A. and Hulton, N. J. (1994). Natural controls of fluvial denudation rates in major world drainage basins. *Journal of Geophysical Research*, B, 99(7), 13,871–13,883.
- Tabor, R. and Cady, W. (1978). The structure of the Olympic Mountains, Washington - Analysis of a subduction zone. Technical Report 1033, USGS Professional Paper 1033.
- Thiede, R. C., Arrowsmith, J. R., Bookhagen, B., McWilliams, M. O., Sobel, E. R. and Strecker, M. R. (2005). From tectonically to erosional controlled development of the Himalayan Orogen. *Geology*, 33(8), 689–692.
- Thiede, R. C., Bookhagen, B., Arrowsmith, J. R., Sobel, E. R. and Strecker, M. R. (2004). Climatic control on rapid exhumation along the Southern Himalayan Front. *Earth and Planetary Science Letters*, 222(3-4), 791–806.
- Tippett, J. M. and Hovius, N. (2000). Geodynamic processes in the Southern Alps, New Zealand. In Summerfield M., A., editor, *Geomorphology and global tectonics*, pages 109–134. John Wiley, Chichester, United Kingdom.
- Travé, A., Calvet, F., Sans, M., Vergès, J. and Thirlwall, M. (2000). Fluid history related to the Alpine compression at the margin of the south-Pyrenean Foreland basin: The El Guix anticline. *Tectonophysics*, 321(1), 73–102.
- Tucker, G. E. and Slingerland, R. (1996). Predicting sediment flux from fold and thrust belts. *Basin Research*, 8(3), 329–349.
- Turcotte, D. and Schubert, G. (2002). *Geodynamics*. Cambridge University Press, Cambridge, 2 edition.
- Turcotte, D. L. and Malamud, B. D. (2004). Landslides, forest fires, and earthquakes: examples of self-organized critical behavior. *Physica A: Statistical Mechanics and its Applications*, 340(4), 580–589.
- Upton, P., Craw, D., Caldwell, T. G., Koons, P. O., James, Z., Wannamaker, P. E., Jiracek, G. J. and Chamberlain, C. P. (2003). Upper crustal fluid flow in the outboard region of the Southern Alps, New Zealand. *Geofluids*, 3(1), 1–12.
- Vergés, J., Millan, H., Roca, E., Munoz, J. A., Marzo, M., Cires, J., Den, B. T., Zoetemeijer, R. and Cloetingh, S. (1995). Eastern Pyrenees and related foreland basins; pre-, syn- and post-collisional crustal-scale cross-sections. In *Special issue on Integrated basin studies*, volume 12; 8, pages 903–915. Butterworth [in conjunction with the] Geological Society, Surrey, United Kingdom.
- Vietor, T. and Oncken, O. (2005). Controls on the shape and kinematics of the Central Andean plateau

- flanks: Insights from numerical modeling. *Earth and Planetary Science Letters*, 236(3-4), 814–827.
- Wang, W. H. and Davis, D. M. (1996). Sandbox model simulation of forearc evolution and noncritical wedges. *Journal of Geophysical Research, B*, 101(5), 11,329–11,339.
- Waschbusch, P. J. and Royden, L. H. (1992). Episodicity in foredeep basins. *Geology*, 20(10), 915–918.
- Whipple, K. X. and Meade, B. J. (2004). Controls on the strength of coupling among climate, erosion, and deformation in two-sided, frictional orogenic wedges at steady state. *Journal of Geophysical Research, F*, 109, F01011 1–24.
- White, N., Pringle, M., Garzanti, E., Bickle, M., Najman, Y., Chapman, H. and Friend, P. (2002). Constraints on the exhumation and erosion of the High Himalayan Slab, NW India, from foreland basin deposits. *Earth and Planetary Science Letters*, 195(1–2), 29–44.
- Willett, S., Beaumont, C. and Fullsack, P. (1993). Mechanical model for the tectonics of doubly vergent compressional orogens. *Geology*, 21(4), 371–374.
- Willett, S. D. (1999). Orogeny and orography; the effects of erosion on the structure of mountain belts. *Journal of Geophysical Research, B*, 104(12), 28,957–28,982.
- Willett, S. D., Fisher, D., Fuller, C., Yeh, E. C. and Lu, C. Y. (2003). Erosion rates and orogenic-wedge kinematics in Taiwan inferred from fission-track thermochronometry. *Geology*, 31(11), 945–948.
- Willett, S. D. and Pope, D. C. (2004). Thermo-mechanical models of convergent orogenesis; thermal and rheologic dependence of crustal deformation. In *Rheology and deformation of the lithosphere at continental margins*, pages 179–222. Columbia University Press, New York, NY, United States.
- Willett, S. D., Slingerland, R. and Hovius, N. (2001). Uplift, shortening, and steady state topography in active mountain belts. *American Journal of Science*, 301(4–5), 455–485.
- Wiltschko, D. and Eastman, D. (1983). Role of basement warps and faults in localizing thrust fault ramps. In *Contributions to the tectonics and geophysics of mountain chains*, volume 158,, pages 177–190. Geological Society of America, Boulder, CO, United States.
- Wobus, C. W., Hodges, K. V. and Whipple, K. X. (2003). Has focused denudation sustained active thrusting at the Himalayan topographic front? *Geology*, 31(10), 861–864.
- Wojtal, S. and Mitra, G. (1986). Strain hardening and strain softening in fault zone from foreland thrusts. *Geological Society of America Bulletin*, 97(6), 674–687.
- Yong, L., Allen, P. A., Densmore, A. L. and Qiang, X. (2003). Evolution of the Longmen Shan Foreland Basin (Western Sichuan, China) during the Late Triassic Indosinian Orogeny. *Basin Research*, 15(1), 117–138.
- Zeitler, P. K. (1985). Cooling history of the NW Himalaya, Pakistan. *Tectonics*, 4(1), 127–151.
- Zeitler, P. K., Koons, P. O., Bishop, M. P., Chamberlain, C. P., Craw, D., Edwards, M. A., Hamidullah, S., Jan, M. Q., Khan, M. A., Khattak, M. U. K., Kidd, W. S. F., Mackie, R. L., Meltzer, A. S., Park, S. K., Pecher, A., Poage, M. A., Sarker, G., Schneider, D. A., Seeber, L. and Shroder, J. F. (2001). Crustal reworking at Nanga Parbat, Pakistan; metamorphic consequences of thermal-mechanical coupling facilitated by erosion. *Tectonics*, 20(5), 712–728.
- Ziegler, P., Bertotti, G. and Cloetingh, S. A. P. L. (2002). Dynamic processes controlling foreland development. The role of mechanical (de)coupling of orogenic wedges and forelands. In *EGU Stephan Müller Special Publication Series*, volume 1, pages 17–56. EGU.