

7 Literaturverzeichnis

ACLAND, G. M., G. D. AGUIRRE, J. RAY, Q. ZHANG, T. S. ALEMAN, A. V. CIDECIYAN, S. E. PEARCE-KELLING, V. ANAND, Y. ZENG, A. M. MAGUIRE, S. G. JACOBSON, W. W. HAUSWIRTH and J. BENNETT (2001):
Gene therapy restores vision in a canine model of childhood blindness.
Nat Genet 28 (1), S. 92-95.

ADAMS, C. and R. W. RINNE (1982):
Stress protein formation: gene expression and environmental interaction with evolutionary significance.
Int Rev Cytol 79, S. 305-315.

ALEXI, T., C. V. BORLONGAN, R. L. FAULL, C. E. WILLIAMS, R. G. CLARK, P. D. GLUCKMAN and P. E. HUGHES (2000):
Neuroprotective strategies for basal ganglia degeneration: Parkinson's and Huntington's diseases.
Prog Neurobiol 60 (5), S. 409-470.

ANDERSON, W. F., R. M. BLAESE and K. CULVER (1990):
The ADA human gene therapy clinical protocol: Points to Consider response with clinical protocol, July 6, 1990.
Hum Gene Ther 1 (3), S. 331-362.

ANDRESSEN, C., E. STOCKER, F. J. KLINZ, N. LENKA, J. HESCHELER, B. FLEISCHMANN, S. ARNHOLD and K. ADDICKS (2001):
Nestin-specific green fluorescent protein expression in embryonic stem cell-derived neural precursor cells used for transplantation.
Stem Cells 19 (5), S. 419-424.

ARGYLE, D. J. (1999):
Gene therapy in veterinary medicine.
Vet Rec 144 (14), S. 369-376.

ARNHOLD, S., M. HILGERS, D. LENARTZ, I. SEMKOVA, S. KOCHANEK, J. VOGES, C. ANDRESSEN and K. ADDICKS (2003):
Neural precursor cells as carriers for a gene therapeutical approach in tumor therapy.
Cell Transplant 12 (8), S. 827-837.

ARNHOLD, S., D. LENARTZ, K. KRUTTWIG, F. J. KLINZ, E. KOLOSSOV, J. HESCHELER, V. STURM, C. ANDRESSEN and K. ADDICKS (2000):
Differentiation of green fluorescent protein-labeled embryonic stem cell-derived neural precursor cells into Thy-1-positive neurons and glia after transplantation into adult rat striatum.
J Neurosurg 93 (6), S. 1026-1032.

ASAHARA, T., C. KALKA and J. M. ISNER (2000):
Stem cell therapy and gene transfer for regeneration.
Gene Ther 7 (6), S. 451-457.

- AZIZI, S. A., D. STOKES, B. J. AUGELLI, C. DIGIROLAMO and D. J. PROCKOP (1998):
Engraftment and migration of human bone marrow stromal cells implanted in the brains of albino rats--similarities to astrocyte grafts.
Proc Natl Acad Sci U S A 95 (7), S. 3908-3913.
- BALDESCHI, C., Y. GACHE, A. RATTENHOLL, P. BOUILLE, O. DANOS, J. P. ORTONNE, L. BRUCKNER-TUDERMAN and G. MENEGUZZI (2003):
Genetic correction of canine dystrophic epidermolysis bullosa mediated by retroviral vectors.
Hum Mol Genet 12 (15), S. 1897-1905.
- BECK, K. D., J. VALVERDE, T. ALEXI, K. POULSEN, B. MOFFAT, R. A. VANDLEN, A. ROSENTHAL and F. HEFTI (1995):
Mesencephalic dopaminergic neurons protected by GDNF from axotomy-induced degeneration in the adult brain.
Nature 373 (6512), S. 339-341.
- BEHRSTOCK, S. and C. N. SVENDSEN (2004):
Combining growth factors, stem cells, and gene therapy for the aging brain.
Ann N Y Acad Sci 1019, S. 5-14.
- BERGELSON, J. M., J. A. CUNNINGHAM, G. DROGUETT, E. A. KURT-JONES, A. KRITHIVAS, J. S. HONG, M. S. HORWITZ, R. L. CROWELL and R. W. FINBERG (1997):
Isolation of a common receptor for Coxsackie B viruses and adenoviruses 2 and 5.
Science 275 (5304), S. 1320-1323.
- BERGER, J., J. HAUBER, R. HAUBER, R. GEIGER and B. R. CULLEN (1988):
Secreted placental alkaline phosphatase: a powerful new quantitative indicator of gene expression in eukaryotic cells.
Gene 66 (1), S. 1-10.
- BOTTENSTEIN, J. E. and G. H. SATO (1980):
Fibronectin and polylysine requirement for proliferation of neuroblastoma cells in defined medium.
Exp Cell Res 129 (2), S. 361-366.
- BRUNI, J. E., M. R. DEL BIGIO and R. E. CLATTENBURG (1985):
Ependyma: normal and pathological. A review of the literature.
Brain Res 356 (1), S. 1-19.
- BRÜSTLE, O., K. N. JONES, R. D. LEARISH, K. KARRAM, K. CHOUDHARY, O. D. WIESTLER, I. D. DUNCAN and R. D. MCKAY (1999):
Embryonic stem cell-derived glial precursors: a source of myelinating transplants.
Science 285 (5428), S. 754-756.
- CAMERON, R. S. and P. RAKIC (1991):
Glial cell lineage in the cerebral cortex: a review and synthesis.
Glia 4 (2), S. 124-137.
- CARTER, P. J. and R. J. SAMULSKI (2000):
Adeno-associated viral vectors as gene delivery vehicles.

Int J Mol Med 6(1), S. 17-27.

CAVAZZANA-CALVO, M., S. HACEIN-BEY, G. DE SAINT BASILE, F. GROSS, E. YVON, P. NUSBAUM, F. SELZ, C. HUE, S. CERTAIN, J. L. CASANOVA, P. BOUSSO, F. L. DEIST and A. FISCHER (2000):
Gene therapy of human severe combined immunodeficiency (SCID)-X1 disease.
Science 288(5466), S. 669-672.

CHALFIE, M., Y. TU, G. EUSKIRCHEN, W. W. WARD and D. C. PRASHER (1994):
Green fluorescent protein as a marker for gene expression.
Science 263(5148), S. 802-805.

CHEN, H., D. M. MCCARTY, A. T. BRUCE and K. SUZUKI (1999):
Oligodendrocyte-specific gene expression in mouse brain: use of a myelin-forming cell type-specific promoter in an adeno-associated virus.
J Neurosci Res 55(4), S. 504-513.

CHEN, L., M. ANTON and F. L. GRAHAM (1996):
Production and characterization of human 293 cell lines expressing the site-specific recombinase Cre.
Somat Cell Mol Genet 22(6), S. 477-488.

COLLINS, C. A. and J. E. MORGAN (2003):
Duchenne's muscular dystrophy: animal models used to investigate pathogenesis and develop therapeutic strategies.
Int J Exp Pathol 84(4), S. 165-172.

COSTANTINI, L. C., J. C. BAKOWSKA, X. O. BREAKFIELD and O. ISACSON (2000):
Gene therapy in the CNS.
Gene Ther 7(2), S. 93-109.

CULLEN, B. R. and M. H. MALIM (1992):
Secreted placental alkaline phosphatase as a eukaryotic reporter gene.
Methods Enzymol 216, S. 362-368.

DAI, Y., E. M. SCHWARZ, D. GU, W. W. ZHANG, N. SARVETNICK and I. M. VERMA (1995):
Cellular and humoral immune responses to adenoviral vectors containing factor IX gene: tolerization of factor IX and vector antigens allows for long-term expression.
Proc Natl Acad Sci U S A 92(5), S. 1401-1405.

DAVIS, M. E. (2002):
Non-viral gene delivery systems.
Curr Opin Biotechnol 13(2), S. 128-131.

DEVINE, S. M. (2002):
Mesenchymal stem cells: will they have a role in the clinic?
J Cell Biochem Suppl 38, S. 73-79.

DOETSCHMAN, T. C., H. EISTETTER, M. KATZ, W. SCHMIDT and R. KEMLER (1985):
The in vitro development of blastocyst-derived embryonic stem cell lines: formation of visceral yolk sac, blood islands and myocardium.

J Embryol Exp Morphol 87, S. 27-45.

EGLITIS, M. A., D. DAWSON, K. W. PARK and M. M. MOURADIAN (1999):
Targeting of marrow-derived astrocytes to the ischemic brain.
Neuroreport 10(6), S. 1289-1292.

ENGELHARDT, J. F., X. YE, B. DORANZ and J. M. WILSON (1994):
Ablation of E2A in recombinant adenoviruses improves transgene persistence and
decreases inflammatory response in mouse liver.
Proc Natl Acad Sci U S A 91(13), S. 6196-6200.

ENGLUND, U., C. ERICSON, C. ROSENBLAD, R. J. MANDEL, D. TRONO, K.
WICTORIN and C. LUNDBERG (2000):
The use of a recombinant lentiviral vector for ex vivo gene transfer into the rat CNS.
Neuroreport 11(18), S. 3973-3977.

ERICSON, C., K. WICTORIN and C. LUNDBERG (2002):
Ex vivo and in vitro studies of transgene expression in rat astrocytes transduced
with lentiviral vectors.
Exp Neurol 173(1), S. 22-30.

FELGNER, P. L., T. R. GADEK, M. HOLM, R. ROMAN, H. W. CHAN, M. WENZ, J.
P. NORTHROP, G. M. RINGOLD and M. DANIELSEN (1987):
Lipofection: a highly efficient, lipid-mediated DNA-transfection procedure.
Proc Natl Acad Sci U S A 84(21), S. 7413-7417.

FENG, M., W. H. JACKSON, JR., C. K. GOLDMAN, C. RANCOURT, M. WANG, S.
K. DUSING, G. SIEGAL and D. T. CURIEL (1997):
Stable in vivo gene transduction via a novel adenoviral/retroviral chimeric vector.
Nat Biotechnol 15(9), S. 866-870.

FISHER, K. J., H. CHOI, J. BURDA, S. J. CHEN and J. M. WILSON (1996):
Recombinant adenovirus deleted of all viral genes for gene therapy of cystic fibrosis.
Virology 217(1), S. 11-22.

FRIEDMANN, T. and R. ROBLIN (1972):
Gene therapy for human genetic disease?
Science 175(25), S. 949-955.

GASH, D. M., Z. ZHANG, A. OVADIA, W. A. CASS, A. YI, L. SIMMERMAN, D.
RUSSELL, D. MARTIN, P. A. LAPCHAK, F. COLLINS, B. J. HOFFER and G. A.
GERHARDT (1996):
Functional recovery in parkinsonian monkeys treated with GDNF.
Nature 380(6571), S. 252-255.

GILARDI, P., M. COURTNEY, A. PAVIRANI and M. PERRICAUDET (1990):
Expression of human alpha 1-antitrypsin using a recombinant adenovirus vector.
FEBS Lett 267(1), S. 60-62.

GOODRUM, F. D., T. SHENK and D. A. ORNELLES (1996):
Adenovirus early region 4 34-kilodalton protein directs the nuclear localization of the
early region 1B 55-kilodalton protein in primate cells.
J Virol 70(9), S. 6323-6335.

- GOSSEN, M. and H. BUJARD (1992):
Tight control of gene expression in mammalian cells by tetracycline-responsive promoters.
Proc Natl Acad Sci U S A 89 (12), S. 5547-5551.
- GRACE, A. A., C. R. GERFEN and G. ASTON-JONES (1998):
Catecholamines in the central nervous system. Overview.
Adv Pharmacol 42, S. 655-670.
- HACEIN-BEY-ABINA, S., F. LE DEIST, F. CARLIER, C. BOUNEAUD, C. HUE, J. P. DE VILLARTAY, A. J. THRASHER, N. WULFFRAAT, R. SORENSEN, S. DUPUIS-GIROD, A. FISCHER, E. G. DAVIES, W. KUIS, L. LEIVA and M. CAVAZZANA-CALVO (2002):
Sustained correction of X-linked severe combined immunodeficiency by ex vivo gene therapy.
N Engl J Med 346 (16), S. 1185-1193.
- HACEIN-BEY-ABINA, S., C. VON KALLE, M. SCHMIDT, F. LE DEIST, N. WULFFRAAT, E. MCINTYRE, I. RADFORD, J. L. VILLEVAL, C. C. FRASER, M. CAVAZZANA-CALVO and A. FISCHER (2003):
A serious adverse event after successful gene therapy for X-linked severe combined immunodeficiency.
N Engl J Med 348 (3), S. 255-256.
- HADJANTONAKIS, A. K., M. GERTSENSTEIN, M. IKAWA, M. OKABE and A. NAGY (1998):
Generating green fluorescent mice by germline transmission of green fluorescent ES cells.
Mech Dev 76 (1-2), S. 79-90.
- HAMMER, R. E., R. D. PALMITER and R. L. BRINSTER (1984):
Partial correction of murine hereditary growth disorder by germ-line incorporation of a new gene.
Nature 311 (5981), S. 65-67.
- HARDY, S., M. KITAMURA, T. HARRIS-STANSIL, Y. DAI and M. L. PHIPPS (1997):
Construction of adenovirus vectors through Cre-lox recombination.
J Virol 71 (3), S. 1842-1849.
- HERZ, J. and R. D. GERARD (1993):
Adenovirus-mediated transfer of low density lipoprotein receptor gene acutely accelerates cholesterol clearance in normal mice.
Proc Natl Acad Sci U S A 90 (7), S. 2812-2816.
- HOEHN, M., E. KUSTERMANN, J. BLUNK, D. WIEDERMANN, T. TRAPP, S. WECKER, M. FOCKING, H. ARNOLD, J. HESCHELER, B. K. FLEISCHMANN, W. SCHWINDT and C. BUHRLE (2002):
Monitoring of implanted stem cell migration in vivo: a highly resolved in vivo magnetic resonance imaging investigation of experimental stroke in rat.
Proc Natl Acad Sci U S A 99 (25), S. 16267-16272.
- HONG, S. S., L. KARAYAN, J. TOURNIER, D. T. CURIEL and P. A. BOULANGER (1997):

Adenovirus type 5 fiber knob binds to MHC class I alpha2 domain at the surface of human epithelial and B lymphoblastoid cells.
Embo J 16 (9), S. 2294-2306.

HORELLOU, P., A. BILANG-BLEUEL and J. MALLETT (1997):
In vivo adenovirus-mediated gene transfer for Parkinson's disease.
Neurobiol Dis 4 (3-4), S. 280-287.

HORELLOU, P. and J. MALLETT (1997):
Gene therapy for Parkinson's disease.
Mol Neurobiol 15 (2), S. 241-256.

HOWELL, J. M., H. LOCHMULLER, A. O'HARA, S. FLETCHER, B. A. KAKULAS, B. MASSIE, J. NALBANTOGLU and G. KARPATI (1998):
High-level dystrophin expression after adenovirus-mediated dystrophin minigene transfer to skeletal muscle of dystrophic dogs: prolongation of expression with immunosuppression.
Hum Gene Ther 9 (5), S. 629-634.

HUGHES, S. M., F. MOUSSAVI-HARAMI, S. L. SAUTER and B. L. DAVIDSON (2002):
Viral-mediated gene transfer to mouse primary neural progenitor cells.
Mol Ther 5 (1), S. 16-24.

HYNES, M. A., K. POULSEN, M. ARMANINI, L. BERKEMEIER, H. PHILLIPS and A. ROSENTHAL (1994):
Neurotrophin-4/5 is a survival factor for embryonic midbrain dopaminergic neurons in enriched cultures.
J Neurosci Res 37 (1), S. 144-154.

JIN, H. K., J. E. CARTER, G. W. HUNTLEY and E. H. SCHUCHMAN (2002):
Intracerebral transplantation of mesenchymal stem cells into acid sphingomyelinase-deficient mice delays the onset of neurological abnormalities and extends their life span.
J Clin Invest 109 (9), S. 1183-1191.

JOOSS, K. and N. CHIRMULE (2003):
Immunity to adenovirus and adeno-associated viral vectors: implications for gene therapy.
Gene Ther 10 (11), S. 955-963.

KAIN, S. R. (1997):
Use of secreted alkaline phosphatase as a reporter of gene expression in mammalian cells.
Methods Mol Biol 63, S. 49-60.

KAIN, S. R., GANGULY, S. (2001). Overview of Genetic reporter Systems. Current Protocols in Nuclear Biology. F.M. Ausubel, Brent, R., Kingston, R.E, Moore, D.D., Seidman, J.G., Smith, J.A., Struhl, K. Hoboken, USA, John Wiley & Sons Inc. **2**: 9.6.3 9.6.12.

KAJIWARA, K., A. P. BYRNES, H. M. CHARLTON, M. J. WOOD and K. J. WOOD (1997):
Immune responses to adenoviral vectors during gene transfer in the brain.
Hum Gene Ther 8 (3), S. 253-265.

- KEARNS, C. M. and D. M. GASH (1995):
GDNF protects nigral dopamine neurons against 6-hydroxydopamine in vivo.
Brain Res 672 (1-2), S. 104-111.
- KNUSEL, B., J. W. WINSLOW, A. ROSENTHAL, L. E. BURTON, D. P. SEID, K. NIKOLICS and F. HEFTI (1991):
Promotion of central cholinergic and dopaminergic neuron differentiation by brain-derived neurotrophic factor but not neurotrophin 3.
Proc Natl Acad Sci U S A 88 (3), S. 961-965.
- KOCHANEK, S. (1999):
High-capacity adenoviral vectors for gene transfer and somatic gene therapy.
Hum Gene Ther 10 (15), S. 2451-2459.
- KOCHANEK, S., P. R. CLEMENS, K. MITANI, H. H. CHEN, S. CHAN and C. T. CASKEY (1996):
A new adenoviral vector: Replacement of all viral coding sequences with 28 kb of DNA independently expressing both full-length dystrophin and beta-galactosidase.
Proc Natl Acad Sci U S A 93 (12), S. 5731-5736.
- KOPEN, G. C., D. J. PROCKOP and D. G. PHINNEY (1999):
Marrow stromal cells migrate throughout forebrain and cerebellum, and they differentiate into astrocytes after injection into neonatal mouse brains.
Proc Natl Acad Sci U S A 96 (19), S. 10711-10716.
- KRIEGLSTEIN, K. (2004):
Factors promoting survival of mesencephalic dopaminergic neurons.
Cell Tissue Res 318 (1), S. 73-80.
- KUMAI, Y., H. OOBOSHI, T. KITAZONO, J. TAKADA, S. IBAYASHI, M. FUJISHIMA and M. IIDA (2003):
Brain ischemia augments exo-focal transgene expression of adenovirus-mediated gene transfer to ependyma in hypertensive rats.
Exp Neurol 184 (2), S. 904-911.
- LEDLEY, F. D. (1995):
Nonviral gene therapy: the promise of genes as pharmaceutical products.
Hum Gene Ther 6 (9), S. 1129-1144.
- LEE, H. S., G. T. HUANG, H. CHIANG, L. L. CHIOU, M. H. CHEN, C. H. HSIEH and C. C. JIANG (2003):
Multipotential mesenchymal stem cells from femoral bone marrow near the site of osteonecrosis.
Stem Cells 21 (2), S. 190-199.
- LEONARD, W. J. (2000):
X-linked severe combined immunodeficiency: from molecular cause to gene therapy within seven years.
Mol Med Today 6 (10), S. 403-407.
- LIEBER, A., C. Y. HE, I. KIRILLOVA and M. A. KAY (1996):

Recombinant adenoviruses with large deletions generated by Cre-mediated excision exhibit different biological properties compared with first-generation vectors in vitro and in vivo.

J Virol 70 (12), S. 8944-8960.

LIN, L. F., D. H. DOHERTY, J. D. LILE, S. BEKTESH and F. COLLINS (1993):
GDNF: a glial cell line-derived neurotrophic factor for midbrain dopaminergic neurons.

Science 260 (5111), S. 1130-1132.

LIU, G., K. J. ASHBOURNE EXCOFFON, J. E. WILSON, B. M. MCMANUS, Q. R. ROGERS, L. MIAO, J. J. KASTELEIN, M. E. LEWIS and M. R. HAYDEN (2000):
Phenotypic correction of feline lipoprotein lipase deficiency by adenoviral gene transfer.

Hum Gene Ther 11 (1), S. 21-32.

LIU, H. S., M. S. JAN, C. K. CHOU, P. H. CHEN and N. J. KE (1999):
Is green fluorescent protein toxic to the living cells?

Biochem Biophys Res Commun 260 (3), S. 712-717.

LU, M. and T. SHENK (1996):

Human cytomegalovirus infection inhibits cell cycle progression at multiple points, including the transition from G1 to S.

J Virol 70 (12), S. 8850-8857.

LUNDBERG, C., P. HORELLOU, J. MALLET and A. BJORKLUND (1996):

Generation of DOPA-producing astrocytes by retroviral transduction of the human tyrosine hydroxylase gene: in vitro characterization and in vivo effects in the rat Parkinson model.

Exp Neurol 139 (1), S. 39-53.

LUO, J., M. G. KAPLITT, H. L. FITZSIMONS, D. S. ZUZGA, Y. LIU, M. L. OSHINSKY and M. J. DURING (2002):

Subthalamic GAD gene therapy in a Parkinson's disease rat model.

Science 298 (5592), S. 425-429.

MANDEL, R. J., K. G. RENDAHL, R. O. SNYDER and S. E. LEFF (1999):

Progress in direct striatal delivery of L-dopa via gene therapy for treatment of Parkinson's disease using recombinant adeno-associated viral vectors.

Exp Neurol 159 (1), S. 47-64.

MARX, J. C., J. A. ALLAY, D. A. PERSONS, S. A. NOONER, P. W. HARGROVE, P. F. KELLY, E. F. VANIN and E. M. HORWITZ (1999):

High-efficiency transduction and long-term gene expression with a murine stem cell retroviral vector encoding the green fluorescent protein in human marrow stromal cells.

Hum Gene Ther 10 (7), S. 1163-1173.

MCCOMB, R. B. and G. N. BOWERS, JR. (1972):

Study of optimum buffer conditions for measuring alkaline phosphatase activity in human serum.

Clin Chem 18 (2), S. 97-104.

MEYER, F. and M. FINER (2001):

Gene therapy: progress and challenges.

Cell Mol Biol (Noisy-le-grand) 47(8), S. 1277-1294.

MEYER, M., J. JOHANSEN, J. B. GRAMSBERGEN, T. E. JOHANSEN and J. ZIMMER (2000):

Improved survival of embryonic porcine dopaminergic neurons in coculture with a conditionally immortalized GDNF-producing hippocampal cell line.

Exp Neurol 164(1), S. 82-93.

MILLER, M. D., M. T. WARMERDAM, S. S. FERRELL, R. BENITEZ and W. C. GREENE (1997):

Intravirion generation of the C-terminal core domain of HIV-1 Nef by the HIV-1 protease is insufficient to enhance viral infectivity.

Virology 234(2), S. 215-225.

MILLER, N. and R. VILE (1995):

Targeted vectors for gene therapy.

Faseb J 9(2), S. 190-199.

MISTELI, T. and D. L. SPECTOR (1997):

Applications of the green fluorescent protein in cell biology and biotechnology.

Nat Biotechnol 15(10), S. 961-964.

MITANI, K., F. L. GRAHAM, C. T. CASKEY and S. KOCHANNEK (1995):

Rescue, propagation, and partial purification of a helper virus-dependent adenovirus vector.

Proc Natl Acad Sci U S A 92(9), S. 3854-3858.

MORGAN, R. A. and R. M. BLAESE (1999):

Gene therapy: lessons learnt from the past decade. Interview by Clare Thompson.

Bmj 319(7220), S. 1310.

MORSY, M. A., E. L. ALFORD, A. BETT, F. L. GRAHAM and C. T. CASKEY (1993):

Efficient adenoviral-mediated ornithine transcarbamylase expression in deficient mouse and human hepatocytes.

J Clin Invest 92(3), S. 1580-1586.

MOSCA, J. D., J. K. HENDRICKS, D. BUYANER, J. DAVIS-SPROUL, L. C.

CHUANG, M. K. MAJUMDAR, R. CHOPRA, F. BARRY, M. MURPHY, M. A.

THIEDE, U. JUNKER, R. J. RIGG, S. P. FORESTELL, E. BOHNLEIN, R. STORB

and B. M. SANDMAIER (2000):

Mesenchymal stem cells as vehicles for gene delivery.

Clin Orthop(379 Suppl), S. S71-90.

MULDOON, L. L., E. A. NEUWELT, M. A. PAGEL and D. L. WEISS (1994):

Characterization of the molecular defect in a feline model for type II GM2-gangliosidosis (Sandhoff disease).

Am J Pathol 144(5), S. 1109-1118.

MUZZIN, P., R. C. EISENSMITH, K. C. COPELAND and S. L. WOO (1996):

Correction of obesity and diabetes in genetically obese mice by leptin gene therapy.

Proc Natl Acad Sci U S A 93(25), S. 14804-14808.

- NAKAMURA, K., Y. ITO, Y. KAWANO, K. KUROSUMI, M. KOBUNE, H. TSUDA, A. BIZEN, O. HONMOU, Y. NIITSU and H. HAMADA (2004):
Antitumor effect of genetically engineered mesenchymal stem cells in a rat glioma model.
Gene Ther 11(14), S. 1155-1164.
- NARFSTROM, K., M. L. KATZ, R. BRAGADOTTIR, M. SEELIGER, A. BOULANGER, T. M. REDMOND, L. CARO, C. M. LAI and P. E. RAKOCZY (2003):
Functional and structural recovery of the retina after gene therapy in the RPE65 null mutation dog.
Invest Ophthalmol Vis Sci 44(4), S. 1663-1672.
- NONAKA, I. (1998):
Animal models of muscular dystrophies.
Lab Anim Sci 48(1), S. 8-17.
- OKABE, S., K. FORSBERG-NILSSON, A. C. SPIRO, M. SEGAL and R. D. MCKAY (1996):
Development of neuronal precursor cells and functional postmitotic neurons from embryonic stem cells in vitro.
Mech Dev 59(1), S. 89-102.
- OMMAYA, A. K. (1984):
Implantable devices for chronic access and drug delivery to the central nervous system.
Cancer Drug Deliv 1(2), S. 169-179.
- PARDRIDGE, W. M. (2001):
Brain drug targeting and gene technologies.
Jpn J Pharmacol 87(2), S. 97-103.
- PARKS, R. J., L. CHEN, M. ANTON, U. SANKAR, M. A. RUDNICKI and F. L. GRAHAM (1996):
A helper-dependent adenovirus vector system: removal of helper virus by Cre-mediated excision of the viral packaging signal.
Proc Natl Acad Sci U S A 93(24), S. 13565-13570.
- PFEIFER, A., M. IKAWA, Y. DAYN and I. M. VERMA (2002):
Transgenesis by lentiviral vectors: lack of gene silencing in mammalian embryonic stem cells and preimplantation embryos.
Proc Natl Acad Sci U S A 99(4), S. 2140-2145.
- PIPER, D. R., T. MUJTABA, M. S. RAO and M. T. LUCERO (2000):
Immunocytochemical and physiological characterization of a population of cultured human neural precursors.
J Neurophysiol 84(1), S. 534-548.
- PITTENGER, M., P. VANGURI, D. SIMONETTI and R. YOUNG (2002):
Adult mesenchymal stem cells: potential for muscle and tendon regeneration and use in gene therapy.
J Musculoskelet Neuronal Interact 2(4), S. 309-320.
- PRASHER, D. C., V. K. ECKENRODE, W. W. WARD, F. G. PRENDERGAST and M. J. CORMIER (1992):

Primary structure of the Aequorea victoria green-fluorescent protein.
Gene 111 (2), S. 229-233.

RAYMON, H. K., S. THODE, J. ZHOU, G. C. FRIEDMAN, J. R. PARDINAS, C. BARRERE, R. M. JOHNSON and D. W. SAH (1999):
Immortalized human dorsal root ganglion cells differentiate into neurons with nociceptive properties.
J Neurosci 19 (13), S. 5420-5428.

RECCHIA, A., R. J. PARKS, S. LAMARTINA, C. TONIATTI, L. PIERONI, F. PALOMBO, G. CILIBERTO, F. L. GRAHAM, R. CORTESE, N. LA MONICA and S. COLLOCA (1999):
Site-specific integration mediated by a hybrid adenovirus/adeno-associated virus vector.
Proc Natl Acad Sci U S A 96 (6), S. 2615-2620.

RIDET, J. L., O. CORTI, P. PENCALET, N. HANOUN, M. HAMON, J. PHILIPPON and J. MALLET (1999):
Toward autologous ex vivo gene therapy for the central nervous system with human adult astrocytes.
Hum Gene Ther 10 (2), S. 271-280.

ROBINSON, A. J., H. B. YOUNGHUSBAND and A. J. BELLETT (1973):
A circular DNA-protein complex from adenoviruses.
Virology 56 (1), S. 54-69.

ROLS, M. P., C. DELTEIL, M. GOLZIO, P. DUMOND, S. CROS and J. TEISSIE (1998):
In vivo electrically mediated protein and gene transfer in murine melanoma.
Nat Biotechnol 16 (2), S. 168-171.

ROMANO, G., P. MICHELL, C. PACILIO and A. GIORDANO (2000):
Latest developments in gene transfer technology: achievements, perspectives, and controversies over therapeutic applications.
Stem Cells 18 (1), S. 19-39.

ROWE, W. P., R. J. HUEBNER, L. K. GILMORE, R. H. PARROTT and T. G. WARD (1953):
Isolation of a cytopathogenic agent from human adenoids undergoing spontaneous degeneration in tissue culture.
Proc Soc Exp Biol Med 84 (3), S. 570-573.

RUBIN, G. M. and A. C. SPRADLING (1982):
Genetic transformation of Drosophila with transposable element vectors.
Science 218 (4570), S. 348-353.

RUST, E. M., M. V. WESTFALL, L. C. SAMUELSON and J. M. METZGER (1997):
Gene transfer into mouse embryonic stem cell-derived cardiac myocytes mediated by recombinant adenovirus.
In Vitro Cell Dev Biol Anim 33 (4), S. 270-276.

SAMULSKI, R. J. (2003):
AAV vectors, the future workhorse of human gene therapy.
Ernst Schering Res Found Workshop(43), S. 25-40.

SARKIS, C., C. SERGUERA, S. PETRES, D. BUCHET, J. L. RIDET, L. EDELMAN and J. MALLET (2000):

Efficient transduction of neural cells in vitro and in vivo by a baculovirus-derived vector.

Proc Natl Acad Sci U S A 97 (26), S. 14638-14643.

SCHIFFER, D. and L. BORSOTTI (1997):

Corpus callosum: neuropathology.

J Neurosurg Sci 41 (1), S. 23-25.

SCHWARZ, J.-H., T. JESSEL and E. R. KANDAL (1995):

Prinziples of neural Science. Aufl. Verlag, Philadelphia.

SERGUERA, C., C. SARKIS, J. L. RIDET, P. COLIN, P. MOULLIER and J. MALLET (2001):

Primary adult human astrocytes as an ex vivo vehicle for beta-glucuronidase delivery in the brain.

Mol Ther 3 (6), S. 875-881.

SMITH, A. G., J. K. HEATH, D. D. DONALDSON, G. G. WONG, J. MOREAU, M. STAHL and D. ROGERS (1988):

Inhibition of pluripotential embryonic stem cell differentiation by purified polypeptides.

Nature 336 (6200), S. 688-690.

SPIRITO, F., A. CHARLESWORTH, K. LINDER, J. P. ORTONNE, J. BAIRD and G. MENEGUZZI (2002):

Animal models for skin blistering conditions: absence of laminin 5 causes hereditary junctional mechanobullous disease in the Belgian horse.

J Invest Dermatol 119 (3), S. 684-691.

STEVENSON, A. J., D. CLARKE, D. M. MEREDITH, S. E. KINSEY, A.

WHITEHOUSE and C. BONIFER (2000):

Herpesvirus saimiri-based gene delivery vectors maintain heterologous expression throughout mouse embryonic stem cell differentiation in vitro.

Gene Ther 7 (6), S. 464-471.

STRATFORD-PERRICAUDET, L. D., M. LEVRERO, J. F. CHASSE, M.

PERRICAUDET and P. BRIAND (1990):

Evaluation of the transfer and expression in mice of an enzyme-encoding gene using a human adenovirus vector.

Hum Gene Ther 1 (3), S. 241-256.

STRYER, L. (1994):

Biochemie.

3. Aufl. Verlag, Heidelberg.

SWANSON, R. A., W. YING and T. M. KAUPPINEN (2004):

Astrocyte influences on ischemic neuronal death.

Curr Mol Med 4 (2), S. 193-205.

TANGUAY, R. M. (1983):

Genetic regulation during heat shock and function of heat-shock proteins: a review.

Can J Biochem Cell Biol 61(6), S. 387-394.

TATUM, E. L. (1966):
Molecular biology, nucleic acids, and the future of medicine.
Perspect Biol Med 10(1), S. 19-32.

THOMAS, C. E., G. SCHIEDNER, S. KOCHANNEK, M. G. CASTRO and P. R. LOWENSTEIN (2000):
Peripheral infection with adenovirus causes unexpected long-term brain inflammation in animals injected intracranially with first-generation, but not with high-capacity, adenovirus vectors: toward realistic long-term neurological gene therapy for chronic diseases.
Proc Natl Acad Sci U S A 97(13), S. 7482-7487.

TRIPATHY, S. K., H. B. BLACK, E. GOLDWASSER and J. M. LEIDEN (1996):
Immune responses to transgene-encoded proteins limit the stability of gene expression after injection of replication-defective adenovirus vectors.
Nat Med 2(5), S. 545-550.

TSUDA, H., T. WADA, Y. ITO, H. UCHIDA, H. DEHARI, K. NAKAMURA, K. SASAKI, M. KOBUNE, T. YAMASHITA and H. HAMADA (2003):
Efficient BMP2 gene transfer and bone formation of mesenchymal stem cells by a fiber-mutant adenoviral vector.
Mol Ther 7(3), S. 354-365.

VAN ROSSUM, D. and U. K. HANISCH (2004):
Microglia.
Metab Brain Dis 19(3-4), S. 393-411.

VERMA, I. M. and N. SOMIA (1997):
Gene therapy -- promises, problems and prospects.
Nature 389(6648), S. 239-242.

WANG, Y., B. W. O'MALLEY, JR., S. Y. TSAI and B. W. O'MALLEY (1994):
A regulatory system for use in gene transfer.
Proc Natl Acad Sci U S A 91(17), S. 8180-8184.

WELLS, D. J. (2004):
Gene therapy progress and prospects: electroporation and other physical methods.
Gene Ther 11(18), S. 1363-1369.

WILBY, M. J., S. R. SINCLAIR, E. M. MUIR, R. ZIETLOW, K. H. ADCOCK, P. HORELLOU, J. H. ROGERS, S. B. DUNNETT and J. W. FAWCETT (1999):
A glial cell line-derived neurotrophic factor-secreting clone of the Schwann cell line SCTM41 enhances survival and fiber outgrowth from embryonic nigral neurons grafted to the striatum and to the lesioned substantia nigra.
J Neurosci 19(6), S. 2301-2312.

WOLFE, J. H., M. S. SANDS, N. HAREL, M. A. WEIL, M. K. PARENTE, A. C. POLESKY, J. J. REILLY, C. HASSON, S. WEIMELT and M. E. HASKINS (2000):
Gene transfer of low levels of beta-glucuronidase corrects hepatic lysosomal storage in a large animal model of mucopolysaccharidosis VII.
Mol Ther 2(6), S. 552-561.

WOLFF, J. A., R. W. MALONE, P. WILLIAMS, W. CHONG, G. ACSADI, A. JANI and P. L. FELGNER (1990):

Direct gene transfer into mouse muscle in vivo.
Science 247 (4949 Pt 1), S. 1465-1468.

WONG, L. F., S. WELLS and D. MURPHY (2000):

Gene transfer strategies for the physiologist.
Exp Physiol 85 (6), S. 735-745.

WOODBURY, D., E. J. SCHWARZ, D. J. PROCKOP and I. B. BLACK (2000):

Adult rat and human bone marrow stromal cells differentiate into neurons.
J Neurosci Res 61 (4), S. 364-370.

WU, P., Y. YE and C. N. SVENDSEN (2002):

Transduction of human neural progenitor cells using recombinant adeno-associated viral vectors.

Gene Ther 9 (4), S. 245-255.

YANG, N. S., J. BURKHOLDER, B. ROBERTS, B. MARTINELL and D. MCCABE (1990):

In vivo and in vitro gene transfer to mammalian somatic cells by particle bombardment.

Proc Natl Acad Sci U S A 87 (24), S. 9568-9572.

YOGALINGAM, G., A. CRAWLEY, J. J. HOPWOOD and D. S. ANSON (1999):

Evaluation of fibroblast-mediated gene therapy in a feline model of mucopolysaccharidosis type VI.

Biochim Biophys Acta 1453 (2), S. 284-296.

ZABNER, J., L. A. COUTURE, R. J. GREGORY, S. M. GRAHAM, A. E. SMITH and M. J. WELSH (1993):

Adenovirus-mediated gene transfer transiently corrects the chloride transport defect in nasal epithelia of patients with cystic fibrosis.

Cell 75 (2), S. 207-216.

ZHANG, X. Y., V. F. LA RUSSA, L. BAO, J. KOLLS, P. SCHWARZENBERGER and J. REISER (2002):

Lentiviral vectors for sustained transgene expression in human bone marrow-derived stromal cells.

Mol Ther 5 (5 Pt 1), S. 555-565.

ZHENG, C., B. J. BAUM, M. J. IADAROLA and B. C. O'CONNELL (2000):

Genomic integration and gene expression by a modified adenoviral vector.

Nat Biotechnol 18 (2), S. 176-180.

ZOU, L., X. YUAN, H. ZHOU, H. LU and K. YANG (2001):

Helper-dependent adenoviral vector-mediated gene transfer in aged rat brain.

Hum Gene Ther 12 (2), S. 181-191.