

6 LITERATURVERZEICHNIS

Abrahamsson, B.; Alpsten, M.; Jonsson, U.E.; Lundberg, P.J.; Sandberg, A.; Sundgren, M.; Svenheden, A.; Tölli, J.; Gastro-intestinal transit of a multiple-unit formulation (metoprolol CR / ZOK) and a non-disintegrating tablet with the emphasis on colon, *Int. J. Pharm.*, 140, (1996), 229 - 235

Amighi, K.; Moes, A.J.; Influence of plasticizer concentration and storage conditions on the drug release rate from Eudragit SR 30 D film coated sustained release theophylline tablets, *Eur. J. Pharm. Biopharm.*, 42, (1996), 29 - 35

Amighi, K.; Timmermanns, J.; Puigdevall, J.; Baltes, E.; Moes, A.J.; Peroral sustained-release film-coated pellets as a means to overcome the physicochemical and biological drug-related problems. I. In vitro development and evaluation, *Drug Dev. Ind. Pharm.*, 24, (6), (1998), 509 - 515

ASTM, Standard test method for tensile properties of thin plastic sheeting, D882 – 02, (2002), 1-9

BASF, Technical Bulletin Kollicoat® SR 30 D, (1999), 1 – 14

Bauer, H.; Lehmann, K.; Osterwald, H.P.; Rothgang, G.; Überzogene Arzneiformen, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, (1988), 69 - 124

Bauer, H.; Lehmann, K.; Osterwald, H.P.; Rothgang, G.; Überzogene Arzneiformen, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, (1988a), 127 – 151

Bauer, K.H., Frömming, K.-H., Führer, C.; Lehrbuch der Pharmazeutischen Technologie, Wiss. Verlagsgesellschaft Stuttgart, 6. Auflage, (1999), 361 - 378

Bauer, K.H., Frömming, K.-H., Führer, C.; Lehrbuch der Pharmazeutischen Technologie, Wiss. Verlagsgesellschaft Stuttgart, 6. Auflage, (1999a), 291 - 353

Bauer, K.H., Frömming, K.-H., Führer, C.; Lehrbuch der Pharmazeutischen Technologie, Wiss. Verlagsgesellschaft Stuttgart, 6. Auflage, (1999b), 187 - 226

Bechgaard, H.; Critical factors influencing gastrointestinal absorption – What is the role of pellets?, *Acta Pharm. Technol.*, 28, (1982), 149 - 157

Becker, W.E.; U.S. Patent 4,874,614; (1989)

Beckert, T.E.; Lehmann, K.; Schmidt P.C.; Compression of enteric-coated pellets to disintegrating tablets, *Int. J. Pharm.*, 143, (1996), 13 - 23

Bennink, R. Peeters, M.; Van den Maegdenbergh, V.; Geypens, B.; Rutgeerts, P.; De Roo, M.; Mortelmans, L.; Evaluation of small-bowel transit for solid and liquid test meal in healthy men and women, Eur. J. Nucl. Med., 26, (1999), 1560 - 1566

Bindschaedler, C.; Gurny, R.; Doelker, E.; Osmotic water transport through cellulose acetate membranes produced from latex system, J. Pharm. Sci., 76, (6), (1987), 455 - 460

Bodmeier, R.; Paeratakul, O.; Evaluation of drug-containing polymer films prepared from aqueous latexes, Pharm. Res., 6, (1989), 725 - 730

Bodmeier, R.; Paeratakul, O.; Theophylline tablets coated with aqueous latexes containing dispersed pore formers, J. Pharm. Sci., 79, (10), (1990), 925 - 928

Bodmeier, R.; Paeratakul, O.; Leaching of water soluble plasticizer from polymeric films prepared from aqueous colloidal dispersions, Drug Dev. Ind. Pharm., 18, (1992), 1865 - 1882

Bodmeier, R.; Paeratakul, O.; Dry and wet strengths of polymeric films prepared from aqueous colloidal polymer dispersion, Eudragit RS30D, Int. J. Pharm., 96, (1993), 129 - 138

Bodmeier, R.; Paeratakul, O.; Mechanical properties of dry and wet cellulosic and acrylic films prepared from aqueous colloidal polymer dispersions used in the coating of solid dosage forms, Pharm. Res., 11, (6), (1994), 882 - 888

Bodmeier, R.; Tableting of coated pellets, Eur. J. Pharm. Biopharm., 43, (1997), 1 - 8

Bodmeier, R.; Paeratakul, O.; Plasticizer uptake by aqueous colloidal polymer dispersions used for the coating of solid dosage forms, Int. J. Pharm., 152, (1), (1997a), 17 – 26

Borquist, P.; Nevsten, P.; Nilsson, B.; Wallenberg, L.R.; Axelsson, A.; Simulation of the release from multiparticulate system validation by single pellet and dose release experiments, J. Contr. Rel., 97, (3), (2004), 453 - 465

Castedal, M.; Bjornsson, E.; Gretarsdottir, J.; Fjalling, M.; Abrahamsson, H.; Scintigraphic assessment of interdigestive duodenogastric reflux in humans: distinguishing between duodenal and biliary reflux material, Scand. J. Gastroenterol., 35, (2000), 590 - 598

Chopra, R.; Podczeck, F.; Newton, J.M.; Alderborn, G.; The influence of pellet shape and film coating on the filling of pellets into hard shell capsules, Eur. J. Pharm. Biopharm., 53, (2002), 327 - 333

Clarke, G.M.; Newton, J.M.; Short, M.D.; Gastrointestinal transit of pellets of differing size and density, Int. J. Pharm., 100, (1993), 81 - 92

Clarke, G.M.; Newton, J.M.; Short, M.D.; Comparative gastrointestinal transit of pellet systems of varying density, Int. J. Pharm., 114, (1995), 1 - 11

Cope, S.J., Hibberd, S.; Whetstone, J; MacRae, R.J., Melia, C.D.; Measurement and mapping of pH in hydrating pharmaceutical pellets using confocal laser scanning microscopy, *Pharm. Res.*, 19, (10), (2002), 1554 - 1563

Dashevsky, A.; Kolter, K.; Bodmeier, R.; pH-independent release of a basic drug from pellets coated with the extended release polymer dispersion Kollicoat® SR 30 D and the enteric polymer dispersion Kollicoat® MAE 30 DP, *Eur. J. Pharm Biopharm.*, 58, (2004), 45 – 49

Dashevsky, A.; Kolter, K.; Bodmeier, R.; Compression of pellets coated with various aqueous polymer dispersions, *Int. J. Pharm.*, 279, (2004a), 19 - 26

Dashevsky, A.; Wagner, K.; Kolter, K.; Bodmeier, R.; Physicochemical and release properties of pellets coated with Kollicoat®SR 30 D, a new aqueous polyvinyl acetate dispersion for extended release, *Int. J. Pharm.*, 290, (2005), 15 - 23

Davis, S.S.; Hardy, J.G.; Taylor, M.J.; Whalley, D.R.; Wilson, C.G.; A comparative study of the gastrointestinal transit of a pellet and tablet formulation, *Int. J. Pharm.*, 21, (1984), 167 - 177

Davis, S.S.; Hardy, J.G.; Fara, J.W.; Transit of pharmaceutical dosage forms through the small intestine, *Gut*, 27, (1986), 886 – 892

De Brabander, C.; Vervaet, C.; Görtz, J. P.; Remon, J. P.; Berlo, J. A.; Bioavailability of ibuprofen from matrix mini-tablets based on a mixture of starch and microcrystalline wax, *Int. J. Pharm.*, 208, (1-2), (2000), 81 - 86

De Brabander, C.; Vervaet, J. P.; Remon, Development and evaluation of sustained release mini-matrices prepared via hot melt extrusion, *J. Contr. Rel.*, 89, (2), (2003), 235 - 247

Debunne, A.; Vervaet, C.; Remon, J. - P.; Development and in vitro evaluation of an enteric-coated multiparticulate drug delivery system for the administration in dogs, *Eur. J Pharm. Biopharm.*, 54, (2002), 343 - 348

Debunne, A.; Verveat, C.; Mangelings, D.; Remon, J. - P.; Compaction of enteric-coated pellets: influence of formulation and process parameters on tablet properties and in vivo evaluation, *Eur. J. Pharm. Sci.*, 22, (2004), 305 - 314

Dereux, J.E.; Newton, J.M.; Short, M.B.; The influence of the density on the gastro-intestinal transit of pellets, *J. Pharm. Pharmacol.*, 42, (1990), 500 - 501

Digenis, G.A.; Sandefer, E.; Gamma scintigraphy and neutron activation techniques in vivo assessment of orally administered dosage forms, *Crit. Rev. Ther. Drug Carrier Syst.*, 7, (1991), 309 – 345

Digenis, G.A.; The in vivo behavior of multiparticulate versus single unit dosage formulations, in Ghebre-Sellassie, I.; (ed.) *Multiparticulate Oral Drug Delivery.*, Marcel Dekker, Inc., New York, (1994), 333 - 355

Dimitrov, m.; Lambov, N.; Study of Verapamil hydrochloride release from compressed hydrophilic Polyox-Wrs tablets, Int. J. Pharm., 189, (1999), 105 - 111

Dobson, C.L.; Davis, S.S.; Chauhan, S.; Sparrow, R.A.; Wilding, I.A.; The effect of ideal brake activators on the oral bioavailability of atenolol in man, Int. J. Pharm., 248, (2002), 61 - 70

Dressmann, J.B.; Berardi, R.R.; Dermentzoglou, L.C.; Russel, T.L.; Schmaltz, S.P.; Barnett, J.L.; Jarvenpaa, K.M.; Upper gastro-intestinal pH in young healthy men and women, Pharm. Res., 7, (1990), 756 - 761

Dressmann, J.B.; Amidon, G.L.; Reppas, C.; Shah, V.P.; Dissolution testing as a prognostic tool for oral drug absorption: Immediate release dosage forms, Pharm. Res. 15, (1), (1998), 11 - 22

El-Mahdi, I.M.; Deasy, P.B.; Tableting of coated ketoprofen pellets, J. Microencaps., 17, (2), (2000), 133-144

Elchidana, P.A.; Deshpande, S.G.; Microporous membrane drug delivery system for indomethacin, J. Contr. Rel., 59, (1999), 279 - 285

Felton, L.A.; Shah, N.H.; Zhang, G.; Infeld, M.H.; Malick, A.W., McGinity, J.W.; Compaction properties of individual nonpareil beads coated with an acrylic resin copolymer, S.T.P. Pharm. Sci., 7, (1997), 457 - 462

Follonier, N.; Doelker, E.; Biopharmaceutical comparison of oral multiple-unit and single unit sustained-release dosage forms, S.T.P. Pharm. Sci., 2, (2), (1992), 141 - 158

Frohoff-Hülsmann, M.A.; Lippold, B.C.; McGinity, J.W.; Aqueous ethyl cellulose dispersion containing plasticizers of different water solubility and hydroxypropyl methylcellulose as coating material for diffusion pellets II: properties of sprayed films, Eur. J. Pharm. Biopharm., 48, (1999), 67 - 75

Frohoff-Hülsmann, M.A.; Schmitz, A.; Lippold, B.C.; Aqueous ethyl cellulose dispersions containing plasticizers of different water solubility and hydroxypropyl methylcellulose as coating material for diffusion pellets I. Drug release rates from coated pellets, Int. J. Pharm., 177, (1999a), 69 - 82

Führer, C.; in Müller, R.H. (Hrsg.); Hildebrand, G.E. (Hrsg.); Pharmazeutische Technologie: Moderne Arzneiformen, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, (1998), 1-16

Fukumori, Y.; Coating of multiparticulates using polymeric dispersions - formulation and process considerations, in Ghebre-Sellassie (ed.), Multiparticulate oral drug delivery, Marcel Dekker, Inc., New York, (1994), 79 - 111

Gabr, K.E.; Effect of organic acids on the release patterns of weakly basic drugs from inert sustained release matrix tablets, Eur. J. Biopharm., 38, (6), (1992), 199 - 202

Gallo, S.H.; Standardization of clinical criteria required for use of the 12.5 millimetre barium tablet in evaluation oesophageal lumenalpatency, *Gastrointest. Endosc.*, 44, (1996), 181 - 184

Gandhi, R.; Kaul, C.L.; Panchagnula, R.; Extrusion and spheronization in the development of oral controlled-release dosage forms, *PSTT*, 2, (4), (1999), 160 - 170

Ghebre-Sellassie, I.; Pellets: a general overview, in Ghebre-Sellassie, I. (ed.); *Pharmaceutical pelletization technology*, Marcel Dekker, Inc., New York and Basel, (1989), 1 - 13

Ghebre-Sellassie, I.; Mechanism of pellet formation and growth, in Ghebre-Sellassie, I. (ed.); *Pharmaceutical pelletization technology*, Marcel Dekker, Inc., New York and Basel, (1989a), 123 – 143

Ghebre-Sellassie, I.; Knoch, A.; in Swarbrick, J. (ed.); Boylan, J.C. (ed.); *Pelletization Techiques in Encyclopedia of pharmaceutical technology*, 2nd edition, Marcel Dekker, Inc., New York and Basel, (2002), 2067 - 2080

Gohel, M.C.; Patel, T.P.; Bariya, S.H.; Studies in preparation and evaluation of pH-independent sustained release matrix tablets of verapamil HCl using directly compressible Eudragits, *Pharm. Dev. Technol.*, 8, (4), (2003), 323 - 333

Gollub, M.J.; When doing a small-bowel series, what is considered a normal transit time for barium to reach the cecum?, *Am. J. Roentgenol.*, 174, (2000), 866

Gupta, V.K.; Beckert, T.E.; Price, J.C.; A novel pH- and time based multi-unit potential colonic drug delivery system. I. Development, *Int. J. Pharm.*, 213, (2000), 83 - 91

Hamdani, J.; Moes, A.J.; Amighi, K.; Development and evaluation of prolonged release pellets obtained by melt pelletization process, *Int. J. Pharm.*, 245, (2002), 167 - 177

Hamed, E.; Sakr, A.; Effect of curing conditions and plasticizer level on the release of highly lipophilic drug from coated multiparticulate drug delivery system, *Pharm. Dev. Tech.*, 8, (4), (2003), 397 - 407

Higuchi, T.; Mechanism of sustained-action medication, *J. Pharm. Sci.*, 52, (1963), 1145 – 1149

Hu, Z.; Mawatari, S.; Shibata, N.; Takata, K.; Yoshikawa, H.; Arakawa, A.; Yosida, Y.; Application of biomagnetic measurement system (BMS) to the evaluation of gastrointestinal transit of intestinal pressure controlled colon delivery capsules (PCDCs) in human subjects, *Pharm. Res.*, 17, (2000), 160 - 167

Husson, I.; Leclerc, B.; Spenlehauer, G.; Veillard, M.; Couaraze, G.; Modelling of drug release from pellets coated an insoluble polymeric membrane, *J. Contr. Rel.*, 17, (1991), 163 - 174

Hutchings, D.E.; Sakr, A.; Influence of pH and plasticizers on the drug release from ethylcellulose pseudolatex coated pellets, *J. Pharm. Sci.*, 83, (10), (1994), 1386 - 1390

Ishibashi, T.; Pitcairn, G.R.; Yoshino, H.; Mizobe, M.; Wilding, I.R.; Scintigraphic Evaluation of a new capsule-type colon specific drug delivery system in healthy volunteers, *J. Pharm. Sci.*, 87, (5), (1998), 531 - 535

Jonsson, U.E.; Alpsten, M.; Bogentoft, C.; Sjøegren, J.; Gastric emptying of pellets and tablets in healthy subjects under fasting and non-fasting conditions, *Proceed. Int. Symp. Contr. Rel. Bioact. Mater.*, 10, (1983), 241 - 242

Johansson, B.; Wikberg, M.; Ek, R.; Alderborn, G.; Compression behaviour and compactability of microcrystalline cellulose pellets in relationship to their pore structure and mechanical properties, *Int. J. Pharm.*, 117, (1995), 57 - 73

Johansson, B.; Alderborn, G.; Degree of pellet deformation during compaction and its relationship to the tensile strength of tablets formed of microcrystalline cellulose pellets, *Int. J. Pharm.*, 132, (1996), 207 - 220

Johansson, B.; Nicklasson, F.; Alderborn, G.; Effect of pellets size on degree of deformation and densification during compression and on compactability of microcrystalline cellulose pellets, *Int. J. Pharm.*, 163, (1998), 35 - 48

Kleinebudde, P.; Jahrbuch der Heinrich Heine Universität Düsseldorf, Pharmazeutische Pellets – Herstellung, Eigenschaften und Anwendung, (2003), 161 - 174

Kohri, N.; Yatabe, H.; Iseki, K.; Miyazaki, K.; A new type of pH-independent controlled release tablet, *Int. J. Pharm.*, 68, (1991), 255 - 264

Korakiantit, E.S.; Rekkas, D.M.; Dallas, P.P.; Choulis, H.; Optimization of the pelletization process in a fluid-bed rotor granulator using experimental design, *AAPS PharmSciTech*, 1, (4), article 35, (2000), 1 - 5

Kranz, H.; Guthmann, C.; Lipp, R.; Wagner, T.; Development of a single unit extended release formulation for ZK 811 752, a weakly basic drug, *Eur. J. Pharm.*, 26, (2005), 47 - 53

Kranz, H.; Le Brun, V.; Wagner, T.; Development of a multi particulate extended release formulation for ZK 811 752, a weakly basic drug, *Int. J. Pharm.*, 299, (2005a), 84 – 91

Krogars, K.; Heinämäki, J.; Vesalahti, J.; Marvola, M.; Antikainen, O.; Yliruusi, J.; Extrusion-spheronization of pH-sensitive polymeric matrix pellets for possible colonic drug delivery, *Int. J. Pharm.*, 199, (2000), 187 - 194

Lecomte, F.; Siepmann, J.; Walther, M.; MacRae, R.J.; Bodmeier, R.; Blends of enteric and GIT-insoluble polymers used for film coating: physicochemical characterization and drug release patterns, *J. Contr. Rel.*, 89, (2003), 457 - 471

Lecomte, F.; Siepmann, J.; Walther, M.; MacRae, R.J.; Polymer blends used for coating of multiparticulates: comparison of aqueous and organic techniques, *Pharm. Res.*, 21, (5), (2004), 882 - 890

Lecomte, F.; Siepmann, J.; Walther, M.; MacRae, R.J.; Bodmeier, R.; Polymer blends for the aqueous coating of solid dosage forms: influence of the type of plasticizer, *J. Contr. Rel.*, 99, (2004a), 1 - 13

Lehmann, K.; Petereit, H.-U.; Dreher, D.; Schnell zerfallende Tabletten mit gesteuerter Wirkstoffabgabe, *Pharm. Ind.*, 55, (10), (1993), 940 - 947

Leuenberger, H.; Martin Physikalische Pharmazie, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 4. Auflage, (2002), 355 - 398

Lin, A.; Augsburger, L.L.; Study of crystallization of endogenous surfactant in Eudragit NE30D-free films and its influence on drug-release properties of controlled-release diphenhydramine HCl pellets coated with Eudragit NE30D, *AAPS PharmSciTech*, 3, (2), article 14, (2001), 1 - 12

Lippold, B. H.; Sutter, B.K.; Lippold, B.C.; Parameters controlling drug release from pellets coated with aqueous ethyl cellulose dispersion, *Int. J. Pharm.*, 54, (1989), 15 - 25

Lippold, B.C.; in Blume, H. (ed.); Gundert-Remy, U. (ed.); Möller, H. (ed.); Controlled / Modified release products – recommendation in support of EC-guidelines, Wissenschaftliche Verlagsgesellschaft mbH Stuttgart, (1991), 15 - 33

Lippold, B.C.; in Gundert-Remy, U. (ed.); Möller, H. (ed.); Oral controlled release products – Therapeutic and biopharmaceutic assessment, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, (1990), 39 - 57

Lippold, B.C.; Gunder, W.; Lippold, B.H.; Drug release from diffusion pellets coated with aqueous ethyl cellulose dispersion aquacoat® ECD-30 and 20% dibutyl sebacate as plasticizer: partition mechanism and pore diffusion, *Eur. J. Pharm. Biopharm.*, 47, (1999), 27 - 32

Liu, J.; Williams III, R.O.; Properties of heat-humidity cured acetate phthalate free films, *Eur. J. Pharm. Sci.*, 17, (2002), 31 - 41

Lopez-Rodriguez, F.J.; Torrado, J.J.; Torrado, S.; Escamilla, C.; Cadoringa, R.; Augsburger, L.L.; Compression behavior of acetylic acid pellets, *Drug Dev. Ind. Pharm.*, 19, (12), (1993), 1369 - 1377

Makhija, S.N.; Vavia, P.R.; Controlled porosity osmotic pump-based controlled release systems of pseudoephedrine I. Cellulose acetate as a semipermeable membrane, *J. Contr. Rel.*, 89, (2003), 5 - 18

Malagelada, J.R.; Robertson, J.S.; Brown, M.L.; Remington, M.; Duenes, J.A.; Thomforde, G.M.; Carryer, P.W.; Intestinal transit of solid and liquid components of a meal in health, *Gastroenterol.*, 87, (1984), 1255 - 1263

Martinez, L.; Tchoreloff, P.; Laclerc, B.; Besnard, M.; Couaraze, G.; Active layering and direct compression of sugar spheres: Content homogeneity in low-dosage tablets, *Pharm. Tech. Eur.*, 10, (2001), 38 - 46

Maul, K.A.; Schmidt, P.C.; Influence of different-shaped pigments on bisacodyl release from Eudragit L 30D, *Int. J. Pharm.*, 118, (1995), 103 - 112

Maurer, A.H., Krevsky, B.; Whole-gut transit scintigraphy in the evaluation of small bowel and colon transit disorders, *Semin. Nucl. Med.*, 25, (1995), 326 - 338

Maejima, T.; McGinity, J.W.; Influence of film additives on stabilizing drug release from pellets coated with acrylic polymers, *Pharm. Dev. Technol.*, 6, (2), (2001), 211 - 221

Merck Index, The; O'Neil, M.J.; (ed.), An encyclopedia of chemicals, drugs and biologicals, 13th ed., Merck, Whitehouse Station, (2001)

Minami, H.; McGallum, R.W.; The physiology and pathophysiology of gastric emptying in humans, *Gastroenterol.*, 85, (1984), 1592 - 1610

Müller, R.H.; Hildebrand, G.E.; Pharmazeutische Technologie: Moderne Arzneiformen, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, (1998), 1 - 16

Muhammad, N.A.; Boisvert, W.; Harris, M.R.; Weiss, J.; Modifying the release of Eudragit® L30D, *Drug Dev. Ind. Pharm.*, 17, (18), (1991), 2497 - 2509

Nicklasson, F., Johansson, B.; Alderborn, G.; Occurrence of fragmentation during compression of pellets prepared from a 4 to 1 mixture of dicalcium phosphate dihydrate and microcrystalline cellulose, *Eur. J. Pharm. Sci.*, 7, (1999), 221 - 229

Nicklasson, F.; Johansson, B.; Alderborn, G.; Tableting of a series of porosities – a comparison between pellets of two different compositions, *Eur. J. Pharm. Sci.*, 8, (1999a), 11 - 17

Nie, S.; Pan, W.; Li, X.; Wu, X.; The effect of citric acid added to hydroxypropyl methylcellulose (HPMC) matrix tablets on the release profile of vincristine, *Drug Dev. Ind. Pharm.*, 30, (6), (2004), 627 - 635

Nimkulrat, S.; Suchiva, K.; Phinyocheep, P.; Puttipipatkhachorn, Influence of selected surfactants on the tackiness of acrylic polymer films, *Int. J. Pharm.*, 287, (2004), 27 - 37

Nykänen, P.; Krogars, K.; Säkkinen, M.; Heinämäki, J.; Jürjensson, H.; Veski, P.; Marvola, M.; Organic acids as excipients in matrix granules for colon-specific drug delivery, *Int. J. Pharm.*, 184, (1999), 251 - 261

Nykänen, P.; Lempää, S.; Aaltonen, M.-L.; Jürjenson, H.; Veski, P.; Marvola, M.; Citric acid as an excipient in multiple-unit enteric-coated tablets for targeting drugs on the colon, Int. J. Pharm., 229, (2001), 155 - 162

Obara, S.; Marauyama, N.; Nishiyama, Kokubo, Dry coating: An innovative enteric coating method using a cellulose derivate, Eur. J. Biopharm., 47, (1999), 51 - 59

Onions, A.; Films from water-based colloidal dispersions, Manufacturing Chemist, March (1986), 55 - 59

Okimoto, K.; Ohike, A.; Miyake, M.; Ohnishi, N; Rajewski, R.A.; Stella, V.J.; Irie, T.; Uekama, K.; Design and Evaluation of an osmotic pump tablet (OPT) for prednisolone, a poorly water soluble drug, using (SBE)_{7m}- β -CD, Pharm. Res., 15, (10), (1998), 1562 – 1568

Okimoto, K.; Ohike, A.; Ibuki, R.; Aoki, O.; Ohnishi, N.; Irie, T.; Uekama, K.; Rajewski, R.A.; Stella, V.J.; Design and Evaluation of an osmotic pump tablet (OPT) for chlorpromazine using (SBE)_{7m}- β -CD, Pharm. Res., 16, (4), (1999), 549 - 554

Okimoto, K.; Rajewski, R.A.; Stella, V.T.; Release of testosterone from an osmotic pump tablet utilizing (SBE)_{7m}- β -CD as both a solubilizing and an osmotic pump agent, J. Contr. Rel., 58, (1), (1999a), 29 - 38

Ozturk, A.G.; Ozturk, S.S.; Palsson, B.O.; Wheatley, T.A.; Dressmann, J.B.; Mechanism of release from Pellets coated with an Ethylcellulose-based film, J. Contr. Rel., 14, (1990), 203 - 213

Pernchob, N.; Bodmeier, R.; Coating of pellets with micronized ethylcellulose particles by a dry powder coating technique, Int. J. Pharm., 268, (1-2), (2003), 1 - 11

Pernchob, N.; Bodmeier, R.; Dry polymer powder coating and comparison with conventional liquid-based coatings for Eudragit®RS, ethylcellulose and shellac, Eur. J. Pharm. Biopharm., 56, (3), (2003a), 363 - 369

Peterleit, H.-U.; Aßmus, M.; Lehmann, K.; glycerol monostearate as a gliant in aqueous film-coating formulations, Eur. J. Pharm. Biopharm., 41, (4), (1995), 219 - 228

Podczeck, F.; Rahman, S.R.; Newton, J.M.; Evaluation of a standardized procedure to assess the shape of pellets using image analysis, Int. J. Pharm., 192, (1999), 123 - 138.

Rashid, H.A.; Heinämäki, J.; Antikainen, O.; Yliruusi, J.; Effects of process variables on the size, shape, and surface characteristics of microcrystalline cellulose beads prepared in a centrifugal granulator, Drug Dev. Ind. Pharm., 25, (5), (1999), 605 - 611

Rashid, H.A.; Heinämäki, J.; Antikainen, O.; Yliruusi, J.; Influence of the centrifugal granulating process on the properties of layered pellets, Eur. J. Pharm. Biopharm., 51, (2001), 227 - 234

Rashid, H.A.; Heinämäki, J.; Antikainen, O.; Yliruusi, J.K.; Povidone and maltodextrin as binders for the preparation of drug-layered pellets based on microcrystalline cellulose beads using centrifugal granulating process, S.T.P. Pharm. Sci., 10, (5), (2000), 355 - 362

Riesen, R.; Schwawe, J.; Die Glasübergangstemperatur gemessen mit verschiedenen TA-Techniken, Teil 1: Übersicht, UserCom, 1, (2003), 1 - 20

Riesen, R.; Schwawe, J.; Die Glasübergangstemperatur gemessen mit verschiedenen TA-Techniken, Teil 2: Ermittlung der Glasübergangstemperaturen, UserCom, 2, (2003a), 1 - 20

Rowe, R.C.; York, P.; Colbourn, E.A.; Roskilly, S.J.; The influence of pellet shape, size and distribution on capsule filling - A preliminary evaluation of three-dimensional computer simulation using a Monte-Carlo technique, Int. J Pharm., 300, (1 - 2), (2005), 32 - 37

Saettone, M.F.; Perini, G.; Rijli, P.; Rodriguez, L.; Cini, M.; Effect of different polymer-plasticizer combinations on in vitro release of theophylline from coated pellets, Int. J. Pharm., 126, (1995), 83 - 88

Santos, H.; Veiga, F.; Pina, M.E.; Sousa, J.J.; Compaction, compression and drug release properties of diclofenac sodium and ibuprofen pellets comprising xanthan gum as a sustained release agent, Int. J. Pharm., 195, (2 - 3), (2005), 198 - 203

Sawicki, W.; Lunio, R.; Compressibility of floating pellets with verapamil hydrochloride coated with dispersion Kollicoat SR 30 D, Eur. J. Pharm. Biopharm., 60, (2005), 153 - 158

Schultz, P.; Kleinebudde, P.; A new multiparticulate delayed release system. Part I: Dissolution properties and release mechanism, J. Contr. Rel., 47, (1997), 181 - 189

Schwartz, J.B.; Nguyen, N.H.; Schnaare, R.L.; Compaction studies on beads: Compression and consolidation parameters, Drug Dev. Ind. Pharm., 20, (20), (1994), 3105 - 3129

Semde, R.; Amighi, K.; Devleeschouwer, M.J.; Moes, A.J.; Leaching of pectin from mixed pectin/insoluble polymer films intended for colonic drug delivery, Int. J. Pharm., 174, (1998), 233 - 241

Semde, R.; Amighi, K.; Devleeschouwer, M.J.; Moes, A.J.; Studies of pectin HM / Eudragit R / Eudragit NE film-coating formulations intended for colonic drug delivery, Int. J. Pharm., 197, (2000), 181 - 192

Shao, Z.J.; Morales, L.; Diaz, S.; Muhammad, N.A.; Drug release from Kollicoat SR 30 D – coated nonpareil beads: evaluation of coating level, plasticizer type, and curing condition, AAPS PharmSciTech, 3, (2), article 15, (2002), 1 - 10

Shimono, N.; Ueda, M.; Nakamura, Y.; Design of controlled release system with multi-layers of powder, Chem. Pharm. Bull., 50, (9), (2002), 1169 - 1175

Shivanand, P.; Sprockel, O.L.; A controlled porosity drug delivery system, Int. J. Pharm., 167, (1998), 83 - 96

Siepmann, F.; Siepmann, J.; Walther, M.; MacRae, R.J.; Bodmeier, Blends of aqueous dispersions used for pellet coating: Importance of particle size, *J. Contr. Rel.*, 102, (2005), 226 - 239

Steuernagel, C.R.; in McGinity, J.W. (ed.), Aqueous polymeric coatings for pharmaceutical applications, Marcel Dekker, N.Y., (1989), 1 - 61

Stotzer, P.O.; Abrahamsson, H.; Human postprandial gastric emptying of indigestible solids can occur unrelated to the antral phase III, *Neurogastroenterol. Motil.*, 12, (2000), 415 - 419

Streubel, A.; Siepmann, J.; Dashevsky, A.; Bodmeier, R.; pH-independent release of a weakly basic drug from water-insoluble and water-soluble matrix tablets, *J. Contr. Rel.*, 67, (2000), 101 - 110

Stricker, H.; in Arzneiformen-Entwicklung Feste Zubereitungen, Springer-Verlag, Heidelberg, (2003), 177

Takka, S.; Rajbhandri, S.; Sakr, A.; Effect of anionic polymers on the drug release of propranolol hydrochloride from matrix tablets, *Eur. J. Pharm., Biopharm.*, 52, (2001), 75 - 82

Tatavarti, A.S., Metha, K.A.; Augsburger, L.L.; Hoag, S.W.; Influence of methacrylic acid polymers on the release performance of weakly basic drugs from sustained release hydrophilic matrices, *J. Pharm. Sci.*, 93, (9), (2004), 2319 - 2331

Theeuwes, F.; Elementary osmotic pump, *J. Pharm. Sci.*, 64, (12), (1975), 1987 - 1991

Theeuwes, F.; Swanson, D.; Wong, P.; Bonsen, P.; Place, V.; Heimlich, K.; Kwan, K.C.; Elementary osmotic pump for indomethacin, *J. Pharm. Sci.*, 72, (3), (1983), 253 - 258

Thoma, K.; Bechtold, K.; Influence of aqueous coatings on the stability of enteric coated pellets and tablets, *Eur. J. Pharm. Biopharm.*, 47, (1), (1999), 39 - 50

Thoma, K.; Ziegler, I.; The pH-independent drug release of fenoldopam from pellets with insoluble film coats, *Eur. J. Biopharm.*, 46, (1998), 105 - 113

Thoma, K.; Zimmer, T.; Retardation of weakly basic drugs with diffusion tablets, *Int. J. Pharm.*, 189, (1990), 105 - 111

Thoma, K.; Knott, F.; Retardierung schwach basischer Arzneistoffe, *Pharm. Ind.*, 53, (7), (1991), 686 - 690

Thoma, K.; Zimmer, T.; Retardierung schwach basischer Arzneistoffe, *Pharm. Ind.*, 51, (5), (1989), 540 - 543

Timmins, P.; Delargy, A.M.; Howard, J.R.; Optimization of pH-independent extended-release hydrophilic matrix tablets, *Pharm. Dev. Technol.*, 2, (1), (1997), 25 - 31

Tomomasa, T.; Morikawa, A.; Sandler, R.H.; Mansy, H.A.; Koneko, H.; Masahiko, T.; Hyman, P.E.; Itoh, Z.; Gastrointestinal sounds and migration motor complex in fasted humans, Am. J. Gastroenterol., 94, (2), (1999), 374 - 381

Vanderhoff, J.W.; Mechanism of film formation of latices, Br. Polym. J., 2, (1970), 161 - 173

Varma, M.V.S.; Kaushal, A.M.; Garg, S.; Influence of micro-environmental pH on the gel layer behavior and release of basic drug from various hydrophilic matrices, J. Contr. Rel., 103, (2005), 499 - 510

Vashi, V.I.; Meyer, M.C.; Effect of pH on the in vitro dissolution and in vivo absorption of controlled-release theophylline in dogs, J. Pharm. Sci., 77, (9), (1988), 760 - 764

Venkatesh, G.M.; Development of controlled release SK&F 82526-J buffer bead formulations with tartaric acid as the buffer, Pharm. Dev. Technol., 3, (4), (1998), 477 - 485

Vergote, G.J.; Kiekers, F.; Vervaet, C.; Remon, J.P.; Wax beads as cushioning agents during the compression of coated diltiazem pellets, Eur. J. Pharm. Sci., 17, (2002), 145 - 151

Verma, R.K.; Krishna, D.M.; Garg, S.; Formulation aspects in the development of osmotically controlled oral drug delivery systems, J. Contr. Rel., 79, (2002), 7 - 27

Verma, R.K.; Kaushal, A.M.; Garg, S.; Development of extended release formulations of isosorbide mononitrate based on osmotic technology, Int. J. Pharm., 263, (2003), 9 - 24

Verma, R.K.; Garg, S.; Development and evaluation of osmotically controlled oral delivery systems of glipizide, Eur. J. Pharm. Biopharm., 57, (2004), 513 - 525

Verveat, C.; Baert, L.; Remon, J.P.; Extrusion spheronization A literature review, Int. J. Pharm., 116, (1995), 131 - 146

Voyutskii, S.S.; Autohesion and adhesion of high polymers, Wiley-Interscience, New York, (1963), 74

Wagner, K.G.; Krumme, M.; Schmidt, P.C., Pellet-containing tablets. Examination of distribution and deformation behaviour, S.T.P. Pharm. Sci., 10, (2000), 37 - 42

Wagner, K.; Aqueous polymer dispersions for extended release dosage forms, Dissertation an der Freien Universität Berlin, (2002), 110-116

Wilding, I.R.; Coupe, A.J.; Davis, S.S., The role of γ -scintigraphy in oral drug delivery, Advanced Drug Deliv., 46, (1-3), (2001), 103 - 124

Winnik, M.A.; Wang, Y.; Haley, F.; Latex film formation at the molecular level: the effect of coalescing aids on polymer diffusion, J. Coatings Tech., 64, (811), (1992), 51 - 61

Weitschies, W.; Cordini, M.; Karaus, M.; Trahms, L.; Semmler, W.; Magnetic Marker monitoring of the esophageal, gastric and duodenal transit of non-disintegrating capsules, Pharmazie, 54, (1999), 426 - 430

Weitschies, W.; Eine Reise durch den Verdauungstrakt, Pharm. Zeitung, 14, (2001), 1108 – 1114

Weitschies, W.; Kraus, M.; Cordini, D.; Trahms, L.; Breitkreutz, J.; Semmler, W.; Magnetic marker monitoring of disintegrating capsules, Eur. J. Pharm. Sci., 13, (2001a), 411 – 416

Weitschies, W.; Kosch, O.; Mönnikes, H.; Trahms, L.; Magnetic Marker Monitoring: A application of biomagnetic measurement instrumentation and principles for the determination of the gastrointestinal behavior of magnetically marked solid dosage forms, Advanced Drug Deliv. Reviews, 57, (2005), 1210 - 1222

Wesseling, M.; Bodmeier, R.; Drug release from beads coated with an aqueous colloidal ethylcellulose dispersion, Aquacoat®, or an organic ethylcellulose solution, Eur. J. Pharm. Biopharm., 47, (1999), 33 - 38

Wesseling, M.; Kuppler, F.; Bodmeier, R.; Tackiness of acrylic and cellulosic polymer films used in the coating of solid dosage forms, Eur. J. Pharm. Biopharm., 47, (1999a), 73 - 78

Zentner, G.M.; Rork, G.S.; Himmelstein, K.J.; The controlled porosity osmotic pump, J. Contr. Rel., 1, (1985), 269 - 282

Zentner, G.M.; Rork, G.S.; Himmelstein, K.J.; U.S. Patent 4,968,507; (1990)