

10 LITERATURVERZEICHNIS

Arends J, Christoffersen J: The nature of early caries lesions in enamel. *J Dent Res*, 1986; 65: 2-11

Berkovitz BKB, Holland GR, Moxham BJ: *Oral Anatomy*. Mosby-Wolfe, London, 1992

Bjarnason S: Temporary tooth separation in the treatment of approximal carious lesions. *Quintessence Int*, 1996; 27: 249-251

Bottenberg P, Graber HG, Lampert F: Penetration of etching agents and its influence on sealer penetration into fissures in vitro. *Dent Mater*, 1996; 12: 96-102

Buckton G: *Interfacial phenomena in drug delivery and targeting*. Harwood Academic Publishers, Chur, 1995

Buonocore MG: A simple method of increasing the adhesion of acrylic filling materials to enamel surfaces. *J Dent Res*, 1955; 34: 849-853

Burt BA: Trends in caries prevalence in North American children. *Int Dent J*, 1994; 44: 403-413

Buskes JA, Christoffersen J, Arends J: Lesion formation and lesion remineralization in enamel under constant composition conditions. A new technique with applications. *Caries Res*, 1985; 19: 490-496

Croll TP: Bonded resin sealant for smooth surface enamel defects: new concepts in "microrestorative" dentistry. *Quintessence Int*, 1987; 18: 5-10

Curilovic Z, Sixer UP, Marthaler TM: Radiologische Kariesläsion im Schmelz - Füllen oder abwarten? *Schweiz Monatsschr Zahnheilkd*, 1983; 93: 930-934

Darling AI, Mortimer KV, Poole DF, Ollis WD: Molecular sieve behaviour of normal and carious human dental enamel. *Arch Oral Biol*, 1961; 5: 251-273

Davila JM, Buonocore MG, Greeley CB, Provenza DV: Adhesive penetration in human artificial and natural white spots. *J Dent Res*, 1975; 54: 999-1008

De Araujo FB, Rosito DB, Toigo E, dos Santos CK: Diagnosis of approximal caries: radiographic versus clinical examination using tooth separation. *Am J Dent*, 1992; 5: 245-248

Dorfer CE, Staehle HJ, Wurst MW, Duschner H, Pioch T: The nanoleakage phenomenon: influence of different dentin bonding agents, thermocycling and etching time. *Eur J Oral Sci*, 2000; 108: 346-351

Edmunds DH, Whittaker DK, Green RM: Suitability of human, bovine, equine, and ovine tooth enamel for studies of artificial bacterial carious lesions. *Caries Res*, 1988; 22: 327-336

Ekstrand KR, Bruun G, Bruun M: Plaque and gingival status as indicators for caries progression on approximal surfaces. *Caries Res*, 1998; 32: 41-45

- Ekstrand KR, Martignon S: Managing approximal carious lesions: A new non-operative approach. *Caries Res*, 2004; 38: 361
- Eliades GC, Caputo AA: The strength of layering technique in visible light-cured composites. *J Prosthet Dent*, 1989; 61: 31-38
- Ellwood R, Fejerskov O: Clinical use of fluoride. Dental caries. The disease and its clinical management. Blackwell Munksgaard, 2003
- Esser M: Materialkennwerte der Zahnhartsubstanz des Rindes im Vergleich zur humanen Zahnhartsubstanz. *Dtsch Zahnaerztl Z*, 1998; 53: 713-717
- Fan PL, Seluk LW, O'Brien WJ: Penetrativity of sealants. *J Dent Res*, 1975; 54: 262-264
- Featherstone JD, Mellberg JR: Relative rates of progress of artificial carious lesions in bovine, ovine and human enamel. *Caries Res*, 1981; 15: 109-114
- Fontana M, Li Y, Dunipace AJ, Noblitt TW, Fischer G, Katz BP, Stookey GK: Measurement of enamel demineralization using microradiography and confocal microscopy. A correlation study. *Caries Res*, 1996; 30: 317-325
- Frank RM: Structural events in the caries process in enamel, cementum, and dentin. *J Dent Res*, 1990; 69 Spec No: 559-566
- García-Godoy F, Summitt JB, Donly KJ: Caries progression of white spot lesions sealed with an unfilled resin. *J Clin Pediatr Dent*, 1997; 21: 141-143
- Goepferd SJ, Olberding P: The effect of sealing white spot lesions on lesion progression in vitro. *Pediatr Dent*, 1989; 11: 14-16
- González-Cabezas C, Fontana M, Dunipace AJ, Li Y, Fischer GM, Proskin HM, Stookey GK: Measurement of enamel remineralization using microradiography and confocal microscopy. A correlational study. *Caries Res*, 1998; 32: 385-392
- Gray GB, Shellis P: Infiltration of resin into white spot caries-like lesions of enamel: An in vitro study. *Eur J Prosthodont Restor Dent*, 2002; 10: 27-32
- Gwinnett AJ: Structure and composition of enamel. *Oper Dent*, 1992; Suppl 5: 10-17
- Haas U: Physik für Pharmazeuten und Mediziner. Wissenschaftliche Verlagsgesellschaft, Stuttgart, 2002
- Hellwig E, Klimek J, Attin T: Einführung in die Zahnerhaltung. Urban & Fischer, München, 1999
- Hewlett ER: Resin adhesion to enamel and dentin: a review. *J Calif Dent Assoc*, 2003; 31: 469-476
- Hicks MJ, Silverstone LM: The effect of sealant application and sealant loss on caries-like lesion formation in vitro. *Pediatr Dent*, 1982; 4: 111-114
- Hicks MJ, Silverstone LM: Internal morphology of surface zones from acid-etched caries-like lesions: a scanning electron microscopic study. *J Dent Res*, 1985; 64: 1296-1301

Hintze H: Approximal caries prevalence in Danish recruits and progression of caries in the late teens: a retrospective radiographic study. *Caries Res*, 2001; 35: 27-35

Hintze H, Wenzel A, Danielsen B, Nyvad B: Reliability of visual examination, fibre-optic transillumination, and bite-wing radiography, and reproducibility of direct visual examination following tooth separation for the identification of cavitated carious lesions in contacting approximal surfaces. *Caries Res*, 1998; 32: 204-209

Irinoda Y, Matsumura Y, Kito H, Nakano T, Toyama T, Nakagaki H, Tsuchiya T: Effect of sealant viscosity on the penetration of resin into etched human enamel. *Oper Dent*, 2000; 25: 274-282

Kidd EAM, Mejare I, Nyvad B: Clinical and radiographic diagnosis. *Dental caries: The disease and its clinical management*. Blackwell Munksgaard, 2003

Kidd EAM, Pitts NB: A reappraisal of the value of the bitewing radiograph in the diagnosis of posterior approximal caries. *Br Dent J*, 1990; 169: 195-200

Kidd EAM, van Amerongen JP: The role of operative treatment. *Dental caries: The disease and its clinical management*. Blackwell Munksgaard, 2003

Kielbassa AM, Meyer-Lueckel H, Lussi A: Diagnose und Therapieentscheid bei der approximalen Karies. *Deutscher Zahnärztekalender*. 2003

Kielbassa AM, Meyer-Lueckel H, Lussi A: Evaluation of Cavitation in Approximal Caries Lesions. www.iadr.confex.com, Paper #51531, 2004

Kielbassa AM, Shohadai SP, Schulte-Monting J: Effect of saliva substitutes on mineral content of demineralized and sound dental enamel. *Support Care Cancer*, 2001; 9: 40-47

Klimm W: *Kariologie*. Carl Hanser Verlag, München Wien, 1997

Klinger HG, Wiedemann W: Grenzen der Remineralisierbarkeit initialer Karies. *Dtsch Zahnärztl Z*, 1985; 40: 16-22

Kogon SL, Stephens RG, Reid JA, Donner A: Can radiographic criteria be used to distinguish between cavitated and noncavitated approximal enamel caries? *Dentomaillofac Radiol*, 1987; 16: 33-36

Liebenberg WH: Direct access to equivocal approximal carious lesions. *Quintessence Int*, 1996; 27: 607-617

Mannocci F, Ferrari M, Watson TF: Microleakage of endodontically treated teeth restored with fiber posts and composite cores after cyclic loading: a confocal microscopic study. *J Prosthet Dent*, 2001; 85: 284-291

Marthaler TM: Changes in dental caries 1953-2003. *Caries Res*, 2004; 38: 173-181

Marthaler TM, Germann M: Radiographic and visual appearance of small smooth surface caries lesions studied on extracted teeth. *Caries Res*, 1970; 4: 224-242

Mejare I, Grondahl HG, Carlstedt K, Grever AC, Ottosson E: Accuracy at radiography and probing for the diagnosis of proximal caries. *Scand J Dent Res*, 1985; 93: 178-184

Mejare I, Kallesta C, Stenlund H, Johansson H: Caries development from 11 to 22 years of age: A prospective radiographic study. Prevalence and distribution. *Caries Res*, 1998; 32: 10-16

Mejare I, Stenlund H, Zelezny-Holmlund C: Caries incidence and lesion progression from adolescence to young adulthood: a prospective 15-year cohort study in Sweden. *Caries Res*, 2004; 38: 130-141

Mellberg JR: Hard-tissue substrates for evaluation of cariogenic and anti-cariogenic activity in situ. *J Dent Res*, 1992; 71 Spec No: 913-919

Menaker L: The biologic basis of dental caries. Harper & Row, Hagerstown, 1980

Meyer-Lueckel H, Paris S, Muller J, Uchtmann H, Kielbassa AM: Visualisation of pore morphologies in dental hard tissues by infiltration with a fluorescent resin. *Caries Res*, 2003; 37: 274, (Abstr. No. 221)

Meyer-Lueckel H, Schulte-Monting J, Kielbassa AM: The effect of commercially available saliva substitutes on predemineralized bovine dentin in vitro. *Oral Dis*, 2002; 8: 192-198

Mitropoulos CM: The use of fibre-optic transillumination in the diagnosis of posterior approximal caries in clinical trials. *Caries Res*, 1985; 19: 379-384

O'Brien WJ, Fan PL, Apostolidis A: Penetrativity of sealants and glazes. The effectiveness of a sealant depends on its ability to penetrate into fissures. *Oper Dent*, 1978; 3: 51-56

Pearce EI, Nelson DG: Microstructural features of carious human enamel imaged with back-scattered electrons. *J Dent Res*, 1989; 68: 113-118

Percinoto C, Cunha RF, Delbem AC, Aragones A: Penetration of a light-cured glass ionomer and a resin sealant into occlusal fissures and etched enamel. *Am J Dent*, 1995; 8: 20-22

Pitts NB, Longbottom C: Temporary tooth separation with special reference to the diagnosis and preventive management of equivocal approximal carious lesions. *Quintessence Int*, 1987; 18: 563-573

Pitts NB, Rimmer PA: An in vivo comparison of radiographic and directly assessed clinical caries status of posterior approximal surfaces in primary and permanent teeth. *Caries Res*, 1992; 26: 146-152

Poorerman JH, Aartman IH, Kieft JA: Radiographic prevalence of approximal enamel lesions and relationship with dentine lesions and restorations in Dutch adolescents. *Int Dent J*, 2002; 52: 15-19

Ratledge DK: A clinical and laboratory investigation of the tunnel restoration. PhD Thesis, London, 1999

Ratledge DK, Kidd EA, Beighton D: A clinical and microbiological study of approximal carious lesions. Part 1: The relationship between cavitation, radiographic lesion depth, the site-specific gingival index and the level of infection of the dentine. *Caries Res*, 2001; 35: 3-7

Reich E: Trends in caries and periodontal health epidemiology in Europe. *Int Dent J*, 2001; 51: 392-398

Rimmer PA, Pitts NB: Temporary elective tooth separation as a diagnostic aid in general dental practice. *Br Dent J*, 1990; 169: 87-92

Robinson C, Brookes SJ, Kirkham J, Wood SR, Shore RC: In vitro studies of the penetration of adhesive resins into artificial caries-like lesions. *Caries Res*, 2001; 35: 136-141

Robinson C, Hallsworth AS, Weatherell JA, Kunzel W: Arrest and control of carious lesions: A study based on preliminary experiments with resorcinol-formaldehyde resin. *J Dent Res*, 1976; 55: 812-818

Rueggeberg FA, Margeson DH: The effect of oxygen inhibition on an unfilled/filled composite system. *J Dent Res*, 1990; 69: 1652-1658

Rugg-Gunn AJ: Approximal carious lesions. A comparison of the radiological and clinical appearances. *Br Dent J*, 1972; 133: 481-484

Ruyter IE: Unpolymerized surface layers on sealants. *Acta Odontol Scand*, 1981; 39: 27-32

Schmalz G: The biocompatibility of non-amalgam dental filling materials. *Eur J Oral Sci*, 1998; 106: 696-706

Schmidlin PR, Zehnder M, Pasqualetti T, Imfeld T, Besek MJ: Penetration of a bonding agent into de- and remineralized enamel in vitro. *J Adhes Dent*, 2004; 6: 111-115

Schmidlin PR, Zehnder M, Zimmermann MA, Zimmermann J, Roos M, Roulet JF: Sealing smooth enamel surfaces with a newly devised adhesive patch: a radiochemical in vitro analysis. *Dent Mater*, 2005; (im Druck)

Schroeder H: Orale Strukturbioologie. Thieme, Stuttgart, 1992

Scott DB, Simmelink JW, Nygaard V: Structural aspects of dental caries. *J Dent Res*, 1974; 53: 165-178

Seddon RP: The detection of cavitation in carious approximal surfaces in vivo by tooth separation, impression and scanning electron microscopy. *J Dent*, 1989; 17: 117-120

Shellis RP, Hallsworth AS: The use of scanning electron microscopy in studying enamel caries. *Scanning Microsc*, 1987; 1: 1109-1123

Shellis RP, Hallsworth AS, Kirkham J, Robinson C: Organic material and the optical properties of the dark zone in caries lesions of enamel. *Eur J Oral Sci*, 2002; 110: 392-395

Silverstone LM: Structure of carious enamel, including the early lesion. *Oral Sci Rev*, 1973; 3: 100-160

Silverstone LM: Relationship of the macroscopic, histological, and radiographic appearace of interproximal lesions in human teeth: in vitro study using artificial caries technique. *Pediatr Dent*, 1982; 3: 414-422

Silverstone LM, Hicks MJ, Featherstone MJ: Dynamic factors affecting lesion initiation and progression in human dental enamel. Part I. The dynamic nature of enamel caries. *Quintessence Int*, 1988; 19: 683-711

Skold UM, Klock B, Rasmusson CG, Torstensson T: Is caries prevalence underestimated in today's caries examination? A study on 16-year-old children in the county of Bohuslan, Sweden. *Swed Dent J*, 1995; 19: 213-217

Spurr AR: A low-viscosity epoxy resin embedding medium for electron microscopy. *J Ultrastruct Res*, 1969; 26: 31-43

Stephen KW, Russel JI, Creanor SL, Burchell CK: A clinical, radiographic and fibre-optic transillumination caries study - 2 yr data. *J Dent Res*, 1986; 65: 492

Ten Cate JM, Keizer S, Arends J: Polymer adhesion to enamel. The influence of viscosity and penetration. *J Oral Rehabil*, 1977; 4: 149-156

Ten Cate JM, Larsen MJ, Pearce EIF, Fejerskov O: Chemical interactions between the tooth and oral fluids. *Dental Caries*. Blackwell Munksgaard, 2003

Uchtmann H, Wilkie D: High-pressure replica technique for in vitro imaging of pore morphologies in teeth. *Adv Dent Res*, 1997; 11: 467-471

Vankerckhoven H, Lambrechts P, van Beylen M, Davidson CL, Vanherle G: Unreacted methacrylate groups on the surfaces of composite resins. *J Dent Res*, 1982; 61: 791-795

Wakita M, Kobayashi S: The tree-dimensional structure of Thomes' processes and the development of the microstructural organisation of tooth enamel. Mechanisms of tooth and enamel formation. *Quintessenz*, 1983

Watson TF: Fact and artefact in confocal microscopy. *Adv Dent Res*, 1997; 11: 433-441

Whittaker DK, Green RM, Edmunds DH: Structural characteristics of bovine enamel. *J Dent Res*, 1983; 62: 439, (Abst. No. 218)