

From the Robert Koch-Institut Berlin

**“Studies on human pathogenic coronaviruses –
survey for coronaviruses in African bat species and
characterization of the novel human coronavirus NL63 (HCoV-NL63)
open reading frame 3 (ORF3)”**

Inaugural-Dissertation
to obtain the academic degree
Doctor rerum naturalium (Dr. rer. nat.)



submitted at the Department Biology, Chemistry and Pharmacy
of Freie Universität Berlin

by

Marcel Alexander Müller

from Lünen

September 2007

1st Reviewer: Prof. Dr. Matthias Niedrig, Robert Koch-Institut Berlin

2nd Reviewer: Prof. Dr. Rupert Mutzel, Freie Universität Berlin

Date of defence: December 14th, 2007

For the whole family...

“There is something fascinating about science. One gets such wholesale returns of conjecture out of such a trifling investment of fact.”

„Wissenschaft hat etwas Faszinierendes an sich. So eine geringfügige Investition an Fakten liefert so einen reichen Ertrag an Voraussagen.“

Mark Twain

Life on the Mississippi

Index

INDEX	4
1 INTRODUCTION	7
1.1 <i>Coronaviridae</i>	7
1.1.1 Characteristics and taxonomy	7
1.1.2 Reservoir host of coronaviruses	11
1.1.3 Genome structure	13
1.1.4 Virus entry and replication	14
1.1.5 Structural proteins	16
1.1.6 Accessory proteins (ORF3 and its homologues)	18
1.1.7 Virus assembly, budding and post-translational modifications	19
1.2 Aims of this thesis	21
2 MATERIAL & METHODS	22
2.1 Material	22
2.1.1 Technical equipment and disposable material	22
2.1.1.1 Technical equipment	22
2.1.1.2 Disposable material	23
2.1.2 Chemicals and enzymes	24
2.1.2.1 Chemicals	24
2.1.2.2 Enzymes	26
2.1.3 Media	26
2.1.3.1 Cell culture media	26
2.1.3.2 Others	26
2.1.4 Oligonucleotides, nucleic acid and protein standards, plasmids	27
2.1.4.1 Oligonucleotides	27
2.1.4.2 Nucleic acid- and protein standards	29
2.1.4.3 Plasmids	29
2.1.4.4 Vector gene constructs	30
2.1.5 Antibodies	31
2.1.6 Buffer/Solutions	32
2.1.7 Kits	35
2.1.8 Animals, cell lines, viruses and bacteria	35
2.1.8.1 Animals	35
2.1.8.2 Cell lines	35
2.1.8.3 Viruses	36
2.1.8.4 Bacteria	36
2.1.9 Software	36
2.2 Methods	38
2.2.1 Cell culture and virus propagation	38
2.2.1.1 Cell culture	38
2.2.1.2 Virus propagation	39
2.2.1.3 Plaque assay for detection of viral particles	39
2.2.1.4 Virus neutralization test (SARS-CoV) for screening of bat sera	40
2.2.2 Sampling of bat sera	41
2.2.3 Molecularbiological methods	42
2.2.3.1 Isolation of RNA	42
2.2.3.2 Isolation of plasmid DNA	43
2.2.3.3 Photometrical determination of nucleic acid concentration	44
2.2.3.4 Sequencing of DNA	44
2.2.3.5 Ethanol precipitation of nucleic acids (DNA)	44
2.2.3.6 Reverse transcription	45

2.2.3.7	Polymerase chain reaction	46
2.2.3.7.1	Colony-PCR	46
2.2.3.7.2	Cloning-PCR	47
2.2.3.7.3	RT-PCR for detection of sg mRNA	47
2.2.3.7.4	RT-PCR for detection of ACE2 and GAPDH mRNA	48
2.2.3.7.5	Quantitative RT-PCR for coronavirus nucleic acids in bat sera	48
2.2.3.7.6	Quantitative real-time PCR (TaqMan) for detection of SARS-CoV nucleic acids in infected cells	49
2.2.3.7.7	Quantitative real-time PCR (TaqMan) for reference genes	49
2.2.3.8	Agarose gel electrophoresis of nucleic acids	50
2.2.3.9	Gel extraction of nucleic acid fragments	50
2.2.3.10	Purification of PCR products and nucleic acid fragments	50
2.2.3.11	Restriction endonuclease digestion and dephosphorylation of DNA	50
2.2.3.12	Ligation of DNA	51
2.2.3.13	Generation of chemically competent <i>E. coli</i> -cells	52
2.2.3.14	Transformation of <i>E. coli</i> -cells	52
2.2.4	General proteinbiochemical methods	53
2.2.4.1	Detection and protein analysis by SDS-PAGE	53
2.2.4.2	Heterologous expression and purification of proteins in prokaryotes	55
2.2.4.3	Heterologous expression of proteins in eukaryotes	56
2.2.4.4	Recombinant expression by <i>in vitro</i> translation	57
2.2.5	Immunodetection assays	58
2.2.5.1	Generating polyclonal antisera against ORF3, M and N.	58
2.2.5.2	Immunofluorescence assay	59
2.2.5.3	Enzyme-linked immunosorbent assay	60
2.2.5.4	Western blot analysis	62
2.2.5.5	Dot blot analysis	64
2.2.5.6	Immunoprecipitation	64
2.2.5.7	Fluorescent activated cell sorting	65
3	RESULTS	67
3.1	SARS coronavirus: Emergence and susceptibility studies	67
3.1.1	Survey for antibodies to coronaviruses in African bats	67
3.1.1.1	Evaluation of the specificity of ELISA, IFA and WB	67
3.1.1.2	Screening for antibody activity to SARS-CoV antigen by ELISA	71
3.1.1.3	Confirmation of ELISA results by WB analyses	72
3.1.1.4	Analysis of antibody activity by IFA	73
3.1.1.5	Virus neutralization test of bat sera with SARS-CoV Hong Kong	74
3.1.1.6	Quantitative RT-PCR for the detection of coronavirus nucleic acid in bat sera	75
3.1.2	Susceptibility of different eukaryotic cell lines to SARS-CoV	76
3.1.2.1	CPE analysis by light microscopy	76
3.1.2.2	IFA for the analysis of SARS-CoV infection	76
3.1.2.3	Quantification of SARS-CoV RNA in infected cells and supernatant	77
3.1.2.4	Expression analysis for ACE2 mRNA in susceptible cell lines	79
3.1.2.5	Increase of SARS-CoV susceptibility by viral adaptation of POEK cells	79
3.1.3	Reference gene selection for quantitative real-time PCR analysis in SARS-CoV infected cells	81
3.1.3.1	Determination of reference gene expression in SARS-CoV infected cells	81
3.1.3.1.1	BestKeeper analysis	81
3.1.3.1.2	GeNorm analysis	82
3.1.3.1.3	$\Delta\Delta C_T$ analysis	83
3.2	Human Coronavirus NL63: expression analysis of structural proteins and novel open reading frame 3 (ORF3)	84
3.2.1	Characterization of novel ORF3 of HCoV-NL63	84
3.2.1.1	<i>In silico</i> sequence analysis of HCoV-NL63 ORF3	84
3.2.1.2	Generation of vector gene constructs	86
3.2.1.3	Prokaryotic expression of viral proteins M, N, ORF3 and ORF3ct	88
3.2.1.4	Generation and evaluation of polyclonal antibodies to ORF3 and the structural proteins M and N	89
3.2.1.5	Topology of HCoV-NL63 ORF3 protein	91

3.2.1.6	Comparison of viral ORF3 and different recombinant ORF3 proteins	92
3.2.1.7	Expression analysis of recombinant GFP fusion proteins (M, N, E) and FLAG-ORF3 by WB analysis	93
3.2.1.8	Subcellular and co-localization studies of recombinant FLAG-ORF3 with GFP-E, GFP-M, GFP-N in HEK293T and Huh-7 cells	94
3.2.1.9	Interaction studies of FLAG-ORF3 with GFP-E, M and N protein by co-immunoprecipitation	96
3.2.1.10	Expression and subcellular localization of native HCoV-NL63 ORF3, M and N in HCoV-NL63 infected LLC-MK2 cells	97
3.2.1.11	Expression pattern of HCoV-NL63 viral proteins in infected LLC-MK2 cells by WB analysis and RT-PCR	98
3.2.1.12	N-glycosylation of <i>in vitro</i> translated ORF3 and M	101
4	DISCUSSION	103
4.1	Emergence of SARS-CoV and susceptibility studies	103
4.1.1	Coronavirus antibodies in African bat species	103
4.1.2	Susceptibility of different cell lines to SARS-CoV infection	105
4.1.3	Reference gene selection for SARS-CoV quantification in infected cells	107
4.2	Characterization of novel HCoV-NL63 ORF3	108
5	SUMMARY	114
6	ABBREVIATIONS	118
7	REFERENCES	123
	ACKNOWLEDGEMENTS	136
	LIST OF PRE-PUBLICATIONS OF THIS THESIS AND OTHER PUBLISHED ARTICLES	138
	CURRICULUM VITAE	139
	DECLARATION OF AUTHORSHIP	141