

## References

### 8 References

- Ahmari, S.E., Buchanan, J. and Smith, S.J. (2000) Assembly of presynaptic active zones from cytoplasmic transport packets. *Nat Neurosci* 3: 445-451.
- Auld, D.S., Mennicken, F., Day, J.C. and Quirion, R. (2001) Neurotrophins differentially enhance acetylcholine release, acetylcholine content and choline acetyltransferase activity in basal forebrain neurons. *J Neurochem* 77: 253-262.
- Aznavour, N., Mechawar, N. and Descarries, L. (2002) Comparative analysis of cholinergic innervation in the dorsal hippocampus of adult mouse and rat: a quantitative immunocytochemical study. *Hippocampus* 12: 206-217
- Baratta, J., Ha, D.H., Yu, J. and Robertson, R.T. (2001) Evidence for target preferences by cholinergic axons originating from different subdivisions of the basal forebrain. *Brain Res Dev Brain Res* 132: 15-21.
- Bartus, R.T., Dean, R.L., 3rd, Beer, B. and Lippa, A.S. (1982) The cholinergic hypothesis of geriatric memory dysfunction. *Science* 217: 408-414.
- Bejanin, S., Cervini, R., Mallet, J. and Berrard, S. (1994) A unique gene organization for two cholinergic markers, choline acetyltransferase and a putative vesicular transporter of acetylcholine. *J Biol Chem* 269: 21944-21947.
- Bejanin, S., Habert, E., Berrard, S., Edwards, J.B., Loeffler, J.P. and Mallet, J. (1992) Promoter elements of the rat choline acetyltransferase gene allowing nerve growth factor inducibility in transfected primary cultured cells. *J Neurochem* 58: 1580-1583.
- Berger-Sweeney, J., Stearns, N.A., Murg, S.L., Floerke-Nashner, L.R., Lappi, D.A. and Baxter, M.G. (2001) Selective immunolesions of cholinergic neurons in mice: effects on neuroanatomy, neurochemistry, and behavior. *J Neurosci* 21: 8164-8173.
- Berrard, S., Brice, A., Lottspeich, F., Braun, A., Barde, Y.A. and Mallet, J. (1987) cDNA cloning and complete sequence of porcine choline acetyltransferase: in vitro translation of the corresponding RNA yields an active protein. *Proc Natl Acad Sci U S A* 84: 9280-9284.
- Blitzer, R.D., Gil, O. and Landau, E.M. (1990) Cholinergic stimulation enhances long-term potentiation in the CA1 region of rat hippocampus. *Neurosci Lett* 119: 207-210.
- Bradford, M.M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72: 248-254.
- Brandon, E.P., Lin, W., D'Amour, K.A., Pizzo, D.P., Thode, S., Dominguez, B., Thal, L.J., Lee, K.-F. & Gage, F.H. (2000) . *Soc. Neurosci. Abstr.*, Vol. 26, p. 1089.

## References

- Brodski, C., Schnurch, H. and Dechant, G. (2000) Neurotrophin-3 promotes the cholinergic differentiation of sympathetic neurons. *Proc Natl Acad Sci U S A* 97: 9683-9688.
- Bruce, G. and Hersh, L.B. (1989) The phosphorylation of choline acetyltransferase. *Neurochem Res* 14: 613-620.
- Bruce, G., Wainer, B.H. and Hersh, L.B. (1985) Immunoaffinity purification of human choline acetyltransferase: comparison of the brain and placental enzymes. *J Neurochem* 45: 611-620.
- Burgard, E.C. and Sarvey, J.M. (1990) Muscarinic receptor activation facilitates the induction of long-term potentiation (LTP) in the rat dentate gyrus. *Neurosci Lett* 116: 34-39.
- Butcher, L.L. (1995) Cholinergic Neurons and Networks. In: George, P. (ed.) *The rat nervous system*, Academic Press/Academic Press, pp. 1003-1015
- Calakos, N. and Scheller, R.H. (1996) Synaptic vesicle biogenesis, docking, and fusion: a molecular description. *Physiol Rev* 76: 1-29.
- Carbini, L.A. and Hersh, L.B. (1993) Functional analysis of conserved histidines in choline acetyltransferase by site-directed mutagenesis. *J Neurochem* 61: 247-253.
- Carroll, P.T. (1994) Membrane-bound choline-O-acetyltransferase in rat hippocampal tissue is associated with synaptic vesicles. *Brain Res* 633: 112-118.
- Chalfie, M., Tu, Y., Euskirchen, G., Ward, W.W. and Prasher, D.C. (1994) Green fluorescent protein as a marker for gene expression. *Science* 263: 802-805.
- Chireux, M.A., Le Van Thai, A. and Weber, M.J. (1995) Human choline acetyltransferase gene: localization of alternative first exons. *J Neurosci Res* 40: 427-438.
- Chomczynski, P. and Sacchi, N. (1987) Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal Biochem* 162: 156-159.
- Cinato, E., Mirotsoy, M. and Sablitzky, F. (2001) Cre-mediated transgene activation in the developing and adult mouse brain. *Genesis* 31: 118-125.
- Cooper, E.C. and Jan, L.Y. (1999) Ion channel genes and human neurological disease: recent progress, prospects, and challenges. *Proc Natl Acad Sci U S A* 96: 4759-4766.
- Cormack, B.P., Valdivia, R.H. and Falkow, S. (1996) FACS-optimized mutants of the green fluorescent protein (GFP). *Gene* 173: 33-38.

## References

- Crowley, C., Spencer, S.D., Nishimura, M.C., Chen, K.S., Pitts-Meek, S., Armanini, M.P., Ling, L.H., MacMahon, S.B., Shelton, D.L., Levinson, A.D. and et al. (1994) Mice lacking nerve growth factor display perinatal loss of sensory and sympathetic neurons yet develop basal forebrain cholinergic neurons. *Cell* 76: 1001-1011.
- De Gois, S., Houhou, L., Oda, Y., Corbex, M., Pajak, F., Thevenot, E., Vodjdani, G., Mallet, J. and Berrard, S. (2000) Is RE1/NRSE a common cis-regulatory sequence for ChAT and VAcHT genes? *J Biol Chem* 275: 36683-36690.
- Dobransky, T., Davis, W.L. and Rylett, R.J. (2001) Functional characterization of phosphorylation of 69-kDa human choline acetyltransferase at serine 440 by protein kinase C. *J Biol Chem* 276: 22244-22250.
- Dobransky, T., Davis, W.L., Xiao, G.H. and Rylett, R.J. (2000) Expression, purification and characterization of recombinant human choline acetyltransferase: phosphorylation of the enzyme regulates catalytic activity. *Biochem J* 349: 141-151.
- Eckenstein, F. and Thoenen, H. (1982) Production of specific antisera and monoclonal antibodies to choline acetyltransferase: characterization and use for identification of cholinergic neurons. *Embo J* 1: 363-368
- Eiden, L.E. (1998) The cholinergic gene locus. *J Neurochem* 70: 2227-2240.
- Feng, G., Mellor, R.H., Bernstein, M., Keller-Peck, C., Nguyen, Q.T., Wallace, M., Nerbonne, J.M., Lichtman, J.W. and Sanes, J.R. (2000) Imaging neuronal subsets in transgenic mice expressing multiple spectral variants of GFP. *Neuron* 28: 41-51.
- Fonnum, F. (1975) A rapid radiochemical method for the determination of choline acetyltransferase. *J Neurochem* 24: 407-409.
- Friedenwald, K. (1949) A histochemical method for localizing cholinesterase activity. *Proc Soc Exp Biol Med* 70: 617-622
- Gahwiler, B.H. (1981) Organotypic monolayer cultures of nervous tissue. *J Neurosci Methods* 4: 329-342.
- Gahwiler, B.H., Enz, A. and Hefti, F. (1987) Nerve growth factor promotes development of the rat septo-hippocampal cholinergic projection in vitro. *Neurosci Lett* 75: 6-10.
- Gahwiler, B.H. and Hefti, F. (1984) Guidance of acetylcholinesterase-containing fibres by target tissue in co-cultured brain slices. *Neuroscience* 13: 681-689.
- Gahwiler, B.H., Rietschin, L., Knopf, T. and Enz, A. (1990) Continuous presence of nerve growth factor is required for maintenance of cholinergic septal neurons in organotypic slice cultures. *Neuroscience* 36: 27-31

## References

- Geula, C., Mesulam, M.M., Saroff, D.M. and Wu, C.K. (1998) Relationship between plaques, tangles, and loss of cortical cholinergic fibers in Alzheimer disease. *J Neuropathol Exp Neurol* 57: 63-75.
- Gluzman, Y. (1981) SV40-transformed simian cells support the replication of early SV40 mutants. *Cell* 23: 175-182.
- Gu, H., Marth, J.D., Orban, P.C., Mossmann, H. and Rajewsky, K. (1994) Deletion of a DNA polymerase beta gene segment in T cells using cell type-specific gene targeting. *Science* 265: 103-106.
- Güth, A. (1999) Dissertation: Integration des Tet-Systems durch homologe Rekombination in das AChR epsilon-Gen der Maus. Ruprecht-Karls-Universität Heidelberg, Heidelberg.
- Haas, K., Sin, W.C., Javaherian, A., Li, Z. and Cline, H.T. (2001) Single-cell electroporation for gene transfer in vivo. *Neuron* 29: 583-591.
- Hahn, M., Hahn, S.L., Stone, D.M. and Joh, T.H. (1992) Cloning of the rat gene encoding choline acetyltransferase, a cholinergic neuron-specific marker. *Proc Natl Acad Sci U S A* 89: 4387-4391.
- Heim, R. and Tsien, R.Y. (1996) Engineering green fluorescent protein for improved brightness, longer wavelengths and fluorescence resonance energy transfer. *Curr Biol* 6: 178-182.
- Hirasawa, M., Cho, A., Sreenath, T., Sauer, B., Julien, J.P. and Kulkarni, A.B. (2001) Neuron-specific expression of Cre recombinase during the late phase of brain development. *Neurosci Res* 40: 125-132.
- Hucho, F., Tsetlin, V.I. and Machold, J. (1996) The emerging three-dimensional structure of a receptor. The nicotinic acetylcholine receptor. *Eur J Biochem* 239: 539-557.
- Ibanez, C.F., Ernfors, P. and Persson, H. (1991) Developmental and regional expression of choline acetyltransferase mRNA in the rat central nervous system. *J Neurosci Res* 29: 163-171.
- Ishii, K., Oda, Y., Ichikawa, T. and Deguchi, T. (1990) Complementary DNAs for choline acetyltransferase from spinal cords of rat and mouse: nucleotide sequences, expression in mammalian cells, and in situ hybridization. *Brain Res Mol Brain Res* 7: 151-159.
- Jin, X.L., Guo, H., Mao, C., Atkins, N., Wang, H., Avasthi, P.P., Tu, Y.T. and Li, Y. (2000) Emx1-specific expression of foreign genes using "knock-in" approach. *Biochem Biophys Res Commun* 270: 978-982.

## References

- Johnson, E.M., Jr., Taniuchi, M., Clark, H.B., Springer, J.E., Koh, S., Tayrien, M.W. and Loy, R. (1987) Demonstration of the retrograde transport of nerve growth factor receptor in the peripheral and central nervous system. *J Neurosci* 7: 923-929.
- Kato, T. (1989) Choline acetyltransferase activities in single spinal motor neurons from patients with amyotrophic lateral sclerosis. *J Neurochem* 52: 636-640.
- Klein, R.L., Muir, D., King, M.A., Peel, A.L., Zolotukhin, S., Moller, J.C., Kruttgen, A., Heymach, J.V., Jr., Muzyczka, N. and Meyer, E.M. (1999) Long-term actions of vector-derived nerve growth factor or brain-derived neurotrophic factor on choline acetyltransferase and Trk receptor levels in the adult rat basal forebrain. *Neuroscience* 90: 815-821.
- Korsching, S., Auburger, G., Heumann, R., Scott, J. and Thoenen, H. (1985) Levels of nerve growth factor and its mRNA in the central nervous system of the rat correlate with cholinergic innervation. *Embo J* 4: 1389-1393.
- Kuhn, R., Rajewsky, K. and Muller, W. (1991) Generation and analysis of interleukin-4 deficient mice. *Science* 254: 707-710.
- Laemmli, U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685.
- Li, Z. and Murthy, V.N. (2001) Visualizing postendocytic traffic of synaptic vesicles at hippocampal synapses. *Neuron* 31: 593-605.
- Lindholm, D., Harikka, J., da Penha Berzaghi, M., Castren, E., Tzimagiorgis, G., Hughes, R.A. and Thoenen, H. (1994) Fibroblast growth factor-5 promotes differentiation of cultured rat septal cholinergic and raphe serotonergic neurons: comparison with the effects of neurotrophins. *Eur J Neurosci* 6: 244-252.
- Loewi, O. (1921) Uber humorale ubertragbarkeit der hirzenwicklung. *Pflugers Arch.* 189: 239-242
- Lonnerberg, P., Schoenherr, C.J., Anderson, D.J. and Ibanez, C.F. (1996) Cell type-specific regulation of choline acetyltransferase gene expression. Role of the neuron-restrictive silencer element and cholinergic-specific enhancer sequences. *J Biol Chem* 271: 33358-33365.
- Lopez-Coviella, I., Berse, B., Krauss, R., Thies, R.S. and Blusztajn, J.K. (2000) Induction and maintenance of the neuronal cholinergic phenotype in the central nervous system by BMP-9. *Science* 289: 313-316.
- Machado, D.N.a.A.L. (1943) The formation of acetylcholine. A new enzyme choline acetylase. *J. Neurophysiol.* 6: 397-403
- Maniatis (1982) *Molecular Cloning: A Laboratory Manual*. Cold Spring Harbour publications.

## References

- McGeer, P.L., McGeer, E.G. and Peng, J.H. (1984) Choline acetyltransferase: purification and immunohistochemical localization. *Life Sci* 34: 2319-2338.
- Mechawar, N., Cozzari, C. and Descarries, L. (2000) Cholinergic innervation in adult rat cerebral cortex: a quantitative immunocytochemical description. *J Comp Neurol* 428: 305-318.
- Mesulam, M.M., Mufson, E.J., Wainer, B.H. and Levey, A.I. (1983) Central cholinergic pathways in the rat: an overview based on an alternative nomenclature (Ch1-Ch6). *Neuroscience* 10: 1185-1201.
- Misawa (1992) Gene expression of mouse choline acetyltransferase. *JBC* 267: 20392
- Misawa, H., Matsuura, J., Oda, Y., Takahashi, R. and Deguchi, T. (1997) Human choline acetyltransferase mRNAs with different 5'-region produce a 69-kDa major translation product. *Brain Res Mol Brain Res* 44: 323-333.
- Mishina, M., Takai, T., Imoto, K., Noda, M., Takahashi, T., Numa, S., Methfessel, C. and Sakmann, B. (1986) Molecular distinction between fetal and adult forms of muscle acetylcholine receptor. *Nature* 321: 406-411.
- Morrison, B.M. and Morrison, J.H. (1999) Amyotrophic lateral sclerosis associated with mutations in superoxide dismutase: a putative mechanism of degeneration. *Brain Res Brain Res Rev* 29: 121-135.
- Naciff, J.M., Behbehani, M.M., Misawa, H. and Dedman, J.R. (1999) Identification and transgenic analysis of a murine promoter that targets cholinergic neuron expression. *J Neurochem* 72: 17-28.
- Nakata, T., Terada, S. and Hirokawa, N. (1998) Visualization of the dynamics of synaptic vesicle and plasma membrane proteins in living axons. *J Cell Biol* 140: 659-674.
- Neuhaus, E.M., Horstmann, H., Almers, W., Maniak, M. and Soldati, T. (1998) Ethane-freezing/methanol-fixation of cell monolayers: a procedure for improved preservation of structure and antigenicity for light and electron microscopies. *J Struct Biol* 121: 326-342
- Neumann, E., Kakorin, S. and Toensing, K. (1999) Fundamentals of electroporative delivery of drugs and genes. *Bioelectrochem Bioenerg* 48: 3-16.
- O'Meara, G., Coumis, U., Ma, S.Y., Kehr, J., Mahoney, S., Bacon, A., Allen, S.J., Holmes, F., Kahl, U., Wang, F.H., Kearns, I.R., Ove-Ogren, S., Dawbarn, D., Mufson, E.J., Davies, C., Dawson, G. and Wynick, D. (2000) Galanin regulates the postnatal survival of a subset of basal forebrain cholinergic neurons. *Proc Natl Acad Sci U S A* 97: 11569-11574.

## References

- Oda, Y., Muroishi, Y. and Nakanishi, I. (1996) Translation initiation sites and relative activity of large and small forms of human choline acetyltransferase. *Brain Res Mol Brain Res* 38: 135-138.
- Oda, Y., Nakanishi, I. and Deguchi, T. (1992) A complementary DNA for human choline acetyltransferase induces two forms of enzyme with different molecular weights in cultured cells. *Brain Res Mol Brain Res* 16: 287-294.
- Ogawa, H., Inouye, S., Tsuji, F.I., Yasuda, K. and Umesono, K. (1995) Localization, trafficking, and temperature-dependence of the *Aequorea* green fluorescent protein in cultured vertebrate cells. *Proc Natl Acad Sci U S A* 92: 11899-11903.
- Oh, J.D., Woolf, N.J., Roghani, A., Edwards, R.H. and Butcher, L.L. (1992) Cholinergic neurons in the rat central nervous system demonstrated by in situ hybridization of choline acetyltransferase mRNA. *Neuroscience* 47: 807-822
- Okuda, T., Haga, T., Kanai, Y., Endou, H., Ishihara, T. and Katsura, I. (2000) Identification and characterization of the high-affinity choline transporter. *Nat Neurosci* 3: 120-125.
- Ormo, M., Cubitt, A.B., Kallio, K., Gross, L.A., Tsien, R.Y. and Remington, S.J. (1996) Crystal structure of the *Aequorea victoria* green fluorescent protein. *Science* 273: 1392-1395.
- Pahud, G., Salem, N., van de Goor, J., Medilanski, J., Pellegrinelli, N. and Eder-Colli, L. (1998) Study of subcellular localization of membrane-bound choline acetyltransferase in *Drosophila* central nervous system and its association with membranes. *Eur J Neurosci* 10: 1644-1653.
- Rae, J.L. and Levis, R.A. (2002) Single-cell electroporation. *Pflugers Arch* 443: 664-670.
- Raftery, M.A., Vandlen, R., Michaelson, D., Bode, J., Moody, T., Chao, Y., Reed, K., Deutsch, J. and Duguid, J. (1974) The biochemistry of an acetylcholine receptor. *J Supramol Struct* 2: 582-592
- Rathenberg, J., Gartner, A., Koenen, M. and Witzemann, V. (2002) Modification of choline acetyltransferase by integration of green fluorescent protein does not affect enzyme activity and subcellular distribution. *Cell Tissue Res* 308: 1-6.
- Ray, K., Perez, S.E., Yang, Z., Xu, J., Ritchings, B.W., Steller, H. and Goldstein, L.S. (1999) Kinesin-II is required for axonal transport of choline acetyltransferase in *Drosophila*. *J Cell Biol* 147: 507-518.
- Resendes, M.C., Dobransky, T., Ferguson, S.S. and Rylett, R.J. (1999) Nuclear localization of the 82-kDa form of human choline acetyltransferase. *J Biol Chem* 274: 19417-19421.

## References

- Robert, I. and Quirin-Stricker, C. (1998) Production and functional expression of an epitope-tagged human choline acetyltransferase. *J Mol Neurosci* 11: 243-251.
- Saiki, R.K., Gelfand, D.H., Stoffel, S., Scharf, S.J., Higuchi, R., Horn, G.T., Mullis, K.B. and Erlich, H.A. (1988) Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239: 487-491.
- Salpeter, M.M. and Elderfrawi, M.E. (1973) Sizes of end plate compartments, densities of acetylcholine receptor and other quantitative aspects of neuromuscular transmission. *J Histochem Cytochem* 21: 769-778.
- Sauer, B. and Henderson, N. (1988a) The cyclization of linear DNA in *Escherichia coli* by site-specific recombination. *Gene* 70: 331-341.
- Sauer, B. and Henderson, N. (1988b) Site-specific DNA recombination in mammalian cells by the Cre recombinase of bacteriophage P1. *Proc Natl Acad Sci U S A* 85: 5166-5170.
- Schafer, M.K., Eiden, L.E. and Weihe, E. (1998) Cholinergic neurons and terminal fields revealed by immunohistochemistry for the vesicular acetylcholine transporter. I. Central nervous system. *Neuroscience* 84: 331-359.
- Schoenherr, C.J. and Anderson, D.J. (1995) The neuron-restrictive silencer factor (NRSF): a coordinate repressor of multiple neuron-specific genes. *Science* 267: 1360-1363.
- Schwarz, H., Hesser, B., Sander, A. and Güth, A. (1998) High-throughput screening of embryonic stem cell clones for a correctly targeted gene. *QIAGEN News* 3: 7-9
- Selkoe, D.J. (1991) The molecular pathology of Alzheimer's disease. *Neuron* 6: 487-498.
- Sendtner, M., Pei, G., Beck, M., Schweizer, U. and Wiese, S. (2000) Developmental motoneuron cell death and neurotrophic factors. *Cell Tissue Res* 301: 71-84.
- Shi, S., Hayashi, Y., Esteban, J.A. and Malinow, R. (2001) Subunit-specific rules governing AMPA receptor trafficking to synapses in hippocampal pyramidal neurons. *Cell* 105: 331-343.
- Shi, S.H., Hayashi, Y., Petralia, R.S., Zaman, S.H., Wenthold, R.J., Svoboda, K. and Malinow, R. (1999) Rapid spine delivery and redistribution of AMPA receptors after synaptic NMDA receptor activation. *Science* 284: 1811-1816.
- Smeyne, R.J., Klein, R., Schnapp, A., Long, L.K., Bryant, S., Lewin, A., Lira, S.A. and Barbacid, M. (1994) Severe sensory and sympathetic neuropathies in mice carrying a disrupted Trk/NGF receptor gene. *Nature* 368: 246-249.
- Soriano, P. (1995) Gene targeting in ES cells. *Annu Rev Neurosci* 18: 1-18

## References

- Southern, E.M. (1975) Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J Mol Biol* 98: 503-517.
- Sternberg, N. and Hamilton, D. (1981) Bacteriophage P1 site-specific recombination. I. Recombination between loxP sites. *J Mol Biol* 150: 467-486.
- Stone, T.W. (1972) Cholinergic mechanisms in the rat somatosensory cerebral cortex. *J Physiol* 225: 485-499.
- Stoppini, L., Buchs, P.A. and Muller, D. (1991) A simple method for organotypic cultures of nervous tissue. *J Neurosci Methods* 37: 173-182.
- Strada, O., Vyas, S., Hirsch, E.C., Ruberg, M., Brice, A., Agid, Y. and Javoy-Agid, F. (1992) Decreased choline acetyltransferase mRNA expression in the nucleus basalis of Meynert in Alzheimer disease: an in situ hybridization study. *Proc Natl Acad Sci U S A* 89: 9549-9553.
- Teruel, M.N., Blanpied, T.A., Shen, K., Augustine, G.J. and Meyer, T. (1999) A versatile microporation technique for the transfection of cultured CNS neurons. *J Neurosci Methods* 93: 37-48.
- Tucker, A., Lumsden, A. and Guthrie, S. (1996) Cranial motor axons respond differently to the floor plate and sensory ganglia in collagen gel co-cultures. *Eur J Neurosci* 8: 906-916.
- Turrini, P., Casu, M.A., Wong, T.P., De Koninck, Y., Ribeiro-da-Silva, A. and Cuello, A.C. (2001) Cholinergic nerve terminals establish classical synapses in the rat cerebral cortex: synaptic pattern and age-related atrophy. *Neuroscience* 105: 277-285
- Umbriaco, D., Watkins, K.C., Descarries, L., Cozzari, C. and Hartman, B.K. (1994) Ultrastructural and morphometric features of the acetylcholine innervation in adult rat parietal cortex: an electron microscopic study in serial sections. *J Comp Neurol* 348: 351-373.
- Virgo, L., de Belleruche, J., Rossi, M. and Steiner, T.J. (1992) Characterisation of the distribution of choline acetyltransferase messenger RNA in human spinal cord and its depletion in motor neurone disease. *J Neurol Sci* 112: 126-132.
- Wiedenmann, B. and Franke, W.W. (1985) Identification and localization of synaptophysin, an integral membrane glycoprotein of Mr 38,000 characteristic of presynaptic vesicles. *Cell* 41: 1017-1028.
- Wilcock, G.K., Esiri, M.M., Bowen, D.M. and Smith, C.C. (1982) Alzheimer's disease. Correlation of cortical choline acetyltransferase activity with the severity of dementia and histological abnormalities. *J Neurol Sci* 57: 407-417.
- Williams, S. and Johnston, D. (1988) Muscarinic depression of long-term potentiation in CA3 hippocampal neurons. *Science* 242: 84-87.

## References

Wu, D., Ahmed, S.N., Lian, W. and Hersh, L.B. (1995) Activation of rat choline acetyltransferase by limited proteolysis. *J Biol Chem* 270: 19395-19401.

Wu, D. and Hersh, L.B. (1995) Identification of an active site arginine in rat choline acetyltransferase by alanine scanning mutagenesis. *J Biol Chem* 270: 29111-29116.

Yeo, T.T., Chua-Couzens, J., Butcher, L.L., Bredesen, D.E., Cooper, J.D., Valletta, J.S., Mobley, W.C. and Longo, F.M. (1997) Absence of p75<sup>NTR</sup> causes increased basal forebrain cholinergic neuron size, choline acetyltransferase activity, and target innervation. *J Neurosci* 17: 7594-7605.

Zolotukhin, S., Potter, M., Hauswirth, W.W., Guy, J. and Muzyczka, N. (1996) A "humanized" green fluorescent protein cDNA adapted for high-level expression in mammalian cells. *J Virol* 70: 4646-4654.