

6 Literaturverzeichnis

1. Janeway, C.A. and P. Travers, *Immunologie*. 5.Auflage ed. 2002, Heidelberg: Spektrum Akademischer Verlag.
2. Abbas, A.K. and A.H. Lichtman, *Immunologie*. 1.Auflage ed. 1996, Bern: Verlag Hans Huber.
3. Sanders, M.E., M.W. Makgoba, and S. Shaw, *Human naive and memory T cells: reinterpretation of helper-inducer and suppressor-inducer subsets*. *Immunol Today*, 1988. **9**(7-8): p. 195-9.
4. Akbar, A.N., et al., *Loss of CD45R and gain of UCHL1 reactivity is a feature of primed T cells*. *J Immunol*, 1988. **140**(7): p. 2171-8.
5. Clement, L.T., N. Yamashita, and A.M. Martin, *The functionally distinct subpopulations of human CD4+ helper/inducer T lymphocytes defined by anti-CD45R antibodies derive sequentially from a differentiation pathway that is regulated by activation-dependent post-thymic differentiation*. *J Immunol*, 1988. **141**(5): p. 1464-70.
6. Morgan, D.A., F.W. Ruscetti, and R. Gallo, *Selective in vitro growth of T lymphocytes from normal human bone marrows*. *Science*, 1976. **193**(4257): p. 1007-8.
7. Miyazaki, T., et al., *Three distinct IL-2 signaling pathways mediated by bcl-2, c-myc, and lck cooperate in hematopoietic cell proliferation*. *Cell*, 1995. **81**(2): p. 223-31.
8. Cousens, L.P., J.S. Orange, and C.A. Biron, *Endogenous IL-2 contributes to T cell expansion and IFN-gamma production during lymphocytic choriomeningitis virus infection*. *J Immunol*, 1995. **155**(12): p. 5690-9.
9. Refaeli, Y., et al., *Interferon gamma is required for activation-induced death of T lymphocytes*. *J Exp Med*, 2002. **196**(7): p. 999-1005.
10. Rogers, P.R., G. Huston, and S.L. Swain, *High antigen density and IL-2 are required for generation of CD4 effectors secreting Th1 rather than Th0 cytokines*. *J Immunol*, 1998. **161**(8): p. 3844-52.
11. Constant, S.L. and K. Bottomly, *Induction of Th1 and Th2 CD4+ T cell responses: the alternative approaches*. *Annu Rev Immunol*, 1997. **15**: p. 297-322.
12. Refaeli, Y., et al., *Biochemical mechanisms of IL-2-regulated Fas-mediated T cell apoptosis*. *Immunity*, 1998. **8**(5): p. 615-23.
13. Lenardo, M.J., *Interleukin-2 programs mouse alpha beta T lymphocytes for apoptosis*. *Nature*, 1991. **353**(6347): p. 858-61.
14. Malek, T.R., et al., *CD4 regulatory T cells prevent lethal autoimmunity in IL-2Rbeta-deficient mice. Implications for the nonredundant function of IL-2*. *Immunity*, 2002. **17**(2): p. 167-78.
15. Furtado, G.C., et al., *Interleukin 2 signaling is required for CD4(+) regulatory T cell function*. *J Exp Med*, 2002. **196**(6): p. 851-7.
16. Sadlack, B., et al., *Generalized autoimmune disease in interleukin-2-deficient mice is triggered by an uncontrolled activation and proliferation of CD4+ T cells*. *Eur J Immunol*, 1995. **25**(11): p. 3053-9.
17. Goldrath, A.W., et al., *Cytokine requirements for acute and Basal homeostatic proliferation of naive and memory CD8+ T cells*. *J Exp Med*, 2002. **195**(12): p. 1515-22.
18. Ku, C.C., et al., *Control of homeostasis of CD8+ memory T cells by opposing cytokines*. *Science*, 2000. **288**(5466): p. 675-8.
19. Blackman, M.A., et al., *A model system for peptide hormone action in differentiation: interleukin 2 induces a B lymphoma to transcribe the J chain gene*. *Cell*, 1986. **47**(4): p. 609-17.
20. Carson, W.E., et al., *A potential role for interleukin-15 in the regulation of human natural killer cell survival*. *J Clin Invest*, 1997. **99**(5): p. 937-43.

21. Suzuki, H., et al., *Abnormal development of intestinal intraepithelial lymphocytes and peripheral natural killer cells in mice lacking the IL-2 receptor beta chain*. J Exp Med, 1997. **185**(3): p. 499-505.
22. Giri, J.G., et al., *Utilization of the beta and gamma chains of the IL-2 receptor by the novel cytokine IL-15*. Embo J, 1994. **13**(12): p. 2822-30.
23. Khatri, V.P., et al., *Ultra low dose interleukin-2 therapy promotes a type 1 cytokine profile in vivo in patients with AIDS and AIDS-associated malignancies*. J Clin Invest, 1998. **101**(6): p. 1373-8.
24. Gaffen, S.L. and K.D. Liu, *Overview of interleukin-2 function, production and clinical applications*. Cytokine, 2004. **28**(3): p. 109-23.
25. Jameson, S.C., *Maintaining the norm: T-cell homeostasis*. Nat Rev Immunol, 2002. **2**(8): p. 547-56.
26. Downward, J., *Signal transduction. Prelude to an anniversary for the RAS oncogene*. Science, 2006. **314**(5798): p. 433-4.
27. Walsh, P.T., D.K. Taylor, and L.A. Turka, *Tregs and transplantation tolerance*. J Clin Invest, 2004. **114**(10): p. 1398-403.
28. O'Keefe, S.J., et al., *FK-506- and CsA-sensitive activation of the interleukin-2 promoter by calcineurin*. Nature, 1992. **357**(6380): p. 692-4.
29. Monks, C.R., et al., *Three-dimensional segregation of supramolecular activation clusters in T cells*. Nature, 1998. **395**(6697): p. 82-6.
30. Grakoui, A., et al., *The immunological synapse: a molecular machine controlling T cell activation*. Science, 1999. **285**(5425): p. 221-7.
31. Schwartz, J.C., et al., *Structural mechanisms of costimulation*. Nat Immunol, 2002. **3**(5): p. 427-34.
32. Acuto, O. and F. Michel, *CD28-mediated co-stimulation: a quantitative support for TCR signalling*. Nat Rev Immunol, 2003. **3**(12): p. 939-51.
33. Weiss, A., *T cell antigen receptor signal transduction: a tale of tails and cytoplasmic protein-tyrosine kinases*. Cell, 1993. **73**(2): p. 209-12.
34. Weiss, A. and D.R. Littman, *Signal transduction by lymphocyte antigen receptors*. Cell, 1994. **76**(2): p. 263-74.
35. Crabtree, G.R. and N.A. Clipstone, *Signal transmission between the plasma membrane and nucleus of T lymphocytes*. Annu Rev Biochem, 1994. **63**: p. 1045-83.
36. Cantrell, D., *T cell antigen receptor signal transduction pathways*. Annu Rev Immunol, 1996. **14**: p. 259-74.
37. Berridge, M.J., M.D. Bootman, and P. Lipp, *Calcium--a life and death signal*. Nature, 1998. **395**(6703): p. 645-8.
38. Crabtree, G.R. and E.N. Olson, *NFAT signaling: choreographing the social lives of cells*. Cell, 2002. **109** Suppl: p. S67-79.
39. Li, Q. and I.M. Verma, *NF-kappaB regulation in the immune system*. Nat Rev Immunol, 2002. **2**(10): p. 725-34.
40. Monks, C.R., et al., *Selective modulation of protein kinase C-theta during T-cell activation*. Nature, 1997. **385**(6611): p. 83-6.
41. Pahlavani, M.A. and A. Richardson, *The effect of age on the expression of interleukin-2*. Mech Ageing Dev, 1996. **89**(3): p. 125-54.
42. Ghosh, P., et al., *The interleukin 2 CD28-responsive complex contains at least three members of the NF kappa B family: c-Rel, p50, and p65*. Proc Natl Acad Sci U S A, 1993. **90**(5): p. 1696-700.
43. Baier, G., et al., *Molecular cloning and characterization of PKC theta, a novel member of the protein kinase C (PKC) gene family expressed predominantly in hematopoietic cells*. J Biol Chem, 1993. **268**(7): p. 4997-5004.
44. Lewis, R.S., *Calcium signaling mechanisms in T lymphocytes*. Annu Rev Immunol, 2001. **19**: p. 497-521.
45. Feske, S., et al., *Gene regulation mediated by calcium signals in T lymphocytes*. Nat Immunol, 2001. **2**(4): p. 316-24.

46. Berridge, M.J., P. Lipp, and M.D. Bootman, *The versatility and universality of calcium signalling*. Nat Rev Mol Cell Biol, 2000. **1**(1): p. 11-21.
47. Wulfiging, C. and M.M. Davis, *A receptor/cytoskeletal movement triggered by costimulation during T cell activation*. Science, 1998. **282**(5397): p. 2266-9.
48. Gallo, E.M., K. Cante-Barrett, and G.R. Crabtree, *Lymphocyte calcium signaling from membrane to nucleus*. Nat Immunol, 2006. **7**(1): p. 25-32.
49. Fanger, C.M., et al., *Characterization of T cell mutants with defects in capacitative calcium entry: genetic evidence for the physiological roles of CRAC channels*. J Cell Biol, 1995. **131**(3): p. 655-67.
50. Negulescu, P.A., N. Shastri, and M.D. Cahalan, *Intracellular calcium dependence of gene expression in single T lymphocytes*. Proc Natl Acad Sci U S A, 1994. **91**(7): p. 2873-7.
51. Berridge, M.J., *Inositol trisphosphate and calcium signalling*. Nature, 1993. **361**(6410): p. 315-25.
52. Putney, J.W., Jr., *A model for receptor-regulated calcium entry*. Cell Calcium, 1986. **7**(1): p. 1-12.
53. Hoth, M., C. Fasolato, and R. Penner, *Ion channels and calcium signaling in mast cells*. Ann N Y Acad Sci, 1993. **707**: p. 198-209.
54. Parekh, A.B. and R. Penner, *Store depletion and calcium influx*. Physiol Rev, 1997. **77**(4): p. 901-30.
55. Thastrup, O., et al., *Thapsigargin, a novel molecular probe for studying intracellular calcium release and storage*. Agents Actions, 1989. **27**(1-2): p. 17-23.
56. Zweifach, A. and R.S. Lewis, *Mitogen-regulated Ca²⁺ current of T lymphocytes is activated by depletion of intracellular Ca²⁺ stores*. Proc Natl Acad Sci U S A, 1993. **90**(13): p. 6295-9.
57. Premack, B.A., T.V. McDonald, and P. Gardner, *Activation of Ca²⁺ current in Jurkat T cells following the depletion of Ca²⁺ stores by microsomal Ca(2+)-ATPase inhibitors*. J Immunol, 1994. **152**(11): p. 5226-40.
58. Sarkadi, B., et al., *Calcium influx and intracellular calcium release in anti-CD3 antibody-stimulated and thapsigargin-treated human T lymphoblasts*. J Membr Biol, 1991. **123**(1): p. 9-21.
59. Hoth, M., C.M. Fanger, and R.S. Lewis, *Mitochondrial regulation of store-operated calcium signaling in T lymphocytes*. J Cell Biol, 1997. **137**(3): p. 633-48.
60. Dolmetsch, R.E., et al., *Differential activation of transcription factors induced by Ca²⁺ response amplitude and duration*. Nature, 1997. **386**(6627): p. 855-8.
61. Timmerman, L.A., et al., *Rapid shuttling of NF-AT in discrimination of Ca²⁺ signals and immunosuppression*. Nature, 1996. **383**(6603): p. 837-40.
62. Roederer, M., et al., *Heterogeneous calcium flux in peripheral T cell subsets revealed by five-color flow cytometry using log-ratio circuitry*. Cytometry, 1995. **21**(2): p. 187-96.
63. Robinson, A.T., N. Miller, and D.R. Alexander, *CD3 antigen-mediated calcium signals and protein kinase C activation are higher in CD45R0+ than in CD45RA+ human T lymphocyte subsets*. Eur J Immunol, 1993. **23**(1): p. 61-8.
64. Dolmetsch, R.E. and R.S. Lewis, *Signaling between intracellular Ca²⁺ stores and depletion-activated Ca²⁺ channels generates [Ca²⁺]_i oscillations in T lymphocytes*. J Gen Physiol, 1994. **103**(3): p. 365-88.
65. Donnadieu, E., G. Bismuth, and A. Trautmann, *Calcium fluxes in T lymphocytes*. J Biol Chem, 1992. **267**(36): p. 25864-72.
66. Lewis, R.S. and M.D. Cahalan, *Mitogen-induced oscillations of cytosolic Ca²⁺ and transmembrane Ca²⁺ current in human leukemic T cells*. Cell Regul, 1989. **1**(1): p. 99-112.
67. Li, W., et al., *Cell-permeant caged InsP3 ester shows that Ca²⁺ spike frequency can optimize gene expression*. Nature, 1998. **392**(6679): p. 936-41.
68. Dolmetsch, R.E., K. Xu, and R.S. Lewis, *Calcium oscillations increase the efficiency and specificity of gene expression*. Nature, 1998. **392**(6679): p. 933-6.

69. Partiseti, M., et al., *The calcium current activated by T cell receptor and store depletion in human lymphocytes is absent in a primary immunodeficiency*. J Biol Chem, 1994. **269**(51): p. 32327-35.
70. Le Deist, F., et al., *A primary T-cell immunodeficiency associated with defective transmembrane calcium influx*. Blood, 1995. **85**(4): p. 1053-62.
71. Ho, S., et al., *The mechanism of action of cyclosporin A and FK506*. Clin Immunol Immunopathol, 1996. **80**(3 Pt 2): p. S40-5.
72. Klee, C.B., T.H. Crouch, and M.H. Krinks, *Calcineurin: a calcium- and calmodulin-binding protein of the nervous system*. Proc Natl Acad Sci U S A, 1979. **76**(12): p. 6270-3.
73. Shibasaki, F., U. Hallin, and H. Uchino, *Calcineurin as a multifunctional regulator*. J Biochem (Tokyo), 2002. **131**(1): p. 1-15.
74. Jiang, H., et al., *Distinct tissue and cellular distribution of two major isoforms of calcineurin*. Mol Immunol, 1997. **34**(8-9): p. 663-9.
75. Moriya, M., et al., *Immunohistochemical localization of the calcium/calmodulin-dependent protein phosphatase, calcineurin, in the mouse testis: its unique accumulation in spermatid nuclei*. Cell Tissue Res, 1995. **281**(2): p. 273-81.
76. Ueki, K., T. Muramatsu, and R.L. Kincaid, *Structure and expression of two isoforms of the murine calmodulin-dependent protein phosphatase regulatory subunit (calcineurin B)*. Biochem Biophys Res Commun, 1992. **187**(1): p. 537-43.
77. Aitken, A., C.B. Klee, and P. Cohen, *The structure of the B subunit of calcineurin*. Eur J Biochem, 1984. **139**(3): p. 663-71.
78. Stemmer, P.M. and C.B. Klee, *Dual calcium ion regulation of calcineurin by calmodulin and calcineurin B*. Biochemistry, 1994. **33**(22): p. 6859-66.
79. Klee, C.B., G.F. Draetta, and M.J. Hubbard, *Calcineurin*. Adv Enzymol Relat Areas Mol Biol, 1988. **61**: p. 149-200.
80. Feng, B. and P.M. Stemmer, *Interactions of calcineurin A, calcineurin B, and Ca²⁺*. Biochemistry, 1999. **38**(38): p. 12481-9.
81. Sagoo, J.K., et al., *Competitive inhibition of calcineurin phosphatase activity by its autoinhibitory domain*. Biochem J, 1996. **320** (Pt 3): p. 879-84.
82. Clipstone, N.A. and G.R. Crabtree, *Identification of calcineurin as a key signalling enzyme in T-lymphocyte activation*. Nature, 1992. **357**(6380): p. 695-7.
83. Liu, J., et al., *Calcineurin is a common target of cyclophilin-cyclosporin A and FKBP-FK506 complexes*. Cell, 1991. **66**(4): p. 807-15.
84. Borel, J.F., et al., *Biological effects of cyclosporin A: a new antilymphocytic agent*. Agents Actions, 1976. **6**(4): p. 468-75.
85. Sigal, N.H. and F.J. Dumont, *Cyclosporin A, FK-506, and rapamycin: pharmacologic probes of lymphocyte signal transduction*. Annu Rev Immunol, 1992. **10**: p. 519-60.
86. Friedman, J. and I. Weissman, *Two cytoplasmic candidates for immunophilin action are revealed by affinity for a new cyclophilin: one in the presence and one in the absence of CsA*. Cell, 1991. **66**(4): p. 799-806.
87. Griffith, J.P., et al., *X-ray structure of calcineurin inhibited by the immunophilin-immunosuppressant FKBP12-FK506 complex*. Cell, 1995. **82**(3): p. 507-22.
88. Shevach, E.M., *The effects of cyclosporin A on the immune system*. Annu Rev Immunol, 1985. **3**: p. 397-423.
89. Isakov, N., W. Scholz, and A. Altman, *Effect of cyclosporine A on early stages of T cell activation*. Transplant Proc, 1987. **19**(1 Pt 2): p. 1186-8.
90. Isakov, N., et al., *T-lymphocyte activation: the role of protein kinase C and the bifurcating inositol phospholipid signal transduction pathway*. Immunol Rev, 1987. **95**: p. 89-111.
91. Fruman, D.A., S.J. Burakoff, and B.E. Bierer, *Immunophilins in protein folding and immunosuppression*. Faseb J, 1994. **8**(6): p. 391-400.
92. Lee, M. and J. Park, *Regulation of NFAT activation: a potential therapeutic target for immunosuppression*. Mol Cells, 2006. **22**(1): p. 1-7.
93. Coghlan, V.M., et al., *Association of protein kinase A and protein phosphatase 2B with a common anchoring protein*. Science, 1995. **267**(5194): p. 108-11.

94. Kashishian, A., et al., *AKAP79 inhibits calcineurin through a site distinct from the immunophilin-binding region*. J Biol Chem, 1998. **273**(42): p. 27412-9.
95. Lin, X., et al., *Inhibition of calcineurin phosphatase activity by a calcineurin B homologous protein*. J Biol Chem, 1999. **274**(51): p. 36125-31.
96. Sun, L., et al., *Cabin 1, a negative regulator for calcineurin signaling in T lymphocytes*. Immunity, 1998. **8**(6): p. 703-11.
97. Fuentes, J.J., et al., *A new human gene from the Down syndrome critical region encodes a proline-rich protein highly expressed in fetal brain and heart*. Hum Mol Genet, 1995. **4**(10): p. 1935-44.
98. Fuentes, J.J., et al., *DSCR1, overexpressed in Down syndrome, is an inhibitor of calcineurin-mediated signaling pathways*. Hum Mol Genet, 2000. **9**(11): p. 1681-90.
99. Rothermel, B., et al., *A protein encoded within the Down syndrome critical region is enriched in striated muscles and inhibits calcineurin signaling*. J Biol Chem, 2000. **275**(12): p. 8719-25.
100. Rachmilewitz, J. and A. Lanzavecchia, *A temporal and spatial summation model for T-cell activation: signal integration and antigen decoding*. Trends Immunol, 2002. **23**(12): p. 592-5.
101. Viola, A. and A. Lanzavecchia, *T cell activation determined by T cell receptor number and tunable thresholds*. Science, 1996. **273**(5271): p. 104-6.
102. Lanzavecchia, A. and F. Sallusto, *Antigen decoding by T lymphocytes: from synapses to fate determination*. Nat Immunol, 2001. **2**(6): p. 487-92.
103. Diehn, M., et al., *Genomic expression programs and the integration of the CD28 costimulatory signal in T cell activation*. Proc Natl Acad Sci U S A, 2002. **99**(18): p. 11796-801.
104. Clipstone, N.A. and G.R. Crabtree, *Calcineurin is a key signaling enzyme in T lymphocyte activation and the target of the immunosuppressive drugs cyclosporin A and FK506*. Ann N Y Acad Sci, 1993. **696**: p. 20-30.
105. Macian, F., et al., *Transcriptional mechanisms underlying lymphocyte tolerance*. Cell, 2002. **109**(6): p. 719-31.
106. Porter, C.M. and N.A. Clipstone, *Sustained NFAT signaling promotes a Th1-like pattern of gene expression in primary murine CD4+ T cells*. J Immunol, 2002. **168**(10): p. 4936-45.
107. Wu, Y., et al., *FOXP3 controls regulatory T cell function through cooperation with NFAT*. Cell, 2006. **126**(2): p. 375-87.
108. Jenkins, M.K., et al., *Molecular events in the induction of a nonresponsive state in interleukin 2-producing helper T-lymphocyte clones*. Proc Natl Acad Sci U S A, 1987. **84**(15): p. 5409-13.
109. Jenkins, M.K., et al., *Inhibition of antigen-specific proliferation of type 1 murine T cell clones after stimulation with immobilized anti-CD3 monoclonal antibody*. J Immunol, 1990. **144**(1): p. 16-22.
110. Ryeom, S., et al., *The threshold pattern of calcineurin-dependent gene expression is altered by loss of the endogenous inhibitor calcipressin*. Nat Immunol, 2003. **4**(9): p. 874-81.
111. Malek, T.R. and A.L. Bayer, *Tolerance, not immunity, crucially depends on IL-2*. Nat Rev Immunol, 2004. **4**(9): p. 665-74.
112. Smith, K.A., *T-cell growth factor*. Immunol Rev, 1980. **51**: p. 337-57.
113. Malek, T.R., et al., *The murine IL 2 receptor. II. Monoclonal anti-IL 2 receptor antibodies as specific inhibitors of T cell function in vitro*. J Immunol, 1984. **133**(4): p. 1976-82.
114. Depper, J.M., et al., *Blockade of the interleukin-2 receptor by anti-Tac antibody: inhibition of human lymphocyte activation*. J Immunol, 1983. **131**(2): p. 690-6.
115. Kung, J.T., D. Beller, and S.T. Ju, *Lymphokine regulation of activation-induced apoptosis in T cells of IL-2 and IL-2R beta knockout mice*. Cell Immunol, 1998. **185**(2): p. 158-63.

116. Van Parijs, L. and A.K. Abbas, *Homeostasis and self-tolerance in the immune system: turning lymphocytes off*. Science, 1998. **280**(5361): p. 243-8.
117. Cote-Sierra, J., et al., *Interleukin 2 plays a central role in Th2 differentiation*. Proc Natl Acad Sci U S A, 2004. **101**(11): p. 3880-5.
118. Wolf, M., A. Schimpl, and T. Hunig, *Control of T cell hyperactivation in IL-2-deficient mice by CD4(+)CD25(-) and CD4(+)CD25(+) T cells: evidence for two distinct regulatory mechanisms*. Eur J Immunol, 2001. **31**(6): p. 1637-45.
119. Sadlack, B., et al., *Ulcerative colitis-like disease in mice with a disrupted interleukin-2 gene*. Cell, 1993. **75**(2): p. 253-61.
120. Almeida, A.R., et al., *Homeostasis of peripheral CD4+ T cells: IL-2R alpha and IL-2 shape a population of regulatory cells that controls CD4+ T cell numbers*. J Immunol, 2002. **169**(9): p. 4850-60.
121. Klebb, G., et al., *Interleukin-2 is indispensable for development of immunological self-tolerance*. Clin Immunol Immunopathol, 1996. **81**(3): p. 282-6.
122. Maloy, K.J. and F. Powrie, *Fueling regulation: IL-2 keeps CD4+ Treg cells fit*. Nat Immunol, 2005. **6**(11): p. 1071-2.
123. Sojka, D.K., et al., *IL-2 secretion by CD4+ T cells in vivo is rapid, transient, and influenced by TCR-specific competition*. J Immunol, 2004. **172**(10): p. 6136-43.
124. Isakov, N. and A. Altman, *Protein kinase C(theta) in T cell activation*. Annu Rev Immunol, 2002. **20**: p. 761-94.
125. Shaw, J., et al., *Mechanisms regulating the level of IL-2 mRNA in T lymphocytes*. J Immunol, 1988. **140**(7): p. 2243-8.
126. Goldsmith, M.A. and A. Weiss, *Early signal transduction by the antigen receptor without commitment to T cell activation*. Science, 1988. **240**(4855): p. 1029-31.
127. Shaw, J.P., et al., *Identification of a putative regulator of early T cell activation genes*. Science, 1988. **241**(4862): p. 202-5.
128. Garrity, P.A., et al., *Interleukin-2 transcription is regulated in vivo at the level of coordinated binding of both constitutive and regulated factors*. Mol Cell Biol, 1994. **14**(3): p. 2159-69.
129. Jain, J., C. Loh, and A. Rao, *Transcriptional regulation of the IL-2 gene*. Curr Opin Immunol, 1995. **7**(3): p. 333-42.
130. Rooney, J.W., et al., *Novel NFAT sites that mediate activation of the interleukin-2 promoter in response to T-cell receptor stimulation*. Mol Cell Biol, 1995. **15**(11): p. 6299-310.
131. Serfling, E., et al., *Ubiquitous and lymphocyte-specific factors are involved in the induction of the mouse interleukin 2 gene in T lymphocytes*. Embo J, 1989. **8**(2): p. 465-73.
132. Serfling, E., A. Avots, and M. Neumann, *The architecture of the interleukin-2 promoter: a reflection of T lymphocyte activation*. Biochim Biophys Acta, 1995. **1263**(3): p. 181-200.
133. Chen, D. and E.V. Rothenberg, *Molecular basis for developmental changes in interleukin-2 gene inducibility*. Mol Cell Biol, 1993. **13**(1): p. 228-37.
134. Rothenberg, E.V. and S.B. Ward, *A dynamic assembly of diverse transcription factors integrates activation and cell-type information for interleukin 2 gene regulation*. Proc Natl Acad Sci U S A, 1996. **93**(18): p. 9358-65.
135. Siebenlist, U., et al., *Promoter region of interleukin-2 gene undergoes chromatin structure changes and confers inducibility on chloramphenicol acetyltransferase gene during activation of T cells*. Mol Cell Biol, 1986. **6**(9): p. 3042-9.
136. Ward, S.B., et al., *Chromatin remodeling of the interleukin-2 gene: distinct alterations in the proximal versus distal enhancer regions*. Nucleic Acids Res, 1998. **26**(12): p. 2923-34.
137. Rao, S., E. Procko, and M.F. Shannon, *Chromatin remodeling, measured by a novel real-time polymerase chain reaction assay, across the proximal promoter region of the IL-2 gene*. J Immunol, 2001. **167**(8): p. 4494-503.

138. Bruniquel, D. and R.H. Schwartz, *Selective, stable demethylation of the interleukin-2 gene enhances transcription by an active process*. Nat Immunol, 2003. **4**(3): p. 235-40.
139. Stoecklin, G., et al., *Cellular mutants define a common mRNA degradation pathway targeting cytokine AU-rich elements*. Rna, 2001. **7**(11): p. 1578-88.
140. Lindstein, T., et al., *Regulation of lymphokine messenger RNA stability by a surface-mediated T cell activation pathway*. Science, 1989. **244**(4902): p. 339-43.
141. Chen, C.Y., et al., *Stabilization of interleukin-2 mRNA by the c-Jun NH2-terminal kinase pathway*. Science, 1998. **280**(5371): p. 1945-9.
142. Umlauf, S.W., et al., *Regulation of interleukin 2 gene expression by CD28 costimulation in mouse T-cell clones: both nuclear and cytoplasmic RNAs are regulated with complex kinetics*. Mol Cell Biol, 1995. **15**(6): p. 3197-205.
143. Ptashne, M. and A. Gann, *Transcriptional activation by recruitment*. Nature, 1997. **386**(6625): p. 569-77.
144. Jain, J., et al., *The T-cell transcription factor NFATp is a substrate for calcineurin and interacts with Fos and Jun*. Nature, 1993. **365**(6444): p. 352-5.
145. Chen, L., A. Rao, and S.C. Harrison, *Signal integration by transcription-factor assemblies: interactions of NF-AT1 and AP-1 on the IL-2 promoter*. Cold Spring Harb Symp Quant Biol, 1999. **64**: p. 527-31.
146. Rao, A., C. Luo, and P.G. Hogan, *Transcription factors of the NFAT family: regulation and function*. Annu Rev Immunol, 1997. **15**: p. 707-47.
147. Macian, F., *NFAT proteins: key regulators of T-cell development and function*. Nat Rev Immunol, 2005. **5**(6): p. 472-84.
148. Giffin, M.J., et al., *Structure of NFAT1 bound as a dimer to the HIV-1 LTR kappa B element*. Nat Struct Biol, 2003. **10**(10): p. 800-6.
149. Jin, L., et al., *An asymmetric NFAT1 dimer on a pseudo-palindromic kappa B-like DNA site*. Nat Struct Biol, 2003. **10**(10): p. 807-11.
150. Xanthoudakis, S., et al., *An enhanced immune response in mice lacking the transcription factor NFAT1*. Science, 1996. **272**(5263): p. 892-5.
151. Schuh, K., et al., *Retarded thymic involution and massive germinal center formation in NF-ATp-deficient mice*. Eur J Immunol, 1998. **28**(8): p. 2456-66.
152. Kiani, A., et al., *Regulation of interferon-gamma gene expression by nuclear factor of activated T cells*. Blood, 2001. **98**(5): p. 1480-8.
153. Yoshida, H., et al., *The transcription factor NF-ATc1 regulates lymphocyte proliferation and Th2 cytokine production*. Immunity, 1998. **8**(1): p. 115-24.
154. Ranger, A.M., et al., *Inhibitory function of two NFAT family members in lymphoid homeostasis and Th2 development*. Immunity, 1998. **9**(5): p. 627-35.
155. Peng, S.L., et al., *NFATc1 and NFATc2 together control both T and B cell activation and differentiation*. Immunity, 2001. **14**(1): p. 13-20.
156. Ranger, A.M., et al., *Delayed lymphoid repopulation with defects in IL-4-driven responses produced by inactivation of NF-ATc*. Immunity, 1998. **8**(1): p. 125-34.
157. Oukka, M., et al., *The transcription factor NFAT4 is involved in the generation and survival of T cells*. Immunity, 1998. **9**(3): p. 295-304.
158. Rengarajan, J., B. Tang, and L.H. Glimcher, *NFATc2 and NFATc3 regulate T(H)2 differentiation and modulate TCR-responsiveness of naive T(H)cells*. Nat Immunol, 2002. **3**(1): p. 48-54.
159. Go, W.Y., et al., *NFAT5/TonEBP mutant mice define osmotic stress as a critical feature of the lymphoid microenvironment*. Proc Natl Acad Sci U S A, 2004. **101**(29): p. 10673-8.
160. Kiani, A., A. Rao, and J. Aramburu, *Manipulating immune responses with immunosuppressive agents that target NFAT*. Immunity, 2000. **12**(4): p. 359-72.
161. Kiani, A., et al., *Down-regulation of IL-4 gene transcription and control of Th2 cell differentiation by a mechanism involving NFAT1*. Immunity, 1997. **7**(6): p. 849-60.

162. Hodge, M.R., et al., *Hyperproliferation and dysregulation of IL-4 expression in NF-ATp-deficient mice*. *Immunity*, 1996. **4**(4): p. 397-405.
163. Loh, C., et al., *Calcineurin binds the transcription factor NFAT1 and reversibly regulates its activity*. *J Biol Chem*, 1996. **271**(18): p. 10884-91.
164. Lyakh, L., P. Ghosh, and N.R. Rice, *Expression of NFAT-family proteins in normal human T cells*. *Mol Cell Biol*, 1997. **17**(5): p. 2475-84.
165. Northrop, J.P., et al., *NF-AT components define a family of transcription factors targeted in T-cell activation*. *Nature*, 1994. **369**(6480): p. 497-502.
166. Chuvpilo, S., et al., *Autoregulation of NFATc1/A expression facilitates effector T cells to escape from rapid apoptosis*. *Immunity*, 2002. **16**(6): p. 881-95.
167. Zhou, B., et al., *Regulation of the murine Nfatc1 gene by NFATc2*. *J Biol Chem*, 2002. **277**(12): p. 10704-11.
168. Aramburu, J., et al., *Selective inhibition of NFAT activation by a peptide spanning the calcineurin targeting site of NFAT*. *Mol Cell*, 1998. **1**(5): p. 627-37.
169. Okamura, H., et al., *Concerted dephosphorylation of the transcription factor NFAT1 induces a conformational switch that regulates transcriptional activity*. *Mol Cell*, 2000. **6**(3): p. 539-50.
170. Xu, L. and J. Massague, *Nucleocytoplasmic shuttling of signal transducers*. *Nat Rev Mol Cell Biol*, 2004. **5**(3): p. 209-19.
171. Kehlenbach, R.H., A. Dickmanns, and L. Gerace, *Nucleocytoplasmic shuttling factors including Ran and CRM1 mediate nuclear export of NFAT In vitro*. *J Cell Biol*, 1998. **141**(4): p. 863-74.
172. Beals, C.R., et al., *Nuclear export of NF-ATc enhanced by glycogen synthase kinase-3*. *Science*, 1997. **275**(5308): p. 1930-4.
173. Sheridan, C.M., et al., *Protein kinase A negatively modulates the nuclear accumulation of NF-ATc1 by priming for subsequent phosphorylation by glycogen synthase kinase-3*. *J Biol Chem*, 2002. **277**(50): p. 48664-76.
174. Gomez del Arco, P., et al., *A role for the p38 MAP kinase pathway in the nuclear shuttling of NFATp*. *J Biol Chem*, 2000. **275**(18): p. 13872-8.
175. Chow, C.W., et al., *Nuclear accumulation of NFAT4 opposed by the JNK signal transduction pathway*. *Science*, 1997. **278**(5343): p. 1638-41.
176. Tomida, T., et al., *NFAT functions as a working memory of Ca²⁺ signals in decoding Ca²⁺ oscillation*. *Embo J*, 2003. **22**(15): p. 3825-32.
177. Nash, P., et al., *Multisite phosphorylation of a CDK inhibitor sets a threshold for the onset of DNA replication*. *Nature*, 2001. **414**(6863): p. 514-21.
178. Salazar, C. and T. Hofer, *Allosteric regulation of the transcription factor NFAT1 by multiple phosphorylation sites: a mathematical analysis*. *J Mol Biol*, 2003. **327**(1): p. 31-45.
179. Lai, J.H., et al., *RelA is a potent transcriptional activator of the CD28 response element within the interleukin 2 promoter*. *Mol Cell Biol*, 1995. **15**(8): p. 4260-71.
180. Bryan, R.G., et al., *Effect of CD28 signal transduction on c-Rel in human peripheral blood T cells*. *Mol Cell Biol*, 1994. **14**(12): p. 7933-42.
181. Rao, S., et al., *c-Rel is required for chromatin remodeling across the IL-2 gene promoter*. *J Immunol*, 2003. **170**(7): p. 3724-31.
182. Kontgen, F., et al., *Mice lacking the c-rel proto-oncogene exhibit defects in lymphocyte proliferation, humoral immunity, and interleukin-2 expression*. *Genes Dev*, 1995. **9**(16): p. 1965-77.
183. Liou, H.C., et al., *c-Rel is crucial for lymphocyte proliferation but dispensable for T cell effector function*. *Int Immunol*, 1999. **11**(3): p. 361-71.
184. Venkataraman, L., S.J. Burakoff, and R. Sen, *FK506 inhibits antigen receptor-mediated induction of c-rel in B and T lymphoid cells*. *J Exp Med*, 1995. **181**(3): p. 1091-9.
185. Iwashima, M., *Kinetic perspectives of T cell antigen receptor signaling. A two-tier model for T cell full activation*. *Immunol Rev*, 2003. **191**: p. 196-210.

186. Sundstedt, A., et al., *In vivo anergized CD4+ T cells express perturbed AP-1 and NF-kappa B transcription factors*. Proc Natl Acad Sci U S A, 1996. **93**(3): p. 979-84.
187. Hayden, M.S. and S. Ghosh, *Signaling to NF-kappaB*. Genes Dev, 2004. **18**(18): p. 2195-224.
188. Frantz, B., et al., *Calcineurin acts in synergy with PMA to inactivate I kappa B/MAD3, an inhibitor of NF-kappa B*. Embo J, 1994. **13**(4): p. 861-70.
189. Sun, Z., et al., *PKC-theta is required for TCR-induced NF-kappaB activation in mature but not immature T lymphocytes*. Nature, 2000. **404**(6776): p. 402-7.
190. Trushin, S.A., et al., *Protein kinase C and calcineurin synergize to activate I kappa B kinase and NF-kappaB in T lymphocytes*. J Biol Chem, 1999. **274**(33): p. 22923-31.
191. Shapiro, V.S., M.N. Mollenauer, and A. Weiss, *Nuclear factor of activated T cells and AP-1 are insufficient for IL-2 promoter activation: requirement for CD28 up-regulation of RE/AP*. J Immunol, 1998. **161**(12): p. 6455-8.
192. Shapiro, V.S., et al., *CD28 mediates transcriptional upregulation of the interleukin-2 (IL-2) promoter through a composite element containing the CD28RE and NF-IL-2B AP-1 sites*. Mol Cell Biol, 1997. **17**(7): p. 4051-8.
193. Meyer, S., N.G. Kohler, and A. Joly, *Cyclosporine A is an uncompetitive inhibitor of proteasome activity and prevents NF-kappaB activation*. FEBS Lett, 1997. **413**(2): p. 354-8.
194. Ghosh, S. and M. Karin, *Missing pieces in the NF-kappaB puzzle*. Cell, 2002. **109 Suppl**: p. S81-96.
195. Chen, L., et al., *Structure of the DNA-binding domains from NFAT, Fos and Jun bound specifically to DNA*. Nature, 1998. **392**(6671): p. 42-8.
196. Nel, A.E., et al., *Activation of a novel serine/threonine kinase that phosphorylates c-Fos upon stimulation of T and B lymphocytes via antigen and cytokine receptors*. J Immunol, 1994. **152**(9): p. 4347-57.
197. Su, B., et al., *JNK is involved in signal integration during costimulation of T lymphocytes*. Cell, 1994. **77**(5): p. 727-36.
198. Macian, F., C. Lopez-Rodriguez, and A. Rao, *Partners in transcription: NFAT and AP-1*. Oncogene, 2001. **20**(19): p. 2476-89.
199. Rincon, M. and R.A. Flavell, *AP-1 transcriptional activity requires both T-cell receptor-mediated and co-stimulatory signals in primary T lymphocytes*. Embo J, 1994. **13**(18): p. 4370-81.
200. Mattila, P.S., et al., *The actions of cyclosporin A and FK506 suggest a novel step in the activation of T lymphocytes*. Embo J, 1990. **9**(13): p. 4425-33.
201. Biggar, S.R. and G.R. Crabtree, *Cell signaling can direct either binary or graded transcriptional responses*. Embo J, 2001. **20**(12): p. 3167-76.
202. Hume, D.A., *Probability in transcriptional regulation and its implications for leukocyte differentiation and inducible gene expression*. Blood, 2000. **96**(7): p. 2323-8.
203. Zhang, Q., M.E. Andersen, and R.B. Conolly, *Binary gene induction and protein expression in individual cells*. Theor Biol Med Model, 2006. **3**: p. 18.
204. Fiering, S., E. Whitelaw, and D.I. Martin, *To be or not to be active: the stochastic nature of enhancer action*. Bioessays, 2000. **22**(4): p. 381-7.
205. Walters, M.C., et al., *Enhancers increase the probability but not the level of gene expression*. Proc Natl Acad Sci U S A, 1995. **92**(15): p. 7125-9.
206. Kringstein, A.M., et al., *Graded transcriptional response to different concentrations of a single transactivator*. Proc Natl Acad Sci U S A, 1998. **95**(23): p. 13670-5.
207. Fiering, S., et al., *Single cell assay of a transcription factor reveals a threshold in transcription activated by signals emanating from the T-cell antigen receptor*. Genes Dev, 1990. **4**(10): p. 1823-34.
208. Pirone, J.R. and T.C. Elston, *Fluctuations in transcription factor binding can explain the graded and binary responses observed in inducible gene expression*. J Theor Biol, 2004. **226**(1): p. 111-21.
209. Ko, M.S., *A stochastic model for gene induction*. J Theor Biol, 1991. **153**(2): p. 181-94.

210. Becskei, A., B. Seraphin, and L. Serrano, *Positive feedback in eukaryotic gene networks: cell differentiation by graded to binary response conversion*. *Embo J*, 2001. **20**(10): p. 2528-35.
211. Kaern, M., et al., *Stochasticity in gene expression: from theories to phenotypes*. *Nat Rev Genet*, 2005. **6**(6): p. 451-64.
212. Karmakar, R. and I. Bose, *Graded and binary responses in stochastic gene expression*. *Phys Biol*, 2004. **1**(3-4): p. 197-204.
213. Rooney, J.W., T. Hoey, and L.H. Glimcher, *Coordinate and cooperative roles for NF-AT and AP-1 in the regulation of the murine IL-4 gene*. *Immunity*, 1995. **2**(5): p. 473-83.
214. Powell, J.D., et al., *Molecular regulation of interleukin-2 expression by CD28 co-stimulation and anergy*. *Immunol Rev*, 1998. **165**: p. 287-300.
215. Garcia-Sanz, J.A. and D. Lenig, *Translational control of interleukin 2 messenger RNA as a molecular mechanism of T cell anergy*. *J Exp Med*, 1996. **184**(1): p. 159-64.
216. Laemmli, U.K., *Cleavage of structural proteins during the assembly of the head of bacteriophage T4*. *Nature*, 1970. **227**(5259): p. 680-5.
217. Grynkiewicz, G., M. Poenie, and R.Y. Tsien, *A new generation of Ca²⁺ indicators with greatly improved fluorescence properties*. *J Biol Chem*, 1985. **260**(6): p. 3440-50.
218. Manz, R., et al., *Analysis and sorting of live cells according to secreted molecules, relocated to a cell-surface affinity matrix*. *Proc Natl Acad Sci U S A*, 1995. **92**(6): p. 1921-5.
219. Radbruch, A., *Flow Cytometry and Cell Sorting*. Vol. 2. Auflage. 2002: Springer Verlag, Heidelberg.
220. Blaecke, A., et al., *Measurement of nuclear factor-kappa B translocation on lipopolysaccharide-activated human dendritic cells by confocal microscopy and flow cytometry*. *Cytometry*, 2002. **48**(2): p. 71-9.
221. Ikeda, K., et al., *Extraction and analysis of diagnostically useful proteins from formalin-fixed, paraffin-embedded tissue sections*. *J Histochem Cytochem*, 1998. **46**(3): p. 397-403.
222. Truneh, A., et al., *Early steps of lymphocyte activation bypassed by synergy between calcium ionophores and phorbol ester*. *Nature*, 1985. **313**(6000): p. 318-20.
223. Shaw, K.T., et al., *Immunosuppressive drugs prevent a rapid dephosphorylation of transcription factor NFAT1 in stimulated immune cells*. *Proc Natl Acad Sci U S A*, 1995. **92**(24): p. 11205-9.
224. Edmondson, D.G. and S.Y. Roth, *Chromatin and transcription*. *Faseb J*, 1996. **10**(10): p. 1173-82.
225. Pugh, B.F., *Mechanisms of transcription complex assembly*. *Curr Opin Cell Biol*, 1996. **8**(3): p. 303-11.
226. Felsenfeld, G., *Chromatin unfolds*. *Cell*, 1996. **86**(1): p. 13-9.
227. Gregory, P.D. and W. Horz, *Life with nucleosomes: chromatin remodelling in gene regulation*. *Curr Opin Cell Biol*, 1998. **10**(3): p. 339-45.
228. Ullman, K.S., et al., *Transmission of signals from the T lymphocyte antigen receptor to the genes responsible for cell proliferation and immune function: the missing link*. *Annu Rev Immunol*, 1990. **8**: p. 421-52.
229. Foulds, S., *Novel flow cytometric method for quantifying nuclear binding of the transcription factor nuclear factor kappa B in unseparated human monocytes and polymorphonuclear cells*. *Cytometry*, 1997. **29**(2): p. 182-6.
230. Louis, M. and A. Becskei, *Binary and graded responses in gene networks*. *Sci STKE*, 2002. **2002**(143): p. PE33.
231. Schauer, U., et al., *Measurement of intracellular cytokines*. *Immunol Today*, 1996. **17**(7): p. 305-6.
232. Lindgren, H., K. Axcrone, and T. Leanderson, *Regulation of transcriptional activity of the murine CD40 ligand promoter in response to signals through TCR and the costimulatory molecules CD28 and CD2*. *J Immunol*, 2001. **166**(7): p. 4578-85.

233. Latinis, K.M., et al., *Two NFAT transcription factor binding sites participate in the regulation of CD95 (Fas) ligand expression in activated human T cells*. J Biol Chem, 1997. **272**(50): p. 31427-34.
234. Holtz-Heppelmann, C.J., et al., *Transcriptional regulation of the human FasL promoter-enhancer region*. J Biol Chem, 1998. **273**(8): p. 4416-23.
235. Schubert, L.A., et al., *A T cell-specific enhancer of the human CD40 ligand gene*. J Biol Chem, 2002. **277**(9): p. 7386-95.
236. Mittelstadt, P.R. and J.D. Ashwell, *Cyclosporin A-sensitive transcription factor Egr-3 regulates Fas ligand expression*. Mol Cell Biol, 1998. **18**(7): p. 3744-51.
237. Cron, R.Q., et al., *Early growth response-1 is required for CD154 transcription*. J Immunol, 2006. **176**(2): p. 811-8.
238. Rengarajan, J., et al., *Sequential involvement of NFAT and Egr transcription factors in FasL regulation*. Immunity, 2000. **12**(3): p. 293-300.
239. Saparov, A., et al., *Interleukin-2 expression by a subpopulation of primary T cells is linked to enhanced memory/effector function*. Immunity, 1999. **11**(3): p. 271-80.
240. Miller, R.A., *Aging and immune function*. Int Rev Cytol, 1991. **124**: p. 187-215.
241. Iezzi, G., K. Karjalainen, and A. Lanzavecchia, *The duration of antigenic stimulation determines the fate of naive and effector T cells*. Immunity, 1998. **8**(1): p. 89-95.
242. Smith, K.A., *The quantal theory of how the immune system discriminates between "self and non-self"*. Med Immunol, 2004. **3**(1): p. 3.
243. McKenney, D.W., et al., *Distinct isoforms of the CD45 protein-tyrosine phosphatase differentially regulate interleukin 2 secretion and activation signal pathways involving Vav in T cells*. J Biol Chem, 1995. **270**(42): p. 24949-54.
244. Paul, W.E. and R.A. Seder, *Lymphocyte responses and cytokines*. Cell, 1994. **76**(2): p. 241-51.
245. Janeway, C.A., Jr. and K. Bottomly, *Signals and signs for lymphocyte responses*. Cell, 1994. **76**(2): p. 275-85.
246. Seder, R.A. and W.E. Paul, *Acquisition of lymphokine-producing phenotype by CD4+ T cells*. Annu Rev Immunol, 1994. **12**: p. 635-73.
247. O'Garra, A. and P. Vieira, *Regulatory T cells and mechanisms of immune system control*. Nat Med, 2004. **10**(8): p. 801-5.
248. Hosken, N.A., et al., *The effect of antigen dose on CD4+ T helper cell phenotype development in a T cell receptor-alpha beta-transgenic model*. J Exp Med, 1995. **182**(5): p. 1579-84.
249. Constant, S., et al., *Extent of T cell receptor ligation can determine the functional differentiation of naive CD4+ T cells*. J Exp Med, 1995. **182**(5): p. 1591-6.
250. Valitutti, S., et al., *Different responses are elicited in cytotoxic T lymphocytes by different levels of T cell receptor occupancy*. J Exp Med, 1996. **183**(4): p. 1917-21.
251. Valitutti, S., et al., *Serial triggering of many T-cell receptors by a few peptide-MHC complexes*. Nature, 1995. **375**(6527): p. 148-51.
252. Reinherz, E.L., et al., *Antigen recognition by human T lymphocytes is linked to surface expression of the T3 molecular complex*. Cell, 1982. **30**(3): p. 735-43.
253. Rogers, P.R., H.M. Grey, and M. Croft, *Modulation of naive CD4 T cell activation with altered peptide ligands: the nature of the peptide and presentation in the context of costimulation are critical for a sustained response*. J Immunol, 1998. **160**(8): p. 3698-704.
254. Itoh, Y. and R.N. Germain, *Single cell analysis reveals regulated hierarchical T cell antigen receptor signaling thresholds and intraclonal heterogeneity for individual cytokine responses of CD4+ T cells*. J Exp Med, 1997. **186**(5): p. 757-66.
255. Karttunen, J. and N. Shastri, *Measurement of ligand-induced activation in single viable T cells using the lacZ reporter gene*. Proc Natl Acad Sci U S A, 1991. **88**(9): p. 3972-6.
256. Blake, W.J., et al., *Noise in eukaryotic gene expression*. Nature, 2003. **422**(6932): p. 633-7.

257. Raser, J.M. and E.K. O'Shea, *Control of stochasticity in eukaryotic gene expression*. Science, 2004. **304**(5678): p. 1811-4.
258. Joers, A., et al., *p53-dependent transcription can exhibit both on/off and graded response after genotoxic stress*. Oncogene, 2004. **23**(37): p. 6175-85.
259. Bagowski, C.P. and J.E. Ferrell, Jr., *Bistability in the JNK cascade*. Curr Biol, 2001. **11**(15): p. 1176-82.
260. Ko, M.S., H. Nakauchi, and N. Takahashi, *The dose dependence of glucocorticoid-inducible gene expression results from changes in the number of transcriptionally active templates*. Embo J, 1990. **9**(9): p. 2835-42.
261. Ouyang, W., et al., *Stat6-independent GATA-3 autoactivation directs IL-4-independent Th2 development and commitment*. Immunity, 2000. **12**(1): p. 27-37.
262. Anderson, M.T., et al., *Simultaneous fluorescence-activated cell sorter analysis of two distinct transcriptional elements within a single cell using engineered green fluorescent proteins*. Proc Natl Acad Sci U S A, 1996. **93**(16): p. 8508-11.
263. Soboleski, M.R., J. Oaks, and W.P. Halford, *Green fluorescent protein is a quantitative reporter of gene expression in individual eukaryotic cells*. Faseb J, 2005. **19**(3): p. 440-2.
264. Niswender, K.D., et al., *Quantitative imaging of green fluorescent protein in cultured cells: comparison of microscopic techniques, use in fusion proteins and detection limits*. J Microsc, 1995. **180**(Pt 2): p. 109-16.
265. Fiering, S.N., et al., *Improved FACS-Gal: flow cytometric analysis and sorting of viable eukaryotic cells expressing reporter gene constructs*. Cytometry, 1991. **12**(4): p. 291-301.
266. Chalfie, M., et al., *Green fluorescent protein as a marker for gene expression*. Science, 1994. **263**(5148): p. 802-5.
267. Ignowski, J.M. and D.V. Schaffer, *Kinetic analysis and modeling of firefly luciferase as a quantitative reporter gene in live mammalian cells*. Biotechnol Bioeng, 2004. **86**(7): p. 827-34.
268. Magis, W., et al., *An upstream activator of transcription coordinately increases the level and epigenetic stability of gene expression*. Proc Natl Acad Sci U S A, 1996. **93**(24): p. 13914-8.
269. Rossi, F.M., et al., *Transcriptional control: rheostat converted to on/off switch*. Mol Cell, 2000. **6**(3): p. 723-8.
270. Hentsch, B., et al., *The weak, fine-tuned binding of ubiquitous transcription factors to the IL-2 enhancer contributes to its T cell-restricted activity*. Nucleic Acids Res, 1992. **20**(11): p. 2657-65.
271. Flanagan, W.M., et al., *Nuclear association of a T-cell transcription factor blocked by FK-506 and cyclosporin A*. Nature, 1991. **352**(6338): p. 803-7.
272. Shaw, J., et al., *Induction, suppression and superinduction of lymphokine mRNA in T lymphocytes*. Mol Immunol, 1987. **24**(5): p. 409-19.
273. Bill, O., et al., *IL-2 mRNA levels and degradation rates change with mode of stimulation and phorbol ester treatment of lymphocytes*. Cytokine, 1994. **6**(1): p. 102-10.
274. Chen, D. and E.V. Rothenberg, *Interleukin 2 transcription factors as molecular targets of cAMP inhibition: delayed inhibition kinetics and combinatorial transcription roles*. J Exp Med, 1994. **179**(3): p. 931-42.
275. Rao, A., *NF-ATp: a transcription factor required for the co-ordinate induction of several cytokine genes*. Immunol Today, 1994. **15**(6): p. 274-81.
276. Emmel, E.A., et al., *Cyclosporin A specifically inhibits function of nuclear proteins involved in T cell activation*. Science, 1989. **246**(4937): p. 1617-20.
277. Aalfs, J.D. and R.E. Kingston, *What does 'chromatin remodeling' mean?* Trends Biochem Sci, 2000. **25**(11): p. 548-55.
278. Ansel, K.M., D.U. Lee, and A. Rao, *An epigenetic view of helper T cell differentiation*. Nat Immunol, 2003. **4**(7): p. 616-23.

279. Agarwal, S. and A. Rao, *Long-range transcriptional regulation of cytokine gene expression*. *Curr Opin Immunol*, 1998. **10**(3): p. 345-52.
280. Tykocinski, L.O., et al., *A critical control element for interleukin-4 memory expression in T helper lymphocytes*. *J Biol Chem*, 2005. **280**(31): p. 28177-85.
281. Agarwal, S. and A. Rao, *Modulation of chromatin structure regulates cytokine gene expression during T cell differentiation*. *Immunity*, 1998. **9**(6): p. 765-75.
282. Bird, J.J., et al., *Helper T cell differentiation is controlled by the cell cycle*. *Immunity*, 1998. **9**(2): p. 229-37.
283. Avni, O., et al., *T(H) cell differentiation is accompanied by dynamic changes in histone acetylation of cytokine genes*. *Nat Immunol*, 2002. **3**(7): p. 643-51.
284. Richter, A., M. Lohning, and A. Radbruch, *Instruction for cytokine expression in T helper lymphocytes in relation to proliferation and cell cycle progression*. *J Exp Med*, 1999. **190**(10): p. 1439-50.
285. Brunvand, M.W., A. Krumm, and M. Groudine, *In vivo footprinting of the human IL-2 gene reveals a nuclear factor bound to the transcription start site in T cells*. *Nucleic Acids Res*, 1993. **21**(20): p. 4824-9.
286. Hollander, G.A., et al., *Monoallelic expression of the interleukin-2 locus*. *Science*, 1998. **279**(5359): p. 2118-21.
287. Melchers, F., et al., *Positive and negative selection events during B lymphopoiesis*. *Curr Opin Immunol*, 1995. **7**(2): p. 214-27.
288. Malissen, M., et al., *Regulation of TCR alpha and beta gene allelic exclusion during T-cell development*. *Immunol Today*, 1992. **13**(8): p. 315-22.
289. Pfeifer, K. and S.M. Tilghman, *Allele-specific gene expression in mammals: the curious case of the imprinted RNAs*. *Genes Dev*, 1994. **8**(16): p. 1867-74.
290. Lyon, M.F., *Some milestones in the history of X-chromosome inactivation*. *Annu Rev Genet*, 1992. **26**: p. 16-28.
291. Chioldetti, L., D.L. Barber, and R.H. Schwartz, *Biallelic expression of the IL-2 locus under optimal stimulation conditions*. *Eur J Immunol*, 2000. **30**(8): p. 2157-63.
292. Naramura, M., R.J. Hu, and H. Gu, *Mice with a fluorescent marker for interleukin 2 gene activation*. *Immunity*, 1998. **9**(2): p. 209-16.
293. Hollander, G.A., *On the stochastic regulation of interleukin-2 transcription*. *Semin Immunol*, 1999. **11**(5): p. 357-67.
294. Umlauf, S.W., et al., *Molecular regulation of the IL-2 gene: rheostatic control of the immune system*. *Immunol Rev*, 1993. **133**: p. 177-97.
295. Schubert, L.A., et al., *The human gp39 promoter. Two distinct nuclear factors of activated T cell protein-binding elements contribute independently to transcriptional activation*. *J Biol Chem*, 1995. **270**(50): p. 29624-7.
296. Zhang, L. and G.J. Nabel, *Positive and negative regulation of IL-2 gene expression: role of multiple regulatory sites*. *Cytokine*, 1994. **6**(3): p. 221-8.
297. Novak, T.J., D. Chen, and E.V. Rothenberg, *Interleukin-1 synergy with phosphoinositide pathway agonists for induction of interleukin-2 gene expression: molecular basis of costimulation*. *Mol Cell Biol*, 1990. **10**(12): p. 6325-34.
298. Chow, C.W., M. Rincon, and R.J. Davis, *Requirement for transcription factor NFAT in interleukin-2 expression*. *Mol Cell Biol*, 1999. **19**(3): p. 2300-7.
299. Muramatsu, T. and R.L. Kincaid, *Inhibition of NF-AT signal transduction events by a dominant-negative form of calcineurin*. *Biochem Biophys Res Commun*, 1996. **218**(2): p. 466-72.
300. Liu, J., et al., *Inhibition of T cell signaling by immunophilin-ligand complexes correlates with loss of calcineurin phosphatase activity*. *Biochemistry*, 1992. **31**(16): p. 3896-901.
301. Loh, C., et al., *T-cell receptor stimulation elicits an early phase of activation and a later phase of deactivation of the transcription factor NFAT1*. *Mol Cell Biol*, 1996. **16**(7): p. 3945-54.

302. Ruff, V.A. and K.L. Leach, *Direct demonstration of NFATp dephosphorylation and nuclear localization in activated HT-2 cells using a specific NFATp polyclonal antibody.* J Biol Chem, 1995. **270**(38): p. 22602-7.
303. Hogan, P.G., et al., *Transcriptional regulation by calcium, calcineurin, and NFAT.* Genes Dev, 2003. **17**(18): p. 2205-32.
304. Kelly, K. and U. Siebenlist, *Immediate-early genes induced by antigen receptor stimulation.* Curr Opin Immunol, 1995. **7**(3): p. 327-32.
305. Aramburu, J., J. Heitman, and G.R. Crabtree, *Calcineurin: a central controller of signaling in eukaryotes.* EMBO Rep, 2004. **5**(4): p. 343-8.
306. Cron, R.Q., et al., *T cell priming enhances IL-4 gene expression by increasing nuclear factor of activated T cells.* J Immunol, 1999. **162**(2): p. 860-70.
307. Diehl, S., et al., *Induction of NFATc2 expression by interleukin 6 promotes T helper type 2 differentiation.* J Exp Med, 2002. **196**(1): p. 39-49.
308. Brogdon, J.L., D. Leitenberg, and K. Bottomly, *The potency of TCR signaling differentially regulates NFATc/p activity and early IL-4 transcription in naive CD4+ T cells.* J Immunol, 2002. **168**(8): p. 3825-32.
309. Boutin, Y., et al., *Distinct biochemical signals characterize agonist- and altered peptide ligand-induced differentiation of naive CD4+ T cells into Th1 and Th2 subsets.* J Immunol, 1997. **159**(12): p. 5802-9.
310. Lim, H.W. and J.D. Molkentin, *Reply to revisiting calcineurin and human heart failure.* Nat Med, 2000. **6**(1): p. 3.
311. Lim, H.W. and J.D. Molkentin, *Calcineurin and human heart failure.* Nat Med, 1999. **5**(3): p. 246-7.
312. Oka, T., Y.S. Dai, and J.D. Molkentin, *Regulation of calcineurin through transcriptional induction of the calcineurin A beta promoter in vitro and in vivo.* Mol Cell Biol, 2005. **25**(15): p. 6649-59.
313. Liu, J.O., *Endogenous protein inhibitors of calcineurin.* Biochem Biophys Res Commun, 2003. **311**(4): p. 1103-9.
314. Castellanos, M.C., et al., *Expression of the leukocyte early activation antigen CD69 is regulated by the transcription factor AP-1.* J Immunol, 1997. **159**(11): p. 5463-73.
315. Lanzavecchia, A. and F. Sallusto, *Dynamics of T lymphocyte responses: intermediates, effectors, and memory cells.* Science, 2000. **290**(5489): p. 92-7.
316. Hemmer, B., et al., *Relationships among TCR ligand potency, thresholds for effector function elicitation, and the quality of early signaling events in human T cells.* J Immunol, 1998. **160**(12): p. 5807-14.
317. Gett, A.V., et al., *T cell fitness determined by signal strength.* Nat Immunol, 2003. **4**(4): p. 355-60.
318. Fontenot, J.D., et al., *A function for interleukin 2 in Foxp3-expressing regulatory T cells.* Nat Immunol, 2005. **6**(11): p. 1142-51.
319. Malek, T.R., *The main function of IL-2 is to promote the development of T regulatory cells.* J Leukoc Biol, 2003. **74**(6): p. 961-5.
320. Smith, K.A., *The quantal theory of immunity.* Cell Res, 2006. **16**(1): p. 11-9.

Danksagung

Ich möchte mich bei folgenden Personen bedanken,

Prof. Dr. **Andreas Radbruch**

für die Möglichkeit, diese Arbeit am Deutschen Rheumaforschungszentrum anzufertigen, Unterstützung und anregende Diskussionen

Dr. **Ria Baumgraß**

für die Betreuung und Unterstützung eines interessanten Projekts in ihrer Arbeitsgruppe

Prof. Dr. **Thomas Höfer** und, aus seiner Arbeitsgruppe, **Luca Mariani**

für die mathematische Modellierung des NFAT Schalters und die Berechnung des Regressionsmodells für IL-2 und NFAT

Prof. Dr. **Rupert Mutzel**

für die Begutachtung dieser Arbeit

bei den aktuellen und ehemaligen Mitgliedern der Arbeitsgruppe Baumgraß

Hanna Bendfeldt, Claudia Brandt, Stefan Frischbutter, Stefanie Gross, Britta Lamottke, Marion Mäusemann, Katrin Moser, Anna Panek, Vladimir Pavlovic, Matthias Sieber und Biljana Smiljanovic

für die Unterstützung, Hilfsbereitschaft und die wunderbaren fachfremden Diskussionen

Marco Frentsch, Maurus de la Rosa, Dr. Andreas Thiel, Dr. Alexander Scheffold,

für hilfreiche Unterstützung

Toralf Kaiser und **Katharina Raba**

für jegliche Unterstützung und Beratung am Durchflusszytometer und die zahlreichen Zell-Sortierungen

mein besonderer Dank gilt **meinen Eltern**, meiner Schwester **Beatrice**

und **Johanna!**

für alles