

7 Referenzen

- Abraham IM, Harkany T, Horvath KM, et al. (2001) Action of glucocorticoids on survival of nerve cells: promoting neurodegeneration or neuroprotection? *J Neuroendocrinol* 13: 749-760.
- Aisen PS, Davis KL, Berg JD, et al. (2000) A randomized controlled trial of prednisone in Alzheimer's disease. Alzheimer's Disease Cooperative Study. *Neurology* 54: 588-593.
- Almeida OF, Conde GL, Crochemore C, et al. (2000) Subtle shifts in the ratio between pro- and antiapoptotic molecules after activation of corticosteroid receptors decide neuronal fate. *FASEB J* 14: 779-790.
- Amsterdam A, Tajima K, Sasson R (2002) Cell-specific regulation of apoptosis by glucocorticoids: implication to their anti-inflammatory action. *Biochem Pharmacol* 64: 843-850.
- Anglade P, Vyas S, Javoy-Agid F, et al. (1997) Apoptosis and autophagy in nigral neurons of patients with Parkinson's disease. *Histol Histopathol* 12: 25-31.
- Ankarcrona M, Dypbukt JM, Bonfoco E, et al. (1995) Glutamate-induced neuronal death: a succession of necrosis or apoptosis depending on mitochondrial function. *Neuron* 15: 961-973.
- Azuma Y, Onishi Y, Hirata C, et al. (1995) Staurosporine-induced thymocyte apoptosis is inhibited by herbimycin A, a specific inhibitor of protein tyrosine kinase. *Biochem Mol Biol Int* 37: 635-643.
- Bailly-Maitre B, de Sousa G, Boulukos K, et al. (2001) Dexamethasone inhibits spontaneous apoptosis in primary cultures of human and rat hepatocytes via Bcl-2 and Bcl-xL induction. *Cell Death Differ* 8: 279-288.

- Barbany G, Persson H (1992) Regulation of Neurotrophin mRNA Expression in the Rat Brain by Glucocorticoids. *Eur J Neurosci* 4: 396-403.
- Bartholome B, Spies CM, Gaber T, et al. (2004) Membrane glucocorticoid receptors (mGCR) are expressed in normal human peripheral blood mononuclear cells and up-regulated after in vitro stimulation and in patients with rheumatoid arthritis. *FASEB J* 18: 70-80.
- Behl C, Lezoualc'h F, Trapp T, et al. (1997) Glucocorticoids enhance oxidative stress-induced cell death in hippocampal neurons in vitro. *Endocrinology* 138: 101-106.
- Bonfoco E, Krainc D, Ankarcrona M, et al. (1995) Apoptosis and necrosis: two distinct events induced, respectively, by mild and intense insults with N-methyl-D-aspartate or nitric oxide/superoxide in cortical cell cultures. *Proc Natl Acad Sci U S A* 92: 7162-7166.
- Brunet A, Datta SR, Greenberg ME (2001) Transcription-dependent control of neuronal survival by the PI3-Akt signaling pathway. *Curr Opin Neurobiol* 11: 297-305.
- Buttgereit F (2000) Mechanisms and clinical relevance of nongenomic glucocorticoid actions. *Z Rheumatol* 59 Suppl 2: II/119-II/123.
- Buttgereit F, Scheffold A (2002) Rapid glucocorticoid effects on immune cells. *Steroids* 67: 529-534.
- Cardenas SP, Parra C, Bravo J, et al. (2002) Corticosterone differentially regulates bax, bcl-2 and bcl-x mRNA levels in the rat hippocampus. *Neurosci Lett* 331: 9-12.
- Carrasco GA, Van de Kar LD (2003) Neuroendocrine pharmacology of stress. *Eur J Pharmacol* 463: 235-272.

- Caruso C, Bottino MC, Pampillo M, et al. (2004) Glutamate induces apoptosis in anterior pituitary cells through group II metabotropic glutamate receptor activation. *Endocrinology* 145: 4677-4684.
- Cha HH, Cram EJ, Wang EC, et al. (1998) Glucocorticoids stimulate p21 gene expression by targeting multiple transcriptional elements within a steroid responsive region of the p21waf1/cip1 promoter in rat hepatoma cells. *J Biol Chem* 273: 1998-2007.
- Chen F, Watson CS, Gametchu B (1999) Association of the glucocorticoid receptor alternatively-spliced transcript 1A with the presence of the high molecular weight membrane glucocorticoid receptor in mouse lymphoma cells. *J Cell Biochem* 74: 430-446.
- de Kloet ER, Oitzl MS, Joels M (1993) Functional implications of brain corticosteroid receptor diversity. *Cell Mol Neurobiol* 13: 433-455.
- Deveraux, Q.L. & Reed, J.C. (1999) IAP family proteins - suppressors of apoptosis. *Genes Dev* 13, 239-252.
- Dragunow M, Faull RL, Lawlor P, et al. (1995) In situ evidence for DNA fragmentation in Huntington's disease striatum and Alzheimer's disease temporal lobes. *Neuroreport* 6: 1053-1057.
- Ekshyyan O, Aw TY (2004) Apoptosis in acute and chronic neurological disorders. *Front Biosci* 9: 1567-1576.
- Fisher A, Mantione CR, Abraham DJ, et al. (1982) Long-term central cholinergic hypofunction induced in mice by ethylcholine aziridinium ion (AF64A) in vivo. *J Pharmacol Exp Ther* 222: 140-145.

- Gesing A, Bilanz-Bleuel A, Droste SK, et al. (2001) Psychological stress increases hippocampal mineralocorticoid receptor levels: involvement of corticotropin-releasing hormone. *J Neurosci* 21: 4822-4829.
- Gold R, Buttgereit F, Toyka KV (2001) Mechanism of action of glucocorticosteroid hormones: possible implications for therapy of neuroimmunological disorders. *J Neuroimmunol* 117: 1-8.
- Golde S, Coles A, Lindquist JA, et al. (2003) Decreased iNOS synthesis mediates dexamethasone-induced protection of neurons from inflammatory injury in vitro. *Eur J Neurosci* 18: 2527-2537.
- Gorman AM, Hirt UA, Orrenius S, et al. (2000) Dexamethasone pre-treatment interferes with apoptotic death in glioma cells. *Neuroscience* 96: 417-425.
- Gottlicher M, Heck S, Herrlich P. (1998) Transcriptional cross-talk, the second mode of steroid hormone receptor action. *J Mol Med* 76: 480-489.
- Gwag BJ, Lobner D, Koh JY, et al. (1995) Blockade of glutamate receptors unmasks neuronal apoptosis after oxygen-glucose deprivation in vitro. *Neuroscience* 68: 615-619.
- Hafezi-Moghadam A, Simoncini T, Yang Z, et al. (2002) Acute cardiovascular protective effects of corticosteroids are mediated by non-transcriptional activation of endothelial nitric oxide synthase. *Nat Med* 8: 473-479.
- Harms C, Katchanov J, Gertz K, et al. (2000) Cell cycle re-entry induces neuronal apoptosis after mild oxygen-glucose deprivation or ethylcholin aziridinium (AF64A) in vitro. *Soc Neurosci Abstr* 26, 281.4.

- Harms C, Lautenschlager M, Bergk A, et al. (2001) Differential mechanisms of neuroprotection by 17 β -estradiol in apoptotic versus necrotic neurodegeneration. *J Neurosci* 21: 2600-2609.
- Harms C, Bosel J, Lautenschlager M, et al. (2004) Neuronal gelsolin prevents apoptosis by enhancing actin depolymerization. *Mol Cell Neurosci* 25: 69-82.
- Harms C, Blei K, Harms U, et al. (2005) PI3-Akt-kinase dependent phosphorylation of p21WAF1/CIP1 as a novel mechanism of neuroprotection by high-dose glucocorticoids. *J Neuroscience in revision*
- Hartmann A., Veldhuis J. D., Deuschle M., et al. (1997) Twenty-Four Hour Cortisol Release Profiles in Patients With Alzheimer's and Parkinson's Disease Compared to Normal Controls: Ultradian Secretory Pulsatility and Diurnal Variation. *Neurobiol Aging* 18: 285-9.
- Hayashi T, Sakai K, Sasaki C, et al. (2000) Phosphorylation of retinoblastoma protein in rat brain after transient middle cerebral artery occlusion. *Neuropathol Appl Neurobiol* 26: 390-397.
- Haynes LE, Griffiths MR, Hyde RE, et al. (2001) Dexamethasone induces limited apoptosis and extensive sublethal damage to specific subregions of the striatum and hippocampus: implications for mood disorders. *Neuroscience* 104: 57-69.
- Hench PS, Kendall EC, Slocumb CH, et al. (1949) The effect of a hormone of the adrenal cortex (17-hydroxy-11-dehydrocorticosterone: Compound E) and Pituitary adrenocorticotrophic hormone on rheumatoid arthritis. *Proc Staff Meet Mayo Clin* 24: 181-197.
- Hench PS, Kendall EC, Slocumb CH, et al. (1950) Effects of cortisone acetate and pituitary ACTH on rheumatoid arthritis, rheumatic fever and certain other Conditions. *Arch Int Med* 85: 545-666.

- Hengartner MO, Horvitz HR (1994a) Activation of *C. elegans* cell death protein CED-9 by an amino-acid substitution in a domain conserved in Bcl-2. *Nature* 369: 318-320.
- Hengartner MO, Horvitz HR (1994b) *C. elegans* cell survival gene *ced-9* encodes a functional homolog of the mammalian proto-oncogene *bcl-2*. *Cell* 76: 665-676.
- Honig LS, Rosenberg RN (2000) Apoptosis and neurologic disease. *Am J Med* 108: 317-330.
- Imai H, Nishimura T, Sadamatsu M, et al. (2001) Type II glucocorticoid receptors are involved in neuronal death and astrocyte activation induced by trimethyltin in the rat hippocampus. *Exp Neurol* 171: 22-28.
- Jones PA, May GR, McLuckie JA, et al. (2004) Apoptosis is not an invariable component of in vitro models of cortical cerebral ischaemia. *Cell Res* 14: 241-250.
- Karst H, Nair S, Velzing E, et al. (2002) Glucocorticoids alter calcium conductances and calcium channel subunit expression in basolateral amygdala neurons. *Eur J Neurosci* 16: 1083-1089.
- Katchanov J, Harms C, Gertz K, et al. (2001) Mild cerebral ischemia induces loss of cyclin-dependent kinase inhibitors and activation of cell cycle machinery before delayed neuronal cell death. *J Neurosci* 21: 5045-5053.
- Kellendonk C, Gass P, Kretz O, et al. (2002) Corticosteroid receptors in the brain: gene targeting studies. *Brain Res Bull* 57: 73-83.
- Koh JY, Wie MB, Gwag BJ, et al. (1995) Staurosporine-induced neuronal apoptosis. *Exp Neurol* 135: 153-159.
- Kruman II, Wersto RP, Cardozo-Pelaez F, et al. (2004) Cell cycle activation linked to neuronal cell death initiated by DNA damage. *Neuron* 41: 549-561.

- Lang-Rollin IC, Rideout HJ, Noticewala M, et al. (2003) Mechanisms of caspase-independent neuronal death: energy depletion and free radical generation. *J Neurosci* 23: 11015-11025.
- Lautenschlager M, Onufriev MV, Gulyaeva NV, et al. (2000) Role of nitric oxide in the ethylcholine aziridinium model of delayed apoptotic neurodegeneration in vivo and in vitro. *Neuroscience* 97: 383-393.
- Lee AL, Ogle WO, Sapolsky RM (2002) Stress and depression: possible links to neuron death in the hippocampus. *Bipolar Disord* 4: 117-128.
- Leist M, Nicotera P (1997) Energy supply and the shape of death in neurons and lymphoid cells. *Cell Death Differ* 4: 435-442.
- Leist M, Nicotera P (1998) Apoptosis, excitotoxicity, and neuropathology. *Exp Cell Res* 239: 183-201.
- Limbourg FP, Huang Z, Plumier JC, et al. (2002) Rapid nontranscriptional activation of endothelial nitric oxide synthase mediates increased cerebral blood flow and stroke protection by corticosteroids. *J Clin Invest* 110: 1729-1738.
- Liu CC, Chien CH, Lin MT (2000) Glucocorticoids reduce interleukin-1 concentration and result in neuroprotective effects in rat heatstroke. *J Physiol* 527 Pt 2: 333-343.
- Liu DX, Greene LA (2001) Neuronal apoptosis at the G1/S cell cycle checkpoint. *Cell Tissue Res* 305: 217-228.
- Martin LJ (2001) Neuronal cell death in nervous system development, disease, and injury (Review). *Int J Mol Med* 7: 455-478.

- Martin LJ, Al Abdulla NA, Brambrink AM, et al. (1998) Neurodegeneration in excitotoxicity, global cerebral ischemia, and target deprivation: A perspective on the contributions of apoptosis and necrosis. *Brain Res Bull* 46: 281-309.
- Mehmet H (2000) Caspases find a new place to hide. *Nature* 403: 29-30.
- Melcangi RC, Cavarretta I, Magnaghi V, et al. (2000) Corticosteroids protect oligodendrocytes from cytokine-induced cell death. *Neuroreport* 11: 3969-3972.
- Messmer UK, Pereda-Fernandez C, Manderscheid M, et al. (2001) Dexamethasone inhibits TNF-alpha-induced apoptosis and IAP protein downregulation in MCF-7 cells. *Br J Pharmacol* 133: 467-476.
- Mikosz CA, Brickley DR, Sharkey MS, et al. (2001) Glucocorticoid receptor-mediated protection from apoptosis is associated with induction of the serine/threonine survival kinase gene, sgk-1. *J Biol Chem* 276: 16649-16654.
- Mocchetti I, Spiga G, Hayes VY, et al. (1996) Glucocorticoids differentially increase nerve growth factor and basic fibroblast growth factor expression in the rat brain. *J Neurosci* 16: 2141-2148.
- Nadeau S, Rivest S (2003) Glucocorticoids play a fundamental role in protecting the brain during innate immune response. *J Neurosci* 23: 5536-5544.
- Nagy Z, Esiri MM, Cato AM, et al. (1997) Cell cycle markers in the hippocampus in Alzheimer's disease. *Acta Neuropathol (Berl)* 94: 6-15.
- Nagy Z, Esiri MM, Smith AD (1998) The cell division cycle and the pathophysiology of Alzheimer's disease. *Neuroscience* 87: 731-739.
- Nakagawa T, Zhu H, Morishima N, et al. (2000) Caspase-12 mediates endoplasmic-reticulum-specific apoptosis and cytotoxicity by amyloid-beta. *Nature* 403: 98-103.

- Naray-Fejes-Toth A, Fejes-Toth G, Volk KA, et al. (2000) SGK is a primary glucocorticoid-induced gene in the human. *J Steroid Biochem Mol Biol* 75: 51-56.
- Orchinik M, Murray TF, Moore FL (1991) A corticosteroid receptor in neuronal membranes. *Science* 252: 1848-1851.
- Osuga H, Osuga S, Wang F, et al. (2000) Cyclin-dependent kinases as a therapeutic target for stroke. *Proc Natl Acad Sci U S A* 97: 10254-10259.
- Park J, Leong ML, Buse P, et al. (1999) Serum and glucocorticoid-inducible kinase (SGK) is a target of the PI 3-kinase-stimulated signaling pathway. *EMBO J* 18: 3024-3033.
- Ranganathan S, Bowser R (2003) Alterations in G(1) to S phase cell-cycle regulators during amyotrophic lateral sclerosis. *Am J Pathol* 162: 823-835.
- Reichardt HM, Tronche F, Bauer A, et al. (2000a) Molecular genetic analysis of glucocorticoid signaling using the Cre/loxP system. *Biol Chem* 381: 961-964.
- Reichardt HM, Tuckermann JP, Bauer A, et al. (2000b) Molecular genetic dissection of glucocorticoid receptor function in vivo. *Rheumatol* 59 Suppl 2:II/1-5.
- Reichstein T (1936) Über Bestandteile der Nebennieren-Rinde IV. Trennungsmethoden sowie Isolierung der Substanzen Fa, H. und H. Helvet. *Chimica Acta* 19: 1107-1126.
- Reil TD, Kashyap VS, Sarkar R, et al. (2000) Dexamethasone inhibits the phosphorylation of retinoblastoma protein in the suppression of human vascular smooth muscle cell proliferation. *J Surg Res* 92: 108-113.
- Reul JM, Bilang-Bleuel A, Droste S, et al. (2000a) New mode of hypothalamic-pituitary-adrenocortical axis regulation: significance for stress-related disorders. *Z Rheumatol* 59 Suppl 2: II/22-II/25.

- Reul JM, Gesing A, Droste S, et al. (2000b) The brain mineralocorticoid receptor: greedy for ligand, mysterious in function. *Eur J Pharmacol* 405: 235-249.
- Rideout HJ, Wang Q, Park DS, et al. (2003) Cyclin-dependent kinase activity is required for apoptotic death but not inclusion formation in cortical neurons after proteasomal inhibition. *J Neurosci* 23: 1237-1245.
- Rogatsky I, Trowbridge JM, Garabedian MJ (1997) Glucocorticoid receptor-mediated cell cycle arrest is achieved through distinct cell-specific transcriptional regulatory mechanisms. *Mol Cell Biol* 17: 3181-3193.
- Sanchez I, Goya L, Vallerga AK, et al. (1993) Glucocorticoids reversibly arrest rat hepatoma cell growth by inducing an early G1 block in cell cycle progression. *Cell Growth Differ* 4: 215-225.
- Sasson R, Tajima K, Amsterdam A (2001) Glucocorticoids protect against apoptosis induced by serum deprivation, cyclic adenosine 3',5'-monophosphate and p53 activation in immortalized human granulosa cells: involvement of Bcl-2. *Endocrinology* 142: 802-811.
- Sasson R, Winder N, Kees S, et al. (2002) Induction of apoptosis in granulosa cells by TNF alpha and its attenuation by glucocorticoids involve modulation of Bcl-2. *Biochem Biophys Res Commun* 294: 51-59.
- Sato Y, Asoh T, Metoki N, et al. (2003) Efficacy of methylprednisolone pulse therapy on neuroleptic malignant syndrome in Parkinson's disease. *J Neurol Neurosurg Psychiatry* 74: 574-576.
- Schacke H, Schottelius A, Docke WD, et al. (2004) Dissociation of transactivation from transrepression by a selective glucocorticoid receptor agonist leads to separation of therapeutic effects from side effects. *Proc Natl Acad Sci U S A*. 101: 227-32.

- Schmidt P, Holsboer F, Spengler D (2001) Beta(2)-adrenergic receptors potentiate glucocorticoid receptor transactivation via G protein beta gamma-subunits and the phosphoinositide 3-kinase pathway. *Mol Endocrinol* 15: 553-564.
- Sherr C J and Roberts J M (1999) Cdk inhibitors: positive and negative regulators of G1-phase progression. *Genes Dev* 13: 1501-1512.
- Shum-Tim D, Tchervenkov CI, Jamal AM, et al. (2001) Systemic steroid pretreatment improves cerebral protection after circulatory arrest. *Ann Thorac Surg* 72: 1465-1471.
- Singh P, Chan SW, Hong W (2001) Retinoblastoma protein is functionally distinct from its homologues in affecting glucocorticoid receptor-mediated transcription and apoptosis. *J Biol Chem* 276: 13762-13770.
- Smith MZ, Nagy Z, Esiri MM (1999) Cell cycle-related protein expression in vascular dementia and Alzheimer's disease. *Neurosci Lett* 271: 45-48.
- Stefanis L, Park DS, Friedman WJ, et al. (1999) Caspase-dependent and -independent death of camptothecin-treated embryonic cortical neurons. *J Neurosci* 19: 6235-6247.
- Suzuki A, Tsutomi Y, Akahane K, et al. (1998) Resistance to Fas-mediated apoptosis: activation of caspase 3 is regulated by cell cycle regulator p21WAF1 and IAP gene family ILP. *Oncogene* 17: 931-939.
- Suzuki A, Tsutomi Y, Miura M, et al. (1999) Caspase 3 inactivation to suppress Fas-mediated apoptosis: identification of binding domain with p21 and ILP and inactivation machinery by p21. *Oncogene* 18: 1239-1244.
- Tokuda T, Oide T, Tamaoka A, et al. (2002) Prednisolone (30-60 mg/day) for diseases other than AD decreases amyloid beta-peptides in CSF. *Neurology* 58:1415-8.

- Tsigos C, Chrousos GP (2002) Hypothalamic-pituitary-adrenal axis, neuroendocrine factors and stress. *J Psychosom Res* 53: 865-871.
- Tuor UI (1997) Glucocorticoids and the prevention of hypoxic-ischemic brain damage. *Neurosci Biobehav Rev* 21: 175-179.
- Vincent I, Jicha G, Rosado M, et al. (1997) Aberrant expression of mitotic cdc2/cyclin B1 kinase in degenerating neurons of Alzheimer's disease brain. *J Neurosci* 17: 3588-3598.
- Wang F, Corbett D, Osuga H, et al. (2002) Inhibition of cyclin-dependent kinases improves CA1 neuronal survival and behavioral performance after global ischemia in the rat. *J Cereb Blood Flow Metab* 22: 171-182.
- Wen LP, Madani K, Fahrni JA, et al. (1997) Dexamethasone inhibits lung epithelial cell apoptosis induced by IFN-gamma and Fas. *Am J Physiol* 273: L921-L929.
- Wiesner DA, Dawson G (1996) Staurosporine induces programmed cell death in embryonic neurons and activation of the ceramide pathway. *J Neurochem* 66: 1418-1425.
- Wintersteiner OPJJ (1936) Chemical studies on the adrenal cortex. III. Isolation of two new physiologically inactive compounds. *J Biol Chem* 116: 291-305.
- Yang Y, Geldmacher DS, Herrup K (2001) DNA replication precedes neuronal cell death in Alzheimer's disease. *J Neurosci* 21: 2661-2668.