

Fachbereich Erziehungswissenschaft und Psychologie
der Freien Universität Berlin

**PREDICTING DIFFERENT HEALTH BEHAVIORS OF
YOUNGER AND OLDER ADULTS IN SOUTH KOREA**

Dissertation zur Erlangung des akademischen Grades
Doktorin der Philosophie
(Dr. phil.)

Vorgelegt von
Dipl. Psych.
Youlia Spivak

Erstgutachter: Prof. Dr. Ralf Schwarzer
Freie Universität Berlin

Zweitgutachterin : Prof. Dr. Britta Renner
Jacobs University Bremen

Datum der Disputation: 05.11.07

TABLE OF CONTENTS

Acknowledgments	ix
Abstract.....	x
Zusammenfassung	xiii
1. Introduction.....	1
1.1 DISEASES AND HEALTH BEHAVIORS IN SOUTH KOREA.....	1
1.1.1 Pattern of Diseases in South Korea.....	1
1.1.2 Behavioral Risk Factors for CVD.....	2
1.1.2.1 Nutrition.....	3
1.1.2.2 Physical Activity.....	4
1.1.2.3 Alcohol Consumption.....	5
1.1.2.4 Smoking.....	6
2. Theory	8
2.1. THE HAPA-MODEL - A HEALTH BEHAVIOR CHANGE MODEL.....	8
2.1.1 Phase-Specific Self-Efficacy Beliefs	10
2.1.2 Planning	11
2.1.3 HAPA - a Dynamic Stage Model.....	11
2.1.4 Empirical Evidence for HAPA	14
2.1.5 Behavior Type: Health Promoting vs. Addictive Behaviors	15
2.1.6 The Role of Past Behavior	20
2.2 UNIVERSALITY OF HEALTH BEHAVIOR MODELS.....	21
2.2.1 Behavior Change Theories and Social-Cultural Context.....	22
2.3 HEALTH AND LIFESPAN PSYCHOLOGY	24
2.3.1 A Lifespan Perspective on Health.....	24
2.3.1.1 Development as a Life Long Process.....	25
2.3.1.2 Development as Joint Occurrence of Gains and Losses.....	26
2.3.1.3 Shift in Allocation of Resources from Growth Towards Maintenance and Regulation of Loss.....	26
2.3.2 The Theory of Selection, Optimization and Compensation.....	27
2.3.3 Age-Related Changes in the Importance of Health Goals	28
2.3.4 Age-Related Changes in Goal Pursuit	31
2.3.5 Age-Differences in Health Behaviors and Behavior Patterns.....	34
2.3.6 Age-Related Differences in Socio-Cognitive Variables	38
2.4 RATIONALE FOR THE PRESENT STUDY	40
2.5 RESEARCH QUESTIONS AND HYPOTHESES	42
2.5.1 Is HAPA Applicable to a South Korean Sample?	43
2.5.2 Does the Quality of the Prediction of Health Behaviors Vary as a Function of Behavior Type: Health Promoting vs. Addictive Behaviors?.....	43
2.5.3 The Role of Past Behavior	43

2.5.4	Are there Age-Differences in the Structure of Social-Cognitive Variables in Predicting Health Behaviors?	44
2.5.4.1	<i>Age-Related Mean Differences in Health Behaviors</i>	45
2.5.4.2	<i>Can Distinct Behavior Patterns be Identified?</i>	45
2.5.4.3	<i>Age-Related Mean Differences in Health Cognition</i>	45
2.5.4.4	<i>Structural Differences</i>	46
3.	Method	48
3.1	SAMPLE	48
3.1.1	Recruitment and Procedure.....	48
3.1.2	Participants.....	48
3.2	MEASURES	51
3.2.1	Health Behaviors.....	51
3.2.1.1	<i>Nutrition</i>	51
3.2.1.2	<i>Physical Activity</i>	51
3.2.1.3	<i>Alcohol Consumption</i>	53
3.2.1.4	<i>Smoking</i>	54
3.2.2	Health Cognitions	54
3.2.2.1	<i>Risk Perception</i>	54
3.2.2.2	<i>Outcome Expectancies</i>	54
3.2.2.3	<i>Behavioral Intentions</i>	55
3.2.2.4	<i>Perceived Self-Efficacy</i>	55
3.2.2.5	<i>Planning</i>	57
3.3	DESCRIPTION OF THE LONGITUDINAL SAMPLE AND DROP-OUT	58
3.3.1	Drop-out Analysis of Health Behaviors.....	58
3.3.2	Drop-out Analysis for Health Cognitions	59
3.4	ANALYSES	61
3.4.1	Treatment of Missing Values and Outliers	62
3.4.2	General Analytic Procedures	63
3.4.2.1	<i>Analyses of Variance (ANOVA)</i>	63
3.4.2.2	<i>Structural Equation Modeling (SEM)</i>	63
3.4.2.3	<i>Latent Cluster Analysis (LCA)</i>	64
4.	Results	66
4.1	APPLICABILITY OF THE HAPA-MODEL TO DIFFERENT HEALTH BEHAVIORS IN A NON-WESTERN CULTURE	66
4.1.1	Applicability of the HAPA to Health Promoting Behavior: Nutrition	66
4.1.1.1	<i>Correlational relationships</i>	67
4.1.1.2	<i>Structural Relationships</i>	68
4.1.1.3	<i>The Role of Past Behavior in Predicting Nutrition Behavior</i>	69
4.1.2	Applicability of the HAPA to Health Promoting Behavior: Physical Activity	70
4.1.2.1	<i>Correlational Relationships</i>	70
4.1.2.2	<i>Structural Relationships</i>	71
4.1.2.3	<i>The Role of Past Behavior in Predicting Physical Activity</i>	72

4.1.3	Applicability of the HAPA to Addictive Behavior: Alcohol.....	73
	Consumption	73
4.1.3.1	<i>Correlational Analysis</i>	73
4.1.3.2	<i>Structural Relationships</i>	74
4.1.3.3	<i>The Role of Past Behavior in Predicting Alcohol Consumption</i>	75
4.1.4	Applicability of the HAPA to Addictive Behavior: Cigarette.....	76
	Consumption	76
4.1.4.1	<i>Correlational Relationship</i>	76
4.1.4.2	<i>Structural Relationships</i>	77
4.1.4.3	<i>The Role of Past Behavior in Predicting Cigarette Consumption</i>	78
4.2	APPLICABILITY OF THE HAPA-MODELL TO DIFFERENT AGE GROUPS: MEAN	
	DIFFERENCES	79
4.2.1	Age-Related Differences in Health Behaviors.....	79
4.2.2	Bivariate Relationships among Different Health Behaviors.....	82
4.2.3	Identification and Description of Different Health Behaviors.....	83
	Patterns.....	83
4.2.3.1	<i>Description of the Three Cluster Solution</i>	85
4.2.3.2	<i>Age-group Differences in the Likelihood of Cluster Membership</i>	87
4.2.4	Age Difference in Health Cognitions	89
4.2.4.1	<i>Nutrition-Related Health Cognitions</i>	89
4.2.4.2	<i>Physical Activity-Related Health Cognitions</i>	92
4.2.4.3	<i>Alcohol-Related Health Cognition</i>	94
4.2.4.4	<i>Smoking-Related Health Cognitions</i>	96
4.3	APPLICABILITY OF THE HAPA-MODEL TO DIFFERENT AGE-GROUPS:	
	STRUCTURAL DIFFERENCES	98
4.3.1	Age-Related Structural Difference by Predicting Nutrition Behavior. 98	
4.3.1.1	<i>Testing for Multiple Group Invariant Factorial Structure of</i>	
	<i>Measurement Instruments</i>	99
4.3.1.2	<i>Testing Mediation</i>	101
4.3.1.3	<i>Alternative Explanation: Intenders vs. Nonintenders</i>	103
4.3.2	Age-Related Structural Difference by Predicting Physical Activity . 104	
4.3.2.1	<i>Testing for Multiple Group Invariant Factorial Structure of</i>	
	<i>Measurement Instruments</i>	105
4.3.2.2	<i>Testing Mediation</i>	107
4.3.2.3	<i>Alternative Explanation: Intenders vs. Nonintenders</i>	108
4.3.3	Age-Related Structural Difference by Predicting Alcohol	108
	Consumption	108
4.3.3.1	<i>Testing for Multiple Group Invariant Factorial Structure of</i>	
	<i>Measurement Instruments</i>	109
4.3.3.2	<i>Testing Mediation</i>	111
4.3.3.3	<i>Alternative Explanation: Intenders vs. Nonintenders</i>	111
5.	Discussion.....	114
5.1	SUMMARY OF MAIN FINDINGS AND THEIR RELATIONSHIP TO PREVIOUS	
	RESEARCH	115
5.1.1	Applicability of the HAPA-Model to Different Types of Health	
	Behaviors.....	117
5.1.2	Applicability of the HAPA-Model to a Non-Western Country	120

5.1.3	Applicability of the HAPA-Model to Different Age Groups	122
5.1.3.1	<i>Age-Related Mean Differences in Health Behaviors</i>	123
5.1.3.2	<i>Age-Related Differences in Behavior Patterns</i>	123
5.1.3.3	<i>Age-Related Differences in Health Cognitions</i>	125
5.1.3.4	<i>Structural Differences</i>	128
5.2	CONCLUSIONS AND LIMITATIONS OF THE PRESENT RESEARCH	131
5.2.1	Limitations to the Conclusions about Quality of Prediction across Different Health Behaviors	132
5.2.2	Limitation to the Conclusions about Applicability to a Non-Western Culture	133
5.2.3	Limitations to the Conclusions about Age-Differential Effects	135
5.2.4	Methodological Limitations Imposed by Sample Characteristics and Employed Measures	136
5.3	OUTLOOK	138
6.	References	140
7.	Appendices	158
7.1	APPENDIX A: DESCRIPTIVES OF CENTRAL CONSTRUCTS	158
7.2	APPENDIX B: ADDITIONAL INFORMATION FOR THE MAIN ANALYSES OF THE STUDY	164
7.2.1	Means, Standard Deviations and Factors Loading for Items/Parcels Constituting HAPA-Model	164
7.2.2	Exact Probabilities for the LCA Solution	168
7.2.3	Goodness of Fit Statistics for the Nested Models with and without the Inclusion of Baseline Behavior	169
7.3	APPENDIX C: ADDITIONAL CONTROL ANALYSES	170
7.3.1	Multi-Group Comparison: Nonintenders Versus Intenders in the Domain of Nutrition.	170
7.3.2	Multi-Group Comparison: Nonintenders Versus Intenders in the Domain of Physical Activity.	172
7.3.3	Multi-Group Comparison: Nonintenders Versus Intenders in the Domain of Alcohol Consumption	174
7.4	APPENDIX D: SCALES AND INSTRUMENTS EMPLOYED IN THE PRESENT STUDY .	177
7.4.1	General Description of the Participants	177
7.4.1.1	<i>Age and Sex</i>	177
7.4.1.2	<i>Socioeconomic Status</i>	177
7.4.1.3	<i>Marital Status</i>	178
7.4.1.4	<i>Social Standing</i>	178
7.4.1.5	<i>Financial Scope</i>	178
7.4.1.6	<i>Household Income</i>	178
7.4.2	Health Behaviors	179
7.4.2.1	<i>Nutrition Style</i>	179
7.4.2.2	<i>Exercise</i>	180

7.4.2.3	<i>Tobacco Consumption</i>	181
7.4.2.4	<i>Alcohol Consumption</i>	181
7.4.3	Health-Related Cognitions.....	182
7.4.3.1	<i>Risk Perception</i>	182
7.4.3.2	<i>Intentions</i>	182
7.4.3.3	<i>Planning Behavior Changes</i>	183
7.4.3.4	<i>Outcome Expectancies of Behavior Change</i>	185
7.4.3.5	<i>Behavior Change Self-Efficacy</i>	187
	Lebenslauf	190
	Erklärung	191

LIST OF TABLES

Table 1:	Examples of research applying health behavior change theories to addictive behaviors	18
Table 2:	Overview of central research questions of the present study.....	47
Table 3:	Socio-demographic characteristics of participants	50
Table 4:	Description of health behaviors of dropped-out participants..... and continuers	59
Table 5:	Description of domain-specific outcome expectancies of dropped-out participants and continuers	59
Table 6:	Description of domain-specific self-efficacy of dropped-out participants and continuers	60
Table 7:	Description of intentions of dropped-out participants and continuers.....	60
Table 8:	Description of domain-specific planning of dropped-out participants and continuers.....	61
Table 9:	Nutrition behavior of younger and older adults: means, standard deviations and sex differences.....	80
Table 10:	Physical activity (per week) of younger and older adults: means, standard deviations, and sex differences	80
Table 11:	Alcohol consumption of younger and older adults: means, standard deviations, and sex differences	81
Table 12:	Daily cigarette consumption among younger and older smokers.....	81
Table 13:	Behaviors intercorrelations	82
Table 14:	Goodness of fit indices to determine the optimum number of clusters	85
Table 15:	Clustering variable profiles: cluster size, means or percentage of participants with favorable characteristic on respective behavior, t-test and χ^2 tests of differences between cluster means and percentages, respectively	87
Table 16:	Age-group differences in the frequency of cluster membership.....	87
Table 17:	Risk perception of younger and older adults: means, standard deviations, and sex differences.....	90
Table 18:	Nutrition-related outcome expectancies of younger and older adults: means, standard deviations, and sex differences	90
Table 19:	Nutrition-related self-efficacy of younger and older adults: means, standard deviations, and sex differences.....	91
Table 20:	Intention to adopt a healthier diet: means, standard deviations, age and sex differences.....	91

Table 21: Nutrition-related action and coping planning of younger and older adults: means, standard deviations, and sex differences	92
Table 22: Physical activity-related outcome expectancies of younger and older adults: means, standard deviations, and sex differences.....	92
Table 23: Physical activity-related self-efficacy of younger and older adults: means, standard deviations, and sex differences.....	93
Table 24: Intention to be physically active: means, standard deviations, age and sex differences.....	93
Table 25: Physical activity-related planning of younger and older adults: means, standard deviations, and sex differences.....	94
Table 26: Alcohol-related outcome expectancies of younger and older adults: means, standard deviations, and sex differences.....	95
Table 27: Alcohol-related self-efficacy of younger and older adults: means, standard deviations and sex differences	95
Table 28: Intention to reduce alcohol consumption: means, standard deviations, age and sex differences.....	95
Table 29: Alcohol-related planning of younger and older adults: means, standard deviations, and sex differences	96
Table 30: Smoking-related outcome expectancies of younger and older adults: means and standard deviations.....	96
Table 31: Smoking-related self-efficacy of younger and older adults: means and standard deviations.....	97
Table 32: Intention to quit smoking: means, standard deviations and age differences	97
Table 33: Smoking-related planning of younger and older adults: means, standard deviations	97
Table 34: Correlations between nutrition and nutrition-related health cognitions	67
Table 35: Goodness of Fit statistics for the groups of young and older adults.....	98
Table 36: Goodness of Fit Indices for Nested Models.....	100
Table 37: Correlations between physical activity-related health cognitions and physical activity	70
Table 38: Goodness of Fit Indices for Nested Models.....	106
Table 39: Correlations between alcohol consumption and alcohol-related health cognitions.....	73
Table 40: Goodness of Fit Indices for Nested Models.....	110
Table 41: Correlations between cigarette consumption and smoking-related health cognitions.....	76
Table 42: Overview of Central Research Questions of the Present Study.....	116

LIST OF FIGURES

Figure 1: Health Action Process Approach (HAPA) Model	10
Figure 2: Descriptive statistics for physical activities of younger and middle aged/older adults	52
Figure 3: HAPA-model for nutrition for the total sample (n = 684).....	69
Figure 4: HAPA-Model for physical activity for total sample (n = 689).....	72
Figure 5: HAPA-Model for alcohol consumption for the total sample (n = 412).....	75
Figure 6: HAPA-Model for cigarette consumption for the total sample of smokers (n = 159).....	78
Figure 7: Conditional probabilities of having favorable characteristics on different health behaviors given a certain cluster membership.	86
Figure 8: Percentage of younger and older participants in the three clusters.....	88
Figure 9: HAPA-Model for nutrition in different age groups: In italics are coefficients for the older group.....	101
Figure 10: Relationship among intention to adopt healthier nutrition, planning and nutrition style for younger adults. The coefficient for direct effect after controlling for indirect effect is in bold, (n = 394).	103
Figure 11: Relationship among intention to adopt healthier nutrition, planning and nutrition style for older adults. The coefficient for direct effect after controlling for indirect effect is in bold, (n = 131).	103
Figure 12: HAPA-Model for physical activity in different age groups: In italics are coefficients for the older group.....	106
Figure 13: Relationship among intention to be physically active, planning and nutrition style: Standardized regression coefficients (n = 135). The coefficient for direct effect controlled for the indirect effect is in bold...	107
Figure 14: HAPA-Model for alcohol consumption in different age groups: In italics are coefficients for the older group.....	111

LIST OF TABLES AND FIGURES IN APPENDICES

Appendix A: Descriptives of Central Constructs

Table A 1: Basic distributions of health behaviors in young (16-35) and middle aged/older (36-90) participants	158
Table A 2: Basic distributions of health cognitions in young (16-35) and middle aged/older (36-90) participants	159

Appendix B: Additional Information to the Main Analyses of the Study

Table B 1: Means, standard deviations and factors loadings for items/parcels constituting HAPA-Model in the domain of nutrition behavior.....	164
Table B 2: Means, standard deviations and factors loadings for items/parcels constituting HAPA-Model in the domain of physical activity	165
Table B 3: Means, standard deviations and factors loadings for items/parcels constituting HAPA-Model in the domain of alcohol consumption	166
Table B 4: Means, standard deviations and factors loadings for items/parcels constituting HAPA-Model in the domain of cigarette consumption	167

Table B 5: Exact probabilities to be in a certain cluster given certain behavioural characteristics.....	168
Table B 6: Goodness of Fit statistics for the nested models with and without the inclusion of baseline nutrition behavior.....	169
Table B 7: Goodness of Fit statistics for the nested models with and without the inclusion of baseline physical activity	169
Table B 8: Goodness of Fit statistics for the nested models with and without the inclusion of baseline alcohol consumption	169
Table B 9: Goodness of Fit statistics for the nested models with and without the inclusion of baseline cigarette consumption	169

Appendix C: Control Analysis

Table C 2: Goodness of Fit Indices for nested models	171
Table C 3: Goodness of Fit indices for nested models	174
Table C 4: Goodness of Fit indices for nested models	176

Figures in Appendix C:

Figure C 1: Standardized coefficients across the groups of nonintenders and intenders. In italics are coefficients for the group of intenders.....	170
Figure C 2: Standardized coefficients across the groups of nonintenders and intenders. In italics are coefficients for the group of intenders.....	172
Figure C 3: Standardized coefficients across the groups of nonintenders and intenders. In italics are coefficients for the group of intenders.....	175