

## Literaturverzeichnis

- Adair, T.H., Hang, J., Wells, M.L., Magee, F.D. und Montani, J.P., 1995: "Long-term electrical stimulation of rabbit skeletal muscle increases growth of paired arteries and veins", in *Am.J.Physiol.*, Band 269/2 Pt 2, S.717
- Almeida, E.A., Huovila, A.P., Sutherland, A.E., Stephens, L.E., Calarco, P.G., Shaw, L.M., Mercurio, A.M., Sonnenberg, A., Primakoff, P. und Myles, D.G., 1995: "Mouse egg integrin alpha 6 beta 1 functions as a sperm receptor", in *Cell*, Band 81/7, S.1095
- Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W. und Lipman, D.J., 1997: "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", in *Nucleic.Acids.Res.*, Band 25/17, S.3389
- Alwine, J.C., Kemp, D.J. und Stark, G.R., 1977: "Method for detection of specific RNAs in agarose gels by transfer to diazobenzyloxymethyl-paper and hybridization with DNA probes", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 74/12, S.5350
- Ando, J., Hiroko, T., Korenaga, R., Takada, Y., Toyama-Sorimachi, N., Miyasaka, M. und Kamiya, A., 1994: "Shear-stress inhibits adhesion of cultured mouse endothelial cells to lymphocytes by downregulating VCAM-1 expression", in *Am.J.Physiol.*, Band 267, S.679
- Andree, H.A., Stuart, M.C., Hermens, W.T., Reutelingsperger, C.P., Hemker, H.C., Frederik, P.M. und Willems, G.M., 1992: "Clustering of lipid-bound annexin V may explain its anticoagulant effect", in *J.Biol.Chem.*, Band 267/25, S.17907
- Asahara, T., Chen, D., Takahashi, T., Fujikawa, K., Kearney, M., Magner, M., Yancopoulos, G.D. und Isner, J.M., 1998: "Tie2 receptor ligands, angiopoietin-1 and angiopoietin- 2, modulate VEGF-induced postnatal neovascularization", in *Circ.Res.*, Band 83/3, S.233
- Aschoff, J.M., Lazarus, D., Fanburg, B.L. und Lanzillo, J.J., 1994: "Relative quantification of angiotensin-converting enzyme mRNA in human smooth muscle cells, monocytes, and lymphocytes by the polymerase chain reaction", in *Anal.Biochem.*, Band 219/2, S.218
- Awolesi, M.A., Sessa, W.C. und Sumpio, B.E., 1995: "Cyclic strain upregulates nitric oxide synthase in cultured bovine aortic endothelial cells", in *J.Clin.Invest*, Band 96/3, S.1449
- Barakat, A.I. und Davies, P.F., 1998: "Mechanisms of shear stress transmission and transduction in endothelial cells", in *Chest*, Band 114/1 Suppl, S.58S

- Bauersachs, J., Popp, R., Hecker, M., Sauer, E., Fleming, I. und Busse, R., 1996: "Nitric oxide attenuates the release of endothelium-derived hyperpolarizing factor", in *Circulation*, Band 94/12, S.3341
- Bayliss, L.E., 1965: "The flow of suspensions of red blood cells in capillary tubes: changes in "cell free" marginal sheath with changes in the shearing stress.", in *J.Physiol.*, Band 179, S.1
- Bennett, M.V., Barrio, L.C., Bargiello, T.A., Spray, D.C., Hertzberg, E. und Sáez, J.C., 1991: "Gap junctions: new tools, new answers, new questions", in *Neuron*, Band 6/3, S.305
- Benz, J. und Hofmann, A., 1997: "Annexins: From structure to function", in *Biol.Chem.Hoppe Seyler*, Band 378, S.177
- Berthiaume, F. und Frangos, J.A., 1992: "Flow-induced prostacyclin production is mediated by a pertussis toxin-sensitive G protein", in *FEBS Lett.*, Band 308/3, S.277
- Bjarnason, J.B. und Fox, J.W., 1995: "Snake venom metalloendopeptidases: reprotolysins", in *Methods Enzymol.*, Band 248, S.345
- Blackbourn, H.D. und Battey, N.H., 1993: "Annexin-mediated secretory vesicle aggregation in plants", in *Physiol.Plant*, Band 89, S.27
- Bornstein, P., 1992: "Thrombospondins: structure and regulation of expression", in *FASEB J.*, Band 6/14, S.3290
- Bosse, F., Zoidl, G., Wilms, S., Gillen, C.P., Kuhn, H.G. und Müller, H.W., 1994: "Differential expression of two mRNA species indicates a dual function of peripheral myelin protein PMP22 in cell growth and myelination", in *J.Neurosci.Res.*, Band 37/4, S.529
- Braddock, M., Schwachtgen, J.L., Houston, P., Dickson, M.C., Lee, M.J. und Campbell, C.J., 1998: "Fluid shear stress modulation of gene expression in endothelial cells", in *News Physiol.Sci.*, Band 13, S.241
- Brazma, A. und Vilo, J., 2000: "Gene expression data analysis", in *FEBS Lett.*, Band 480/1, S.17
- Burgoyne, R.D., Cambray-Deakin, M.A. und Norman, K.M., 1989: "Developmental regulation of tyrosine kinase substrate p36 (calpactin heavy chain) in rat cerebellum", in *J.Mol.Neurosci.*, Band 1/1, S.47
- Buschmann, I. und Schaper, W., 1999: "Arteriogenesis Versus Angiogenesis: Two Mechanisms of Vessel Growth", in *News Physiol Sci.*, Band 14:121-125., S.121

- Busse, R. und Fleming, I., 1998: "Pulsatile stretch and shear stress: physical stimuli determining the production of endothelium-derived relaxing factors", in *J.Vasc.Res.*, Band 35/2, S.73
- Bussolari, S.R. und Dewey, C.F., 1982: "Apparatus for subjecting living cells to fluid shear stress", in *Rev.Sci.Instrum.*, Band 53/12, S.1851
- Campbell, W.B., Gebremedhin, D., Pratt, P.F. und Harder, D.R., 1996: "Identification of epoxyeicosatrienoic acids as endothelium- derived hyperpolarizing factors", in *Circ.Res.*, Band 78/3, S.415
- Chap, H., Comfurius, P., Bevers, E.M., Fauvel, J., Vicendo, P., Douste-Blazy, L. und Zwaal, R.F., 1988: "Potential anticoagulant activity of lipocortins and other calcium/phospholipid binding proteins", in *Biochem.Biophys.Res.Commun.*, Band 150/3, S.972
- Cheney, R.E. und Willard, M.B., 1989: "Characterization of the interaction between calpactin I and fodrin (non-erythroid spectrin)", in *J.Biol.Chem.*, Band 264/30, S.18068
- Cheng, J.J., Wung, B.S., Chao, Y.J. und Wang, D.L., 1996: "Cyclic strain enhances adhesion of monocytes to endothelial cells by increasing intercellular adhesion molecule-1 expression", in *Hypertension*, Band 28, S.386
- Chomczynski, P., 1992: "One-hour downward alkaline capillary transfer for blotting of DNA and RNA", in *Anal.Biochem.*, Band 201/1, S.134
- Chun, T.H., Itoh, H., Ogawa, Y., Tamura, N., Takaya, K., Igaki, T., Yamashita, J., Doi, K., Inoue, M., Masatsugu, K., Korenaga, R., Ando, J. und Nakao, K., 1997: "Shear stress augments expression of C-type natriuretic peptide and adrenomedullin", in *Hypertension*, Band 29/6, S.1296
- Chung, C.Y. und Erickson, H.P., 1994: "Cell surface annexin II is a high affinity receptor for the alternatively spliced segment of tenascin-C", in *J.Cell Biol.*, Band 126/2, S.539
- Chung, C.Y., Murphy, U.J. und Erickson, H.P., 1996: "Mitogenesis, cell migration, and loss of focal adhesions induced by tenascin-C interacting with its cell surface receptor, annexin II", in *Mol.Biol.Cell*, Band 7/6, S.883
- Cohen, R.A. und Vanhoutte, P.M., 1995: "Endothelium-dependent hyperpolarization. Beyond nitric oxide and cyclic GMP", in *Circulation*, Band 92/11, S.3337
- Cooke, J., Rossitch, E., Andon, N., Loscalzo, J. und Dzau, V., 1991: "Flow activates an endothelial potassium channel to release an endogenous nitrovasodilator", in *J.Clin.Invest.*, Band 88, S.1663

- Craig, R.W. und Sager, R., 1985: "Suppression of tumorigenicity in hybrids of normal and oncogene-transformed CHEF cells", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 82/7, S.2062
- Creutz, C.E., 1992: "The annexins and exocytosis", in *Science*, Band 258, S.258
- D'Urso, D., Schmalenbach, C., Zoidl, G., Prior, R. und Müller, H.W., 1997: "Studies on the effects of altered PMP22 expression during myelination in vitro", in *J.Neurosci.Res.*, Band 48/1, S.31
- Davies, P.F., 1995: "Flow-mediated endothelial mechanotransduction", in *Phys.Rev.*, Band 75, S.519
- Davies, P.F. und Tripathi, S.C., 1992: "Mechanical stress mechanisms and the cell. an endothelial paradigm", in *Circ Res*, Band 72, S.239
- Diamond, S.L., Sharefkin, J.B., Dieffenbach, C., Frasier-Scott, K., McIntire, L.V. und Eskin, S.G., 1990: "Tissue plasminogen activator messenger RNA levels increase in cultured human endothelial cells exposed to laminar shear stress", in *J.Cell Physiol.*, Band 143/2, S.364
- Dobrin, P.B., Littooy, F.N. und Endean, E.D., 1989: "Mechanical factors predisposing to intimal hyperplasia and medial thickening in autogenous vein grafts", in *Surgery*, Band 105/3, S.393
- Dooley, T.P., Weiland, K.L. und Simon, M., 1992: "cDNA sequence of human p11 calpactin 1 light chain", in *Genomics*, Band 13/3, S.866
- Duesterhoeft, A., Lauber, J., Mewes, H.W., Gassenhuber, J. und Wiemann.C., 2000: "clone DKFZp564P1263", in *Direct Submission*
- Dumont, D.J., Gradwohl, G., Fong, G.H., Puri, M.C., Gertsenstein, M., Auerbach, A. und Breitman, M.L., 1994: "Dominant-negative and targeted null mutations in the endothelial receptor tyrosine kinase, tek, reveal a critical role in vasculogenesis of the embryo", in *Genes Dev.*, Band 8/16, S.1897
- Dumont, D.J., Yamaguchi, T.P., Conlon, R.A., Rossant, J. und Breitman, M.L., 1992: "tek, a novel tyrosine kinase gene located on mouse chromosome 4, is expressed in endothelial cells and their presumptive precursors", in *Oncogene*, Band 7/8, S.1471
- Emans, N., Gorvel, J.P., Walter, C., Gerke, V., Kellner, R., Griffiths, G. und Gruenberg, J., 1993: "Annexin II is a major component of fusogenic endosomal vesicles", in *J.Cell Biol.*, Band 120/6, S.1357
- Erikson, E., Tomasiewicz, H.G. und Erikson, R.L., 1984: "Biochemical characterization of a 34-kilodalton normal cellular substrate of pp60v-src and an associated 6-kilodalton protein", in *Mol.Cell Biol.*, Band 4/1, S.77

- Evdokiou, A. und Cowled, P.A., 1998: "Growth-regulatory activity of the growth arrest-specific gene, GAS1, in NIH3T3 fibroblasts", in *Exp Cell Res.*, Band 240/2, S.359
- Fleming, J.V., Hay, S.M., Harries, D.N. und Rees, W.D., 1998: "Effects of nutrient deprivation and differentiation on the expression of growth-arrest genes (gas and gadd) in F9 embryonal carcinoma cells", in *Biochem.J.*, Band 330/Pt 1, S.573
- Fong, G.H., Rossant, J., Gertsenstein, M. und Breitman, M.L., 1995: "Role of the Flt-1 receptor tyrosine kinase in regulating the assembly of vascular endothelium", in *Nature*, Band 376/6535, S.66
- Fox, M.T., Prentice, D.A. und Hughes, J.P., 1991: "Increases in p11 and annexin II proteins correlate with differentiation in the PC12 pheochromocytoma", in *Biochem.Biophys.Res.Comm.*, Band 177/3, S.1188
- Frangos, J.A., Eskin, S.G., McIntire, L.V. und Ives, C.L., 1985: "Flow effects on prostacyclin production by cultured human endothelial cells", in *Science*, Band 227/4693, S.1477
- Frazier, W.A., 1991: "Thrombospondins", in *Curr.Opin.Cell Biol.*, Band 3/5, S.792
- Frohlich, M., Motté, P., Galvin, K., Takahashi, H., Wands, J. und Ozturk, M., 1990: "Enhanced expression of the protein kinase substrate p36 in human hepatocellular carcinoma", in *Mol.Cell Biol.*, Band 10/6, S.3216
- Funakoshi, T., Heimark, R.L., Hendrickson, L.E., McMullen, B.A. und Fujikawa, K., 1987: "Human placental anticoagulant protein: isolation and characterization", in *Biochemistry*, Band 26/17, S.5572
- Furuse, M., Hirase, T., Itoh, M., Nagafuchi, A., Yonemura, S. und Tsukita, S., 1993: "Occludin: a novel integral membrane protein localizing at tight junctions", in *J.Cell Biol.*, Band 123/6 Pt 2, S.1777
- Gentz, R., Rauscher, F.J., Abate, C. und Curran, T., 1989: "Parallel association of Fos and Jun leucine zippers juxtaposes DNA binding domains", in *Science*, Band 243/4899, S.1695
- Gerke, V. und Weber, K., 1984: "Identity of p36K phosphorylated upon Rous sarcoma virus transformation with a protein purified from brush borders; calcium-dependent binding to non-erythroid spectrin and F-actin", in *EMBO J.*, Band 3/1, S.227
- Gimbrone, M.A.J., Resnick, N., Nagel, T., Khachigian, L.M., Collins, T. und Topper, J.N., 1997: "Hemodynamics, endothelial gene expression, and atherogenesis", in *Ann.N.Y.Acad.Sci.*, Band 811, S.1

- Glenney, J., 1986: "Two related but distinct forms of the Mr 36,000 tyrosine kinase substrate (calpactin) that interact with phospholipid and actin in a Ca<sup>2+</sup>-dependent manner", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 83/12, S.4258
- Glienke, J., Schmitt, A.O., Pilarsky, C., Hinzmann, B., Weiss, B., Rosenthal, A. und Thierauch, K.H., 2000: "Differential gene expression by endothelial cells in distinct angiogenic states", in *Eur.J.Biochem.*, Band 267/9, S.2820
- Goede, V., Schmidt, T., Kimmina, S., Kozian, D. und Augustin, H.G., 1998: "Analysis of blood vessel maturation processes during cyclic ovarian angiogenesis", in *Lab.Invest.*, Band 78, S.1385
- Grabowski, E.F., Jaffe, E.A. und Weksler, B.B., 1985: "Prostacyclin production by cultured endothelial cell monolayers exposed to step increases in shear stress", in *J Lab Clin Med*, Band 105, S.36
- Graham, A., Hedge, P.J., Powell, S.J., Riley, J., Brown, L., Gammack, A., Carey, F. und Markham, A.F., 1989: "Nucleotide sequence of cDNA for human aldose reductase", in *Nucleic.Acids.Res.*, Band 17/20, S.8368
- Guo, N.H., Krutzsch, H.C., Nègre, E., Vogel, T., Blake, D.A. und Roberts, D.D., 1992: "Heparin- and sulfatide-binding peptides from the type I repeats of human thrombospondin promote melanoma cell adhesion", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 89/7, S.3040
- Hammer, J.A., O'Shannessy, D.J., De Leon, M., Gould, R., Zand, D., Daune, G. und Quarles, R.H., 1993: "Immunoreactivity of PMP-22, P0, and other 19 to 28 kDa glycoproteins in peripheral nerve myelin of mammals and fish with HNK1 and related antibodies", in *J.Neurosci.Res.*, Band 35/5, S.546
- Hanahan, D., 1997: "Signaling vascular morphogenesis and maintenance", in *Science*, Band 277, S.48
- Hansen, S.F., Hudlicka, O. und Egginton, S., 1996: "In vivo angiogenesis in adult rat skeletal muscle: early changes in capillary network architecture and ultrastructure", in *Cell Tissue Res.*, Band 286/1, S.123
- Hansen, S.F., Joswiak, G.R. und Baustert, J.L., 1994: "Regional differences in spontaneously occurring angiogenesis in the adult rat mesentery", in *Microvasc.Res.*, Band 47/3, S.369
- Hayasaka, K., Himoro, M., Nanao, K., Sato, W., Miura, M., Uyemura, K., Takahashi, E. und Takada, G., 1992: "Isolation and sequence determination of cDNA encoding PMP- 22 (PAS-II/SR13/Gas-3) of human peripheral myelin", in *Biochem.Biophys.Res.Commun.*, Band 186/2, S.827
- Herren, B., Raines, E.W. und Ross, R., 1997: "Expression of a disintegrin-like protein in cultured human vascular cells and in vivo", in *FASEB J.*, Band 11, S.173

- Higginbotham, R.S., 1950: "A cone-and-plate viscosimeter", in *J.Sci.Instrum.*, Band 27, S.139
- Honda, H.M., Wortham, C., Navab, M. und Demer, L.L., 1992: "Disturbed flow induces heat shock protein-70 mRNA in bovine und human aortic endothelial cells", in *Circulation*, Band 86, Suppl.I/4, S.I-224
- Hori, K., Suzuki, M., Tanda, S. und Saito, S., 1990: "In vivo analysis of tumor vascularization in the rat", in *Jpn.J.Cancer Res.*, Band 81/3, S.279
- Hsieh, H.-J., Li, N.-Q. und Frangos, J.A., 1991: "Shear stress increases endothelial platelet-derived growth factor mRNA levels", in *Am.J.Physiol.*, Band 260, S.642
- Hsieh, H.J., Li, N.Q. und Frangos, J.A., 1993: "Pulsatile and steady flow induces c-fos expression in human endothelial cells", in *J.Cell Physiol.*, Band 154/1, S.143
- Huber, R., Crisponi, L., Mazzarella, R., Chen, C.N., Su, Y., Shizuya, H., Chen, E.Y., Cao, A. und Pilia, G., 1997: "Analysis of exon/intron structure and 400 kb of genomic sequence surrounding the 5'-promoter and 3'-terminal ends of the human glypican 3 (GPC3) gene", in *Genomics*, Band 45/1, S.48
- Hudlicka, O., Brown, M. und Egginton, S., 1992: "Angiogenesis in skeletal and cardiac muscle", in *Physiol.Rev.*, Band 72/2, S.369
- Hullin, F., Raynal, P., Ragab-Thomas, J.M., Fauvel, J. und Chap, H., 1989: "Effect of dexamethasone on prostaglandin synthesis and on lipocortin status in human endothelial cells. Inhibition of prostaglandin I<sub>2</sub> synthesis occurring without alteration of arachidonic acid liberation and of lipocortin synthesis", in *J.Biol.Chem.*, Band 264/6, S.3506
- Ingber, D.E., Dike, L., Hansen, L., Karp, S., Liley, H., Maniotis, A., McNamee, H., Mooney, D., Plopper, G. und Sims, J., 1994: "Cellular tensegrity: exploring how mechanical changes in the cytoskeleton regulate cell growth, migration, and tissue pattern during morphogenesis", in *Int.Rev.Cytol.*, Band 150, S.173
- Ishida, T., Takahashi, M., Corson, M.A. und Berk, B.C., 1997: "Fluid shear stress-mediated signal transduction: how do endothelial cells transduce mechanical force into biological responses?", in *Ann.N.Y.Acad.Sci.*, Band 811, S.12
- Iwama, A., Hamaguchi, I., Hashiyama, M., Murayama, Y., Yasunaga, K. und Suda, T., 1993: "Molecular cloning and characterization of mouse TIE and TEK receptor tyrosine kinase genes and their expression in hematopoietic stem cells", in *Biochem.Biophys.Res.Comm.*, Band 195/1, S.301

- Jenkins, M.C., Trout, J. und Fayer, R., 1998: "Development and application of an improved semiquantitative technique for detecting low-level *Cryptosporidium parvum* infections in mouse tissue using polymerase chain reaction", in *J.Parasitol.*, Band 84/1, S.182
- Jindal, H.K., Chaney, W.G., Anderson, C.W., Davis, R.G. und Vishwanatha, J.K., 1991: "The protein-tyrosine kinase substrate, calpactin I heavy chain (p36), is part of the primer recognition protein complex that interacts with DNA polymerase alpha", in *J.Biol.Chem.*, Band 266/8, S.5169
- Karasik, A., Pepinsky, R.B. und Kahn, C.R., 1988: "Insulin and epidermal growth factor stimulate phosphorylation of a 170-kDa protein in intact hepatocytes immunologically related to lipocortin 1", in *J.Biol.Chem.*, Band 263/34, S.18558
- Keutzer, J.C. und Hirschhorn, R.R., 1990: "The growth-regulated gene 1B6 is identified as the heavy chain of calpactin I", in *Exp Cell Res.*, Band 188/1, S.153
- Khachigian, L.M., Resnick, N., Gimbrone, M.A., Jr. und Collins, T., 1995: "Nuclear factor-kappaB interacts functionally with the platelet-derived growth factor B-chain shear-stress response element in vascular endothelial cells exposed to fluid shear stress", in *J.Clin.Invest.*, Band 96, S.1169
- Klagsbrun, M. und D'Amore, P.A., 1991: "Regulators of angiogenesis: stimulators, inhibitors, and extracellular matrix", in *J.Cell Biochem.*, Band 47/3, S.199
- Knedler, A. und Ham, R.G., 1987: "Optimized medium for clonal growth of human microvascular endothelial cells with minimal serum", in *In Vitro Cell Dev.Biol.*, Band 23/7, S.481
- König, J., Prenen, J., Nilius, B. und Gerke, V., 1998: "The annexin II-p11 complex is involved in regulated exocytosis in bovine pulmonary artery endothelial cells", in *J.Biol.Chem.*, Band 273/31, S.19679
- Kuno, K., Iizasa, H., Ohno, S. und Matsushima, K., 1997a: "The exon/intron organization and chromosomal mapping of the mouse ADAMTS-1 gene encoding an ADAM family protein with TSP motifs", in *Genomics*, Band 46/3, S.466
- Kuno, K., Kanada, N., Nakashima, E., Fujiki, F., Ichimura, F. und Matsushima, K., 1997b: "Molecular cloning of a gene encoding a new type of metalloproteinase-disintegrin family protein with thrombospondin motifs as an inflammation associated gene.", in *Biol.Chem.*, Band 272, S.556
- Kuno, K. und Matsushima, K., 1998: "ADAMTS-1 protein anchors at the extracellular matrix through the thrombospondin type I motifs and its spacing region", in *J.Biol.Chem.*, Band 273/22, S.13912



- Kuno, K., Terashima, Y. und Matsushima, K., 1999: "ADAMTS-1 is an active metalloproteinase associated with the extracellular matrix", in *J.Biol.Chem.*, Band 274/26, S.18821
- Lan, Q., Mercurius, K.O. und Davies, P.F., 1994: "Stimulation of transcription factors NF kappa B and AP1 in endothelial cells subjected to shear stress", in *Biochem.Biophys.Res.Commun.*, Band 201/2, S.950
- Li, Y.S., Shyy, J.Y., Li, S., Lee, J., Su, B., Karin, M. und Chien, S., 1996: "The Ras-JNK pathway is involved in shear-induced gene expression", in *Mol.Cell Biol.*, Band 16/11, S.5947
- Liang, P., Bauer, D. und Pardee, A.B., 1995: "Analysis of altered gene expression by differential display", in *Molecular Clones*, Band 254, S.304
- Liang, P. und Pardee, A.B., 1992: "Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction", in *Science*, Band 257, S.967
- Liao, L.X., Starzyk, R.M. und Granger, D.N., 1997: "Molecular determinants of oxidized low-density lipoprotein-induced leukocyte adhesion and microvascular dysfunction", in *Arterioscler.Thromb.Vasc.Biol.*, Band 17, S.437
- Lin, M.C., Almus-Jacobs, F., Chen, H.H., Parry, G.C.N., Mackman, N., Shyy, J.Y.J. und Chien, S., 1997: "Shear stress induction of the tissue factor gene", in *J.Clin.Invest.*, Band 99, S.737
- Lin, P., Buxton, J.A., Acheson, A., Radziejewski, C., Maisonpierre, P.C., Yancopoulos, G.D., Channon, K.M., Hale, L.P., Dewhirst, M.W., George, S.E. und Peters, K.G., 1998: "Antiangiogenic gene therapy targeting the endothelium-specific receptor tyrosine kinase Tie2", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 95/15, S.8829
- Lunn, C.A., Fan, X., Dalie, B., Miller, K., Zavodny, P.J., Narula, S.K. und Lundell, D., 1997: "Purification of ADAM 10 from bovine spleen as a TNFalpha convertase", in *FEBS Lett.*, Band 400/3, S.333
- Maarten, H.K.L. und Villeponteau, B., 1995: "Cataloging altered gene expression in young and senescent cells using enhanced differential display", in *Nucleic Acids Res.*, Band 23/16, S.3244
- Maisonpierre, P.C., Suri, C., Jones, P.F., Bartunkova, S., Wiegand, S.J., Radziejewski, C., Compton, D., McClain, J., Aldrich, T.H., Papadopoulos, N., Daly, T.J., Davis, S., Sato, T.N. und Yancopoulos, G.D., 1997: "Angiopoetin-2, a natural antagonist for tie2 that disrupts in vivo angiogenesis", in *Science*, Band 277, S.55
- Malek, A. und Izumo, S., 1992: "Physiological fluid shear stress causes downregulation of endothelin-1 mRNA in bovine aortic endothelium", in *Am.J.Physiol.*, Band 263/2 Pt 1, S.C389

- Malek, A.M., Gibbons, G.H., Dzau, V.J. und Izumo, S., 1993a: "Fluid shear stress differentially modulates expression of genes encoding basic fibroblast growth factor and platelet- derived growth factor B chain in vascular endothelium", in *J.Clin.Invest.*, Band 92/4, S.2013
- Malek, A.M., Greene, A.L. und Izumo, S., 1993b: "Regulation of endothelin-1 gene by fluid shear stress is transcriptionally mediated and independent of protein kinase C and cAMP", in *Proc.Natl.Acad.Sci.USA*, Band 90, S.5999
- Malek, A.M. und Izumo, S., 1996: "Mechanism of endothelial cell shape change and cytoskeletal remodeling in response to fluid shear stress", in *J.Cell Sci.*, Band 109, S.713
- Malek, A.M., Jackman, R., Rosenberg, R.D. und Izumo, S., 1994: "Endothelial expression of thrombomodulin is reversibly regulated by fluid shear stress", in *Circ.Res.*, Band 74/5, S.852
- Manfioletti, G., Ruaro, M.E., Del Sal, G., Philipson, L. und Schneider, C., 1990: "A growth arrest-specific (gas) gene codes for a membrane protein", in *Mol.Cell Biol.*, Band 10/6, S.2924
- McKenell, R., 1953: "A versatile cone-and-plate viscosimeter with automatic flow curve recording", in *2nd Internat.Congr.Rheology*, S.350
- Michiels, C., Arnould, T. und Remacle, J., 2000: "Endothelial cell responses to hypoxia: initiation of a cascade of cellular interactions", in *Biochim.Biophys.Acta*, Band 1497/1, S.1
- Miller, C.E. und Hoppmann, W.H., 1963: "Velocity field induced in a liquid by a rotating cone", in *4th Internat.Congr.Rheology*, Band 2, S.619
- Mo, M., Eskin, S.G. und Schilling, W.P., 1991: "Flow-induced changes in Ca<sup>2+</sup> signaling of vascular endothelial cells: effect of shear stress and ATP", in *Am.J.Physiol.*, Band 260, S.1698
- Moncada, S., Gryglewski, R., Bunting, S. und Vane, J.R., 1976: "An enzyme isolated from arteries transforms prostaglandin endoperoxides to an unstable substance that inhibits platelet aggregation", in *Nature*, Band 263/5579, S.663
- Monos, E., 1993: "How does the vein wall respond to pressure?", in *News Physiol.Sci.*, Band 8, S.124
- Mooney, M. und Ewart, E.H., 1934: "The conicylindrical viscosimeter", in *Physics*, Band 5, S.350

- Morita, T., Yoshizumi, M., Kurihara, H., Maemura, K., Nagai, R. und Yazaki, Y., 1993: "Shear stress increases heparin-binding epidermal growth factor-like growth factor mRNA levels in human vascular endothelial cells", in *Biochem.Biophys.Res.Commun.*, Band 197/1, S.256
- Munz, B., Gerke, V., Gillitzer, R. und Werner, S., 1997: "Differential expression of the calpactin I subunits annexin II and p11 in cultured keratinocytes and during wound repair", in *J Invest Dermatol*, Band 108/3, S.307
- Murray, C.D., 1926: "The physiological principle of minimum work, I: the vascular system and the cost of blood volume", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 12, S.207
- Nagel, T., Atkinson, W.J., Dewey, C.F. und Gimbrone, M.A., Jr., 1994: "Shear stress selectively upregulates intercellular adhesion molecule-1 expression in cultured human vascular endothelial cells", in *J.Clin.Invest.*, Band 94, S.885
- Nerem, R.M., Alexander, R.W., Chappell, D.C., Medford, R.M., Varner, S.E. und Taylor, W.R., 1998: "The study of the influence of flow on vascular endothelial biology", in *Am.J.Med.Sci.*, Band 316/3, S.169
- Nerem, R.M., Levesque, M.J. und Cornhill, J.F., 1981: "Vascular endothelial morphology as an indicator of the pattern of blood flow", in *J.Biomech.Eng.*, Band 103/3, S.172
- Niewiarowski, S., McLane, M.A., Kloczewiak, M. und Stewart, G.J., 1994: "Disintegrins and other naturally occurring antagonists of platelet fibrinogen receptors", in *Semin.Hematol.*, Band 31/4, S.289
- Nishida, K., Harrison, D.G., Navas, J.P., Fisher, A.A., Dockery, S.P., Uematsu, M., Nerem, R.M., Alexander, R.W. und Murphy, T.J., 1992: "Molecular cloning and characterization of the constitutive bovine aortic endothelial cell nitric oxide synthase", in *J.Clin.Invest.*, Band 90/5, S.2092
- Ohno, M., Cooke, J.P., Dzau, V.J. und Gibbons, G.H., 1995: "Fluid shear stress induces endothelial transforming growth factor beta-1 transcription and production. Modulation by potassium channel blockade", in *J.Clin.Invest.*, Band 95/3, S.1363
- Ohtsuka, A., Ando, J., Korenaga, R., Kamiya, A., Toyama-Sorimachi, N. und Miyasaka, M., 1993: "The effect of flow on the expression of vascular adhesion molecule-1 by cultured mouse endothelial cells", in *Biochem.Biophys.Res.Commun.*, Band 193/1, S.303
- Okahara, K., Sun, B., Kawasaki, T., Monden, M. und Kambayashi, J., 1998: "Expression of platelet-activating factor receptor transcript-2 is induced by shear stress in HUVEC", in *Prostaglandins Other Lipid Mediat.*, Band 55/5-6, S.323

- Olesen, S.P., Clapham, D.E. und Davies, P.F., 1988: "Haemodynamic shear stress activates a K<sup>+</sup> current in vascular endothelial cells", in *Nature*, Band 331, S.168
- Papadaki, M. und Eskin, S.G., 1997: "Effects of fluid shear stress on gene regulation of vascular cells", in *Biotechnol.Prog.*, Band 13/3, S.209
- Pepinsky, R.B. und Sinclair, L.K., 1986: "Epidermal growth factor-dependent phosphorylation of lipocortin", in *Nature*, Band 321/6065, S.81
- Perry, A.C., Jones, R., Barker, P.J. und Hall, L., 1992: "A mammalian epididymal protein with remarkable sequence similarity to snake venom haemorrhagic peptides", in *Biochem.J.*, Band 286/Pt 3, S.671
- Poiseuille, J.L.M., 1828: "Recherches sur la force du cœur aortique [Dissertation]", in *Paris: Didot le Jeune*
- Pollard, H.B., Rojas, E., Pastor, R.W., Rojas, E.M., Guy, H.R. und Burns, A.L., 1991: "Synexin: molecular mechanism of calcium-dependent membrane fusion and voltage-dependent calcium-channel activity. Evidence in support of the "hydrophobic bridge hypothesis" for exocytotic membrane fusion", in *Ann.N.Y.Acad.Sci.*, Band 635, S.328
- Popot, J.L., Pham, D.D. und Dautigny, A., 1991: "Major Myelin proteolipid: the 4-alpha-helix topology", in *J.Membr.Biol.*, Band 120/3, S.233
- Powell, M.A. und Glenney, J.R., 1987: "Regulation of calpactin I phospholipid binding by calpactin I light-chain binding and phosphorylation by p60v-src", in *Biochem.J.*, Band 247/2, S.321
- Prater, C.A., Plotkin, J., Jaye, D. und Frazier, W.A., 1991: "The properdin-like type I repeats of human thrombospondin contain a cell attachment site", in *J.Cell Biol.*, Band 112/5, S.1031
- Price, R.J., Owens, G.K. und Skalak, T.C., 1994: "Immunohistochemical identification of arteriolar development using markers of smooth muscle differentiation. Evidence that capillary arterialization proceeds from terminal arterioles", in *Circ.Res.*, Band 75/3, S.520
- Pries, A.R., Neuhaus, D. und Gaehtgens, P., 1992: "Blood viscosity in tube flow: dependence on diameter and hematocrit", in *Am J Physiol*, Band 263/6 Pt 2, S.H1770
- Pries, A.R., Secomb, T.W. und Gaehtgens, P., 1995: "Design principles of vascular beds", in *Circ.Res.*, Band 77/5, S.1017

- Radke, K., Gilmore, T. und Martin, G.S., 1980: "Transformation by Rous sarcoma virus: a cellular substrate for transformation-specific protein phosphorylation contains phosphotyrosine", in *Cell*, Band 21/3, S.821
- Rastinejad, F., Polverini, P.J. und Bouck, N.P., 1989: "Regulation of the activity of a new inhibitor of angiogenesis by a cancer suppressor gene", in *Cell*, Band 56/3, S.345
- Ravanat, C., Archipoff, G., Beretz, A., Freund, G., Cazenave, J.P. und Freyssinet, J.M., 1992: "Use of annexin-V to demonstrate the role of phosphatidylserine exposure in the maintenance of haemostatic balance by endothelial cells", in *Biochem.J.*, Band 282/Pt 1, S.7
- Reeves, S.A., Chavez-Kappel, C., Davis, R., Rosenblum, M. und Israel, M.A., 1992: "Developmental regulation of annexin II (Lipocortin 2) in human brain and expression in high grade glioma", in *Cancer Res.*, Band 52/24, S.6871
- Relton, J.K., Strijbos, P.J., O'Shaughnessy, C.T., Carey, F., Forder, R.A., Tilders, F.J. und Rothwell, N.J., 1991: "Lipocortin-1 is an endogenous inhibitor of ischemic damage in the rat brain", in *J.Exp Med.*, Band 174/2, S.305
- Resnick, N., Collins, T., Atkinson, W., Bonthron, D.T., Dewey, C.F.J. und Gimbrone, M.A.J., 1993: "Platelet-derived growth factor B chain promoter contains a cis-acting fluid shear-stress-responsive element", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 90/16, S.7908
- Rieder, M.J., Carmona, R., Krieger, J.E., Pritchard, K.A.J. und Greene, A.S., 1997: "Suppression of angiotensin-converting enzyme expression and activity by shear stress", in *Circ.Res.*, Band 80/3, S.312
- Rieger, H. und Gaegtens, P., 1994: "Pathophysiologie der Gewebsdurchblutung und ihrer Regulation: Durchblutungsstörungen", in *Pathophysiologie des Menschen, Chapman & Hall*/17.3.
- Risau, W., 1995: "Differentiation of endothelium", in *FASEB J.*, Band 9, S.926
- Risau, W., 1997: "Mechanisms of angiogenesis", in *Nature*, Band 386, S.671
- Rothschild, C.B., Brewer, C.S. und Bowden, D.W., 1997: "DD/AP-PCR: Combination of differential display and arbitrarily primed PCR of oligo(dT) cDNA", in *Anal.Biochem.*, Band 245, S.48
- Rozen, S. und Skaletzky, H.J., 1997: "Primer3", in [http://www-genome.wi.mit.edu/genome\\_software/other/primer3.html](http://www-genome.wi.mit.edu/genome_software/other/primer3.html)

- Rozen, S. und Skaletsky, H.J., 1996: "primer3 release 0.9", in *Whitehead Institute for Biomedical Research, Cambridge, Massachusetts, USA*
- Römisch, J., Schüler, E., Bastian, B., Bürger, T., Dunkel, F.G., Schwinn, A., Hartmann, A.A. und Pâques, E.P., 1992: "Annexins I to VI: quantitative determination in different human cell types and in plasma after myocardial infarction", in *Blood Coagul.Fibrinolysis*, Band 3/1, S.11
- Sanger, F., 1981: "Determination of nucleotide sequences in DNA", in *Science*, Band 214/4526, S.1205
- Sato, T.N., Tozawa, Y., Deutsch, U., Wolburg, B.K., Fujiwara, Y., Gendron, M.M., Gridley, T., Wolburg, H., Risau, W. und Qin, Y., 1995: "Distinct roles of the receptor tyrosine kinases Tie-1 and Tie-2 in blood vessel formation", in *Nature*, Band 376/6535, S.70
- Schnürch, H. und Risau, W., 1993: "Expression of tie-2, a member of a novel family of receptor tyrosine kinases, in the endothelial cell lineage", in *Development*, Band 119, S.957
- Schwachtgen, J.L., Houston, P., Campbell, C., Sukhatme, V. und Braddock, M., 1998: "Fluid shear stress activation of egr-1 transcription in cultured human endothelial and epithelial cells is mediated via the extracellular signal-related kinase 1/2 mitogen- activated protein kinase pathway", in *J.Clin.Invest.*, Band 101/11, S.2540
- Schweitzer, R., Howes, R., Smith, R., Shilo, B.Z. und Freeman, M., 1995: "Inhibition of Drosophila EGF receptor activation by the secreted protein Argos", in *Nature*, Band 376/6542, S.699
- Sdougos, H.P., Bussolari, S.R. und Dewey, C.F., 1984: "Secondary flow and turbulence in a cone-and-plate device", in *J.Fluid Mech.*, Band 138, S.379
- Shalaby, F., Rossant, J., Yamaguchi, T.P., Gertsenstein, M., Wu, X.F., Breitman, M.L. und Schuh, A.C., 1995: "Failure of blood-island formation and vasculogenesis in Flk-1-deficient mice", in *Nature*, Band 376/6535, S.62
- Sharefkin, J.B., Diamond, M.S., Eskin, S.G., McIntire, L.V. und Dieffenbach, C.W., 1991: "Fluid flow decreases preproendothelin mRNA levels and suppresses endothelin-1 peptide release in cultured human endothelial cells", in *Journal for Vascular Surgery*, Band 14/1, S.1
- Shyy, J.Y., Lin, M.C., Han, J., Lu, Y., Petrim, M. und Chien, S., 1995: "The cis-acting phorbol ester "12-O-tetradecanoylphorbol 13-acetate"-responsive element is involved in shear stress- induced monocyte chemotactic protein 1 gene expression", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 92/17, S.8069

- Shyy, Y.J., Hsieh, H.-J., Usami, S. und Chien, S., 1994: "Fluid shear stress induces a biphasic response of human monocyte chemotactic protein 1 gene expression in vascular endothelium", in *Proc.Natl.Acad.Sci.USA*, Band 91, S.4678
- Simon, M.I., Strathmann, M.P. und Gautam, N., 1991: "Diversity of G proteins in signal transduction", in *Science*, Band 252, S.802
- Skalak, T.C. und Price, R.J., 1996: "The role of mechanical stresses in microvascular remodeling", in *Microcirculation.*, Band 3/2, S.143
- Snipes, G.J. und Suter, U., 1995: "Molecular anatomy and genetics of myelin proteins in the peripheral nervous system", in *J Anat*
- Snipes, G.J., Suter, U. und Shooter, E.M., 1993a: "Human peripheral myelin protein-22 carries the L2/HNK-1 carbohydrate adhesion epitope", in *J.Neurochem.*, Band 61/5, S.1961
- Snipes, G.J., Suter, U. und Shooter, E.M., 1993b: "The genetics of myelin", in *Curr.Opin.Neurobiol.*, Band 3/5, S.694
- Southern, E.M., 1975: "Detection of specific sequences among DNA fragments separated by gel electrophoresis", in *J.Mol.Biol.*, Band 98/3, S.503
- St John, T.P. und Davis, R.W., 1979: "Isolation of galactose-inducible DNA sequences from *Saccharomyces cerevisiae* by differential plaque filter hybridization", in *Cell*, Band 16/2, S.443
- Stamler, J., Mendelsohn, M.E., Amarante, P., Smick, D., Andon, N., Davies, P.F., Cooke, J.P. und Loscalzo, J., 1989: "N-acetylcysteine potentiates platelet inhibition by endothelium- derived relaxing factor", in *Circ.Res.*, Band 65/3, S.789
- Strauss, M., Hering, S., Lubbe, L. und Griffin, B.E., 1990: "Immortalization and transformation of human fibroblasts by regulated expression of polyoma virus T antigens", in *Oncogene*, Band 5/8, S.1223
- Suri, C., Jones, P.F., Patan, S., Bartunkova, S., Maisonpierre, P.C., Davis, S., Sato, T.N. und Yancopoulos, G.D., 1996: "Requisite role of angiopoietin-1, a ligand for the TIE2 receptor, during embryonic angiogenesis", in *Cell*, Band 87/7, S.1171
- Suter, U., Snipes, G.J., Schoener, S.R., Welcher, A.A., Pareek, S., Lupski, J.R., Murphy, R.A., Shooter, E.M. und Patel, P.I., 1994: "Regulation of tissue-specific expression of alternative peripheral myelin protein-22 (PMP22) gene transcripts by two promoters", in *J.Biol.Chem.*, Band 269/41, S.25795

- Tait, J.F., Sakata, M., McMullen, B.A., Miao, C.H., Funakoshi, T., Hendrickson, L.E. und Fujikawa, K., 1988: "Placental anticoagulant proteins: isolation and comparative characterization four members of the lipocortin family", in *Biochemistry*, Band 27/17, S.6268
- Takada, Y., Shinkai, F., Kondo, S., Yamamoto, S., Tsuboi, H., Korenaga, R. und Ando, J., 1994: "Fluid shear stress increases the expression of thrombomodulin by cultured human endothelial cells", in *Biochem.Biophys.Res.Commun.*, Band 205/2, S.1345
- Takahashi, E., Takeda, O., Himoro, M., Nanao, K., Takada, G. und Hayasaka, K., 1992: "Localization of PMP-22 gene (candidate gene for the Charcot- Marie-Tooth disease 1A) to band 17p11.2 by direct R-banding fluorescence in situ hybridization", in *Jpn.J.Hum.Genet.*, Band 37/4, S.303
- Takahashi, M. und Berk, B.C., 1996: "Mitogen-activated protein kinase (ERK1/2) activation by shear stress and adhesion in endothelial cells - Essential role for a herbimycin-sensitive kinase", in *J.Clin.Invest.*, Band 98, S.2623
- Talian, J.C. und Zelenka, P.S., 1991: "Calpactin I in the differentiating embryonic chicken lens: mRNA levels and protein distribution", in *Dev.Biol.*, Band 143/1, S.68
- Thiagarajan, P. und Tait, J.F., 1990: "Binding of annexin V/placental anticoagulant protein I to platelets. Evidence for phosphatidylserine exposure in the procoagulant response of activated platelets", in *J.Biol.Chem.*, Band 265/29, S.17420
- Thiel, C., Osborn, M. und Gerke, V., 1992: "The tight association of the tyrosine kinase substrate annexin II with the submembranous cytoskeleton depends on intact p11- and Ca(2+)-binding sites", in *J.Cell Sci.*, Band 103/Pt 3, S.733
- Topper, J.N., Cai, J., Falb, D. und Gimbrone, M.A.J., 1996: "Identification of vascular endothelial genes differentially responsive to fluid mechanical stimuli: cyclooxygenase- 2, manganese superoxide dismutase, and endothelial cell nitric oxide synthase are selectively up-regulated by steady laminar shear stress", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 93/19, S.10417
- Tressler, R.J., Updyke, T.V., Yeatman, T. und Nicolson, G.L., 1993: "Extracellular annexin II is associated with divalent cation- dependent tumor cell-endothelial cell adhesion of metastatic RAW117 large-cell lymphoma cells", in *J.Cell Biochem.*, Band 53/3, S.265



- Tsujishita, H., Hiramatsu, Y., Kondo, N., Ohmoto, H., Kondo, H., Kiso, M. und Hasegawa, A., 1997: "Selectin-ligand interactions revealed by molecular dynamics simulation in solution", in *J.Med.Chem.*, Band 40, S.362
- Tuszynski, G.P., Rothman, V.L., Deutch, A.H., Hamilton, B.K. und Eyal, J., 1992: "Biological activities of peptides and peptide analogues derived from common sequences present in thrombospondin, properdin, and malarial proteins", in *J.Cell Biol.*, Band 116/1, S.209
- Van Gieson, E.J. und Skalak, T.C., 2001: "Chronic vasodilation induces matrix metalloproteinase 9 (MMP-9) expression during microvascular remodeling in rat skeletal muscle", in *Microcirculation.*, Band 8/1, S.25
- Vázquez, F., Hastings, G., Ortega, M.A., Lane, T.F., Oikemus, S., Lombardo, M. und Iruela, A.M., 1999: "METH-1, a human ortholog of ADAMTS-1, and METH-2 are members of a new family of proteins with angiogenic-inhibitory activity", in *J.Biol.Chem.*, Band 274/33, S.23349
- Vikkula, M., Boon, L.M., Carraway, K.L., Calvert, J.T., Diamonti, A.J., Goumnerov, B., Pasyk, K.A., Marchuk, D.A., Warman, M.L., Cantley, L.C., Mulliken, J.B. und Olsen, B.R., 1996: "Vascular dysmorphogenesis caused by an activating mutation in the receptor tyrosine kinase TIE2 [see comments]", in *Cell*, Band 87/7, S.1181
- Vyalov, S., Langille, B.L. und Gotlieb, A.I., 1996: "Decreased blood flow rate disrupts endothelial repair in vivo", in *Am.J.Pathol.*, Band 149/6, S.2107
- Wang, A.M., Doyle, M.V. und Mark, D.F., 1989: "Quantitation of mRNA by the polymerase chain reaction", in *Proc.Natl.Acad.Sci.U.S.A.*, Band 86/24, S.9717
- Wang, N., Butler, J.P. und Ingber, D.E., 1993: "Mechanotransduction across the cell surface and through the cytoskeleton", in *Science*, Band 260, S.1124
- Wilson, R.E., Taylor, S.L., Atherton, G.T., Johnston, D., Waters, C.M. und Norton, J.D., 1993: "Early response gene signalling cascades activated by ionising radiation in primary human B cells", in *Oncogene*, Band 8/12, S.3229
- Witzenbichler, B., Maisonpierre, P.C., Jones, P., Yancopoulos, G.D. und Isner, J.M., 1998: "Chemotactic properties of angiotensin-1 and -2, ligands for the endothelial-specific receptor tyrosine kinase Tie2", in *J.Biol.Chem.*, Band 273/29, S.18514

- Wolfsberg, T.G., Primakoff, P., Myles, D.G. und White, J.M., 1995: "ADAM, a novel family of membrane proteins containing a disintegrin and metalloprotease domain: Multipotential functions in cell-cell and cell-matrix interactions", in *J.Cell Biol.*, Band 131/2, S.275
- Wong, A.L., Haroon, Z.A., Werner, S., Dewhirst, M.W., Greenberg, C.S. und Peters, K.G., 1997: "Tie2 expression and phosphorylation in angiogenic and quiescent adult tissues", in *Circ.Res.*, Band 81/4, S.567
- Worley, K.C., Wiese, B.A. und Smith, R.F., 1995: "BEAUTY: an enhanced BLAST-based search tool that integrates multiple biological information resources into sequence similarity search results", in *Genome Res.*, Band 5/2, S.173
- Yagami, H.T., Sato, T., Kurisaki, T., Kamijo, K., Nabeshima, Y. und Fujisawa, S.A., 1995: "A metalloprotease-disintegrin participating in myoblast fusion", in *Nature*, Band 377/6550, S.652
- Yoshida, S., Setoguchi, M., Higuchi, Y., Akizuki, S. und Yamamoto, S., 1990: "Molecular cloning of cDNA encoding MS2 antigen, a novel cell surface antigen strongly expressed in murine monocytic lineage", in *Int.Immunol.*, Band 2/6, S.585
- Zarins, C.K., Giddens, D.P., Bharadvaj, B.K., Sottiurai, V.S., Mabon, R.F. und Glagov, S., 1983: "Carotid bifurcation atherosclerosis. Quantitative correlation of plaque localization with flow velocity profiles and wall shear stress", in *Circ.Res.*, Band 53/4, S.502
- Ziegler, T., Silacci, P., Harrison, V.J. und Hayoz, D., 1998: "Nitric oxide synthase expression in endothelial cells exposed to mechanical forces", in *Hypertension*, Band 32/2, S.351
- Zokas, L. und Glenney, J.R.J., 1987: "The calpactin light chain is tightly linked to the cytoskeletal form of calpactin I: studies using monoclonal antibodies to calpactin subunits", in *J.Cell Biol.*, Band 105/5, S.2111