

Literaturhinweise

- Abouchami W., Galer S.J.G., Koschinsky A. (1998) Pb and Nd isotopes in NE Atlantic Fe-Mn crusts: Proxies for trace metal paleosources and paleocean circulation. *Geochim. Cosmochim. Acta* **63**, 1489-1505.
- Albarède F., Goldstein S.L., and Dautel D. (1997) The neodymium isotopic composition of manganese nodules from the Southern and Indian Oceans, the global oceanic neodymium budget, and their bearing on deep ocean circulation. *Geochim. Cosmochim. Acta* **61**, 1277-1291.
- Alt J.C. and Honorez J. (1984) Alteration of the upper oceanic crust DSDP site 417: Mineralogy and chemistry. *Contrib. Mineral. Petrol.* **87**, 149-169.
- Alt J.C. (1988) Hydrothermal oxide and nontronite deposits on seamounts in the Eastern Pacific. *Mar. Geol.* **81**, 227-239.
- Alt J.C. and Jiang W.T. (1991) Hydrothermal precipitated mixed-layer illite-smectite in recent massive sulphide deposits from the seafloor. *Geology* **19**, 570-573.
- Alt J.C. (1995) Subseafloor processes in mid-ocean ridge hydrothermal systems. *Seafloor Hydrothermal Systems: Physical, Chemical, Biological and Geological Interactions* (ed S.E. Humphris, R.A. Zierenberg, L.S. Mullineaux, and R.E. Thomson). American Geophysical Union, Washington, 85-114.
- Axelsson M.D., Rodushkin I., Ingri J., and Öhlander B. (2002) Multielemental analysis of Mn-Fe nodules by ICP-MS: optimisation of analytical method. *Analyst* **127**, 76-82.
- Barrett T.J., Taylor P.N., and Lugowski J. (1987) Metalliferous sediments from DSDP Leg 92: The East Pacific Rise transect. *Geochim. Cosmochim. Acta* **51**, 2241-2253.
- Bau M., Koschinsky A., Dulski P. and Hein J.R. (1996a) Comparison of the partitioning behaviours of Yttrium, rare earth elements, and titanium between hydrogenetic marine ferromanganese crusts and seawater. *Geochim. Cosmochim. Acta* **60(10)**, 1709-1725.
- Bau M., Möller P. and Dulski P. (1996b) Yttrium and lanthanides in eastern Mediterranean seawater and their fractionation during redox-cycling. *Marine Chemistry* **56**, 123-131.
- Bau M., Usui A., Pracejus B., Mita N., Kanai Y., Irber W. and Dulski P. (1998) Geochemistry of low temperature Water-rock interaction: evidence from natural

- waters, andesite, and iron oxyhydroxide precipitates at Nishiki-numa iron-spring, Hokkaido, Japan. *Chemical Geology* **151**, 293-307.
- Bau M. and Dulski P. (1999a) Comparing yttrium and rare earth elements in hydrothermal fluids from the Mid Atlantic Ridge: implications for Y and REE behaviour during near-vent mixing and for the Y-Ho ratio of Proterozoic seawater. *Chemical Geology* **155**, 77-90.
- Bau M. (1999b) Scavenging of dissolved yttrium and rare earths by precipitating iron oxyhydroxides: Experimental evidence for Ce oxidation, Y-Ho fractionation, and lanthanide tetrad effect. *Geochim. Cosmochim. Acta* **63**, 67-77.
- Belshaw N.S., Freedman P.A., O'Nions R.K., Frank M., and Guo Y. (1998) A new variable dispersion double-focussing plasma mass spectrometer with performance illustrated for Pb-isotopes. *Int. J. Mass. Spectrom.* **181**, 51-58.
- Bonatti E., Kraemer T. and Rydell H. (1972) Classification and genesis of submarine iron-manganese deposits. Horn D.R. (Editor) *Ferromanganese deposits on the ocean floor*. Washington D.C. (NSF) 149-166.
- Borella P.E., Myers R., Mills B. (1980) Sediment petrology of the hydrothermal mounds. *Init. Repts. Deep Sea Drilling Project* **70-8**, 197-209.
- Bourlès D.L., Raisbeck G.M., Brown E.T., Yiou F., and Edmond J.M. (1991) Beryllium isotope systematics of submarine hydrothermal systems. *Earth Planet. Sci. Lett.* **105**, 534-542.
- Bourlès D.L., Brown E.T., German C.R., Measures C.I., Edmond J.M., Raisbeck G.M., and Yiou F. (1994) Examination of hydrothermal influences on oceanic beryllium using fluids, plume particles and sediments from the TAG hydrothermal field. *Earth Planet. Sci. Lett.* **122**, 143-157.
- Bouysse P., Maury C.R., Westbrook G.K., and Westercamp D. (1990) In *The Geology of North America; The Caribbean Region*. G. Dengo, J.E. Case (Editors), pp. 141-166, The Geological Society of America.
- Boynton C.H., Westbrook G.K., Bott M.H.P. and Long R.E. (1979) A seismic refraction investigation of crustal structure beneath the Lesser Antilles island arc. *Geophys. J.R. Astron Soc.* **58**, 371-393.
- Briden J.C., Rex D.C., Faller A.M., and Tomblin J.F. (1979) K-Ar geochronology and paleomagnetism of volcanic rocks in the Lesser Antilles island arc. *Phil. Trans. Roy. Soc. London A* **291**, 485-528.

- Bruland K.W. (1983) Trace elements in sea-water. *Chemical Oceanography* **8**, (ed. J.P. Riley and R. Chester), 175-220, Academic San Diego, California.
- Butterfield, D.A., Massoth, G.J., McDuff, R.E., Lupton, J.E. and Lilley, M.D. (1990) Geochemistry of hydrothermal fluids from Axial Seamount hydrothermal emissions study vent field, Juan de Fuca Ridge: Sub-seafloor boiling and subsequent fluid-rock interaction. *Journal of Geophysical Research* **95(B8)**, 12.895-12.921.
- Butterfield, D.A., Roe K.K., Massoth, G.J., Embley R.W., McDuff R.E. (1995) Spatial and temporal variability in hydrothermal vent fluid composition along the Juan de Fuca ridge. *EOS* **76**: F420.
- Butterfield, D.A., Roe K.K., Ishibashi J.-I., and Lupton J.E. (1997) Time-series chemistry of hydrothermal fluids from the Southern East Pacific Rise, 14-18°S. *EOS* **78**, F706.
- Butterfield, D.A., and Massoth G.J. (1994) Geochemistry of North Cleft Segment vent fluids: temporal changes in chlorinity and their possible relation to recent volcanism. *J. Geophys. Res.* **99**, 4951-4968.
- Byrne R.H., Kump L.R. and Cantrell K.J. (1988) The influence of temperature and pH on trace metal speciation in seawater. *Mar. Chem.* **25**, 163-181.
- Charlou J.-L., Fouquet Y., Donval J.P. and Auzende J.M. (1996) Mineral and gas chemistry of hydrothermal fluids on an ultrafast-spreading ridge: East Pacific Rise, 17° to 19°S (Naudur cruise, 1993) phase separation processes controlled by volcanic and tectonic activity. *J. Geophys. Res.* **101**, 5,899-15,919.
- Chen J.H., Wasserburg G.J., von Damm K.L., and Edmond J.M. (1986) The U-Th-Pb systematics in hot springs on the East Pacific Rise at 21°N and Guyamas Basin. *Geochim. Cosmochim. Acta* **50**, 2467-2479.
- Cohen A.S., O'Nions R.K., Siegenthaler R., and Griffin W.L. (1988) Chronology of the pressure-temperature history recorded by a granulite terrain. *Contrib. Mineral. Petrol.* **98**, 303-311.
- Cole T.G. (1988) The nature and origin of smectite in the Atlantis II Deep, Red Sea. *Can. Min.* **26**, 755-763.
- Coles D., Vichabianb Y., Fleminga R., DesAutelsa C., Briggsa V., Vermeescha P., Arrella J.R., Lisieckia L., Kesslera T., Hoopera H., Jensena E., Sogadea J. and Morganb F.D. (2004) Spatial decision analysis of geothermal resource sites in the Qualibou Caldera, Saint Lucia, Lesser Antilles. *Geothermics* in press.

- Corliss J.B., Lyle M. and Dymond J. (1978) The chemistry of hydrothermal mounds near the Galapagos Rift. *Earth Planet. Sci. Lett.* **40**, 12-24.
- Cochran J.K., McKibbin-Vaughan T., Dornblaser M.M., Hirschberg D., Livingstone H.D., Buesseler K.O. (1990) ²¹⁰Pb scavenging in the North Atlantic and North Pacific Oceans. *Earth Planet. Sci. Lett.* **97**, 332-352.
- David K., Frank M., O'Nions R.K., Belshaw N.S., Arden J.W., and Hein J.R. (2001) The Hf isotope composition of global seawater and the evolution of Hf isotopes in the deep Pacific Ocean from Fe-Mn crusts. *Chem. Geol.* **178**, 23-42.
- Davidson J.P. (1983) Lesser Antilles isotopic evidence of the role of subducted sediment in island arc magma genesis. *Nature* **306**, 253-255.
- DeMets C., Gordon R.G., Argus D.F. and Stein S. (1990) Current plate motions. *Geophys. J. Int.* **101**, 425-478.
- de Ronde C.E.J., Baker E.T., Massoth G.J., Lupton J.E., Wright I.C., Feely R.A., and Greene R.R. (2001) Intra-oceanic subduction-related hydrothermal venting, Kermadec volcanic arc, New Zealand. *Earth Planet. Sci. Lett.* **193**, 359-369.
- de Ronde C.E.J., Faure K., Bray C.J., Chappell D., and Wright I.C. (2003) Hydrothermal fluids associated with seafloor mineralization at two southern Kermadec arc volcanoes, offshore New Zealand. *Mineralium Deposita* **38**, 217-233.
- Devine J.D. and Sigurdsson H. (1995) Petrology and eruption styles of Kick'em-Jenny submarine volcano, Lesser Antilles island arc. *J. Volcanol. Geotherm. Res.* **69**, 35-58.
- Douville E., Biennvenu P., Charlou J.L., Donval J.P., Fouquet Y., Appriou P. and Gamo T. (1999) Yttrium and rare earth elements in fluids from various deep-sea hydrothermal systems. *Geochim. Cosmochim. Acta* **63**, 627-643.
- Edmond J.M., Measures C., McDuff R.E., Chan L.H., Collier R., and Grant B. (1979) Ridge crest hydrothermal activity and the balances of the mayor and minor elements in the ocean: the Galapagos data. *Earth Planet. Sci. Lett.* **46**, 1-18.
- Edmond J.M., Measures C., McDuff R.E., Chan L.H. and Grant B. (1979) Ridge crest hydrothermal activity and the balances of the mayor and minor elements in the ocean: the Galapagos data. *Earth Planet. Sci. Lett.* **46**, 1-18.
- Edmond J.M., Campbell A.C., Palmer M.R., Klinkhammer, C.R., German C.R., Edmonds H.N., Elderfield H., Thompson G. and Rona P. (1995) Time Series studies of vent fluids from the TAG and MARK sites (1986, 1990), Mid Atlantic ridge: a new solution chemistry model and a mechanism for Cu/Zn zonation in massive

- sulphide orebodies. In: *Hydrothermal Vents and Processes, Special Publications* 87, ed. Parson L.M., Walker C.L. and Dixon D.R., London Geol. Soc. 77-86.
- Elderfield, H. and Greaves, M.J. (1981) Negative Cerium anomalies in the rare earth element patterns of oceanic ferromanganese nodules. *Earth Planet. Sci. Lett.* **55**, 1 163-170.
- Elderfield, H. (1988) The oceanic chemistry of the rare-earth elements. *Phil. Trans. R. Soc. Lond. A* **325**, 105-126.
- Elderfield, H., Mills R.A. and Rudnicki M.D. (1993) Geochemical and thermal fluxes, high-temperature venting and diffuse flow from mid-ocean ridge hydrothermal systems: the TAG hydrothermal field, Mid-Atlantic Ridge 26°N. In *Magmatic Processes and Plate Tectonics* (ed. H.M. Prichard et al.); *Geol. Soc. Spec. Publ.* **76**, 295-307.
- Fink L.K. (1972) Bathymetric and geologic studies of the Guadeloupe region, Lesser Antilles island arc. *Mar. Geol.* **12**, 267-288.
- Foquet Y., Charlou J.L., Ondreas H., Radford-Knoery J., Donval J.P., Douville E., Apprioual R., Cambon P., Pellé H., Landuré J.Y., Normand A., Ponsevera E., German C., Parson L., Barriga F., Costa I., Relvas J., and Ribeiro A. (1997) Discovery and first submersible investigations on the Rainbow hydrothermal field on the MAR, 36°N, *EOS* **78**, F832.
- Foquet Y., von Stackelberg U., Carlou J.-L., Donval J.P., Foucher J.P., Erzinger J., Herzig P., Muehe R., and Wiedicke M. (1991) Hydrothermal activity in the Lau back-arc basin: Sulfides and Water chemistry. *Geology* **19**, 303-306.
- Frank M., Marbler H., Koschinsky A., van de Flierdt T., Kubik P.W. and Halbach P. (2004) Trace metal inputs into the ocean through low temperature hydrothermal fluids related to island arc volcanism (evidence from the Lesser Antilles). Submitted to *Geochim. Cosmochim. Acta*.
- Frank M. (2002) Radiogenic isotopes: tracers of past ocean circulation and erosional input. *Reviews of Geophysics* **40**, 38 p.
- Freie Universität Berlin and partners (2001) Technical Cruise Report CARIBFLUX with RV Sonne, cruise no. SO 154.
- Galer S.J.G. and Abouchami W. (1998) Practical application of lead triple spiking for correction of instrumental mass discrimination. *Min. Mag.* **62A**, 491-492.

- German C.R., Klinkhammer G.P., Edmond J.M., Mitra A., and Elderfield H. (1990) Hydrothermal scavenging of rare-earth elements in the ocean. *Nature* **345**, 516-518.
- German C.R., Barreiro B.A., Higgs N.C., Nelsen T.A., Ludford E.M. and Palmer M.R. (1995) Seawater-metasomatism in hydrothermal sediments (Escanaba Trough, northeast Pacific). *Chemical Geology* **119**, 175-190.
- Godfrey L.V., Mills R., Elderfield H., and Gurvich E. (1994) Lead behaviour at the TAG hydrothermal vent field, 26°N, Mid-Atlantic Ridge. *Mar. Chem.* **46**, 237-254.
- Godfrey L.V., Lee D.-C., Sangrey W.F., Halliday A.N., Salters V.J.M., Hein J.R., and White W.M. (1997) The Hf isotopic composition of ferromanganese nodules and crusts and hydrothermal manganese deposits: Implications for seawater Hf. *Earth Planet. Sci. Lett.* **151**, 91-105.
- Günther D., Horn I., and Hattendorf B. (2000) Recent trends and developments in laser ablation-ICP-mass spectrometry. *Fresenius J. Anal. Chem.* **368**, 4-14.
- Halbach P., Segl M., Puteanus D. and Mangini A. (1983) Co-fluxes and growth rates in ferromanganese deposits from central Pacific seamount areas. *Nature* **304**, 716-719.
- Halbach P., Friedrich G., von Stackelberg U. (1988) *The Manganese nodule Belt of the Pacific Ocean. Geological Environment, Nodule Formation, and Mining Aspects*. Enke Verlag Stuttgart, 254 p.
- Halbach P., Hansmann W., Koppel V. and Pracejus B. (1997) Whole-rock and sulfide lead-isotope data from the hydrothermal JADE field in the Okinawa back-arc trough. *Deposita* **32**, 70-78.
- Halbach P., Cronan D.S., Koschinsky A. and Marbler H. (2002) Submarine hydrothermal mineralisation off the Lesser Antilles island arc. Abstract for the International Conference “*Minerals of the Ocean*“ in St. Petersburg, 20.-25.04.
- Halbach P., Holzbecher E., Koschinsky A., Michaelis W. and Seifert, R. (2001) Deep-sea hydrothermal microplume generation - a case study from the North Fiji Basin. *Geomarine Letters* **21**, 94-102.
- Halbach P., Marbler H., Cronan D.S., Koschinsky A., Rahders E., and Seifert R. (2002) Submarine hydrothermal mineralisations and fluids off the Lesser Antilles island arc – initial results from the CARIBFLUX cruise SO 154. *InterRidge News* **11(1)**, 18-22.

- Halbach P., Tunnicliffe V. and Hein J.R. (2003) *Energy and mass transfer in marine hydrothermal systems*. Dahlem workshop report 89; Dahlem University Press; 365 p.
- Halliday A.N., Davidson J.P., Holden P., Owen R.M., and Olivarez A.M. (1992) Metalliferous sediments and the scavenging residence time of Nd near hydrothermal vents. *Geophys. Res. Lett.* **19**, 761-764.
- Hamelin B., Grousset F.E., Biscaye P.E., and Zindler A. (1989) Lead isotopes in trade wind aerosols at Barbados: The influence of European emissions over the North Atlantic. *J. Geophys. Res.* **94**, 16243-16250.
- Harder H. (1978) Synthesis of iron-layer silicate minerals under natural conditions. *Clays Clay Mineralogy* **26**, 65-72.
- Hattori K. (1989) Barite-celestine intergrowths in Archaean plutons: The product of oxidising hydrothermal activity related to alkaline intrusions. *Amer. Mineral.* **74**, 1270-1277.
- Haymon R.M and Kastner M. (1986) Hot spring deposits East Pacific Rise at 21°N: preliminary description of mineralogy and genesis. *Earth Planet. Sci. Lett.* **53**, 363-381.
- Haxby W.F. (1998) Atlantischer Ozean. *Die dynamische Welt der Ozeane; Spektrum der Wissenschaft, Spezial 1/1998*, 118 p.
- Hein J.R., (1990) Geological, geochemical, geophysical, and oceanographic data and interpretations of seamounts and Co-rich ferromanganese crusts from the Marshall Islands, KORDI-USGS R.V. Farnella cruise F10-89-CP, U.S. Geological Survey, Washington D.C.
- Hein J.R., Koschinsky A., Halbach P., Manheim F.T., Bau M., Kang J.K., and Lubick N. (1997) Iron and manganese oxide mineralisation in the Pacific. *Geol. Soc. London Spec. Pub.* **119**, 123-138.
- Hein J.R., Stamatakis M.G., Dowling G.S. (2000) Trace metal-rich Quaternary hydrothermal manganese oxide and barite deposits, Milos Island, Greece. *Trans. Instn. Min. Metall. (Sect. B. Appl. Earth. Sci.)* **109**, B67-B76.
- Hékinian R., Hoffert M., Larqué P., Cheminée J.L., Stoffers P. and Bideau D. (1993) Hydrothermal Fe and Si oxyhydroxide deposits from South Pacific intraplate volcanoes and East Pacific Rise axial and off-axial regions. *Econ. Geol.* **88**, 2099-2121.

- Henderson P. (1984) General geochemical properties and abundances of the rare earth elements. In: Henderson P. (editor), *Rare Earth Element Geochemistry*. Elsevier Science, Amsterdam pp 1-32.
- Henken-Mellies W.U., Beer J., Heller F., Hsü K.J., Shen C., Bonani G., Hofmann H.J., Suter M., and Wölfli W. (1990) ^{10}Be and ^9Be in South Atlantic DSDP site 519: relation to geomagnetic reversals and to sediment composition. *Earth Planet. Sci. Lett.* **98**, 267-276.
- Hinkley T.K. and Tatsumoto M. (1987) Metals and isotopes in Juan de Fuca Ridge hydrothermal fluids and their associated solid materials. *J. Geophys. Res.* **92**, 11400-11410.
- Hodkinson R.A., Stoffers P., Scholten J., Cronan D.S., Jeschke G., and Rogers T.D.S. (1994) Geochemistry of hydrothermal manganese deposits from the Pitcairn Island hotspot, southeastern Pacific. *Geochim. Cosmochim. Acta* **58**, 5011-5029.
- Honorez J., Alt J.C. and Humphris S.E. (1998) Vivisection and autopsy of active and fossil hydrothermal alterations of basalt beneath and within the TAG hydrothermal mound. *Proc. ODP, Sci. Results* **158** (ed. P.M. Herzig, S.E. Humphris, D.J. Miller and R.A. Zierenberg). College Station, TX (Ocean Drilling Program), 231-254.
- Horwitz E.P., Chiarizia R., and Dietz M.L. (1992) A novel strontium-selective extraction chromatographic resin. *Solv. Extract. Ion Exchange* **10**, 313-336.
- Irvine T.N., and Baragar W.R.A. (1971) A guide to chemical classification of the common volcanic rocks. *Can. J. Earth Sci.* **8**, 523-548.
- Ishibashi J., Grimaud D., Nojiri Y., Auzende J.-M., and Urabe T. (1994) Fluctuation of chemical compositions of the phase-separated hydrothermal fluid from the North Fiji Basin Ridge. *Marine Geology*, **116**, 215-226.
- Jeandel C., Bishop J.K. and Zindler A. (1995) Exchange of Neodymium and ist isotopes between seawater and small and large particles in the Sargasso Sea. *Geochim. Cosmochim. Acta* **59**, 535-547.
- Jeffries D.S. and Stumm W. (1976) The metal-adsorption chemistry of buserite. *Canadian Mineralogist* **14**, 16-22.
- Johnson A. and Cronan D.S. (2001) Hydrothermal metalliferous sediments and waters off the Lesser Antilles. *Marine Georesources and Geotechnology* **19**, 65-83.
- Kamentzky V.S., Binns R.A., Gemmell J.B., Crawford A.J., Mernagh T.P., Maas R., and Steele D. (2001) Parental basaltic melts and fluids in eastern Manus backarc

- Basin: Implications for hydrothermal mineralizations. *Earth Planet. Sci. Lett.* **184**, 685-702.
- Karl D.M., McMurtry G.M., Malahoff A. and Garcia M.O. (1988) Loihi Seamount, Hawaii: a mid-plate volcano with a distinctive hydrothermal system. *Nature* **335**, 532-535.
- Kang J.K. (1984) Les encroûtements ferromanganésifères sous-marine de l'est Caraïbe. These, Universite d'Orleans.
- Kelley D.S., Karson J.A., Blackman D.K., Früh-Green G.L., Gee J., Butterfield D.A. Lilley M.D. Olson E.J., Schrenk M.O., Roe K.K., Lebon G.T., Rivizzigno P. Cann J., John B., Ross D.K., Hurst S., and Sasagawa G. (2001) An off-axis hydrothermal vent field near the Mid-Atlantic Ridge at 30°N. *Nature* **412**, 145-149.
- Klein C. and Hurlbut C. (1993) *Manual of Mineralogy*. John Wiley, New York.
- Klinkhammer G.P., Elderfield H., Edmond J.M., and Mitra A. (1994) Geochemical implications of rare earth element patterns in hydrothermal fluids from mid-ocean ridges. *Geochim. Cosmochim. Acta* **58**, 5105-5113.
- Köhler B. Singer A. and Stoffers P. (1994) Biogenic nontronite from marine white smoker chimneys. *Clays & Clay Miner.* **42**, 689-701.
- Koschinsky A., Stascheit A., Bau M., and Halbach P. (1997) Effects of phosphatization on the geochemical and mineralogical composition of marine ferromanganese crusts. *Geochim. Cosmochim. Acta* **61**, 4079-4094.
- Koschinsky A., Halbach P., Sander S., Michaelis W., and Seifert, R. (2002) Hydrothermal Fluids in the North Fiji Basin and Lesser Antilles. *Geochim. Cosmochim. Acta* **66 (15A)**, A412.
- Ku T.L., Kusakabe M., Measures C.I., Southon J.R., Cusimano G., Vogel J.S., Nelson D.E., and Nakaya S. (1990) Beryllium isotope distribution in the western North Atlantic: a comparison to the Pacific. *Deep-Sea Res.* **37**, 795-808.
- Kuhn T., Bau M., Blum N., and Halbach P. (1998) Origin of negative Ce anomalies in mixed hydrothermal-hydrogenetic Fe-Mn crusts from the Central Indian Ridge. *Earth Planet. Sci. Lett.* **163**, 207-220.
- Lee D.-C., Halliday A.N., Hein J.R., Burton K.W., Christensen J.N., and Günther D. (1999) Hafnium isotope stratigraphy of ferromanganese crusts. *Science* **285**, 1052-1054.

- Le Maitre R.W., Bateman P., Dudek A., Keller J., Lameyre Le Bas M.J., Sabine P.A., Schmid R., Sorensen H., Streckeisen A., Wooley A.R. and Zanettin B. (1989) *A classification of igneous rocks and glossary of terms*. Blackwell Oxford.
- Levasseur S., Birck J.-I. and Allégre C.L. (1998) Direct measurements of femtomoles of osmium and $^{187}\text{Os}/^{188}\text{Os}$ ratio in seawater. *Science* **282**, 272-274.
- Lilley M.D., Butterfield D.A., Olson E.J., Lupton S.A., Macko S.A., and McDuff R.E. (1993) Anomalous CH₄ and NH₄ concentrations at an unsedimented mid-ocean-ridge hydrothermal system. *Nature* **364**, 45-47.
- Lipin B.R., McKay G.A. Editors (1989) *Geochemistry and Mineralogy of Rare Earth Elements*. Mineralogical Society of America.
- Lowell R.P., Rona P.A., and von Herzen R.P. (1995) Seafloor hydrothermal systems. *J. Geophys. Res.* **100**, 327-352.
- Lugmaier G.W. and Galer S.J.G. (1992) Age and isotopic relationships among the angrites Lewis cliff 86010 and Angra dos Reis. *Geochim. Cosmochim. Acta* **56**, 1673-1694.
- MacDonald K.C. and Holcombe T.L. (1978) Investigations of magnetic anomalies and seafloor spreading in the Cayman Trough. *Earth Planet. Sci. Lett.* **40**, 407-414.
- MacDonald R., Hawkesworth C.J., and Heath E. (2000) The Lesser Antilles volcanic chain: a study in arc magmatism. *Earth Science Reviews* **49**, 1-76.
- Manheim F.T. (1986) Marine Cobalt Resources. *Science* **232**, 600-608.
- Manheim F.T. and Lane-Bostwick C.M. (1988) Cobalt in ferromanganese crusts as a monitor of hydrothermal discharge on the Pacific seafloor. *Nature* **335**, 59-62.
- Martin-Kaye P.H.A. (1969) A summary of the geology of the Lesser Antilles. *Ouverseeas Geology and Mineral Resources* **10**, 172-206.
- McLennan S.M. (1989) Rare earth elements in sedimentary rocks: influence of provenance and sedimentary processes. In *Geochemistry and mineralogy of rare earth elements* (eds. B.R. Lipin, G.A. McKay), *Reviews in Mineralogy* 21, pp. 169-200.
- McMurtry G.M., deCarlo E.H. and Kim K.H. (1991) Accumulation rates, chemical partitioning, and Q-mode factor analysis of metalliferous sediments from the North Fiji Basin. *Mar. Geol.* **98**, 271-295.
- Metz S. and Trefry J.H. (2000) Chemical and mineralogical influences on concentrations of trace metals in hydrothermal fluids. *Geochim. Cosmochim. Acta* **64**, 2267-2279.

- Michard A., Michard G., Stüben D., Stoffers P., Cheminée J-L. and Binard N. (1993) Submarine thermal springs associated with young volcanoes: the Teahitia vents, Society Islands, Pacific Ocean. *Geochim. Cosmochim. Acta* **57**, 4977-4986.
- Mills R.A. and Elderfield H. (1995) Rare earth element geochemistry of hydrothermal deposits from the active TAG Mound, 26°N Mid-Atlantic Ridge. *Geochim. Cosmochim. Acta* **59**, 3511-3524.
- Mills R.A., Wells D.M., and Roberts S. (2001) Genesis of ferromanganese crusts from the TAG hydrothermal field. *Chem. Geol.* **176**, 283-293.
- Mitra A., Elderfield H., and Greaves M.J. (1994) Rare earth elements in submarine hydrothermal fluids and plumes from the Mid-Atlantic Ridge. *Mar. Chem.* **46**, 217-235.
- Moore W.S. and Vogt P.R. (1976) Hydrothermal manganese crusts two sites near the Galapagos Spreading Axis. *Earth Planet. Sci. Lett.* **29**, 349-356.
- Mottl J.M., Wheat G., Baker E., Becker N., Davis E., Feely R., Grehan A., Kadko D., Lilley M., Massoth G., Moyer C., and Sansone F. (1998) Warm springs discovered on 3.5 Ma oceanic crust, eastern flank of the Juan de Fuca Ridge. *Geology* **26**, 51-54.
- Müller-Karger F.E., McClain C.R., Fisher T.R., Esaias W.E., and Varela R. (1989) Pigment distribution in the Caribbean Sea: Observations from space. *Prog. Oceanogr.* **23**, 23-64.
- Murnane R. and Clague D.A. (1983) Nontronite from a low-temperature hydrothermal system on the Juan de Fuca Ridge. *Earth Planet. Sci. Lett.* **65**, 343-352.
- Murphy E., McMurtry G.M., Kim K.H. and DeCarlo E.H. (1990) Geochemistry and geochronology of a hydrothermal ferromanganese deposit from the North Fiji Basin. *Mar. Geol.* **98**, 297-312.
- Nesbitt H.W. and Young G.M. (1997) Sedimentation in the Venezuela Basin, circulation in the Caribbean Sea, and the onset of Northern Hemisphere Glaciation. *J. of Geol.* **105**, 531-544.
- Neugebauer H.J. and Kukowski N. (1990) On the ascent and emplacement of granitoid magma bodies - dynamic-thermal numerical models. *Geolog. Rundschau* **79/2**, 227-239.
- Nowell G.M., Kempton P.D., Noble S.R., Fitton J.G., Saunders A.D., Mahoney J.J. and Taylor R.N. (1998) High precision Hf isotope ratio measurements of MORB

- and OIB by thermal ionisation mass spectrometry: Insights into the depleted mantle. *Chem. Geol.* **149**, 211-233.
- Nozaki Y. (1997) A fresh look at the element distribution in the North Pacific Ocean. *EOS* **78**, 21.
- Palmer M.R. and Edmond J.M. (1989) The strontium isotope budget of the modern ocean. *Earth Planet. Sci. Lett.* **92**, 11-26.
- Percival J.B. and Ames D.E. (1993) Clay mineralogy of active hydrothermal chimneys and an associated mound, middle valley, northern Juan-de-Fuca Ridge. *Canadian Mineralogist* **31**, 957-971.
- Piepgras D.J., Wasserburg G.J. and Dash E.J. (1979) The isotopic composition of Nd in different water masses. *Earth Planet. Sci. Lett.* **45**, 223-236.
- Piepgras D.J. and Wasserburg G.J. (1980) Neodymium isotopic variations in seawater. *Earth Planet. Sci. Lett.* **50**, 128-138.
- Piepgras D.J. and Wasserburg G.J. (1987) Rare earth transport in the western North Atlantic inferred from isotopic observations. *Geochim. Cosmochim. Acta* **51**, 1257-1271.
- Piepgras D.J. and Jacobsen S.B. (1988) The isotopic composition of neodymium in the North Pacific. *Geochim. Cosmochim. Acta* **52**, 1373-1381.
- Polyak B.G., Bouysse P., Kononov V.I., Butuzova G.Yu., Criaud A., Dvorov V.I., Khutorskoy M.D., Matveev V.G., Paduchikh V.I., Radionova E.P., Rot A.A., Tolstikhin I.N., Voznesenskiy A.I., and Zverev V.P. (1992) Evidence of submarine hydrothermal discharge to the northwest of Guadeloupe Island (Lesser Antilles island arc). *J. Volcanol. Geotherm. Res.* **54**, 81-105.
- Pracejus B., Halbach P. (1996) Do marine moulds influence Hg and Si precipitation in the hydrothermal JADE field (Okinawa Trough)? *Chemical Geology* **130**, 87-99.
- Ravizza G. (1993) Variations of $^{187}\text{Os}/^{186}\text{Os}$ ratios of seawater over the past 28 million years as inferred from metalliferous carbonates. *Earth Planet. Sci. Lett.* **118**, 335-348.
- Rea W.J. (1982) *The Lesser Antilles*. Thorpe R.S. (Ed.), Andesites. John Wiley, London, 167-185.
- Reynolds B.C., Frank M., and O'Nions R.K. (1999) Nd- and Pb- isotope time series from Atlantic ferromanganese crusts: Implications for changes in provenance and paleocirculation over the last 8 Myr. *Earth Planet. Sci. Lett.* **173**, 381-396.

- Rogers T.D.S., Hodkinson R.A. and Cronan D.S., (2001) Hydrothermal manganese deposits from the Tonga-Kermadec Ridge and Lau Basin region, Southwest Pacific. *Mar. Geores. Geotechn.* **19**, 245-268.
- Rona P.A. and Trivett D.A. (1992) Discrete and diffuse heat transfer at ASHES vent field, Axial Volcano, Juan de Fuca Ridge. *Earth Planet. Sci. Lett.* **109**, 57-71.
- Rudnicki M. and Elderfield H. (1993) A chemical model of the buoyant and neutrally buoyant plume above TAG vent field, 26°N, Mid Atlantic Ridge. *Geochim. Cosmochim. Acta* **57**, 2939-2957.
- Sander S. and Koschinsky A. (2000) Onboard-ship redox speciation of chromium in diffuse hydrothermal fluids from the North Fiji Basin. *Marine Chemistry* **71**, 83-102.
- Sander S., Koschinsky A., and Halbach P. (2003) Redox-speciation of chromium in the oceanic water column of the Lesser Antilles and offshore Otago Peninsula, New Zealand. *Marine and Freshwater Research* accepted.
- Schaule B.K. and Patterson, C.C. (1981) Lead concentrations in the north Pacific: Evidence for global anthropogenic perturbations. *Earth Planet. Sci. Lett.* **54**, 97-116.
- Schöps D., Herzig P., Halbach P., Friedrich G. and Blum N. (1993) Mineralogy, chemistry and oxygen isotope thermometry of nontronitic smectites from Central Pacific seamounts. *Chemical Geology* **106**, 331-343.
- Severmann S., Mills R.A., Palmer M.R., Fallick A.E. (2004) The origin of clay minerals in active and relict hydrothermal deposits. *Geochim. Cosmochim. Act.* **68**, 73-88.
- Seyfried Jr. W.E., Seewald J.S., Berndt M.E., Ding K., and Foustoukos D.I. (2003) Chemistry of hydrothermal vent fluids from the Main Endeavour Field, northern Juan de Fuca Ridge: Geochemical controls in the aftermath of June 1999 seismic events. *J. Geophys. Res.* **108(B9)**, 2429, 10.1029/2002JB001957.
- Singer A., Stoffers P., Heller-Kallai L. and Szafranek D. (1984) Nontronite in deep-sea core from the South Pacific. *Clays & Clay Miner.* **32**, 375-383.
- Singer A. and Stoffers P. (1987) Mineralogy of a hydrothermal sequence in a core from the Atlantis II Deep, Red Sea. *Clay Miner.* **22**, 215-267.
- Speed R.C., Smith-Horowitz P.L., Perch-Nielsen Kv.S., Saunders J.B. and Sanfilippo A.B. (1993) Southern Lesser Antilles Arc platform: pre-Late Miocene stratigraphy, structure, and tectonic evolution. *Geol. Soc. Am. Spec. Pap.* **277**, 98.
- Stumm W. and Morgan J.J. (1981) *Aquatic Chemistry*. John Wiley & Sons, Inc., New York, 780.

- Sun S.S. (1980) Lead isotopic study of young volcanic rocks from mid-ocean ridges, ocean islands and island arcs. *Phil. Trans. Roy. Soc. London A* **297**, 409-445.
- Tachikawa K.C., Jaendel C. and Roy-Barman M. (1999) A new approach to the Nd residence time in the ocean: The role of atmospheric inputs. *Earth Planet. Sci. Lett.* **170**, 433-446.
- Thompson G., Mottl M.J. and Rona P.A. (1985) Morphology, mineralogy and chemistry of hydrothermal deposits from the TAG area, 26°N Mid-Atlantic Ridge. *Chemical Geology* **49**, 243-257.
- Usui A., Mellin T.A., Nohara M., and Yuasa M. (1988) Structural stability of marine 10Å manganates from the Ogasawara (Bonin) Arc: Implication for low temperature hydrothermal activity. *Mar. Geol.* **86**, 41-56.
- Usui A. and Nishimura A. (1992) Hydrothermal manganese oxide deposits from the Izu-Ogasawara (Bonin)-Mariana Arc and adjacent areas, *Bull. Geol. Surv. Japan* **43**, 257-284.
- Van de Flierdt T., Frank M., Halliday A.N., Hein J.R., Hattendorf B., Günther D., and Kubik P.W. (2003) Tracing the history of submarine hydrothermal inputs using the Pb isotope composition of ferromanganese crusts, *Earth Planet. Sci. Lett.*, submitted.
- Vlastélic I., Abouchami W., Galer S.J.G., Hofmann A.W., and Claude-Ivanaj C. (2001) Geographic control on Pb isotopic distribution and sources in Indian Ocean Fe-Mn deposits. *Geochim. Cosmochim. Acta* **65**, 4303-4319.
- Von Blanckenburg F., O'Nions R.K., Belshaw N.S., Gibb A., and Hein J.R. (1996) Global distribution of beryllium isotopes in deep ocean water as derived from Fe-Mn crusts. *Earth Planet. Sci. Lett.* **141**, 213-226.
- Von Damm K.L., Edmond J.M., Grant B., Measures C.I., Walden B., and Weiss R.F. (1985) Chemistry of submarine hydrothermal solutions at 21°N, East Pacific Rise. *Earth Planet. Sci. Lett.* **49**, 2197-2220.
- Von Damm K.L. (1995) Controls on the chemistry and temporal variability of seafloor hydrothermal fluids. In *Seafloor Hydrothermal Systems: Physical, Chemical, Biological, and Geological Interactions* (eds. S.E. Humphris, R.A. Zierenberg, L.S. Mullineaux, R.E. Thomson). Geophysical Monograph 91, pp. 222-247.
- Wagde G. (1984) Comparison of volcanic production rates and subduction rates at the Lesser Antilles and Central America. *Geology* **12**, 555-558.
- Weaver C.E. (1989) *Clays, muds and shales*. Elsevier Amsterdam.

- Westercamp D. (1988) Magma generation in the Lesser Antilles: geological constraints. *Tectonophysics* **149**, 145-163.
- Westercamp D. (1979) Diversité, Contrôle Structural et Origines du Volcanisme Récent dans l'Arc Insulaire des Petites Antilles. *Bul. Bur. Rech. Geol. Min.*, **4 (Fr.) 3/4**, 211-226.
- White W.M. and Hofmann (1982) Sr and Nd isotope geochemistry of oceanic basalts and mantle evolution. *Nature* **296**, 821-825.
- White W.M., Dupré B., and Vidal P. (1985) Isotope and trace element geochemistry of sediments from the Barbados Ridge-Demerara Plain region, Atlantic Ocean. *Geochim. Cosmochim. Acta* **49**, 1875-1886.
- White W.M. and Dupré B. (1986) Sediment subduction and magma genesis in the lesser Antilles - Isotopic and trace-element constraints. *J. Geophys. Res.* **91**, 5927-5941.
- Winchester J.A. and Floyd P.A. (1976) Geochemical magma type discrimination; application to altered and metamorphosed basic igneous rocks. *Earth Planet. Sci. Lett.* **28**, 459-469.
- Winchester J.A. and Floyd P.A. (1977) Geochemical discrimination of different magma series and their differentiation products using immobile elements. *Chem. Geol.* **20**, 325-343.
- Zierenberg R.A., Schiffman P., Jonasson I.R., Tosdal R. Pickthorn W. and McClain J. (1995) Alteration of basalt hyaloclastite at off-axis Sea Cliff hydrothermal field, Gorda Ridge. *Chem. Geol.* **126**, 77-99.