

5.4 Literaturverzeichnis

- (1) Van Heest A, Swiotkowski M. Bone-graft substitutes. *Lancet* 353 (Suppl I): 28-29, 1999.
- (2) Bolander MA, Balian G. The use of demineralized bone matrix in the repair of segmental defects. *J Bone Joint Surg* 68A: 1264-1274, 1986.
- (3) Reddi AH, Wientroub S, Muthukumar N. Biologic Principles of Bone Induction. *Orthop Clin N Am* 18: 207-212, 1987.
- (4) Aspenberg P, Andolf E. Bone induction by fetal and adult human bone matrix in athymic rats. *Acta Orthop Scand* 60: 195-199, 1989.
- (5) Service RF. Tissue Engineers Build New Bone. *Science* 289: 1498-1500, 2000.
- (6) Sarkar MR, Wachter N, Patka P, Kinzl L. First Histological Observations on the Incorporation of a Novel Calcium Phosphate Bone Substitute Material in Human Cancellous Bone. *J Biomed Mater Res* 58: 329-334, 2001.
- (7) Schmitz HJ, Strunz V, DeWolf FRE, Fritz RT, Gross U. Histomorphologische Untersuchungen des Hydroxylapatit-(HA)-Granulates Algipore im Kaninchenmodell. *Z Zahnärztl Implantol V*: 276-282, 1989.
- (8) Jarcho M. Calcium phosphate ceramics as hard tissue prosthetics. *Clin Orthop Relat Res* 157: 259-278, 1981.
- (9) Müller-Mai C, Voigt C, Gross U. Incorporation and degradation of hydroxyapatite implants of different surface roughness and surface structure in bone. *Scanning Microsc* 4: 613-624, 1990.
- (10) Müller-Mai C, Stupp SI, Voigt C, Gross U. Nanoapatite and organo apatite implants in bone: Histology and ultrastructure of the interface. *J Biomed Mater Res* 29: 9-18, 1995.
- (11) Zhang J, Zhang X, Müller-Mai C, Gross U. The early host and material response of hydroxy-apatite/ β -tricalciumphosphate porous ceramics after implantation into the femur of rats. *J Mater Sci Mater Med* 5: 243-251, 1994.
- (12) Zhou H, Chernecky R, Davies J E. Deposition of cement at reversal lines in rat femoral bone. *J Bone Min Res* 9: 367-374, 1994.
- (13) Egli PS, Müller W, Schenk RK. Porous Hydroxyapatite and tricalciumphosphate cylinders with two different pore size ranges implanted in the cancellous bone of rabbits. *Clin Orthop Relat Res* 232: 127-138, 1988.
- (14) Klein CPAT, de Groot K, Driessens AA, van den Hoof A. Biodegradation behaviour of various calciumphosphate materials in subcutaneous tissue. In: *Ceramics in Surgery*, Vincencini P (ed). Elsevier, Amsterdam/Netherlands: 105-115, 1983.

- (15) Klein CPAT, de Groot K, Driessens AA, van der Lubbe HBM. A comparative study of different β -whitlockite ceramics in rabbit cortical bone with regard to their biodegradation behaviour. *Biomaterials* 7: 144-146, 1986.
- (16) Klein CPAT, de Groot K, Driessens AA, van der Lubbe HBM. Interaction of biodegradable β -whitlockite ceramics with bone tissue: An in vivo study. *Biomaterials* 6: 189-192, 1985.
- (17) Constantz BR, Ison IC, Fulmer MT, Poser RD, Smith ST, Van Wagoner M, Ross J, Goldstein SA, Jupiter JB, Rosenthal DI. Skeletal repair by in situ formation of the mineral phase of bone. *Science* 267: 1796-1799, 1995.
- (18) Müller-Mai C, Stupp SI, Voigt C, Gross U. The reaction of bone to microcrystalline organoapatite implants. In: *Bioceramics 6*, Butterworth & Heinemann, London, UK: 129-134, 1993.
- (19) Posner A. The mineral of bone. *Clin Orthop Relat Res* 200: 87-99, 1985.
- (20) Cuisinier F, Bres EF, Hemmerle J, Voegel JC, Frank RM. Transmission electron microscopy of lattice planes in human alveolar bone apatite crystals. *Calcif Tissue Int* 40: 332-338, 1987.
- (21) Müller-Mai C, Voigt C, Hering A, Gross U, Rahmzadeh R. Zelluläre Degradation von Implantaten aus Hydroxylapatit unterschiedlicher Kristallgröße im Knochen. Hefte zu "Der Unfallchirurg" Forum: Experimentelle Traumatologie C1 Heft 263: 693-694, 1997.
- (22) Stupp SI, Mejicano GC, Hanson JA. Organoapatites: Materials for artificial bone II. Hardening reactions and properties. *J Biomed Mater Res* 27: 289-299, 1993.
- (23) Stupp SI, Hanson JA, Eurell JA, Ciegler GW, Johnson A. Organoapatites: Materials for artificial bone III. Biological testing. *J Biomed Mater Res* 27: 301-311, 1993.
- (24) Baro M SE, Delgado A, Perera A, Evora C. In vitro-in vivo characterization of gentamicin bone implants. *J Control Release* 83(3): 353-360, 2002.
- (25) Eggenreich K, Zeipper U, Schwendenwein E, Hadju S, Kaltenecker LI, Lang S, Roschger P, Vecsei V, Wintersteiger R. Determination of bone and tissue concentrations of teicoplanin mixed with hydroxyapatite cement to repair cortical defects. *J Biochem Biophys Methods* 53 (1-3): 51-59, 2002.
- (26) Sumner DR, Turner TM, Urban RM, Leven RM, Hawkins M, Nichols EH, McPherson JM, Galante JO. Locally delivered rh TGF-beta 2 enhances bone ingrowth and bone regeneration at local and remote sites of skeletal injury. *J Orthop Res* 19(1): 85-94, 2001.
- (27) Gille J, Dorn B, Kekow J, Burns J, Behrens P. Bone substitutes as carriers for transforming growth factor-beta (1) (TGF-beta (1)). *Int Orthop* 26(4): 203-206, 2002.

- (28) Blattert TR, Delling G, Dalal PS, Toth CA, Balling H, Weckbach A. Successful Transpedicular Lumbar Interbody Fusion by Means of a Composite of Osteogenic Protein-1 (rhBMP-7) and Hydroxyapatite Carrier: A Comparison With Autograft and Hydroxyapatite in the Sheep Spine. *Spine* 27(23): 2697-2705, 2002.
- (29) Boden SD, Kang J, Sandhu H, Heller JG. Use of recombinant human bone morphogenetic protein-2 to achieve posterolateral lumbar spine fusion in humans: a prospective, randomized clinical pilot trial: 2002 volvo award in clinical studies. *Spine* 27(23): 2662-2673, 2002.
- (30) Chen G, Peng Y, Lou P, Liu J. The In Vitro Culture of Mikroencapsulated Rabbit Thyroid Tissue. *ASAIO Transactions* 37: M439-M440, 1991.
- (31) Lim F, Sun A. Microencapsulated islets as bioartificial pancreas. *Science* 20: 908-910, 1980.
- (32) Domb AJ, Laurencin CT, Israeli O, Gerhart TN, Langer R. The formation of propylene fumarate oligomers for use in bioerodible bone cement composites. *J Polym Sci Polym Chem Ed* 28: 973-985, 1990.
- (33) Wichterle O, Lim D. Hydrophilic gels for biological use. *Nature* 165: 117-118, 1960.
- (34) Graham NB, McNeill ME. Hydrogels for controlled drug delivery. *Biomaterials* 5: 27-36, 1984.
- (35) Graham NB, McNeill ME, Zulficar M, Embrey MP. Hydrogels for the controlled release of prostaglandin E 2. *Polym Prep* 21: 104-105, 1984.
- (36) Heller J, Hedwing RF, Baker RW, Tuttle ME. Controlled release of water soluble macromolecules from bioerodible hydrogels. *Biomaterials* 4: 262-266, 1983.
- (37) Kost J, Langer R. Equilibrium swollen hydrogels in controlled release applications. In: *Hydrogels in Medicine and Pharmacy* 3, Peppas NA (ed). CRC Press, Florida, USA: 96-107, 1987.
- (38) Horbett TA, Ratner BD, Kost J, Singh M. A bioresponsive membrane for insulin delivery. In: *Recent Advances in Drug Delivery Systems*, Anderson JM and Kim SW (eds). Plenum Press, New York, USA: 209-220, 1984.
- (39) Jeyanthi R, Panduranga RK. In vivo biocompatibility of collagen-poly(hydroxyethyl methacrylate)hydrogels. *Biomaterials* 11: 238-243, 1990.
- (40) Amon M, Menapace R. In vivo documentation of cellular reactions on lens surfaces for assessing the biocompatibility of different intraocular implants. *Eye* 8: 649-656, 1994.
- (41) Hsiue GH, Lee SD, Wang CC, Shiue MHI, Chang PCT. Plasma-induced graft copolymerization of HEMA onto silicon rubber and TPX-Film improving rabbit corneal epithelial cell attachment and growth. *Biomaterials* 15: 163-171, 1994.

- (42) Hsiue GH, Lee SD, Wang CC, Shiue MHI, Chang PCT. pHEMA-modified silicone rubber film towards improving rabbit corneal epithelial cell attachment and growth. *Biomaterials* 14: 591-597, 1993.
- (43) Cifkova I, Lopour P, Vondracek P, Jelinek F. Silicone rubber-hydrogel composites as polymeric biomaterials. *Biomaterials* 11: 393-396, 1990.
- (44) Vijayasekaran S, Chirila TV, Robertson TA, Lou X, Fitton JH, Hicks CR. Calcification of poly(2-hydroxyethyl methacrylate) hydrogel sponges implanted in the rabbit cornea: a 3-month study. *J Biomater Sci Polymer Edn* 6: 599-615, 2000.
- (45) Netti PA, Shelton JC, Revell PA, Pirie C, Smith S, Ambrosio L, Nicolais L, Bonfield W. Hydrogels as an interface between bone and an implant. *Biomaterials* 14: 1098-1104, 1993.
- (46) Kronman JH, Green RE, Goldman M, Hauschka B. Poly-HEMA Sponge: A Biocompatible Calcification Implant. *Biomater Med Dev Art Org* 7(2): 299-305, 1979.
- (47) Smetana K, Stol M, Korbelaar P, Novak M, Adam M. Implantation of p(HEMA)-collagen composite into bone. *Biomaterials* 13: 639-642, 1992.
- (48) Stol M, Cifkova I, Tyrackova V, Adam M. Structural alterations of p(HEMA)-collagen implants. *Biomaterials* 12: 454-460, 1991.
- (49) Ishihara K, Arai H, Nakabayashi N, Morita S, Furuya K. Adhesive bone cement containing hydroxyapatite particle as bone filler. *J Biomed Mater Res* 26: 937-945, 1992.
- (50) Lee RR, Ogiso M, Watanabe A, Ishihara K. Examination of Hydroxyapatite filled 4-META/MMA-TBB Adhesive Bone Cement in vitro and in vivo Environment. *J Biomed Mater Res* 38: 11-16, 1997.
- (51) Dandurand J, Delpech V, Lebugle A, Lamure A, Lacabanne C. Study of the mineral-organic linkage in an apatitic reinforced bone cement. *J Biomed Mater Res* 24: 1377-1384, 1990.
- (52) Moursi AM, Winnard AV, Winnard PL, Lannutti JJ, Seghi RR. Enhanced osteoblast response to a polymethylmethacrylate-hydroxyapatite composite. *Biomaterials* 23(1): 133-144, 2002.
- (53) Filmon R, Grizon F, Basle MF, Chappard D. Effects of negatively charged groups (carboxymethyl) on the calcification of poly(2-hydroxyethyl methacrylate). *Biomaterials* 23(14): 3053-3059, 2002.
- (54) Antonsen KP, Bohnert JL, Nabeshima Y, Sheu M-S, Wu XS, Hoffman AS. Controlled Release of Proteins from 2-Hydroxyethyl Methacrylate Copolymer Gels. *Biomater, Art Cells & Immob Biotech* 21: 1-22, 1993.

- (55) Di Silvio L, Kayser MV, Downes S. Validation and optimization of a polymer system for potential use as a controlled drug delivery system. *Clin Mater* 16: 91-98, 1994.
- (56) Goodwin CJ, Braden M, Downes S, Marshall NJ. A comparison between 2 methacrylate cements as delivery systems for bioactive human growth hormone. *J Mater Sci Mater Med* 6: 590-596, 1995.
- (57) Downes S, Wood DJ, Malcom AJ, Ali SY. Growth hormone in polymethylmethacrylate cement. *Clin Orthop* 252: 294-298, 1990.
- (58) Goodwin CJ, Davy KWM, Braden M, Downes S, Marshall NJ. Effect of co-monomer composition on the integrity of bioactive growth hormone released from novel PEMA based polymers. *J Biomed Mater Res* 32: 635-643, 1996.
- (59) Sato H, Kojima JI, Nakajima A, Morita T, Noishiki Y, Gu ZW, Li FM, Frank RM. Study on antithrombogenicity of poly[β -(Acetylsalicyloxy)ethyl methacrylate] relative to poly(hydroxyethyl methacrylate). *J Biomater Sci Polymer Edn* 2: 1-13, 1991.
- (60) Solheim E, Pinholt EM, Bang G, Sudmann E. Inhibition of Heterotopic Osteogenesis in Rats by a New Bioerodible System for Local Delivery of Indomethacin. *J Bone Joint Surg* 74-A: 705-712, 1992.
- (61) Nannmark U, Sennerby L, Romanus M, Albrektsson T. Indomethacin, (-)Terbutalin und (+)Terbutalin in acute inflammation induced by repeated ischemia in the hamster cheek pouch. *Inflammation* 9: 173-181, 1985.
- (62) Sennerby L, Thomsen P, Ericson LE, Albrektsson T. Activation and migration of leukocytes and vascular leakage induced by serum opsonized zymosan particles in the hamster cheek pouch. *Inflammation* 13: 91-102, 1989.
- (63) Sudmann E, Husby OS, Bang G. Inhibition of partial closure of epiphyseal plate in rabbits by indomethacin. *Acta Orthop Scand* 53: 507-511, 1982.
- (64) Sudmann E, Dregelid E, Bessesen A, Mörland J. Inhibition of fracture healing by indomethacin in rats. *European J Clin Invest* 9: 333-339, 1979.
- (65) Merkel KD, Erdmann JM, McHugh KP, Abu-Amer Y, Ross FP, Teitelbaum SL. Tumor Necrosis Factor- α Mediates Orthopedic Implant Osteolysis. *Am J Pathol* 154: 203-210, 1999.
- (66) Abu-Amer Y, Ross FP, Edwards J, Teitelbaum SL. Lipopolysaccharide-stimulated Osteoclastogenesis Is Mediated By Tumor Necrosis Factor Via Its P55 Receptor. *J Clin Invest* 100: 1557-1565, 1997.
- (67) Hofbauer LC, Lacey DL, Dunstan CR, Spelsberg TC, Riggs BL, Khosla S. Interleukin-1 β and tumor necrosis factor- α , but not interleukin-6, stimulate osteoprotegerin ligand gene expression in human osteoblastic cells. *Bone* 25: 255-259, 1999.

- (68) Teitelbaum SL. Bone Resorption by Osteoclasts. *Science* : 1504-1508, 2000.
- (69) Kimble RB, Srivastava S, Ross P, Matayoshi A, Pacifici R. Estrogen deficiency increases the ability of stromal cells to support murine osteoclastogenesis via an interleukin-1 and tumor necrosis factor-mediated stimulation of macrophage colony-stimulating factor production. *J Biol Chem* 271: 28890-28897, 1996.
- (70) Dekel S, Lenthall G, Francis MJO. Release of Prostaglandins from bone and muscle after tibial fracture. An experimental study in rabbits. *J Bone Joint Surg* 63: 185-189, 1981.
- (71) Norrdin RW, Jee WSS, High WB. Review: The role of prostaglandins in bone in vivo. *Prostaglandins Leukotrienes Essent Fatty Acids* 41: 139-149, 1990.
- (72) Flanagan AM, Chambers TJ. Stimulation of bone nodule formation in vitro by prostaglandin E1 and E2. *Endocrinology* 130: 443-448, 1992.
- (73) Binderman I, Shimshoni Z, Somjen D. Biochemical pathways involved in the translation of physical stimulus into biological message. *Calcif Tissue Int* 36: 82-85, 1984.
- (74) Chyun YS, Raisz LG. Stimulation of bone formation by prostaglandin E2. *Prostaglandins* 27: 97-103, 1984.
- (75) Feyen JHM, Di Bon A, van der Plas A, Löwik CWGM, Nijweide PJ. Effects of exogenous prostanoids on the proliferation of osteoblast-like cells in vitro. *Prostaglandins* 30: 827-840, 1985.
- (76) Hakeda Y, Nakatani Y, Hiramatsu M, Kurihara N, Tsunoi M, Ikeda E, Kumegawa M. Inductive effect of prostaglandins in alkaline phosphatase in osteoblastic cells clone MC3T3-E1. *J Biochem* 97: 97-104, 1985.
- (77) Hakeda Y, Nakatani Y, Kurihara N, Ikeda E, Maede N, Kumegawa M. Prostaglandin E2 stimulates collagen and non collagen protein synthesis and propyl hydroxylase activity in osteoblastic clone MC3T3-E1. *Biochem Biophys Res Commun* 126: 340-345, 1985.
- (78) Hakeda Y, Yoshino Y, Nakatani Y, Kurihara N, Maede N, Kumegawa M. Prostaglandin E2 stimulates DNA synthesis by cyclic AMP-independent pathway in osteoblastic cell clone MC3T3-E1. *J Cell Physiol* 128: 155-161, 1986.
- (79) McCarthy TL, Centrella M, Raisz LG, Canalis E. Prostaglandin E2 stimulates insulin like growth factor I synthesis in osteoblast enriched cultures from fetal rat bone. *Endocrinology* 128: 2895-2900, 1991.
- (80) Machwate M, Rodan SB, Rodan GA, Harada S. Inhibition of osteoblast apoptosis by Prostaglandin E. *Mol Pharmacol* 54: 70, 1998.

- (81) Jade W, Chow M, Chambers TJ. Indomethacin has distinct early and late actions on bone formation induced by mechanical stimulation. *J Am Physiol Soc* : E287-E292, 1994.
- (82) Murray DW, Rushton N. The effect of strain on bone cell prostaglandin E2 release: a new experimental method. *Calcif Tissue Int* 47: 35-39, 1990.
- (83) Rawlinson SC, El-Haj AJ, Minter SL, Tavares IA, Bennett A, Lanyon LE. Loading related increases in prostaglandin production in cores of adult canine cancellous bone in vitro: a role for prostacyclin in adaptive bone remodeling? *J Bone Min Res* 6: 1345-1351, 1991.
- (84) Wurnig Ch, Auersperg V, Boehler N, Steindl M, Kiss H, Zweymüller K, Kotz R. Short Term Prophylaxis Against Heterotopic Bone After Cementless Hip Replacement. *Clin Orthop Relat Res* 334: 175-183, 1997.
- (85) Amstutz HC, Fowble VA, Schmalzried TP, Dorey FJ. Short-course Indomethacin Prevents Heterotopic Ossification in a high-risk Population Following Total Hip Arthroplasty. *J Arthroplasty* 12: 126-132, 1997.
- (86) Ijiri K, Matsunaga S, Fukuda T, Shimizu T. Indomethacin Inhibition of Ossification Induced by Direct Current Stimulation. *J Orthop Res* 13: 123-131, 1995.
- (87) DiCesare PE, Nimni ME, Peng L, Yazdi M, Cheung DT. Effects of Indomethacin on Demineralized Bone-Induced Heterotopic Ossification in the Rat. *J Orthop Res* 9: 855-861, 1991.
- (88) Keller JC, Trancik TM, Young FA, Mary ES. Effects of indomethacin on bone ingrowth. *J Orthop Res* 7: 28-34, 1989.
- (89) Canalis E. Effect of platelet-derived growth factor on DNA and protein synthesis in cultured rat calvaria. *Metabolism* 30: 970-975, 1981.
- (90) Howes R, Brownness JM, Grotendorst GR, Martin GR, Reddi AH. Platelet derived growth factor enhances demineralized bone matrix-induced cartilage and bone formation. *Calcif Tissue Int* 42: 34-38, 1988.
- (91) Marusic A, Kalinowski JF, Harrison JR, Centrella M, Raisz LG, Lorenzo JA. Effects of transforming growth factor β and IL-1 α on prostaglandin synthesis in serum-deprived osteoblastic cells. *J Immunol*. 146: 2633-2638, 1991.
- (92) Partridge NC, Hillyard CJ, Nolan RD, Martin TJ. Regulation of prostaglandin production by osteoblast-rich calvarial cells. *Prostaglandins* 30: 527-539, 1985.
- (93) Yokota K, Kusaka M, Ohshima T, Yamamoto S, Kurihara N, Yoshino Y, Kumegawa M. Stimulation of prostaglandin E2 synthesis in cloned osteoblastic cells of mouse (MC3T3-E1) by epidermal growth factor. *J Biol Chem* 261: 15410-15415, 1986.

- (94) Klein-Nulend J, Semeis CM, Burger EH. PGE2 modulates transforming growth factor β -release in primary mouse osteoblastic cells. *J Bone Min Res* 8: 298, 1993.
- (95) Nilsson O, Bauer HCF, Brosjö O, Törnkvist H. Influence of indomethacin on induced heterotopic bone formation in rats. Importance of length of treatment and age. *Clin Orthop Relat Res* 207: 239-245, 1985.
- (96) Törnkvist H, Bauer HCF, Nilsson O. Influence of indomethacin on experimental bone metabolism in rats. *Clin Orthop Relat Res* 193: 264-270, 1985.
- (97) Raisz LG, Voznesensky OS, Alander CB, Kawaguchi H, Pilbeam CC. Autoamplification of inducible prostaglandin G/H synthetase (cyclooxygenase) in osteoblastic MC3T3-E1 and PYIA cells. *J Bone Min Res* 8: 161, 1993.
- (98) Klein DC, Raisz LG. Prostaglandins: stimulation of bone resorption in tissue culture. *Endocrinology* 86: 1436-1440, 1970.
- (99) Dietrich JW, Goodson JM, Raisz LG. Stimulation of bone resorption by various prostaglandins in organ culture. *Prostaglandins* 10: 231-240, 1975.
- (100) Frost HM. Wolff's Law and bone's structural adaptations to mechanical usage an overview for clinicians. *Angle Orthod* 64(3): 175-188, 1994.
- (101) Chambers TJ, Magnus CJ. Calcitonin alters behavior of isolated osteoclasts. *J Pathol* 132: 27-29, 1982.
- (102) Arnett TR, Dempster DW. A comparative study of disaggregated chick and rat osteoclasts in vitro: effects of of calcitonin and prostaglandins. *Endocrinology* 120: 602-608, 1987.
- (103) Chambers TJ, McSheehy PMJ, Thomson BM, Fuller K. The effect of calcium-regulating hormones and prostaglandins on bone resorption by osteoclasts disaggregated from neonatal rabbit bones. *Endocrinology* 116: 234-239, 1985.
- (104) Sakuma Y, Tanaka K, Suda M, Yasoda A, Natsui K, Tanaka I, Ushikubi F, Narumiya S, Segi E, Sugimoto Y, Ichkawa A, Nakao K. Crucial involvement of the EP 4 subtype of prostaglandin E receptor in osteoclast formation by proinflammatory cytokines and lipopolysaccharides. *J Biomed Mater Res* 15(2): 218-227, 2000.
- (105) Thompson DD, Rodan GA. Indomethacin inhibition of tenotomy-induced bone resorbtion in rats. *J Bone Min Res* 3: 409-414, 1988.
- (106) Bell NH, Hollis BW, Shary JR, Eyre DR, Eastell R, Colwell A, Russell GG. Diclofenac Sodium Inhibits Bone Resorption in Postmenopausal Women. *Am J Med* 96: 349-353, 1994.
- (107) Leroux P, Saffar JL. Dose-effect and evidence of escape of inhibition after indomethacin treatment in a synchronized model of bone resorption. *Agents Actions* 38: 290-294, 1993.

- (108) Saffar JL, Leroux P. Role of Prostaglandins in bone resorption in a synchronized remodeling sequence in the rat. *Bone* 9: 141-145, 1988.
- (109) Tran Van P, Vignery A, Baron R. Cellular Kinetics of the bone remodeling sequence in the rat. *Anat Rec* 202: 445-451, 1982.
- (110) Lasfargues JJ, Saffar LJ. Effect of Indomethacin on bone destruction during experimental periodontal disease in the hamster. *J Periodont Res* 18: 110-117, 1983.
- (111) Lasfargues JJ, Saffar JL. Effects of Prostaglandin inhibition on the bone activities associated with the spontaneous drift of molar teeth in the rat. *Anat Rec* 234: 310-316, 1992.
- (112) Yamasaki K, Miura F, Suda T. Prostaglandin as a mediator of bone resorption induced by experimental tooth movements in rats. *J Dent Res* 59: 1635-1642, 1980.
- (113) Garrett IR, Mundy GR. Relationship between Interleukin-1 and Prostaglandins in resorbing neonatal calvaria. *J Bone Min Res* 4: 789-794, 1989.
- (114) Kotake S, Udagawa N, Takahashi N, Matsuzaki K, Itoh K, Ishiyama S, Saito S, Inoue K, Kamatani N, Gillespie MT, Martin TJ, Suda T. IL-17 in synovial fluids from patients with rheumatoid arthritis is a potent stimulator of osteoclastogenesis. *J Clin Invest* 102: 1345-1352, 1999.
- (115) Horwood NJ, Udagawa N, Elliott J, Grail D, Okamura H, Kurimoto M, Dunn AR, Martin TJ, Gillespie T. Interleukin 18 Inhibits Osteoclast Formation via T Cell Production of Granulocyte Macrophage Colony-stimulating Factor. *J Clin Invest* 101: 595-603, 1998.
- (116) Garcie JA, Forsey RJ, Chan WL, Glimour A, Leung BP, Geer MR, Kennedy K, Cater R, Wei XQ, Xu D, Field M, Foulis A, Liew FY, McInnes IB. A proinflammatory role for IL-18 in rheumatoid arthritis. *J Clin Invest* 104: 1393-1401, 1999.
- (117) Keller J, Hansen ES, He S-Z, Kjaersgaard-Andersen P, Büniger C. Early Hemodynamic Response to Tibial Osteotomy in Rabbits: Influence of Indomethacin and Prostaglandin E2. *J Orthop Res* 9: 539-545, 1991.
- (118) Yazdi M, Cheung DT, Cobble S, Nimmi ME, Schonfeld SE. Effects of non-steroidal antiinflammatory drugs on demineralized bone-induced bone formation. *J Periodont Res* 27: 28-33, 1992.
- (119) Kizior MJ, Chai JY, Turner DW, Stern PH. Flurbiprofen Effects on Bone Resorption. *Northwestern Dental Research* 2: 2-3, 1993.
- (120) Greene IM, Arfullah M, Kenny AD. Carbonic Anhydrase Inhibition by Flurbiprofen and Related Agents. *Pharmacology* 45: 278-284, 1992.

- (121) Pierce WM, Nardin GF, Fuqua MF, Sabah-Maren E, Stern SH. Effect of chronic carbonic anhydrase inhibitor therapy on bone mineral density in white women. *J Bone Miner Res* 6: 347-354, 1990.
- (122) Visentin L, Dodds RA, Valente M, Misiano P, Bradbeer JN, Oneta S, Liang X, Gowen M, Farina C. A selective inhibitor of the osteoclastic V-H⁺-ATPase prevents bone loss in both thyroparathyroidectomized and ovariectomized rats. *J Clin Invest* 106: 309-318, 2000.
- (123) Cella JP, Salvati EA, Sculpo TP. Indomethacin for the prevention of heterotopic ossification following total hip arthroplasty: effectiveness, contraindications and adverse effects. *J Arthroplasty* 3: 229, 1988.
- (124) Schmidt SA, Kjaersgaard-Andersen P, Pedersen NW. The use of indomethacin to prevent the formation of heterotopic bone after total hip replacement: a randomized, double-blind clinical trial. *J Bone Joint Surg* 70(6): 834-838, 1988.
- (125) Stupp SI, Ciegler GW. Organoapatites: Materials for artificial bone. I. Synthesis and microstructure. *J Biomed Mater Res* 26: 169-183, 1992.
- (126) Gross U, Strunz V. Surface staining of sawed sections of undecalcified bone containing alloplastic implants. *Stain Technol* 52: 217-219, 1977.
- (127) Gross U. Hard Tissue Histology. In: *Handbook of Biomaterials Evaluation 2*. Edition, von Recum AF (ed). Taylor and Francis, Philadelphia, USA: 689-719, 1999.
- (128) Angerer LM, Stoler MH, Angerer RC. In situ hybridization with RNA probes: An annotated recipe. In: *In situ Hybridization*, Valentino KL et al. (eds), Oxford Univ. Press, Oxford, UK: 42-70, 1987.
- (129) Milani S, Herbst H, Schuppan D, Hahn EG, Stein H. In situ hybridization for procollagen types I, III, and IV mRNA in normal and fibrotic rat liver: evidence for predominant expression in non-parenchymal liver cells. *Hepatology* 10: 84-92, 1989.
- (130) Neo M, Voigt C, Herbst H, Gross U. Analysis of Osteoblast Activity at Biomaterial-Bone Interfaces by In Situ Hybridization. *J Biomed Mater Res* 30: 485-492, 1996.
- (131) Neo M, Voigt C, Herbst H, Gross U. Osteoblast reaction at the interface between surface-active materials and bone in vivo: a study using in situ hybridization. *J Biomed Mater Res* 39(1): 1-8, 1998.
- (132) Sambrook J FE, Maniatis T. Analysis and cloning of eukaryotic genomic DNA. In: *Molecular Cloning 2*. Edition, Sambrook J, Fritsch EF and Maniatis T (eds). Cold Spring Harbor Laboratory Press, 2003.
- (133) Gross U. Quantitative morphology of the implant-bone interface. In: *Handbook of Biomaterials Evaluation 2*. Edition, von Recum AF (ed). Taylor and Francis, Philadelphia, USA: 739-742, 1999.

- (134) Mattheck C. Engineering components grow like trees. *Mat.-Wiss. u. Werkstofftech.* 21: 143-168, 1990.
- (135) Thompson Z, Miclau T, Hu D, Helms JA. A model for intramembranous ossification during fracture healing. *J Orthop Res* 20(5): 1091-1098, 2002.
- (136) Neo M, Herbst H, Voigt C, Gross U. Temporal and spatial patterns of osteoblast activation following implantation of β -TCP particles into bone. *J Biomed Mater Res* 39(1): 71-76, 1998.
- (137) Otsuka M, Nakahigashi Y, Matsuda Y, Fox JL, Higuchi WI. A novel skeletal drug delivery system using self-setting calcium phosphate cement. 7. Effect of biological factors on Indomethacin release from the cement loaded on bovine bone. *J Pharma Science* 83: 1569-1573, 1994.
- (138) Hing KA, Best SM, Tanner KE, Bonfield W, Revell PA. Biomechanical assessment of bone ingrowth in porous hydroxyapatite. *J Mater Sci Mater Med* 8: 731-736, 1997.
- (139) Müller-Mai C, Voigt C, Hering A, Rahmzadeh R, Gross U. Madreporische Hydroxylapatitgranulate zur Füllung ossärer Defekte. *Der Unfallchirurg* 104: 221-229, 2001.
- (140) Briehm D, Linhart W, Lehmann W, Meenen NM, Rueger JM. Langzeitergebnisse nach Anwendung einer porösen Hydroxylapatitkeramik (Endobon) zur operativen Versorgung von Tibiakopffrakturen. *Unfallchirurg* 105: 128-133, 2002.
- (141) Goto T, Kojima T, Iijima T, Yokokura S, Kawano H, Yamamoto A, Matsuda K. Resorption of synthetic porous hydroxyapatite and replacement by newly formed bone. *J Orthop Sci* 6(5): 444-447, 2001.
- (142) Sepulveda P, Bressiani AH, Bressiani JC, Meseguer L, König B Jr. In vivo evaluation of hydroxyapatite foams. *J Biomed Mater Res* 62(4): 587-592, 2002.
- (143) Martin RB, Chapman MW, Holmes RE, Sartoris DJ, Shors EC, Gordon JE, Heitter DO, Sharkey NA, Zissimos AG. Effects of bone ingrowth on the strength and non-invasive assessment of a coralline hydroxyapatite material. *Biomaterials* 10(7): 481-488, 1989.
- (144) Müller-Mai C, Schmitz HJ, Strunz V, Fuhrmann G, Fritz T, Gross U. Tissue at the surface of the new composite material titanium/glass-ceramic for replacement of bone and teeth. *J Biomed Mater Res* 23: 1149-1168, 1989.
- (145) Wagner W, Wahlmann UW, Jähnicke S. Morphometrischer Vergleich der Knochenreaktion auf Tricalciumphosphat, Hydroxylapatit und Ceravital. *Dtsch. Zahnärztl. Z.* 43: 108-112, 1988.
- (146) Hacking SA, Tanzer M, Harvey EJ, Krygier JJ, Bobyn JD. Relative contributions of chemistry and topography to the osseointegration of hydroxyapatite coatings. *Clin Orthop* 405: 24-38, 2002.

- (147) Chung YY, Kim HD, Kim HS. Bone ingrowth on a smooth-surfaced hydroxyapatite-coated acetabular cup. *Int Orthop* 26(5): 283-286, 2002.
- (148) de Bruijn JD. Calcium phosphate biomaterials: Bone-bonding and biodegradation properties. PhD thesis, University of Leiden, The Netherlands. 1993.
- (149) Neo M, Kotani S, Nakamura T, Yamamuro T, Ohtsuki C, Kokubo T, Bando Y. A comparative study of ultrastructures of the interfaces between four kinds of surface-active ceramics and bone. *J Biomed Mater Res* 26: 1419-1432, 1992.
- (150) Gomi K, Lowenberg B, Shapiro G, Davies J E. Resorption of sintered synthetic hydroxyapatite by osteoclasts in vitro. *Biomaterials* 14: 91-96, 1993.
- (151) Ogura M, Sakae T, Davies JE. Resorption of calcium hydroxide substrata by osteoclast-like cells in vitro. *Bioceramics* 4, Bonfield W, Hastings GW, and Tanner KE (eds), Butterworth, London, UK: 121-126, 1991.
- (152) Davies JE, Chernecky R, Lowenberg B, Shiga A. Deposition and resorption of calcified matrix in vitro by rat marrow cells. *Cells Materials* 1: 3-16, 1990.
- (153) Davies JE, Lowenberg B, Shiga A. The bone-titanium interface in vitro. *J Biomed Mater Res* 24: 1289-1306, 1990.
- (154) Müller-Mai C, Voigt C, Baier RE, Gross U. The incorporation of glass-ceramic implants in bone after surface conditioning glow-discharge treatment. *Cells Materials* 2: 309-327, 1992.
- (155) Ohtsuki C, Kushitani H, Kokubo T, Kotani S, Yamamuro T. Apatite formation on the surface of ceravital-type glass-ceramic in the body. *J Biomed Mater Res* 25: 1363-1370, 1991.
- (156) Matsuda T, Davies JE. The in vitro response of osteoblasts to bioactive glass. *Biomaterials* 8: 275-284, 1987.
- (157) Davies JE, Matsuda T. Extracellular matrix production by osteoblasts on bioactive substrata in vitro. *Scanning Microsc* 2: 1445-1452, 1988.
- (158) Müller-Mai C, Voigt C, Gross U, Rahmzadeh R. Hydroxyapatite implants to fill malignant bone defects: A case report. *Proc. 13th Europ Conf Biomat*: 58, 1997.
- (159) Müller-Mai C, Voigt C, Knäuper W, Sela J, Gross U. The early host and material response of bone-bonding and non-bonding glass-ceramics as revealed by scanning electron microscopy and histochemistry. *Biomaterials* 12: 865-871, 1991.
- (160) Reddy SV, Roodman GD. Control of osteoclast differentiation. *Crit Rev Eukaryotic Gene Express* 8: 1-17, 1998.
- (161) Horowitz SM. Macrophage response to polymethylmethacrylate particles. *Cells Materials* 7: 183-190, 1997.

- (162) Shimizu H, Sakamoto S, Sakamoto M, Lee DD. The effect of substrate composition and condition on resorption by isolated osteoclasts. *Bone Mineral* 6: 261-275, 1989.
- (163) Smetana K. Multinucleate foreign-body giant cell formation. *Exp Mol Pathol* 46: 258-265, 1987.
- (164) Goldring SR, Roelke M, Glowacki J. Multinucleated cells elicited in response to implants of devitalized bone particles possess receptors for calcitonin. *J Bone Min Res* 3: 117-120, 1988.
- (165) Dersot JM, Colombier ML, Lafont J, Baroukh B, Septier D, Saffar JL. Multinucleated Giant cells elicited around hydroxyapatite particles implanted in craniotomy defects are not osteoclasts. *Anat Rec* 242: 166-176, 1995.
- (166) Anderson JM. Inflammatory response to implants. *ASAIO Transactions* 34: 101-107, 1998.
- (167) Dersot JM, Septier D, Llorens A, Saffar JL. Multinucleated giant cells-hydroxyapatite interactions: A time-related quantitative study in a rat skull defect. *Cells Materials* 3: 395-405, 1993.
- (168) Liao H, Mutvei H, Hammarstrom L, Wurtz T, Li J. Tissue responses to nacreous implants in rat femur: an in situ hybridization and histochemical study. *Biomaterials* 23(13): 2693-2701, 2002.
- (169) Dielert E, Fischer-Brandies E, Bagambisa F. REM-Untersuchungen an den Grenzschichtstrukturen Hydroxylapatit/Knochen. *Dtsch. Zahnärztl. Z.* 439: 22-25, 1988.
- (170) Daculsi G, LeGeros RZ, Mitre D. Crystal dissolution of biological and ceramic apatites. *Calcif Tissue Int* 45: 95-103, 1989.
- (171) Wippermann BW. Hydroxylapatit als Knochenersatzstoff. Hefte zu "Der Unfallchirurg" 260: 1-108, 1996.
- (172) Kwong CH, Burns WB, Cheung HS. Solubilization of hydroxyapatite crystals by murine bone cells, macrophages and fibroblasts. *Biomaterials* 10: 579-584, 1989.
- (173) Ninomiya JT, Struve JA, Stelloh CT, Toth JM, Crosby KE. Effects of hydroxyapatite particulate debris on the production of cytokines and proteases in human fibroblasts. *J Orthop Res* 19(4): 621-628, 2001.
- (174) Ohsawa K, Neo M, Matsuoka H, Akiyama H, Ito H, Nakamura T. Tissue responses around polymethylmethacrylate particles implanted into bone: analysis of expression of bone matrix protein mRNAs by in situ hybridization. *J Biomed Mater Res* 54(4): 501-508, 2001.

- (175) Ohsawa K, Neo M, Matsuoka H, Akiyama H, Ito H, Kohno H, Nakamura T. The expression of bone matrix protein mRNAs around β -TCP particles implanted into bone. *J Biomed Mater Res* 52(3): 460-466, 2000.
- (176) Chiba S, Okada K, Lee K, Segre GV, Neer RM. Molecular analysis of defect healing in rat diaphyseal bone. *J Vet Med Sci* 63(6): 603-608, 2001.
- (177) Pockwinse SM, Wilming LG, Conlon DM, Stein GS, Lian JB. Expression of cell growth and bone specific genes at single cell resolution during development of bone tissue-like organization in primary osteoblast cultures. *J Cell Biochem* 49: 310-323, 1992.
- (178) Kähäri VM, Vuorio EI. Increased half-lives of procollagen mRNAs may contribute to the elevated procollagen mRNA levels in cultured scleroderma fibroblasts. *Med Sci Res* 15: 417-418, 1987.
- (179) Cowles EA, DeRome ME, Pastizzo G, Brailey LL, Gronowicz GA. Mineralization and the expression of matrix proteins during in vivo bone development. *Calcif Tissue Int* 62: 74-82, 1998.
- (180) Karsenty G, Park RW. Regulation of type I collagen genes expression. *Int Rev Immunol* 12 (2-4): 177-185, 1995.
- (181) Hench L. Bioactive ceramics: Theory and clinical applications. In: *Bioceramics 7*, Andersson ÖH, Happonen RP, Yli-Urpo A (eds). Butterworth-Heinemann Ltd., Oxford, UK: 3-14, 1994.
- (182) Davies JE. In vitro modeling of the bone/implant interface. *Anat Rec* 245: 426-445, 1996.
- (183) Radder AM, van Blitterswijk CA, Leenders H, Inoue K, Okumura M, Ohgushi H. Gene expression and protein activity in bone-bonding and non-bonding PEO/PBT copolymers. *J Mater Sci Mater Med* 5: 582-586, 1994.
- (184) Ohgushi H, Dohi Y, Tamai S, Tabata S. Osteogenic differentiation of marrow stromal stem cells in porous hydroxyapatite ceramics. *J Biomed Mater Res* 27: 1401-1407, 1993.
- (185) Sandberg MM, Aro HT, Vuorio EI. Gene expression during bone repair. *Clin Orthop Relat Res* 289: 292-312, 1993.
- (186) Reis SA, Voigt C, Müller-Mai C, Herbst H, Bisson S, Gross U. Procollagen alpha-1(I) transcripts in cells near the interface of coralline implants in rats, detected by in situ hybridization. *Clin Oral Implants Res* 7(3): 253-260, 1996.
- (187) Warren KC, Coyne KJ, Waite JH, Cary SC. Use of methacrylate De-embedding protocols for in situ hybridization on semithin plastic sections with multiple detection strategies. *J Histochem Cytochem* 46(2): 149-155, 1998.