

## 5) Literaturverzeichnis

- Akarsu AN, Stoilov I, Yilmaz E, Sayli BS, Sarfarazi M.  
Genomic structure of HOXD13 gene: a nine polyalanine duplication causes synpolydactyly in two unrelated families.  
Hum Mol Genet. 1996 Jul; 5 (7): 945-52.
- Akarsu AN, Akhan O, Sayli BS, Sayli U, Baskaya G, Sarfarazi M.  
A large Turkish kindred with syndactyly type II (synpolydactyly). 2. Homozygous phenotype?  
J Med Genet. 1995 Jun; 32 (6): 435-41.
- Albrecht AN, Kornak U, Boddrich A, Suring K, Robinson PN, Stiege AC, Lurz R, Stricker S, Wanker EE, Mundlos S.  
A molecular pathogenesis for transcription factor associated poly-alanine tract expansions.  
Hum Mol Genet. 2004 Oct 15;13(20):2351-9. Epub 2004 Aug 27.
- Amiel J, Laudier B, Attie-Bitach T, Trang H, de Pontual L, Gener B, Trochet D, Etchevers H, Ray P, Simonneau M, Vekemans M, Munnich A, Gaultier C, Lyonnet S.  
Polyalanine expansion and frameshift mutations of the paired-like homeobox gene PHOX2B in congenital central hypoventilation syndrome.  
Nat Genet. 2003 Apr;33(4):459-61. Epub 2003 Mar 17.
- Baffico M, Baldi M, Cassan PD, Costa M, Mantero R, Garani P, Camera G.  
Synpolydactyly: clinical and molecular studies on four Italian families.  
Eur J Hum Genet. 1997; 5 (Suppl 1): 142
- Bi W, Deng JM, Zhang Z, Behringer RR, de Crombrughe B.  
Sox9 is required for cartilage formation.  
Nat Genet. 1999 May; 22 (1): 85-9.
- Bienvenu T, Poirier K, Friocourt G, Bahi N, Beaumont D, Fauchereau F, Ben Jeema L, Zemni R, Vinet MC, Francis F, Couvert P, Gomot M, Moraine C, van Bokhoven H, Kalscheuer V, Frints S, Gecz J, Ohzaki K, Chaabouni H, Fryns JP, Desportes V, Beldjord C, Chelly J.  
ARX, a novel Prd-class-homeobox gene highly expressed in the telencephalon, is mutated in X-linked mental retardation.  
Hum Mol Genet. 2002 Apr 15;11(8):981-91.
- Brais B, Bouchard JP, Xie YG, Rochefort DL, Chretien N, Tome FM, Lafreniere RG, Rommens JM, Uyama E, Nohira O, Blumen S, Korczyn AD, Heutink P, Mathieu J, Duranceau A, Codere F, Fardeau M, Rouleau GA.  
Short GCG expansions in the PABP2 gene cause oculopharyngeal muscular dystrophy.  
Nat Genet. 1998 Feb; 18 (2): 164-7. Erratum in: Nat Genet 1998 Aug; 19 (4): 404.

- Brais B.  
Oculopharyngeal muscular dystrophy: a late-onset polyalanine disease.  
Cytogenet Genome Res. 2003;100(1-4):252-60. Review.
- Brown L, Paraso M, Arkell R, Brown S.  
In vitro analysis of partial loss-of-function ZIC2 mutations in holoprosencephaly: alanine tract expansion modulates DNA binding and transactivation.  
Hum Mol Genet. 2005 Feb 1; 14 (3): 411-20. Epub 2004 Dec 8.
- Brown LY, Odent S, David V, Blayau M, Dubourg C, Apacik C, Delgado MA, Hall BD, Reynolds JF, Sommer A, Wieczorek D, Brown SA, Muenke M.  
Holoprosencephaly due to mutations in ZIC2: alanine tract expansion mutations may be caused by parental somatic recombination.  
Hum Mol Genet. 2001 Apr 1;10(8):791-6.
- Brown SA, Warburton D, Brown LY, Yu CY, Roeder ER, Stengel-Rutkowski S, Hennekam RC, Muenke M.  
Holoprosencephaly due to mutations in ZIC2, a homologue of Drosophila odd-paired.  
Nat Genet. 1998 Oct;20(2):180-3.
- Bruneau S, Johnson KR, Yamamoto M, Kuroiwa A, Duboule D.  
The Mouse Hoxd13<sup>spdh</sup> Mutation, a Polyalanine Expansion Similar to Human Type II Synpolydactyly (SPD), Disrupts the Function but Not the Expression of Other *Hoxd* Genes.  
Dev Biol. 2001 Sep 15; 237 (2): 345-53.
- Brunet LJ, McMahon JA, McMahon AP, Harland RM.  
Noggin, cartilage morphogenesis, and joint formation in the mammalian skeleton.  
Science. 1998 May 29; 280 (5368): 1455-7.
- Caburet S, Demarez A, Moumne L, Fellous M, De Baere E, Veitia RA.  
A recurrent polyalanine expansion in the transcription factor FOXL2 induces extensive nuclear and cytoplasmic protein aggregation.  
J Med Genet. 2004 Dec; 41 (12): 932-6.
- Calado A, Tome FM, Brais B, Rouleau GA, Kuhn U, Wahle E, Carmo-Fonseca M.  
Nuclear inclusions in oculopharyngeal muscular dystrophy consist of poly(A) binding protein 2 aggregates which sequester poly(A) RNA.  
Hum Mol Genet. 2000 Sep 22; 9 (15): 2321-8.
- Caronia G, Goodman FR, McKeown CM, Scambler PJ, Zappavigna V.  
An I47L substitution in the HOXD13 homeodomain causes a novel human limb malformation by producing a selective loss of function.  
Development. 2003 Apr; 130 (8): 1701-12. Erratum in: Development. 2003 May; 130 (10): 2289.
- Chan DC, Laufer E, Tabin C, Leder P.  
Polydactylous limbs in Strong's Luxoid mice result from ectopic polarizing activity.  
Development. 1995 Jul; 121 (7): 1971-8.

- Chiang C, Litingtung Y, Lee E, Young KE, Corden JL, Westphal H, Beachy PA.  
Cyclopia and defective axial patterning in mice lacking Sonic hedgehog gene function.  
Nature. 1996 Oct 3; 383 (6599): 407-13.
- Cummings CJ, Zoghbi HY.  
Fourteen and counting: unraveling trinucleotide repeat diseases.  
Hum Mol Genet. 2000 Apr 12; 9 (6): 909-16. Review.
- Crisponi L, Deiana M, Loi A, Chiappe F, Uda M, Amati P, Bisceglia L, Zelante L, Nagaraja R, Porcu S, Ristaldi MS, Marzella R, Rocchi M, Nicolino M, Lienhardt-Roussie A, Nivelon A, Verloes A, Schlessinger D, Gasparini P, Bonneau D, Cao A, Pilia G.  
The putative forkhead transcription factor FOXL2 is mutated in blepharophimosis/ptosis/epicanthus inversus syndrome.  
Nat Genet. 2001 Feb;27(2):159-66.
- Dahn RD, Fallon JF.  
Interdigital regulation of digit identity and homeotic transformation by modulated BMP signaling.  
Science. 2000 Jul 21; 289 (5478): 438-41.
- Davis AP, Capecchi MR.  
A mutational analysis of the 5' HoxD genes: dissection of genetic interactions during limb development in the mouse.  
Development. 1996 Apr; 122 (4): 1175-85.
- Davis AP, Witte DP, Hsieh-Li HM, Potter SS, Capecchi MR.  
Absence of radius and ulna in mice lacking *hoxa-11* and *hoxd-11*.  
Nature. 1995 Jun 29;375(6534):791-5.
- De Baere E, Beysen D, Oley C, Lorenz B, Cocquet J, De Sutter P, Devriendt K, Dixon M, Fellous M, Fryns JP, Garza A, Jonsrud C, Koivisto PA, Krause A, Leroy BP, Meire F, Plomp A, Van Maldergem L, De Paepe A, Veitia R, Messiaen L.  
FOXL2 and BPES: mutational hotspots, phenotypic variability, and revision of the genotype-phenotype correlation.  
Am J Hum Genet. 2003 Feb;72(2):478-87. Epub 2003 Jan 14.
- Debeer P, Bacchelli C, Scambler PJ, De Smet L, Fryns JP, Goodman FR.  
Severe digital abnormalities in a patient heterozygous for both a novel missense mutation in HOXD13 and a polyalanine tract expansion in HOXA13.  
J Med Genet. 2002 Nov; 39 (11): 852-6. No abstract available.
- Dolle P, Dierich A, LeMeur M, Schimmang T, Schuhbaur B, Chambon P, Duboule D.  
Disruption of the Hoxd-13 gene induces localized heterochrony leading to mice with neotenic limbs.  
Cell. 1993 Nov 5; 75 (3): 431-41.
- Duboule D.  
Vertebrate Hox genes and proliferation: an alternative pathway to homeosis?  
Curr Opin Genet Dev. 1995 Aug; 5 (4): 525-8. Review. No abstract available.

- Erlebacher A, Filvaroff EH, Gitelman SE, Derynck R.  
Toward a molecular understanding of skeletal development.  
Cell. 1995 Feb 10; 80 (3): 371-8. Review. No abstract available.
- Francis-West PH, Abdelfattah A, Chen P, Allen C, Parish J, Ladher R, Allen S, MacPherson S, Luyten FP, Archer CW.  
Mechanisms of GDF-5 action during skeletal development.  
Development. 1999 Mar; 126 (6): 1305-15.
- Fromental-Ramain C, Warot X, Messadecq N, LeMeur M, Dolle P, Chambon P.  
Hoxa-13 and Hoxd-13 play a crucial role in the patterning of the limb autopod.  
Development. 1996 Oct; 122 (10): 2997-3011.
- Garcia-Mata R, Bebok Z, Sorscher EJ, Sztul ES.  
Characterization and dynamics of aggresome formation by a cytosolic GFP-chimera.  
J Cell Biol. 1999 Sep 20; 146 (6): 1239-54.
- Goff DJ, Tabin CJ.  
Analysis of Hoxd-13 and Hoxd-11 misexpression in chick limb buds reveals that Hox genes affect both bone condensation and growth.  
Development. 1997 Feb; 124 (3): 627-36.
- Gong Y, Krakow D, Marcelino J, Wilkin D, Chitayat D, Babul-Hirji R, Hudgins L, Cremers CW, Cremers FP, Brunner HG, Reinker K, Rimoin DL, Cohn DH, Goodman FR, Reardon W, Patton M, Francomano CA, Warman ML.  
Heterozygous mutations in the gene encoding noggin affect human joint morphogenesis.  
Nat Genet. 1999 Mar; 21 (3): 302-4.
- Goodman F, Giovannucci-Uzielli ML, Hall C, Reardon W, Winter R, Scambler P.  
Deletions in HOXD13 segregate with an identical, novel foot malformation in two unrelated families.  
Am J Hum Genet. 1998 Oct; 63 (4): 992-1000.
- Goodman FR, Mundlos S, Muragaki Y, Donnai D, Giovannucci-Uzielli ML, Lapi E, Majewski F, McGaughran J, McKeown C, Reardon W, Upton J, Winter RM, Olsen BR, Scambler PJ.  
Synpolydactyly phenotypes correlate with size of expansions in HOXD13 polyalanine tract.  
Proc Natl Acad Sci U S A. 1997 Jul 8; 94 (14): 7458-63.
- Goodman FR, Bacchelli C, Brady AF, Brueton LA, Fryns JP, Mortlock DP, Innis JW, Holmes LB, Donnfeld AE, Feingold M, Beemer FA, Hennekam RC, Scambler PJ.  
Novel HOXA13 mutations and the phenotypic spectrum of hand-foot-genital syndrome.  
Am J Hum Genet. 2000 Jul;67(1):197-202. Epub 2000 Jun 5.
- Goodman FR.  
Limb malformations and the human HOX genes.  
Am J Med Genet. 2002 Oct 15;112(3):256-65. Review.

- Guo X, Day TF, Jiang X, Garrett-Beal L, Topol L, Yang Y.  
Wnt/beta-catenin signaling is sufficient and necessary for synovial joint formation.  
*Genes Dev.* 2004 Oct 1; 18 (19): 2404-17. Epub 2004 Sep 15.
- Hall BK, Miyake T.  
Craniofacial development of avian and rodent embryos.  
*Methods Mol Biol.* 2000; 135: 127-37. Review. No abstract available.
- Hartl FU, Hayer-Hartl M.  
Molecular chaperones in the cytosol: from nascent chain to folded protein.  
*Science.* 2002 Mar 8; 295 (5561): 1852-8. Review.
- Hartmann C, Tabin CJ.  
Wnt-14 plays a pivotal role in inducing synovial joint formation in the developing appendicular skeleton.  
*Cell.* 2001 Feb 9; 104 (3): 341-51.
- Innis JW, Mortlock D, Chen Z, Ludwig M, Williams ME, Williams TM, Doyle CD, Shao Z, Glynn M, Mikulic D, Lehmann K, Mundlos S, Utsch B.  
Polyalanine expansion in HOXA13: three new affected families and the molecular consequences in a mouse model.  
*Hum Mol Genet.* 2004 Nov 15;13(22):2841-51. Epub 2004 Sep 22.
- Johnson KR, Sweet HO, Donahue LR, Ward-Bailey P, Bronson RT, Davisson MT.  
A new spontaneous mouse mutation of Hoxd13 with a polyaniline expansion and phenotype similar to human synpolydactyly.  
*Hum Mol Genet.* 1998 Jun; 7 (6): 1033-8.
- Johnston JA, Ward CL, Kopito RR.  
Aggresomes: a cellular response to misfolded proteins.  
*J Cell Biol.* 1998 Dec 28; 143 (7): 1883-98.
- Juppner H.  
Role of parathyroid hormone-related peptide and Indian hedgehog in skeletal development.  
*Pediatr Nephrol.* 2000 Jul; 14 (7): 606-11. Review.
- Karp SJ, Schipani E, St-Jacques B, Hunzelman J, Kronenberg H, McMahon AP.  
Indian hedgehog coordinates endochondral bone growth and morphogenesis via parathyroid hormone related-protein-dependent and -independent pathways.  
*Development.* 2000 Feb; 127 (3): 543-8.
- Kato M, Das S, Petras K, Kitamura K, Morohashi K, Abuelo DN, Barr M, Bonneau D, Brady AF, Carpenter NJ, Ciperio KL, Frisone F, Fukuda T, Guerrini R, Iida E, Itoh M, Lewanda AF, Nanba Y, Oka A, Proud VK, Saugier-veber P, Schelley SL, Selicorni A, Shaner R, Silengo M, Stewart F, Sugiyama N, Toyama J, Toutain A, Vargas AL, Yanazawa M, Zackai EH, Dobyns WB.  
Mutations of ARX are associated with striking pleiotropy and consistent genotype-phenotype correlation.  
*Hum Mutat.* 2004 Feb;23(2):147-59.

- Kjaer KW, Hedeboe J, Bugge M, Hansen C, Friis-Henriksen K, Vestergaard MB, Tommerup N, Opitz JM.  
HOXD13 polyalanine tract expansion in classical synpolydactyly type Vordingborg.  
*Am J Med Genet.* 2002 Jun 15; 110 (2): 116-21.
- Kmita M, Fraudeau N, Herault Y, Duboule D.  
Serial deletions and duplications suggest a mechanism for the collinearity of *Hoxd* genes in the limb.  
*Nature.* 2002 Nov 14; 420 (6912): 145-50.
- Knezevic V, De Santo R, Schughart K, Huffstadt U, Chiang C, Mahon KA, Mackem S.  
Hoxd-12 differentially affects preaxial and postaxial chondrogenic branches in the limb and regulates Sonic hedgehog in a positive feedback loop.  
*Development.* 1997 Nov; 124 (22): 4523-36.
- Koziel L, Kunath M, Kelly OG, Vortkamp A.  
Ext1-dependent heparan sulfate regulates the range of Ihh signaling during endochondral ossification.  
*Dev Cell.* 2004 Jun; 6 (6): 801-13.
- Krumlauf R.  
Hox genes in vertebrate development.  
*Cell.* 1994 Jul 29; 78 (2): 191-201. Review
- Laumonier F, Ronce N, Hamel BC, Thomas P, Lespinasse J, Raynaud M, Paringaux C, Van Bokhoven H, Kalscheuer V, Fryns JP, Chelly J, Moraine C, Briault S.  
Transcription factor SOX3 is involved in X-linked mental retardation with growth hormone deficiency.  
*Am J Hum Genet.* 2002 Dec; 71 (6): 1450-5. Epub 2002 Nov 8.
- Lavoie H, Debeane F, Trinh QD, Turcotte JF, Corbeil-Girard LP, Dicaire MJ, Saint-Denis A, Page M, Rouleau GA, Brais B.  
Polymorphism, shared functions and convergent evolution of genes with sequences coding for polyalanine domains.  
*Hum Mol Genet.* 2003 Nov 15; 12 (22): 2967-79. Epub 2003 Sep 30.
- Lefebvre V, Huang W, Harley VR, Goodfellow PN, de Crombrughe B.  
SOX9 is a potent activator of the chondrocyte-specific enhancer of the pro alpha1(II) collagen gene.  
*Mol Cell Biol.* 1997 Apr; 17(4): 2336-46.
- Martin GR.  
The roles of FGFs in the early development of vertebrate limbs.  
*Genes Dev.* 1998 Jun 1; 12 (11): 1571-86. Review. No abstract available.
- Masuya H, Sagai T, Moriwaki K, Shiroishi T.  
Multigenic control of the localization of the zone of polarizing activity in limb morphogenesis in the mouse.  
*Dev Biol.* 1997 Feb 1; 182 (1): 42-51.

- Masuya H, Sagai T, Wakana S, Moriwaki K, Shiroishi T.  
A duplicated zone of polarizing activity in polydactylous mouse mutants.  
*Genes Dev.* 1995 Jul 1; 9 (13): 1645-53.
- Matera I, Bachetti T, Puppo F, Di Duca M, Morandi F, Casiraghi GM, Cilio MR, Hennekam R, Hofstra R, Schober JG, Ravazzolo R, Ottonello G, Ceccherini I.  
PHOX2B mutations and polyalanine expansions correlate with the severity of the respiratory phenotype and associated symptoms in both congenital and late onset Central Hypoventilation syndrome.  
*J Med Genet.* 2004 May;41(5):373-80. No abstract available.
- Minina E, Wenzel HM, Kreschel C, Karp S, Gaffield W, McMahon AP, Vortkamp A.  
BMP and Ihh/PTHrP signaling interact to coordinate chondrocyte proliferation and differentiation.  
*Development.* 2001 Nov; 128 (22): 4523-34.
- Morgan BA, Izpisua-Belmonte JC, Duboule D, Tabin CJ.  
Targeted misexpression of Hox-4.6 in the avian limb bud causes apparent homeotic transformations.  
*Nature.* 1992 Jul 16; 358 (6383): 236-9.
- Mortlock DP, Innis JW.  
Mutation of HOXA13 in hand-foot-genital syndrome.  
*Nat Genet.* 1997 Feb; 15 (2): 179-80.
- Mundlos S, Otto F, Mundlos C, Mulliken JB, Aylsworth AS, Albright S, Lindhout D, Cole WG, Henn W, Knoll JH, Owen MJ, Mertelmann R, Zabel BU, Olsen BR.  
Mutations involving the transcription factor CBFA1 cause cleidocranial dysplasia.  
*Cell.* 1997 May 30; 89 (5): 773-9.
- Muragaki Y, Mundlos S, Upton J, Olsen BR.  
Altered growth and branching patterns in synpolydactyly caused by mutations in HOXD13.  
*Science.* 1996 Apr 26; 272 (5261): 548-51.
- Naski MC, Colvin JS, Coffin JD, Ornitz DM.  
Repression of hedgehog signaling and BMP4 expression in growth plate cartilage by fibroblast growth factor receptor 3.  
*Development.* 1998 Dec; 125 (24): 4977-88.
- Nasrallah IM, Minarcik JC, Golden JA.  
A polyalanine tract expansion in Arx forms intranuclear inclusions and results in increased cell death.  
*J Cell Biol.* 2004 Nov 8; 167 (3) :411-6.
- Risau W.  
Mechanisms of angiogenesis.  
*Nature.* 1997 Apr 17; 386 (6626): 671-4. Review.

- Schipani E, Ryan HE, Didrickson S, Kobayashi T, Knight M, Johnson RS.  
Hypoxia in cartilage: HIF-1 $\alpha$  is essential for chondrocyte growth arrest and survival.  
Genes Dev. 2001 Nov 1; 15 (21): 2865-76.
- Schneuwly S, Klemenz R, Gehring WJ.  
Redesigning the body plan of *Drosophila* by ectopic expression of the homoeotic gene *Antennapedia*.  
Nature. 1987 Feb 26-Mar 4; 325 (6107): 816-8.
- Selever J, Liu W, Lu MF, Behringer RR, Martin JF.  
Bmp4 in limb bud mesoderm regulates digit pattern by controlling AER development.  
Dev Biol. 2004 Dec 15; 276 (2): 268-79.
- Selkoe DJ.  
Folding proteins in fatal ways.  
Nature. 2003 Dec 18; 426 (6968): 900-4. Review. Erratum in: Nature. 2004 Mar 25; 428 (6981): 445.
- Shubin NH, Alberch P  
A morphogenetic approach to the origin and basic organization of the tetrapod limb.  
Evol. Biol. 20; 319-87
- Sittler A, Lurz R, Lueder G, Priller J, Lehrach H, Hayer-Hartl MK, Hartl FU, Wanker EE.  
Geldanamycin activates a heat shock response and inhibits huntingtin aggregation in a cell culture model of Huntington's disease.  
Hum Mol Genet. 2001 Jun 1; 10 (12): 1307-15. Erratum in: Hum Mol Genet 2001 Aug 1; 10 (16): 1719.
- Spitz F, Gonzalez F, Duboule D.  
A global control region defines a chromosomal regulatory landscape containing the *Hoxd* Cluster.  
Cell. 2003 May 2; 113 (3): 405-17
- St-Jacques B, Hammerschmidt M, McMahon AP.  
Indian hedgehog signaling regulates proliferation and differentiation of chondrocytes and is essential for bone formation.  
Genes Dev. 1999 Aug 15; 13 (16): 2072-86. Erratum in: Genes Dev 1999 Oct 1; 13 (19): 2617.
- Storm EE, Kingsley DM.  
GDF5 coordinates bone and joint formation during digit development.  
Dev Biol. 1999 May 1; 209 (1): 11-27.

- Stromme P, Mangelsdorf ME, Shaw MA, Lower KM, Lewis SM, Bruyere H, Lutcherath V, Gedeon AK, Wallace RH, Scheffer IE, Turner G, Partington M, Frints SG, Fryns JP, Sutherland GR, Mulley JC, Gecz J.  
Mutations in the human ortholog of *Aristaless* cause X-linked mental retardation and epilepsy.  
Nat Genet. 2002 Apr;30(4):441-5. Epub 2002 Mar 11.
- Suzuki M, Ueno N, Kuroiwa A.  
Hox proteins functionally cooperate with the GC box-binding protein system through distinct domains.  
J Biol Chem. 2003 Aug 8; 278 (32): 30148-56. Epub 2003 May 27.
- Tickle C.  
Patterning systems--from one end of the limb to the other.  
Dev Cell. 2003 Apr; 4 (4): 449-58. Review.
- Vortkamp A, Lee K, Lanske B, Segre GV, Kronenberg HM, Tabin CJ.  
Regulation of rate of cartilage differentiation by Indian hedgehog and PTH-related protein.  
Science. 1996 Aug 2; 273 (5275): 613-22.
- Vu TH, Shipley JM, Bergers G, Berger JE, Helms JA, Hanahan D, Shapiro SD, Senior RM, Werb Z.  
MMP-9/gelatinase B is a key regulator of growth plate angiogenesis and apoptosis of hypertrophic chondrocytes.  
Cell. 1998 May 1; 93 (3): 411-22.
- Warren ST.  
Polyalanine expansion in synpolydactyly might result from unequal crossing-over of *HOXD13*.  
Science. 1997 Jan 17; 275 (5298): 408-9. No abstract available.
- Wigley WC, Fabunmi RP, Lee MG, Marino CR, Muallem S, DeMartino GN, Thomas PJ.  
Dynamic association of proteasomal machinery with the centrosome.  
J Cell Biol. 1999 May 3; 145 (3): 481-90.
- Zakany J, Kmita M, Duboule D.  
A dual role for Hox genes in limb anterior-posterior asymmetry.  
Science. 2004 Jun 11; 304 (5677): 1669-72.
- Zakany J, Fromental-Ramain C, Warot X, Duboule D.  
Regulation of number and size of digits by posterior Hox genes: a dose-dependent mechanism with potential evolutionary implications.  
Proc Natl Acad Sci U S A. 1997 Dec 9; 94 (25): 13695-700.
- Zakany J, Duboule D.  
Synpolydactyly in mice with a targeted deficiency in the HoxD complex.  
Nature. 1996 Nov 7; 384 (6604): 69-71.