

8 Literaturverzeichnis

- Adler, V., Zeiler, B., Kryukov, V., Kacsak, R., Rubenstein, R., Grossman, A. (2003) Small, highly structured RNAs participate in the conversion of human recombinant PrP^{Scn} to PrP^{Res} *in vitro*. *J. Mol. Biol.*, **332**, 47–57
- Aguzzi, A. (2000) Prion diseases, blood and the immune system: concerns and reality. *Haematologica* **85**, 3–10
- Aguzzi, A., Glatzel, M., Montrasio, F., Prinz, M., Heppner, F. L. (2001) Interventional strategies against prion diseases. *Nature Rev. Neurosci.* **2**, 745–749
- Alonso, D.O.V., DeArmond, S.J., Cohen, F.E., Daggett, V. (2001) Mapping the early steps in the pH-induced conformational conversion of the prion protein. *PNAS USA*, **98**, 2985–9
- Alves, I.D., Park, C.K., Hruby, V.J. (2005) Plasmon resonance methods in GPCR signaling and other membrane events. *Curr Protein Pept Sci.*, **6**(4), 293–312
- Apetri, A.C., Surewicz, W.K. (2003) Atypical Effect of salts on the thermodynamic stability of human prion protein. *JBC*, **278**, 22187–92
- Arrasate, M., Mitra, S., Schweitzer, E.S., Segal, M.R., Finkbeiner, S. (2004) Inclusion body formation reduces levels of mutant huntingtin and the risk of neuronal death. *Nature*, **431**, 805–10
- Baldrich, E., Restrepo, A., O'Sullivan, C.K. (2004) Aptasensor development: elucidation of critical parameters for optimal aptamer performance. *Anal chem.*, **76**, 7053–63
- Bautista, M.J., Gutierrez, J., Salguero F.J., Fernandey de Marco, M.M., Romero-Trevejo, J.L., Gomez-Villamamdos, J.C. (2006) BSE infection in bovine PrP transgenic mice leads to hyperphosphorylation of tau-protein. *Vet. Microbiol.*, **115**(4), 293–301
- Bayer, T.S., Booth, L.N., Knudsen, S.M., Ellington, A.D. (2005) Arginine-rich motifs present multiple interfaces for specific binding by RNA. *RNA*, **11**, 1848–57
- Beekes, M., Otto, M., Wilfong, J., Bahn, E., Poser, S., Baier, M. (1999) Late increase of serum S100 beta protein levels in hamsters after oral or intraperitoneal infection with scrapie. *J. Infect. Diseases*, **180**, 518–20
- Bencsik, A.A., Coleman, A.W., Debeer, S.O., Perron, H., Moussa, A. (2006) Amplified Immunohistochemical Detection of PrP^{Sc} in Animal Transmissible Spongiform Encephalopathies Using Streptomycin. *J Histochem Cytochem.*, **54**(8), 849–53
- Berezovski, M., Drabovich, A., Krylova, S.M., Musheev, M., Okhonin, V., Petrov, A., Krylov, S.N. (2005) Nonequilibrium Capillary Electrophoresis of equilibrium mixtures: A universal tool for development of aptamers. *JACS*, **127**, 3165–71
- Bessen, R.A., Kocisko, D.A., Raymond, G.J., Nandan, S., Lansbury, P.T., Caughey, B. (1995) Non-genetic propagation of strain-specific properties of scrapie prion protein. *Nature*, **375**(6533), 698–700
- Beutel, B.A. und Gold, L. (1992) *In vitro* evolution of intrinsically bent DNA. *JMB*, **228**, 803–12
- Bieschke, J. et al. (2000) Ultrasensitive detection of pathological prion protein aggregates by dual-color scanning for intensely fluorescent targets. *Proc. Natl Acad. Sci. USA* **97**, 5468–5473

- Blackburn, P., Wilson, G., Moore, S. (1977) Ribonuclease inhibitor from human placenta. Purification and properties. *JBC*, **252**, 5904-10
- Blank, M., Weinschenk, T., Priemer, M., Schluesener, H. (2001) Systematic evolution of a DNA aptamer binding to rat brain tumor microvessels. Selective targeting of endothelial regulatory protein pigpen. *JBC*, **276**, 16464-8
- Blind, M., Kolanus, W., Famulok, M. (1999) Cytoplasmic RNA modulators of an inside-out signal-transduction cascade. *PNAS USA*, **96**, 3606
- Bock, L. C., Griffin, L. C., Latham, J. A., Vermaas, E. H., Toole, J. J. (1992) Selection of Single-Stranded DNA Molecules That Bind and Inhibit Human Thrombin. *Nature*, **355**, 564-566.
- Bolton, D. C., McKinley, M. P. et al. (1982) Identification of a protein that purifies with the scrapie prion. *Science*, **218**, 1309-1311
- Bons, N., Mestre-Frances, N., Belli, P., Cathala, F., Gajdusek, D.C., Brown, P. (1999) Natural and experimental oral infection of nonhuman primates by bovine spongiform encephalopathy agents. *Proc Natl Acad Sci U S A.*, **96**(7), 4046-51
- Borchelt, D. R., Taraboulos, A. et al. (1992) Evidence for synthesis of scrapie prion proteins in the endocytic pathway. *J. Biol. Chem.*, **267**, 16188-16199
- Bosque, P. J., Ryou, C. et al. (2002) Prions in skeletal muscle. *Proc Natl Acad Sci U S A*, **99**(6), 3812-7
- Bradford, M.M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.*, **72**, 248-54
- Brandner, S., Isenmann, S., Raeber, A. et al. (1996) Normal host prion protein necessary for scrapie-induced neurotoxicity. *Nature*, **379**, 339-43
- Brown, D.R., Besinger, A., Herms, J.W., Kretzschmar, H.A. (1998) Microglial expression of the prion protein. *Neuroreport*, **9**(7), 1425-9
- Brown, D. R. (2005) Neurodegeneration and oxidative stress: prion disease results from loss of antioxidant defence. *Folia Neuropathol.* **43**, 229-243
- Brown, D. R., Clive, C., Haswell, S. J. (2001b). Antioxidant activity related to copper binding of native prion protein. *J. Neurochem.* **76**, 69-76.
- Brown, D. R., Qin, K. et al. (1997). The cellular prion protein binds copper in vivo. *Nature*, **390**, 684-687
- Brown, D. R., Wong, B. S., Hafiz, F., Clive, C., Haswell, S. J., Jones, I. M. (1999b). Normal prion protein has an activity like that of superoxide dismutase. *Biochem. J.* **344**, 1-5
- Brown, P. et al. (1999a) Further studies of blood infectivity in an experimental model of transmissible spongiform encephalopathy, with an explanation of why blood components do not transmit Creutzfeldt-Jakob disease in humans. *Transfusion*, **39**, 1169–1178
- Brown, P. (2000) The risk of blood-borne Creutzfeldt–Jakob disease. *Dev. Biol. Stand.* **102**, 53–59
- Brown, P., Cervenakova, L., Diringer, H. (2001a) Blood infectivity and the prospects for a diagnostic screening test in Creutzfeldt–Jakob disease. *J. Lab. Clin. Med.* **137**, 5–13

- Bruce, M. E., Will, R. G. *et al.* (1997) Transmissions to mice indicate that 'new variant' CJD is caused by the BSE agent. *Nature*, **389**(6650), 498-501
- Bruno, J.G., Kiel, J.L. (2002) Use of magnetic beads in selection and detection of biotoxin aptamers by electrochemiluminescence and enzymatic methods. *Biotechniques*, **32**, 182-3
- Bucciantini M., Giannoni, E., Chiti, F., Baroni, F., Formigli, L., Zurdo, J., Taddei, N., Ramponi, G., Dobson, C. M., Stefani, M. (2002) Inherent toxicity of aggregates implies a common mechanism for protein misfolding diseases. *Nature*, **416**, 507-511.
- Budka, H., J. A. Hainfellner, *et al.* (1997) A new Austrian family with fatal familial insomnia: brain pathology without detectable PrPres. *Brain Pathol*, **7**, 1267
- Büeler, H., A. Aguzzi, *et al.* (1993) Mice devoid of PrP are resistant to scrapie. *Cell*, **73**, 1339-1347
- Bueler, H., Fischer, M., Lang, Y. *et al.* (1992) Normal development and behaviour of mice lacking the neuronal cell-surface PrP protein. *Nature*, **356**, 577-82
- Burgstaller, P. und Famulok, M. (1994) Isolierung von RNA-Aptameren für biologische Cofaktoren durch *in vitro*-Selektion. *Angew Chem*, **106**, 1163-1166
- Burke, D.H. und Hoffman, D.C. (1998) A novel acidophilic RNA motif that recognizes Coenzyme A. *Biochemistry*, **37**, 4653-63
- Calzolai, L. und Zahn, R. (2003) Influence of pH on NMR structure and stability of the human prion protein globular domain. *JBC*, **278**, 35592-6
- Carrigan, M.A., Ricardo, A., Ang, D.N., Benner, S.A. (2004) Quantitative analysis of a RNA-cleaving DNA catalyst obtained via *in vitro* selection. *Biochemistry*, **43**, 11446-59
- Cashman, N.R., Loertscher, R., Nalbantoglu, J., Shaw, I., Kacsak, R.J., Bolton, D.C., Bendheim, P.E. (1990) Cellular isoform of the scrapie agent protein participates in lymphocyte activation. *Cell*, **61**(1), 185-92
- Cassiday, L.A. und Maher III, L.J. (2003) Yeast genetic selections to optimize RNA decoys for transcription factor NF-κB. *PNAS*, **100**, 3930-5
- Castilla, J., Saá, P., Soto, C. (2005) Detection of prions in blood. *Nature med.*, **11**, 982-5
- Caughey, B. und G. J. Raymond (1991) The scrapie-associated form of PrP is made from a cell surface precursor that is both protease- and phospholipase-sensitive. *J. Biol. Chem.*, **266**, 18217-18223
- Caughey, B., Lansbury, P.T. (2005) Protofibrils, pores, fibrils, and neurodegeneration: separating the responsible protein aggregates from the innocent bystanders. *Annu.Rev. Neurosci.*, **26**, 267-98
- Chesebro, B. (1998) Enhanced: BSE and Prions: Uncertainties about the agent. *Science*, **279**, 42-43
- Chesebro, B., R. Race, *et al.* (1985) Identification of scrapie prion protein-specific mRNA in scrapie-infected and uninfected brain. *Nature*, **315**(6017), 331-333
- Chesebro, B., Trifilo, M., Race, R., Meade-White, K., Teng, C., LaCasse, R., Raymond, L., Favara, C., Baron, G., Priola, S., Caughey, B., Masliah, E., Oldstone, M. (2005) Anchorless prion protein results in infectious amyloid disease without clinical scrapie. *Science*, **308**, 1435-1439
- Clinton, M., Miele, G., Nandi, S., McBride, D. (2006) Identification of disease markers by differential display: prion disease. *Methods Mol Biol.*, **317**, 157-78

- Collinge, J., Sidle, K. C. et al. (1996) Molecular analysis of prion strain variation and the aetiology of 'new variant' CJD. *Nature*, **383**(6602), 685-90
- Connell, G. J., Illangasekare, M., Yarus, M. (1993) Three Small Ribonucleotides with Specific Arginine Sites. *Biochemistry*, **32**, 5497-5502
- Connell, G.J., Yarus, M. (1994) RNAs with dual specificity and dual RNAs with similar specificity. *Science*, **264**(5162), 1137-41
- Conrad, R.C., Giver, L., Tian, Y., Ellington, A.D. (1996) *In vitro* selection of nucleic acid aptamers that bind proteins. *Methods Enzymol.*, **267**, 275-301
- Cordeiro, Y., Machado, F., Juliano, L., Juliano, M. A., Brentani, R. R., Foguel, D., Silva, J. L. (2001) DNA converts cellular prion protein into the β -sheet conformation and inhibits prion peptide aggregation. *J. Biol. Chem.*, **276**, 49400-49409
- Cox, J.C., Hayhurst, A., Hesselberth, J., Bayer, T.S., Georgiou, G., Ellington, A.D. (2002) Automated selection of aptamers against protein targets translated in vitro: from gene to Aptamer. *Nucleic Acids Res.*, **30**, No.20 e108
- Creutzfeldt, H. G. (1920) Über eine eigenartige herdförmige Erkrankung des Zentralnervensystems. *Z. Gesamte Neurol. Psychatrie*, **57**, 1-18
- Curin Serbec, V., Bresjanac, M., Popovic, M., Pretnar Hartman, K., Galvani, V., Rupreht, R., Cernilec, M., Vranac, T., Hafner, I., Jerala, R. (2004) Monoclonal antibody against a peptide of human prion protein discriminates between Creutzfeldt-Jacob's disease-affected and normal brain tissue. *J Biol Chem.*, **279**(5), 3694-8
- Darfeuille, F., Hansen, J.B., Orum, H., Di Primo, C., Toulme, J.J. (2004) LNA/DNA chimeric oligomers mimic RNA aptamers targeted to the TAR RNA element of HIV-1. *Nucleic Acids Res.*, **32**(10), 3101-7
- Davis, K.A. (1998) Staining of cell surface CD4 with 2'-F-pyrimidin-containing RNA aptamers for flow cytometry. *Nucleic acids Res.*, **26**, 3915-24
- De Zwart, I., Lozupone, C., Knight, R., Birmingham, A., Illangasekare, M., Jadhav, V., Legiewicz, M., Majerfeld, I., Widmann, J., Yarus, M. (2005) Artificial selection: Finding function amongst randomized sequences. *Handbook of RNA Biochemistry*, Wiley-VCH Verlag, Weinheim, 783-805
- DeArmond, S.J., Qiu, Y., Sanchez, H., Spilman, P.R., Ninchak-Casey, A., Alonso, D., Daggett, V. (1999) PrP^C glycoform heterogeneity as a function of brain region: implications for selective targeting of neurons by prion strains. *J. Neuropathol. Exp Neurol.*, **58**, 1000-9
- DeArmond, S.J., Yang, S.L., Lee, A., Bowler, R., Taraboulos, A., Groth, D., Prusiner, S.B. (1993) Three scrapie prion isolates exhibit different accumulation patterns of the prion protein scrapie isoform. *Proc Natl Acad Sci U S A*, **90**(14), 6449-53
- Deleault, N. R., Lucassen, R. W., Supattapone, S. (2003) RNA molecules stimulate prion protein conversion. *Nature*, **425**, 717-720
- DeMarco, M.L., Daggett, V. (2004) From conversion to aggregation: Protofibril formation of the prion protein, *PNAS*, **101**, 2293-98
- Di Giusto, D.A. und King, G.C. (2004) Construction, stability, and activity of multivalent circular anticoagulant Aptamers. *JBC*, **279**, 46483-9

- Diringer, H. (1990) Durchbrechen von Speziesbarrieren mit unkonventionellen Viren. *Bundesgesundheitsblatt*, **33**, 435-440
- Diringer, H. et al. (1994) The nature of the scrapie agent: the virus theory. *Ann.N.Y.Acad.Sci.*, **724**, 246-58
- Diringer, H., Beekes, M., Özel, M., Simon, D., Queck, I., Cardone, F., Pocchiari, M., Ironside, J. W. (1997) Highly infectious purified preparations of disease-specific amyloid of transmissible spongiform encephalopathies are not devoid of nucleic acids of viral size. *Intervirology*, **40**, 238-246
- Dormont, D. (2003) Approaches to prophylaxis and therapy. *Br. Med. Bull.* **66**, 281–292
- Drolet, D.W., Nelson, J., Tucker, S.E., Zack, P.M., Nixon, K., Bolin, R., Judkins, M.B., Farmer, J.A., Wolf, J.L., Gill, S.C., Bendele, R.A. (2000) Pharmacokinetics and safety of an anti-vascular endothelial growth factor aptamer (NX1838) following injection into the vitreous humor of rhesus monkeys. *Pharmacol.Res.*, **17**, 1503-10
- Eberl, H., Glockshuber, R. (2002) Folding and intrinsic stability of deletion variants of PrP(121-231), the folded C-terminal domain of the prion protein. *Biophys. Chem.*, **96**, 293-303
- Eghiaian, F., Grosclaude, J., Lesceu, S., Debey, P., Doublet, B., Treguer, E., Rezaei, H., Knossow, M. (2004) Insight into the PrP^{C} \rightarrow PrP^{Sc} conversion from the structures of antibody-bound ovine prion scrapie-susceptibility variants. *PNAS*, **101**, 10254-9
- Ellington, A. D. und Szostak, J. W. (1990) *In vitro* Selection of RNA Molecules that Bind Specific Ligands. *Nature*, **346**, 818-22
- Ellington, A. D. und Szostak, J. W. (1992) Selection *in vitro* of Single-Stranded DNA Molecules that Fold into Specific Ligand-Binding Structures. *Nature*, **355**, 850-852
- Endo, T., D. Groth, et al. (1989) Diversity of oligosaccharide structures linked to asparagines of the scrapie prion protein. *Biochemistry*, **28**(21), 8380-8388
- Eulberg, D., Buchner, K., Maasch, C., Klussmann, S. (2005a) Development of an automated *in vitro* selection protocol to obtain RNA-based aptamers: identification of a biostable substance P antagonist. *Nucleic Acids Res.*, **33**, No. 4 e45
- Eulberg, D., Maasch, C., Purschke, W.G., Klussmann, S. (2005b) *In vitro* selection against small targets. *Handbook of RNA Biochemistry*, Wiley-VCH Verlag, Weinheim
- Eyetech Study Group (2002) Preclinical and phase 1A clinical evaluation of an anti-VEGF pegylated aptamer (EYE001) for the treatment of exudative age related macular degeneration. *Retina*, **22**, 143–152
- Eyetech Study Group (2003) Antivascular endothelial growth factor therapy for subfoveal choroidal neovascularization secondary to age related macular degeneration: phase II study results. *Ophthalmology*, **110**, 979–986
- Fioriti, L., Quaglio, E., Massignan, T., Colombo, L., Stewart, R. S., Salmona, M., Harris, D. A., Forloni, G., Chiesa, R. (2005) The neurotoxicity of prion protein (PrP) peptide 106-126 is independent of the expression level of PrP and is not mediated by abnormal PrP species. *Mol. Cell. Neurosci.*, **28**, 165-76
- Fischer, M. B., Roeckl, C., Parizek, P., Schwarz, H. P., Aguzzi, A. (2000) Binding of disease-associated prion protein to plasminogen. *Nature*, **408**, 479–483

- Fitzwater, T. und Polisky, B (1996) A SELEX Primer. *Methods Enzymol.*, **267**, 275-301
- Forloni, G., Angeretti, N., chiesa, R., Monzani, E., Salmona, M., Bugiani, O., Tagliavini, F. (1993) Neurotoxicity of a prion protein fragment. *Nature*, **362**, 543-6
- Frankel, A.D. und Smith, C.A. (1998) Induced folding in RNA-protein recognition: more than a simple molecular handshake. *Cell*, **92**, 149-151
- Fredriksson, S., Gullberg, M., Jarcius, J., Olsson, C., Pietras, K., Gustafsdottir, S.M., Östman, A., Landegren, U. (2002) Protein detection using proximity-dependent DNA ligation assays. *Nature biotech.*, **20**, 473-7
- Fukuda, K., Vishnuvardhan, D., Sekiya, S., Hwang, J., Kakiuchi, N., Taira, K., Shimotohno, K., Kumar, P.K.R., Nishikawa, S. (2000) Isolation and characterization of RNA aptamers specific for the hepatitis C virus non-structural protein 3 protease. *Eur. J. Biochem.*, **267**, 3685-94
- Gabizon, R., McKinley, M.P., Prusiner S.B. (1987) Purified prion proteins and scrapie infectivity copartition into liposomes. *PNAS USA*, **84**, 4017-21
- Gajdusek, D. C. und Zigas, V. (1957) Degenerative disease of the central nervous system in New Guinea: epidemic occurrence of "kuru" in the native population. *N Engl J Med*, **257**, 974-978
- Gajdusek, D. C., Gibbs, C. J. J., et al. (1966) Experimental transmission of a kuru-like syndrome to chimpanzees. *Nature*, **209**, 794-796
- Gerstmann, J., Sträussler, E. et al. (1936) Über eine eigenartige hereditär-familiäre Erkrankung des Zentralnervensystems zugleich ein Beitrag zur Frage des vorzeitigen lokalen Alterns. *Z Neurol*, **154**, 736-762
- Glaser, C. B., Yamin, G., Uversky, V. N., Fink, A. L. (2005) Methionine oxidation, α -synuclein and Parkinson's disease. *Biochem. Biophys. Acta*, **1703**, 157-169
- Gold, L., Polisky, B., Uhlenbeck, O., Yarus, M. (1995) Diversity of oligonucleotide functions. *Annu.Rev.Biochem.*, **64**, 763-97
- Govaerts, C., Wille, H., Prusiner, S.B., Cohen, F.E. (2004) Evidence for assembly of prions with left-handed β -helices into trimers. *PNAS*, **101**, 8342-47
- Grossman, A., Zeiler, B., Sapirstein, V. (2003) Prion protein interactions with nucleic acid: possible models for prion disease and prion function. *Neurochem.Res.*, **28**, 955-63
- Guentchev, M., Voigtlander, T., Haberler, C., Groschup, M. H., Budka, H. (2000) Evidence for oxidative stress in experimental prion disease. *Neurobiol. Dis.*, **7**, 270-273
- Gyllensten, U.B., Erlich, H.A. (1988) Generation of single-stranded DNA by the polymerase chain reaction and its application to direct sequencing of the HLA-DQA locus. *PNAS USA*, **85**, 7652-6
- Hamaguchi, N., Ellington, A., Stantn, M. (2001) Aptamer beacons for the direct detection of proteins. *Anal Biochem.*, **294**, 126-31
- Hamm, J. (1996) Characterisation of Antibody-Binding RNAs Selected from Structurally Constrained Libraries. *Nucleic Acids Res*, **24**, 2220-2227
- Hartsough, G. R. und Burger, D. (1965) Encephalopathy of mink. I. Epizootiologic and clinical observations. *J Infect Dis*, **115**(4), 387-392

- Heidenreich, O., Benseler, F., Fahrenholz, A., Eckstein, F. (1994) High Activity and Stability of Hammerhead Ribozymes Containing 2'-Modified Pyrimidine Nucleosides and Phosphorothioates. *J Biol Chem*, **169**, 2131-2138
- Heilig, J. (2004) Abstract book, 2nd annual Nucleic Acid World summit Boston
- Hermann, T. und Patel, D.J. (2000) Adaptive recognition by nucleic acid aptamers. *Science*, **287**, 820-5
- Hill, A.F., Collinge, J. (2003) Subclinical prion infection. *Trends Microbiol.*, **11**(12), 578-84
- Hill, A.F., Linehan, J.S. et al. (2000) Species barrier independent prion replication in apparently resistant species. *PNAS USA*, **97**, 10248-53
- Hino, M., Shinohara, Y., Kajimoto, K., Terada, H., Baba, Y. (2002) Requirement of continuous transcription for the synthesis of sufficient amounts of protein by a cell-free rapid translation system. *Prot. Expr. Purif.*, **24**, 255-9
- Hofmann, H.P., Limmer, S., Hornung, V., Sprinzl, M. (1997) Ni²⁺-binding RNA motifs with an asymmetric purine-rich internal loop and a G-A base pair. *RNA*, **3**, 1289-1300
- Homann, M., Göringer, H. (1999) Combinatorial selection of high affinity RNA ligands to live African trypanosomes. *Nucleic Acids Res.*, **27**, 2006-14
- Hope J, Manson J. (1991) The scrapie fibril protein and its cellular isoform. *Curr Top Microbiol Immunol.*, **172**, 57-74
- Hornemann, S., Glockshuber, R. (1998) A scrapie-like unfolding intermediate of the prion protein domain PrP(121-231) induced by acidic pH. *PNAS USA*, **95**, 6010-14
- Hornemann, S., Korth, C., Oesch, B., Rie, R., Wider, G., Wüthrich, K., Glockshuber, R. (1997) Recombinant full-length mureine prion protein, mPrP(23-231): purification and spectroscopic characterization. *FEBS Letters*, **413**, 277-81
- Hörnlmann, B., Riesner, D., Kretzschmar, H.A. (Hrsg.) (2001) Prionen und Prionkrankheiten. de Gruyter, Berlin
- Houston, F., Foster, J. D., Chong, A., Hunter, N., Bostock, C. J. (2000) Transmission of BSE by blood transfusion in sheep. *Lancet*, **356**, 999–1000
- Hsiao, K. und Prusiner, S. B. (1990) Inherited human prion diseases. *Neurology*, **40**(12), 1820-7
- Huang Z, Szostak JW. (2003) Evolution of aptamers with a new specificity and new secondary structures from an ATP aptamer. *RNA*, **9**(12), 1456-63
- Hunter, N. et al. (2002) Transmission of prion diseases by blood transfusion. *J. Gen. Virol.*, **83**, 2897–2905
- Ingrosso, L., Vetrugno, V., Cardone, F., Pocchiari, M. (2002) Molecular diagnostics of transmissible spongiform encephalopathies. *Trends Mol. Med.*, **8**, 273–280
- Jackson, G.S., Hosszu, L.L.P., Power, A., Hill, A.F., Kenney, J., Saibil, H., Craen, C.J., Walther, J.P., Clarke, A.R., Collinge, J. (1999a) Reversible conversion of monomeric human prion protein between native and fibrillogenic conformations, *Science*, **283**, 1935-7

Jackson, G.S., Hill, A.F., Joseph, C., Hosszu, L., Power, A., Walther, J.P., Clarke, A.R., Collinge, J. (1999b) Multiple folding pathways for heterologously expressed human prion protein. *Biochim. Biophys. Acta*, **1431**, 1-13

Jakob, A. (1921) Über eigenartige Erkrankungen des Zentralnervensystems mit bemerkenswertem anatomischen Befunde (spastische Pseudosklerose-Encephalomyopathie mit disseminierten Degenerationsherden). *Z Gesamte Neurol Psychatrie*, **64**, 147-228

James, T.L., Liu, H., Ulyanov, N.B., Farr-Jones, S., Zhang, H., Donne, D.G., Kaneko, K., Groth, D., Mehlhorn, I., Prusiner, S.B., Cohen, F.E. (1997) Solution structure of a 142-residue recombinant prion protein corresponding to the infectious fragment of the scrapie isoform. *PNAS USA*, **94**, 10086-91

Jarrett, J. T. und. Lansbury, Jr., P. T (1993) Seeding "one-dimensional crystallization" of amyloid: a pathogenic mechanism in Alzheimer's disease and scrapie? *Cell*, **73**, 1055-1058

Jenison, R.D., Gill, S.C., Pardi, A. und Polisky, B. (1994) High-Resolution Molecular Discrimination by RNA. *Science*, **263**, 1425-9

Joyce, G. F. (1994) *In vitro* Evolution of Nucleic Acids. *Curr Opin Struct Biol*, **4**, 331-336

Kaneko, K., Zulianello, L., Scott, M., Cooper, C.M., Wallace, A.C., James, T.L., Cohen, F.E., Prusiner, S.B. (1997) Evidence for protein X binding to a discontinuous epitope on the cellular prion protein during scrapie prion propagation. *PNAS USA*, **94**, 10069-74

Kayed, R., Head, E., Thompson, J.L., McIntire, T.M., Milton, S.C., Cotman, C.W., Glabe, C.G. (2003) Common structure of soluble amyloid oligomers implies common mechanism of pathogenesis, *Science*, **300**, 486-9

Kim, J.I., Wang, C., Kuizon, S., Xu, J., Barengolts, D., Gray, P.C., Rubenstein, R. (2005) Simple and specific detection of abnormal prion protein by a magnetic bead-based immunoassay coupled with laser-induced fluorescence spectrofluorometry. *J Neuroimmunol.*, **158**(1-2), 112-9

Kinzler, K. W. und Vogelstein, B. (1989) Whole Genome PCR: Application to the Identification of Sequences Bound by Gene Regulatory Proteins. *Nucleic Acids Res*, **17**, 3645-3653

Kleinjung, F., Klußmann, S., Erdmann, V.A., Scheller, F.W., Fürste, F.P., Bier, F.F. (1998) High affinity RNA as a recognition element in a biosensor. *Analytical Chem.*, **70**, 328-331

Klußmann, S., Nolte, A., Bald, R., Erdmann, V. A., Fürste, J. P. (1996) Mirror-Image RNA that Binds D-Adenosine. *Nature Biotechnology*, **14**, 1112-1115

Knapp, G. (1989) Enzymatic approaches to probing of RNA secondary and tertiary structure. *Methods Enzymol.*, **180**, 192-212

Kobe, B., Deisenhofer, J. (1993) Crystal structure of porcine ribonuclease inhibitor, a protein with leucine-rich repeats. *Nature*, **366**, 751-756

Korth, C. et al. (1997) Prion (PrP^{SC})-specific epitope defined by a monoclonal antibody. *Nature*, **390**, 74-77

Korth, C., Streit, P., Oesch, B. (1999) Monoclonal antibodies specific for the native, disease-associated isoform of the prion protein. *Methods Enzymol.*, **309**, 106-122

Kozin, S.A. et al. (2001) Sheep prion protein synthetic peptide spanning Helix 1 and β -strand 2 (residues 142-166) shows β -hairpin structure in solution. *JBC*, **276**, 46364-70

- Kretschmann, E., Raether, H. (1968) *Z Naturforsch*, **23A**, 2135–2136
- Kretzschmar, H. A., Prusiner, S. B. *et al.* (1986) Scrapie prion proteins are synthesized in neurons. *Am J Pathol.*, **122**(1), 1-5
- Lasch, P. *et al.* (2003) Ante-mortem identification of bovine spongiform encephalopathy from serum using infrared spectroscopy. *Anal. Chem.*, **75**, 6673–6678
- Lasmézas, C. I., Deslys, J.-P. *et al.* (1996) BSE transmission to macaques. *Nature*, **381**, 743-744
- Lato, S. M., Boles, A. R., Ellington, A. D. (1995) *In vitro* Selection of RNA Lectins: Using Combinatorial Chemistry to Interpret Ribozyme Evolution. *Chem Biol*, **2**, 291-303
- Lauhon, C.T., Szostak, J.W. (1995) RNA aptamers that bind flavin and nicotinamide redox cofactors. *J Am Chem Soc.*, **117**(4), 1246-57
- Lee, D. W., Sohn, H. O., Lim, H. B., Lee, Y. G., Kim, Y. S., Carp, R. I., Wisniewski, H. M. (1999) Alteration of free radical metabolism in the brain of mice infected with scrapie agent. *Free Radical Res.*, **30**, 499-507
- Lee, S. und Eisenberg, D. (2003) Seeded conversion of recombinant prion protein to a disulfide-bonded oligomer by a reduction-oxidation process. *Nat. Struct. Biol.*, **10**, 725-730
- Legname, G., Baskakov, I. V. *et al.* (2004) Synthetic mammalian prions. *Science*, **305**(5684), 673-676
- Lerner, R. A. (1984) Antibodies of predetermined specificity in biology and medicine. *Adv. Immunol.*, **36**, 1-44
- Leulliot, N., Varani, G. (2001) Current Topics in RNA-Protein recognition: Control of specificity and biological function through induced fit and conformational capture. *Biochemistry*, **40**, 7947-56
- Liedberg, B., Nylander, C., Lundström, I. (1995) Biosensing with surface plasmon resonance-how it all started. *Biosensors Bioelectron*, **10**, 1-9
- Lin, Y., Qiu, Q., Gill, S. C., Jayasena, S. D. (1994) Modified RNA Sequence Pools for *in vitro* Selection. *Nucleic Acids Res.*, **22**, 5229-5234
- Liss, M., Petersen, B., Wolf, H., Prohaska, E. (2002) An aptamer-based quartz crystal protein biosensor. *Anal Chem*, **74**, 4488-95
- Liu, A., Riek, R., Zahn, R., Hornemann, S., Glockshuber, R., Wüthrich, K. (1999) Peptides and Proteins in Neurodegenerative disease: Helix propensity of a polypeptide containing helix 1 of the mouse prion protein studied by NMR and CD Spectroscopy. *Biopolymers*, **51**, 145-152
- Llewelyn, C. A. *et al.* (2004) Possible transmission of variant Creutzfeldt–Jakob disease by blood transfusion. *Lancet*, **363**, 417–421
- Lowary P.T. und Widom, J. (1998) New DNA Sequence rules for high affinity binding histone octamer and sequence-directed nucleosome positioning. *JMB*, **276**, 19-42
- Lugaresi, E., Medori, R. *et al.* (1986) Fatal familial insomnia and dysautonomia with selective degeneration of thalamic nuclei. *N Engl J Med*, **315**(16), 997-1003
- Mabbott, N.A., MacPherson, G.G. (2006) Prions and their lethal journey to the brain. *Nat. Microbiol.*, **4**, 201-11

- Majerfeld, I., Yarus, M. (1994) An RNA Pocket for an Aliphatic Hydrophobe. *Nat Struct Biol.*, **1**, 287-292
- Mallucci, G., Dickinson, A. et al. (2003) Depleting neuronal PrP in prion infection prevents disease and reverses spongiosis. *Science*, **302**, 871-874
- Mandal, M., Breaker, R.R. (2004) Gene regulation by riboswitches. *Nat Rev Mol Cell Biol.*, **5**(6), 451-63
- Mannironi, C., Scerch, C., Fruscoloni, P., Toochhini-valentini, G.P. (2000) Molecular recognition of amino acids by RNA aptamers: The evolution into an L-tyrosine binder of a dopamine-binding RNA motif. *RNA*, **6**, 520-7
- Manuelidis, L., Sklaviadis, T., Akowitz, A., Fritch, W. (1995) Viral particles are required for infection in neurodegenerative Creutzfeldt-Jakob disease. *Proc Natl Acad Sci U S A.*, **92**(11), 5124-8
- McGowan, J. P. (1922) Scrapie in sheep. *Scottish J Agric*, **5**, 365-375
- McKinley, M. P., Bolton, D. C. et al. (1983) A protease-resistant protein is a structural component of the scrapie prion. *Cell*, **35**(1), 57-62
- Medori, R., Tritschler, H.-J. et al. (1992) Fatal familial insomnia, a prion disease with a mutation at codon 178 of the prion protein gene. *N. Engl. J. Med.*, **326**, 444-449
- Mehlhorn, I., Groth, D., Stöckel, J., Moffat, B., Reilly, D., Yansura, D., Willett, W.S., Baldwin, M., Fletterick, R., Cohen, F.E., Vandlen, R., Henner, D., Prusiner, S.B. (1996) High-Level Expression and characterization of a purified 142-residue polypeptide of the prion protein. *Biochemistry*, **35**, 5528-5537
- Milhavet, O., McMahon, H. E., Rachidi, W., Nishida, N., Katamine, S., Mange, A., Arlotto, M., Casanova, D., Riondel, J., Favier, A., Lehmann, S. (2000) Prion infection impairs the cellular response to oxidative stress. *Proc. Natl. Acad. Sci. USA*, **97**, 13937-13942
- Milligan, J.F., Groebe, D.R., Witherell, G.W., Uhlenbeck, O.C. (1987) Oligoribonucleotide synthesis using T7 RNA polymerase and synthetic DNA templates. *Nucl. Acids Res.*, **15**, 8783-98
- Millis, D.R., Peterson, R.L., Spiegelman, S. (1967) An extracellular Darwinian experiment with a self-duplicating nucleic acid molecule. *PNAS USA*, **59**, 217-24
- Morillas, M., Vanik, D.L., Surewicz, W.K. (2001) On the Mechanism of α -Helix to β -sheet transition in the recombinant prion protein. *Biochemistry*, **40**, 6982-7
- Moroncini, G., Kanu, N., Solforosi, L., Abalos, G., Telling, G.C., Head, M., Ironside, J., Brockes, J.P., Burton, D.R., Williamson, R.A. (2004) Motif-grafted antibodies containing the replicative interface of cellular PrP are specific for PrP^{Sc}. *PNAS*, **101**, 10404-9
- Morrissey, M.P., Shakhnovich, E.I. (1999) Evidence for the role of PrP^C helix 1 in the hydrophilic seeding of prion aggregates. *PNAS USA*, **96**, 11293-11298
- Moynagh, J. und Schimmel, H. (1999) The evaluation of tests for the diagnosis of transmissible spongiform encephalopathy in bovines. *Report from the European Commission*. [online], http://europa.eu.int/comm/food/fs/bse/bse12_en.pdf
- Murphy, M. B., Fuller, S. T., Richardson, P. M., Doyle, S. A. (2003) An improved method for the in vitro evolution of aptamers and applications in protein detection and purification. *Nucleic Acids Research*, **31**, No. 18 e110

- Nahvi, A., Sudarsan, N., Ebert, M.S., Zou, X., Breaker, R.R. (2002) Genetic control by a metabolite binding mRNA. *Chem. Biol.*, **9**, 1043-9
- Nandi, P.K. (2004) Prions at the crossroads: the need to identify the active TSE agent. *Bioessays*, **26**(5), 469-73
- Nandi, P. K. und Leclerc, E. (1999) Polymerisation of murine recombinant prion protein in nucleic acid solution. *Arch. Virol.*, **144**, 1751–1763
- Nandi, P. K. und Sizaret, P. Y. (2001) Murine recombinant prion protein induces ordered aggregation of linear nucleic acids to condensed globular structures. *Arch. Virol.*, **146**, 327–345
- Nandi, P. K., Leclerc, E., Nicole, J-C., Takahashi, M. (2002) DNA-induced partial unfolding of prion protein leads to its polymerisation to amyloid. *J. Mol. Biol.*, **322**, 153–161
- Nandi, P.K. (1998) Polymerisation of human prion protein peptide HuPrP 106-126 to amyloid in nucleic acid solution. *Arch. Virol.*, **143**, 1251-63
- Nandi, P.K. und Nicole, J.C. (2004) Nucleic acid and prion protein interaction produces spherical amyloids which can function in vivo as coats of spongiform encephalopathy agent. *JMB*, **344**, 827-37
- Nieuwlandt, D., Wecker, M., Gold, L. (1995) *In vitro* Selection of RNA Ligands to Substance P. *Biochemistry*, **34**, 5651-5659
- Nimjee, S.M., Rusconi, C.P., Sullenger, B.A. (2005) Aptamers: an emerging class of therapeutics. *Annu Rev Med*, **56**, 555–583
- Nolte, A., Klußmann, S., Bald, R., Erdmann, V. A., Fürste, J. P. (1996) Mirror-Design of L-Oligonucleotide Ligands Binding to L-Arginine. *Nature Biotechnology*, **14**, 1116-1119
- Novitskaya, V., Makarava, N., Bellon, A., Bocharova, O.V., Bronstein, I.B., Williamson, R.A., Baskakov, I.V. (2006) Probing the conformation of the prion protein within a single amyloid fibril using a novel immunconformational assay. *J Biol Chem.*, **281**(22), 15536-45
- Null, A.P., Hannis, J.C., Muddiman, D.C. (2000) Preparation of single-stranded PCR products for electrospray ionization mass spectrometry using the DNA repair enzyme lambda exonuclease. *Analyst*, **125**, 619-26
- Oesch, B., Westaway, D. *et al.* (1985) A cellular gene encodes scrapie PrP 27-30 protein. *Cell*, **40**, 735-746
- Osborne, S.E., Ellington, A.D. (1997) Nucleic acid selection and the challenge of combinatorial chemistry. *Chem.Rev.*, **97**, 349-370
- Otto, M., Wiltfang, J., Cepek, L., Neumann, M., Mollenhaer, B., Steinacker, P., Ciesielczyk, B., Schulz-schaeffer, W., Kretzschmar, H.A., Poser, S. (2002) Tau protein and 14-3-3 protein in the differential diagnosis of Creutzfeldt-Jakob disease. *Neurology*, **58**, 192-7
- Pan, K.-M. *et al.* (1993) Conversion of alpha-helices into beta-sheets features in the formation of the scrapie prion proteins. *PNAS USA*, **90**, 10962-10966
- Pan, T. *et al.*, (2005) An aggregation-specific enzyme-linked Immunosorbent assay: Detection of conformational differences between recombinant PrP protein dimers and PrP^{Sc} aggregates. *J. Virology*, **79**, 12355-64

- Pan, T., Li, R., Kang, S-C. Wong, B-S., Wisniewski, T., Sy, M-S.(2004) Epitope scanning reveals gain and loss of strain specific antibody binding epitopes associated with the conversion of normal cellular prion to scrapie prion. *J of Neurochem*, **90**, 1205-17
- Pan, W., Craven, R. C., Qiu, Q., Wilson, C. B., Wills, J. W., Golovine, S., Wang, J.-F. (1995) Isolation of Virus-Neutralizing RNAs from a Large Pool of Random Sequences. *Proc Natl Acad Sci USA*, **92**, 11509-11513
- Paolletta, G., Sproat, B.S., Lamond, A.I (1992) Nuclease resistant ribozymes with high catalytic activity. *EMBO J*, **11**, 1913-19
- Paramithiotis, E. et al. (2003) A prion protein epitope selective for the pathologically misfolded conformation. *Nature med.*, **9**, 893-9
- Pearson, G. R., Gruffydd-Jones, T. J. et al. (1991) Feline spongiform encephalopathy. *Vet Rec*, **128**(22), 532
- Peretz, D. et al. (2001) Antibodies inhibit prion propagation and clear cell cultures of prion infectivity. *Nature*, **412**, 739-43
- Peretz, D., Williamson, R.A., matsunaga, Y., Serban, H., Pinilla, C., Bastidas, R.B., Rozenshteyn, R., James, T.L., Houghten, R.A., Cohen, F.E., et al. (1997) A conformational transition at the N terminus of the prion protein features in formation of the scrapie isoform. *JMB*, **273**, 614-22
- Pergami, P., Jaffe, H., Safar, J. (1996) Semipreparative chromatographic method to purify the normal cellular isoform of the prion protein in nondenatured form. *Analytical Biochemistry*, **236**, 63-73
- Pieken, W.A., Olsen, D.B., Benseler, R., Aurup, H., Eckstein, F (1991) Kinetic characterization of ribonuclease-resistant 2'-modified hammerhead ribozymes. *Science*, **253**, 314-317
- Proske D, Gilch S, Wopfner F, Schatzl HM, Winnacker EL, Famulok M. (2002a) Prion-protein-specific aptamer reduces PrP^{Sc} formation. *Chembiochem*, **3**(8), 717-25
- Proske, D., Höfliger, M., Söll, R.M., Beck-Sickinger, A.G., Famulok, M. (2002b) A Y2 receptor-mimetic aptamer directed against neuropeptide Y. *JBC*, **277**, 11416-22
- Prusiner, S. B. (1982) Novel proteinaceous infectious particles cause scrapie. *Science*, **216**, 136-144
- Prusiner, S. B. (1991) Molecular biology of prion diseases. *Science*, **252**, 1515-1522
- Prusiner, S.B. (1998) Prions. *PNAS USA*, **95**, 13363-83
- Prusiner, S. B., McKinley, M. P. et al. (1981) Scrapie agent contains a hydrophobic protein. *Proc Natl Acad Sci U S A*, **78**, 6675-6679
- Prusiner, S.B., McKinley, M.P., Bowman, K.A., Bolton, D.C., Bendheim, P.E., Groth, D.F., Glenner, G.G. (1983) Scrapie prions aggregate to form amyloid-like birefringent rods. *Cell*, **35**, 349-58
- Puschke, W.G., Eulberg, D., Buchner, K., Vonhoff, S., Klussmann, S. (2006) An L-RNA-based aqueous agent that inhibits vasopressin in vivo. *PNAS*, **103**, 5173-8
- Redecke, L., von Bergen, M., Clos, J., Konarev, P. V., Svergun, D. I., Fittschen, U. E. A., Broekaert, J. A. C., Bruns, O., Georgieva, D., Mandelkow, E., Genov, N., Betzel, C. Structural Characterization of β-Sheeted oligomers formed by metal-induced oxidation of human prion protein. Manuscript eingereicht

- Reixach, N., Deechongkit, S., Jiang, X., Kelly, J.W., Buxbaum, J.N. (2004) Tissue damage in the amyloidosesL Transthyretin monomers and nonnative oligomers are the major cytotoxic species in tissue culture. *PNAS*, **101**, 2817-22
- Requena, J. R., Dimitrova, M. N., Legname, G., Teijeira, S., Prusiner, S. B., Levine, R. L. (2004). Oxidation of methionine residues in the prion protein by hydrogen peroxide. *Arch. Biochem. Biophys.* **432**, 188-195
- Requena, J. R., Groth, D., Legname, G., Stadtman, E. R., Prusiner, S. B., Levine, R. L. (2001) Copper-catalyzed oxidation of the recombinant SHa(29-231) prion protein. *Proc. Natl. Acad. Sci. USA*, **98**, 7170-7175
- Rhie, A., Kirby, L., Sayer, N., Wellesley, R., Disterer, P., Sylvester, I., Gill, A., Hope, J., James, W., Tahiri-Alaoui, A. (2003) Characterization of 2'-Fluoro-RNA aptamers that bind preferentially to disease-associated conformations of prion protein and inhibit conversion. *J Biol Chem.*, **278**, 39697-705.
- Riek, R., Wider, G. *et al.* (1998) Prion protein NMR Structure and Familial Human Spongiform Encephalopathies. *Proc. Natl. Acad. Sci. U.S.A.*, **95**, 11667-11672
- Riek, R., S. Hornemann, *et al.* (1997) NMR characterization of the full-length recombinant murine prion protein, mPrP(23-231). *FEBS Lett.*, **413**(2), 282-8
- Riemer, C., Neidhold, S., Burwinkel, M., Schwarz, A., Schultz, J., Kratzschmar, J., Monning, U., Baier, M. (2004) Gene expression profiling of scrapie-infected brain tissue. *Biochem Biophys Res Commun.*, **323**(2), 556-64
- Riesner, D., Keilings, K., Post, K., Willie, H., Serban, H. *et al.* (1996) Disruption of prion rods generates 10-nm spherical particles having high alpha-helical content and lacking scrapie infectivity. *J. Virol.*, **770**, 1714-22
- Rimmele, M. (2003) Nucleic acid aptamers as tools and drugs: recent developments. *ChemBioChem*, **4**, 963-71
- Ringquist, S und Parma, D. (1998) Anti-L-selectin oligonucleotide ligands recognize CD62L-positive leukocytes: binding affinity and specificity of univalent and bivalent ligands. *Cytometry*, **33**, 394-405
- Rizo, J., Giersch, L.M. (1992) Constrained peptides: models of bioactive peptides and protein substructures. *Annu.Rev.Biochem.*, **61**, 387-418
- Robertson, M.P. and Ellington, A.D. (1999) In vitro selection of an allosteric ribozyme that transduces analytes to amplicons. *Nature Biotechnol.*, **17**, 62
- Robertson, D. L., Joyce, G. F. (1990) Selection *in vitro* of an RNA Enzyme That Specifically Cleaves Single-Stranded DNA. *Nature*, **344**, 467-468
- Rogers, M., Serban, D., Gyuris, T., Scott, M., Torchia, T., Prusiner, S.B. (1991) Epitope mapping of the Syrian hamster prion protein utilizing chimeric and mutant genes in a vaccinia virus expression system. *J of Immunology*, **147**, 3568-74
- Rossi, G., Salmona, M., Forloni, G., Bugiani, O., Tagliavini, F. Therapeutic approaches to prion diseases. *Clin. Lab. Med.*, **23**, 187–208 (2003)
- Rowlands, D. J. (1992) How can peptide vaccines work? *FEMS Lett.*, **100**, 479-482

- Ruckman, J., Green, L. S., Beeson, J., Waugh, S., Gillette, W. L., Henninger, D. D., Claesson-Welsh, L. C., Janjić, N. (1998) 2'-Fluoropyrimidine RNA-based Aptamers to the 165-Amino Acid Form of Vascular Endothelial Growth Factor (VEGF₁₆₅). *JBC*, **273**, 20556-67
- Rusconi, C.P., Roberts, J.D., Pitoc, G.A., Nimjee, S.M., White, R.R., Quick, G. Jr., Scardino, E., Fay, W.P., Sullenger, B.A. (2004) Antidotemediated control of an anticoagulant aptamer *in vivo*. *Nat Biotechnol*, **22**, 1373–1384
- Saborio, G.P., Termanne, B., Soto, C. (2001) Sensitive detection of pathological prion protein by cyclic amplification of protein misfolding. *Nature*, **411**, 810-13
- Safar, J.G., Geschwind, M.D., Deering, C., Didorenko, S., Sattavat, M., Sanchez, H., Serban, A., Vey, M., Baron, H., Giles, K., Miller, B.L., Dearmond, S.J., Prusiner, S.B. (2005b) Diagnosis of human prion disease. *Proc Natl Acad Sci U S A.*, **102**(9), 3501-6
- Safar, J.G., Wille, H., Itri, V., Groth, D., Serban, H., Torchia, M., Cohen, F.E., Prusiner, S.B. (1998) Eight prion strains have PrP^{Sc} molecules with different conformations. *Nature Med.*, **4**, 1157–1165
- Safar, J.G., Kellings, K., Serban, A., Groth, D., Cleaver, J.E., Prusiner S.B., Riesner, D. (2005a) Search for a prion-specific nucleic acid. *J. Virol.*, **79**, 10796-10806
- Sambrook, J., Fritsch, E. F., Maniatis, T. (1989) Molecular Cloning. *Cold Spring Harbor Lab Press*.
- Sanger, R., Nicklen, S., Coulson, A.R. (1977) DNA sequencing with chain-termination inhibitors. *PNAS USA*, **74**, 5463-7
- Santulli-Marotto, S., Nair, S.K., Rusconi, C., Sullenger, B., Gilboa, E. (2003) Multivalent RNA aptamers that inhibit CTLA-4 and enhance tumor immunity. *Cancer Res.*, **63**, 7483-9
- Sassanfar, M. und Szostak, J. W. (1993) An Motif That Binds ATP. *Nature*, **364**, 550-553
- Sayer NM, Cubin M, Rhie A, Bullock M, Tahiri-Alaoui A, James W. (2004) Structural determinants of conformationally selective, prion-binding aptamers. *J Biol Chem.*, **279**(13), 13102-9
- Sayer, N., Ibrahim, J., Turner, K., Tahiri-Alaoui, A., James, W. (2002) Structural characterization of a 2'F-RNA aptamer that binds a HIV-1 SU glycoprotein, gp120. *Biochem. Biophys. Res. Commun.*, **293**, 924-31
- Schimmel, H. et al. (2002) The evaluation of five rapid tests for the diagnosis of transmissible spongiform encephalopathy in bovines (2nd study). *Report from the European Commission*. [online], http://europa.eu.int/comm/food/fs/bse/bse42_en.pdf
- Schmerr, M. J. und Jenny, A. (1998) A diagnostic test for scrapieinfected sheep using a capillary electrophoresis immunoassay with fluorescent-labeled peptides. *Electrophoresis*, **19**, 409–414
- Schmidt, K.S., Borkowski, S., Kurreck, J., Stephens, A.W., Bald, R., Hecht, M., Friebel, M., Dinkelborg, L., Erdmann, V.A. (2004) Application of locked nucleic acids to improve aptamer *in vivo* stability and targeting function. *Nucleic Acids Res.*, **32**(19), 5757-65
- Schneider, D.J., Geigon, J., Hostomsky, Z., Gold, L. (1995) High-affinity ssDNA inhibitors of the reverse transcriptase of type 1 human immunodeficiency virus. *Biochemistry*, **34**, 9599-9610
- Sekiya, S., Noda, K., Nishikawa, F., Yokoyama, T., Kumar, P.K., Nishikawa, S. (2006) Characterization and Application of a Novel RNA Aptamer against the Mouse Prion Protein. *J Biochem (Tokyo)*, **139**(3), 383-90

- Selvaggini, C., De Gioia, L., Ghibaudo, E., Diomede, L., Passerini, F., Forloni, G., Bugiani, O., Tagliavini, F., Salmona, M. (1993) Molecular characteristics of a proteinase-resistant, amyloidogenic and neurotoxic peptide homologous to residues 106-126 of the prion protein. *Biochem.Biohys.Res.Commun.*, **194**, 1380-1386
- Sharman, G.J., Kenward, N., Williams, H.E., Landon, M., Mayer, R.J., Searle, M.S. (1998) Prion protein fragments spanning helix 1 and both strands of beta sheet (residues 125-170) show evidence for predominantly helical propensity by CD and NMR. *Fold. Des.*, **3**, 313-320
- Shi, H., Hoffman, B.E., Lis, J.T. (1999) RNA Aptamers as effective protein antagonists in a multicellular organism. *PNAS USA*, **96**, 10033-8
- Silveira, J. R., Raymond, G. J., Hughson, A. G., Race, R. E., Sim, V. L., Hayes, S. F., Caughey, B. (2005) The most infectious prion protein particles. *Nature*, **437**, 257-261
- Soto, C. (2004) Diagnosing Prion diseases: Needs, challenges and hopes. *Nature Microbiology*, **2**, 809-19
- Speare, J.O., Rush III, T.S., Bloom, M.E., Caughey, B. (2003) The Role of Helix 1 Aspartates and Salt bridges in the stability and conversion of prion protein. *JBC*, **278**, 12522-9
- Srisawat, C. und Engelke, D.R. (2001) Streptavidin aptamers: Affinity tags for the study of RNAs and ribonucleoproteins. *RNA*, **7**, 632-41
- Stahl, N., Borchelt, D. R. *et al.* (1987) Scrapie prion protein contains a phosphatidylinositol glycolipid. *Cell*, **51**, 229-240
- Stöckel, J., Safar, J. *et al.* (1998) Prion protein selectively binds copper(II) ions. *Biochemistry*, **37**, 7185-7193
- Swietnicki, W., Petersen, R., Gambetti O-, Surewicz, W.K. (1997) pH-dependent stability and conformation of the recombinant human prion protein PrP (90-231). *JBC*, **272**, 27517-20
- Tahiri-Alaoui, A., Frigotto, L., Manville, N., Ibrahim, J., Romby, P., James, W. (2002) High affinity nucleic acid aptamers for streptavidin incorporated into bi-specific capture ligands. *Nucleic acid res.*, **30**, No. 10e45
- Takemura, K., Wang, P., Vorberg, I., Surewicz, W., Priola, S.A., Kanthasamy, A., Pottathil, R., Chen, S.G., Sreevatsan, S. (2006) DNA aptamers that bind to PrP(C) and not PrP(Sc) show sequence and structure specificity. *Exp Biol Med (Maywood)*, **231**(2), 204-14
- Tang, J. and Breaker, R.R. (1997) Rational design of allosteric ribozymes. *Chem.Biol.*, **4**, 453
- Taraboulos, A., Scott, M. *et al.* (1995) Cholesterol depletion and modification of COOH-terminal targeting sequence of the prion protein inhibit formation of the scrapie isoform. *J Cell Biol*, **129**, 121-132
- Tcherkasskaya, O., Davidson, E.A., Schmerr, M.J., Orser, C.S. (2005) Conformational biosensor for diagnosis of prion diseases. *Biotechnol Lett.*, **27**(9), 671-5
- Telling, G. C., Scott, M. *et al.* (1995) Prion propagation in mice expressing human and chimeric PrP transgenes implicates the interaction of cellular PrP with another protein. *Cell*, **83**, 79-90
- Thomzig, A., Kratzel, C. *et al.* (2003) Widespread PrP^{Sc} accumulation in muscles of hamsters orally infected with scrapie. *Embo J*, **4**(5), 530-3

- Thomzig, A., Schulz-Schaeffer, W. *et al.* (2004) Preclinical deposition of pathological prion protein PrP^{Sc} in muscles of hamsters orally exposed to scrapie. *J Clin Invest*, **113**(10), 1465-72
- Tremblay, P., Ball, H.L., Kaneko, K., Groth, D., Hegde, R.S., Cohen, F.E., DeArmond, S.J., Prusiner, S.B., Safar, J.G. (2004) Mutant PrP^{Sc} conformers induced by a synthetic peptide and several prion strains. *J Virol.*, **78**(4), 2088-99
- Tsai, D. E., Kenan, D. J., Keene, J. D. (1992) *In vitro* Selection of an RNA Epitope Immunologically Cross-Reactive with a Peptide. *Proc Natl Acad Sci USA*, **89**, 8864-8868
- Tuerk, C. und Gold, L. (1990) Systematic Enrichment of Ligands by Exponential Enrichment: RNA Ligands to Bacteriophage T4 DNA Polymerase. *Science*, **249**, 505-510
- Turk E, Teplow DB, Hood LE, Prusiner SB. (1988) Purification and properties of the cellular and scrapie hamster prion proteins. *Eur J Biochem.*, **176**(1), 21-30
- Ulrich, H., Ippolito, J.E., Pagan, O.R., Eterovic, V.E., Hann, R.M., Shi, H., Lis, J.T., Eldefrawi, M.E., Hess, G.P. (1998) *In vitro* selection of RNA molecules that displace cocaine from the nicotinic acetylcholine receptor. *PNAS USA*, **95**, 14051-6
- Ulrich, H., Magdesian, M.H., Alves, M.J.M., Colli, W. (2002) *In vitro* selection of RNA aptamers that bind to cell adhesion receptors of Trypanosoma cruzi and inhibit cell invasion. *JBC*, **277**, 20756-62
- Ulrich, H., Martins, A.H.B., Pesquero, F.B. (2004) RNA and DNA aptamers in cytomics analysis. *Cytometry*, **59** A, 220-31
- Van Everbroeck, B., Dobbeleir, I., De Waele, M., De Leenheir, E., Lubke, U., Martin, J. J., Cras, P. (2004) Extracellular protein deposition correlates with glial activation and oxidative stress in Creutzfeld-Jakob and Alzheimer's disease. *Acta Neuropathol.*, **108**, 194-200
- Van Regenmortel, M. H. V. (1992) The conformational specificity of viral epitopes. *FEMS Lett.*, **100**, 483-488
- Vianini, E. Palumbo, M., Gatto, B. (2001) *In vitro* selection of DNA aptamers that bind L-tyrosinamide. *Bioorg Med Chem*, **9**, 2543-8
- Vo, N.V., Oh, J.W., Lai, M.C. (2003) Identification of RNA ligands that bind hepatitis C virus polymerase selectively and inhibit ist RNA synthesis from the natural viral RNA templates. *Virology*, **307**, 301-16
- Vörtler, C.S., Milovnikova, M. (2005) Aptamer selection against biological macromolecules: proteins and carbohydrates. *Handbook of RNA Biochemistry*, Wiley-VCH Verlag, Weinheim
- Wadsworth, J. D. *et al.* (2001) Tissue distribution of protease resistant prion protein in variant Creutzfeldt-Jakob disease using a highly sensitive immunoblotting assay. *Lancet*, **358**, 171–180
- Wallis, M. G., von Ahsen, U., Schroeder, R., Famulok, M. (1995) A Novel RNA Motif for Neomycin Recognition. *Chem Biol*, **2**, 543-552
- Weiss, S., Proske, D., Neumann, M., Groschup, M.H., Kretzschmar, H.A., Famulok, M., Winnacker, E.L. (1997) RNA aptamers specifically interact with the prion protein PrP. *J Virol.*, **71**(11), 8790-7
- Welker, E., Raymond, L.D., Scheraga, H.A. Caughey, B. (2002) Intramolecular versus intermolecular disulfide bonds in prion proteins. *JBC*, **277**, 33477-81

- Wells, G. A. H., Scott, A. C. *et al.* (1987) A novel progressive spongiform encephalopathy in cattle. *Vet. Rec.*, **121**, 419-420
- White, A.R., Enever, P., Tayebi, M., Mushens.R., Linehan, J., Brandner, S., Anstee, D., Collinge, J., Hawke, S. (2003b) Monoclonal antibodies inhibit prion replication and delay the development of prion disease. *Nature*, **422**, 80-83
- White, R.R., Shan,S., Rusconi, C.P., Shetty, G., Dewhirst,M.W., Kontos, D., Sullenger, B.A. (2003a) Inhibition of rat corneal angiogenesis by a nuclease-resistant RNA aptamer specific for angiopoietin-2. *PNAS*, **100**, 5028-33
- White, R.R., Sullenger, B.A., Rusconi, C.P. (2000) Developing aptamers into therapeutics. *J.Clin.Invest.*, **106**, 929-34
- Will, R. G., Ironside, J. W. *et al.* (1996) A new variant of Creutzfeldt-Jakob disease in the UK. *Lancet*, **347**(9006), 921-925
- Wille, H., Michelitsch, M.D., Guenebaut, V., Supattapone, S., Serban, A., Cohen, F.E., Agard, D.A., Prusiner, S.B. (2002) Structural studies of the scrapie prion protein by electron crystallography. *PNAS*, **99**, 3563-8
- Williams, E. S. und Young, S. (1980) Chronic wasting disease of captive mule deer: a spongiform encephalopathy. *J Wildl Dis*, **16**(1), 89-98
- Williams, K. P., Bartel, D. P. (1995) PCR product with strands of unequal length. *Nucleic Acids Res.*, **23**, 4220-4221
- Williams, K.P., Liu, X.-H., Schumacher T.N.M., Lin, H.Y., Ausiello, D.A., Kim, P.S., Bartel, D.P. (1997) Bioactive and nuclease-resistant L-DNA ligand of vasopressin. *PNAS USA*, **94**, 11285-90
- Wilson, C., Nix, J., Szostak, J. (1998) Functional Requirements for Specific ligand recognition by a Biotin-Binding RNA Pseudoknot. *Biochemistry*, **37**, 14410-14419
- Wilson, D.S. and Szostak, J.W. (1999) *In vitro* selection of functional nucleic acids. *Annu.Rev.Biochem.*, **68**, 611-47
- Winkler, W., Nahvi, A., Breaker, R.R. (2002) Thiamine derivatives bind messenger RNAs directly to regulate bacterial gene expression. *Nature*, **419**, 952-6
- Wong, B. S., Brown, D. R., Pan, T., Whiteman, M., Liu, T., Bu, X., Li, R., Gambetti, P., Olesik, J., Rubenstein, R., Sy, M. S. (2001) Oxidative impairment in scrapie-infected mice is associated with brain metals perturbations and altered antioxidant activities. *J. Neurochem.*, **79**, 689-698
- Xu, W. und Ellington, A. D. (1996) Anti-Peptide Aptamers Recognize Amino Acid Sequence and Bind a Protein Epitope. *Proc Natl Acad Sci USA*, **93**, 7475-7480
- Yamamoto, R., Baba, T., Kumar, P.K. (2000) Molecular beacon aptamer fluorescence in the presence of Tat protein of HIV-1. *Genes Cells*, **5**, 389-396
- Yang, H., Liu, M.Y., Romeo, T. (1996) Coordinate genetic regulation of glycogen catabolism and biosynthesis in Escherichia coli via the CsrA gene product. *J Bacteriol.*, **178**(4), 1012-7
- Ye, X., Gorin, A., Frederick, R., Hu, W., Majumdar, A., Xu, W., McLendon, G., Ellington, A., Patel, D.J. (1999) RNA architecture dictates the conformations of a bound peptide. *Chem Biol.*, **6**, 657-69

- Ylera, F., Lurz, R., Erdmann, V.A., Fürste, J.P. (2002) Selection of RNA aptamers to the Alzheimer's disease amyloid peptide. *Biochem.Biophys. Res. Commun.*, **290**, 1583-88
- Zahn, R. (2003) The octapeptide repeats in mammalian prion protein constitute a pH-dependent folding and aggregation site. *JMB*, **334**, 477-88
- Zahn, R., von Schroetter, Ch., Wüthrich, K. (1997) Human prion proteins expressed in Escherichia coli and purified by high-affinity column refolding. *FEBS Lett.* **417**, 400-4
- Zhang, H., Stöckel, J., Mehlhorn, I., Groth, D., Baldwin, M., Prusiner, S.B., James, T.L., Cohen, F.E. (1997) Physical studies of conformational plasticity in a recombinant prion protein. *Biochemistry*, **36**, 3543-53
- Zhang, X.M., Shao, N.S., Chi, M.G., Sun, M.J. (2003) Screening of RNA molecules inhibiting human acetylcholinesterase by virtue of systematic evolution of ligands by exponential enrichment. *Acta Pharmacol. Sin.*, **24**, 711-14
- Ziegler, J., Sticht, H., Marx, U.C., Müller, W., Rösch, P., Schwarzinger, S. (2003) CD and NMR Studies of prion protein (PrP) Helix 1. *JBC*, **278**, 50175-81
- Zou, W. Q., Zheng, J., Gray, D. M., Gambetti, P., Chen, S. G. (2004) Antibody to DNA detects scrapie but not normal prion protein. *Proc. Natl Acad. Sci. USA*, **101**, 1380–1385
- Zuker, M. (1989) Computer prediction of RNA structure. *Methods Enzymol.* **180**, 262-288