

## 8 LITERATURVERZEICHNIS

- Akhurst, R. J. and R. Derynck (2001). "TGF-beta signaling in cancer--a double-edged sword." Trends Cell Biol **11**(11): S44-51.
- Annes, J. P., Y. Chen, et al. (2004). "Integrin alphaVbeta6-mediated activation of latent TGF-beta requires the latent TGF-beta binding protein-1." J Cell Biol **165**(5): 723-34.
- Annes, J. P., J. S. Munger, et al. (2003). "Making sense of latent TGFbeta activation." J Cell Sci **116**(Pt 2): 217-24.
- Assoian, R. K., A. Komoriya, et al. (1983). "Transforming growth factor-beta in human platelets. Identification of a major storage site, purification, and characterization." J Biol Chem **258**(11): 7155-60.
- Bascom, C. C., J. R. Wolfshohl, et al. (1989). "Complex regulation of transforming growth factor beta 1, beta 2, and beta 3 mRNA expression in mouse fibroblasts and keratinocytes by transforming growth factors beta 1 and beta 2." Mol Cell Biol **9**(12): 5508-15.
- Bastard, J. P., S. Chambert, et al. (2002). "[RNA isolation and purification methods]." Ann Biol Clin (Paris) **60**(5): 513-23.
- Blanchette, F., R. Day, et al. (1997). "TGFbeta1 regulates gene expression of its own converting enzyme furin." J Clin Invest **99**(8): 1974-83.
- Blobe, G. C., W. P. Schiemann, et al. (2000). "Role of transforming growth factor beta in human disease." N Engl J Med **342**(18): 1350-8.
- Böhme, G. (1992). Nerven des Gesäuges, Paul PArey Verlag, Berlin, Hamburg 2000.
- Bonham, M. J. and D. Danielpour (1996). "Improved purification and yields of RNA by RNeasy." Biotechniques **21**(1): 57-60.
- Border, W. A. and N. A. Noble (1994). "Transforming growth factor beta in tissue fibrosis." N Engl J Med **331**(19): 1286-92.
- Bostedt, H. (1994). Gesäugekrankheiten bei Hund und Katze. Stuttgart, Fischer Verlag, Jena.
- Bostedt, H. and I. Tammer (1995). Kasuistischer Beitrag zur Prognose bei Mammatumoren des Hundes. Prakt. Tierarzt. **76**: 921 - 924.
- Bostock, D. E. (1986). "Canine and feline mammary neoplasms." Br Vet J **142**(6): 506-15.
- Brodey, R. S., M. H. Goldschmidt, et al. (1983). "Canine mammary gland neoplasms." JAAHA **19**: 61-90.

- Bühl, A. and P. Zöfel (2000). SPSS Version 9 Einführung in die moderne Datenanalyse unter Windows. München, ADDISON-WESLEY.
- Busch, U. (1993). Immunhistochemischer Nachweis von okkulten Tumorzellembolien und Mikrometastasen beim kaninen Mammakarzinom sowie eine postoperative Studie am Mammakarzinom operierter Hündinnen. Institut für Tierpathologie. Berlin, Freie Universität Berlin.
- Bustin, S. A. (2000). "Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays." J Mol Endocrinol **25**(2): 169-93.
- Bustin, S. A. (2002). "Quantification of mRNA using real-time reverse transcription PCR (RT-PCR): trends and problems." J Mol Endocrinol **29**(1): 23-39.
- Chen, Y., T. Ali, et al. (2005). "Amino acid requirements for formation of the TGF-beta-latent TGF-beta binding protein complexes." J Mol Biol **345**(1): 175-86.
- Chen, Y., B. Dabovic, et al. (2002). "Latent TGF-beta binding protein-3 (LTBP-3) requires binding to TGF-beta for secretion." FEBS Lett **517**(1-3): 277-80.
- Cho, H. R., S. B. Hong, et al. (2004). "Differential expression of TGF-beta isoforms during differentiation of HaCaT human keratinocyte cells: implication for the separate role in epidermal differentiation." J Korean Med Sci **19**(6): 853-8.
- Chowdary, D., J. Lathrop, et al. (2006). "Prognostic gene expression signatures can be measured in tissues collected in RNAlater preservative." J Mol Diagn **8**(1): 31-9.
- Colarossi, C., Y. Chen, et al. (2005). "Lung alveolar septation defects in Ltbp-3-null mice." Am J Pathol **167**(2): 419-28.
- Dabovic, B., Y. Chen, et al. (2002). "Bone abnormalities in latent TGF-[beta] binding protein (Ltbp)-3-null mice indicate a role for Ltbp-3 in modulating TGF-[beta] bioavailability." J Cell Biol **156**(2): 227-32.
- Dabovic, B., Y. Chen, et al. (2002). "Bone defects in latent TGF-beta binding protein (Ltbp)-3 null mice; a role for Ltbp in TGF-beta presentation." J Endocrinol **175**(1): 129-41.
- Dahme, E. and E. Weiss (1958). Zur Systematik der Mammatumoren des Hundes. Deutsch Tierärztl Wschr. **65**: 458 - 461.
- Dallas, S. L., K. Miyazono, et al. (1995). "Dual role for the latent transforming growth factor-beta binding protein in storage of latent TGF-beta in the extracellular matrix and as a structural matrix protein." J Cell Biol **131**(2): 539-49.
- Dallas, S. L., S. Park-Snyder, et al. (1994). "Characterization and autoregulation of latent transforming growth factor beta (TGF beta) complexes in osteoblast-like cell lines. Production of a latent complex lacking the latent TGF beta-binding protein." J Biol Chem **269**(9): 6815-21.

- Derynck, R., R. J. Akhurst, et al. (2001). "TGF-beta signaling in tumor suppression and cancer progression." Nat Genet **29**(2): 117-29.
- Derynck, R., J. A. Jarrett, et al. (1985). "Human transforming growth factor-beta complementary DNA sequence and expression in normal and transformed cells." Nature **316**(6030): 701-5.
- Derynck, R., P. B. Lindquist, et al. (1988). "A new type of transforming growth factor-beta, TGF-beta 3." Embo J **7**(12): 3737-43.
- Dheda, K., J. F. Huggett, et al. (2005). "The implications of using an inappropriate reference gene for real-time reverse transcription PCR data normalization." Anal Biochem **344**(1): 141-3.
- Dobson, J. M., S. Samuel, et al. (2002). "Canine neoplasia in the UK: estimates of incidence rates from a population of insured dogs." J Small Anim Pract **43**(6): 240-6.
- Dorn, C. R., D. O. Taylor, et al. (1968). "Survey of animal neoplasms in Alameda and Contra Costa Counties, California. I. Methodology and description of cases." J Natl Cancer Inst **40**(2): 295-305.
- Elliott, R. L. and G. C. Blobel (2005). "Role of transforming growth factor Beta in human cancer." J Clin Oncol **23**(9): 2078-93.
- Etschmann, B., B. Wilcken, et al. (2006). "Selection of Reference Genes for Quantitative Real-time PCR Analysis in Canine Mammary Tumors Using the GeNorm Algorithm." Vet Pathol **43**(6): 934-42.
- Evans, H. E. a. C. C. C. (1993). Miller's Anatomy of the Dog. Philadelphia. Philadelphia, W.B. Saunders Co.
- Ewan, K. B., G. Shyamala, et al. (2002). "Latent transforming growth factor-beta activation in mammary gland: regulation by ovarian hormones affects ductal and alveolar proliferation." Am J Pathol **160**(6): 2081-93.
- Ferguson, H. R. (1985). "Canine mammary gland tumors." Vet Clin North Am Small Anim Pract **15**(3): 501-11.
- Fidler, I. J. and R. S. Brodsky (1967). "The biological behavior of canine mammary neoplasms." J Am Vet Med Assoc **151**(10): 1311-8.
- Fidler, I. J. and R. S. Brodsky (1967). "A necropsy study of canine malignant mammary neoplasms." J Am Vet Med Assoc **151**(6): 710-5.
- Fleige, S. and M. W. Pfaffl (2006). "RNA integrity and the effect on the real-time qRT-PCR performance." Mol Aspects Med **27**(2-3): 126-39.
- Fleisch, M. C., C. A. Maxwell, et al. (2006). "The pleiotropic roles of transforming growth factor beta in homeostasis and carcinogenesis of endocrine organs." Endocr Relat Cancer **13**(2): 379-400.

Frese, K., B. Durchfeld u. U. Eskens (1989). "Klassifikation und biologisches Verhalten der Haut- und Mammatumoren von Hund und Katze." Prakt. Tierarzt **9**: 69-84.

Frolik, C. A., L. L. Dart, et al. (1983). "Purification and initial characterization of a type beta transforming growth factor from human placenta." Proc Natl Acad Sci U S A **80**(12): 3676-80.

Frye, F. L., C. R. Dorn, et al. (1967). "Characteristics of canine mammary gland tumor cases." Animal Hosp. **3**: 1-12.

Gibson, M. A., G. Hatzinikolas, et al. (1995). "Bovine latent transforming growth factor beta 1-binding protein 2: molecular cloning, identification of tissue isoforms, and immunolocalization to elastin-associated microfibrils." Mol Cell Biol **15**(12): 6932-42.

Giltay, R., G. Kostka, et al. (1997). "Sequence and expression of a novel member (LTBP-4) of the family of latent transforming growth factor-beta binding proteins." FEBS Lett **411**(2-3): 164-8.

Ginzinger, D. G. (2002). "Gene quantification using real-time quantitative PCR: an emerging technology hits the mainstream." Exp Hematol **30**(6): 503-12.

Gleizes, P. E., R. C. Beavis, et al. (1996). "Identification and characterization of an eight-cysteine repeat of the latent transforming growth factor-beta binding protein-1 that mediates bonding to the latent transforming growth factor-beta1." J Biol Chem **271**(47): 29891-6.

Gold, L. I., T. Jussila, et al. (2000). "TGF-beta isoforms are differentially expressed in increasing malignant grades of HaCaT keratinocytes, suggesting separate roles in skin carcinogenesis." J Pathol **190**(5): 579-88.

Gold, L. I., B. Saxena, et al. (1994). "Increased expression of transforming growth factor beta isoforms and basic fibroblast growth factor in complex hyperplasia and adenocarcinoma of the endometrium: evidence for paracrine and autocrine action." Cancer Res **54**(9): 2347-58.

Gottwald, D. (1998). Ein Beitrag zur Häufigkeit von Mammatumoren beim Hund. Statistische Auswertung der Einsendungen einer Praxis für Tierpathologie aus den Jahren 1990-1995.X. München.

Gouin, A., E. Bloch-Gallego, et al. (1996). "Transforming growth factor-beta 3, glial cell line-derived neurotrophic factor, and fibroblast growth factor-2, act in different manners to promote motoneuron survival in vitro." J Neurosci Res **43**(4): 454-64.

Grainger, D. J., D. E. Mosedale, et al. (1995). "Active and acid-activatable TGF-beta in human sera, platelets and plasma." Clin Chim Acta **235**(1): 11-31.

Gutberlet, K. (1994). Mammatumoren bei Hunden: Immunhistochemische Darstellung von Gefäßendothel bei Krebszelleinbrüchen und Überarbeitung der WHO-Klassifizierung. Vet Med Diss. FU Berlin.

- Gutberlet, K., R. Rudolph (1996). Angiosis carcinomatosa bei der Hündin. Häufigkeit und Verbindung mit prognostisch wichtigen Faktoren. Kleintierpraxis **41**. Heft 7: 473-482.
- Gutberlet, K., N. Wey, et al. (1998). Mammatumoren der Hündin. Handlexikon der tierärztlichen Praxis. E. Wiesner. Stuttgart, Enke Verlag.
- Gutberlet, K., N. Wey, et al. (1998). Mammatumoren der Hündin. Stuttgart, Fischer Verlag.
- Habermehl, K. H. (1996). Haut und Hautorgane. Lehrbuch der Anatomie der Haustiere, R. S. Nickel, A.; Seiferle, E. Berlin, Verlag Parey.
- Hamasaki, N., H. Iida, et al. (2001). "[Molecular biology techniques as clinical laboratory tests]." Rinsho Byori **49**(1): 9-18.
- Hanks, S. K., R. Armour, et al. (1988). "Amino acid sequence of the BSC-1 cell growth inhibitor (polyergin) deduced from the nucleotide sequence of the cDNA." Proc Natl Acad Sci U S A **85**(1): 79-82.
- Hartsough, M. T. and K. M. Mulder (1997). "Transforming growth factor-beta signaling in epithelial cells." Pharmacol Ther **75**(1): 21-41.
- Heidenberger, E. and J. Unshelm (1990). "[Changes in the behavior of dogs after castration]." Tierarztl Prax **18**(1): 69-75.
- Herpin, A., C. Lelong, et al. (2004). "Transforming growth factor-beta-related proteins: an ancestral and widespread superfamily of cytokines in metazoans." Dev Comp Immunol **28**(5): 461-85.
- Higashi, T., S. Kyo, et al. (2006). "Novel functional single nucleotide polymorphisms in the latent transforming growth factor-beta binding protein-1L promoter: effect on latent transforming growth factor-beta binding protein-1L expression level and possible prognostic significance in ovarian cancer." J Mol Diagn **8**(3): 342-50.
- Higashi, T., T. Sasagawa, et al. (2001). "Overexpression of latent transforming growth factor-beta 1 (TGF-beta 1) binding protein 1 (LTBP-1) in association with TGF-beta 1 in ovarian carcinoma." Jpn J Cancer Res **92**(5): 506-15.
- Higuchi, R., C. Fockler, et al. (1993). "Kinetic PCR analysis: real-time monitoring of DNA amplification reactions." Biotechnology (N Y) **11**(9): 1026-30.
- Hinck, A. P., S. J. Archer, et al. (1996). "Transforming growth factor beta 1: three-dimensional structure in solution and comparison with the X-ray structure of transforming growth factor beta 2." Biochemistry **35**(26): 8517-34.
- Hori, Y., T. Katoh, et al. (1998). "Anti-latent TGF-beta binding protein-1 antibody or synthetic oligopeptides inhibit extracellular matrix expression induced by stretch in cultured rat mesangial cells." Kidney Int **53**(6): 1616-25.
- Hytyiainen, M. and J. Keski-Oja (2003). "Latent TGF-beta binding protein LTBP-2 decreases fibroblast adhesion to fibronectin." J Cell Biol **163**(6): 1363-74.

- Hytyainen, M., C. Penttinen, et al. (2004). "Latent TGF-beta binding proteins: extracellular matrix association and roles in TGF-beta activation." Crit Rev Clin Lab Sci **41**(3): 233-64.
- Isogai, Z., R. N. Ono, et al. (2003). "Latent transforming growth factor beta-binding protein 1 interacts with fibrillin and is a microfibril-associated protein." J Biol Chem **278**(4): 2750-7.
- Jakowlew, S. B., P. J. Dillard, et al. (1988). "Complementary deoxyribonucleic acid cloning of a novel transforming growth factor-beta messenger ribonucleic acid from chick embryo chondrocytes." Mol Endocrinol **2**(8): 747-55.
- Kanzaki, T., A. Olofsson, et al. (1990). "TGF-beta 1 binding protein: a component of the large latent complex of TGF-beta 1 with multiple repeat sequences." Cell **61**(6): 1051-61.
- Karayannopoulou, M., E. Kaldrymidou, et al. (2005). "Histological grading and prognosis in dogs with mammary carcinomas: application of a human grading method." J Comp Pathol **133**(4): 246-52.
- Kessler, M. (2005). Kleintieronkologie. Stuttgart, Parey Verlag.
- Kim, I. Y., M. M. Kim, et al. (2005). "Transforming growth factor-beta : biology and clinical relevance." J Biochem Mol Biol **38**(1): 1-8.
- Koli, K., J. Saharinen, et al. (2001). "Latency, activation, and binding proteins of TGF-beta." Microsc Res Tech **52**(4): 354-62.
- Koli, K., F. Wempe, et al. (2004). "Disruption of LTBP-4 function reduces TGF-beta activation and enhances BMP-4 signaling in the lung." J Cell Biol **167**(1): 123-33.
- Lehnninger, A. L., D. Nelson, et al. (2001). Prinzipien der Biochemie, Springer Verlag.
- Letterio, J. J. and A. B. Roberts (1998). "Regulation of immune responses by TGF-beta." Annu Rev Immunol **16**: 137-61.
- Levine, J. H., H. L. Moses, et al. (1993). "Spatial and temporal patterns of immunoreactive transforming growth factor beta 1, beta 2, and beta 3 during excisional wound repair." Am J Pathol **143**(2): 368-80.
- Liebich, H.-G. H. (2003). Haut- und Hautorgane. New York, Schattauer Verlag, Stuttgart.
- Livak, K. J. and T. D. Schmittgen (2001). "Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method." Methods **25**(4): 402-8.
- Lopez-Casillas, F., J. L. Wrana, et al. (1993). "Betaglycan presents ligand to the TGF beta signaling receptor." Cell **73**(7): 1435-44.
- MacEven, E. G. and S. J. Withrow (2001). Tumors of the mammary gland. Philadelphia, W. B. Saunders.

- Mangasser-Stephan, K. and A. M. Gressner (1999). "Molecular and functional aspects of latent transforming growth factor-beta binding protein: just a masking protein?" Cell Tissue Res **297**(3): 363-70.
- Mann, F. A. (1984). "Canine mammary gland neoplasia." Canine practice **11**: 22-26.
- Martinou, J. C., A. Le Van Thai, et al. (1990). "Transforming growth factor beta 1 is a potent survival factor for rat embryo motoneurons in culture." Brain Res Dev Brain Res **52** (1-2): 175-81.
- Massague, J. (1998). "TGF-beta signal transduction." Annu Rev Biochem **67**: 753-91.
- Massague, J., S. W. Blain, et al. (2000). "TGFbeta signaling in growth control, cancer, and heritable disorders." Cell **103**(2): 295-309.
- Massague, J. and Y. G. Chen (2000). "Controlling TGF-beta signaling." Genes Dev **14**(6): 627-44.
- Mazzieri, R., V. Jurukovski, et al. (2005). "Expression of truncated latent TGF-beta-binding protein modulates TGF-beta signaling." J Cell Sci **118**(Pt 10): 2177-87.
- Meurer, D. G. (1999). Pathologie des Tumorgeschehens. Stuttgart, New York, Schattauer.
- Michel, G. (1994). Anatomie der Milchdrüse. Stuttgart, Fischer Verlag, Jena.
- Micke, P., M. Ohshima, et al. (2006). "Biobanking of fresh frozen tissue: RNA is stable in nonfixed surgical specimens." Lab Invest **86**(2): 202-11.
- Misdorp, W. (1988). "Canine mammary tumours: protective effect of late ovariectomy and stimulating effect of progestins." Vet Q **10**(1): 26-33.
- Misdorp, W. (1991). "Progestagens and mammary tumours in dogs and cats." Acta Endocrinol (Copenh) **125 Suppl 1**: 27-31.
- Misdorp, W., R.W. Else, E. Hellmen u. T.P. Lipscomb (1999). Histological classification of mammary tumors of the dog and the cat. Washington, D.C., Bulletin of The World Health Organisation, International Histological Classification of Tumors of Domestic Animals.
- Mitchell, L., F. A. De la Iglesia, et al. (1974). "Mammary tumors in dogs: survey of clinical and pathological characteristics." Can Vet J **15**(5): 131-8.
- Miyazono, K. and C. H. Heldin (1989). "Role for carbohydrate structures in TGF-beta 1 latency." Nature **338**(6211): 158-60.
- Miyazono, K., A. Olofsson, et al. (1991). "A role of the latent TGF-beta 1-binding protein in the assembly and secretion of TGF-beta 1." Embo J **10**(5): 1091-101.

- Moe, L. (2001). "Population-based incidence of mammary tumours in some dog breeds." J Reprod Fertil Suppl **57**: 439-43.
- Moren, A., A. Olofsson, et al. (1994). "Identification and characterization of LTBP-2, a novel latent transforming growth factor-beta-binding protein." J Biol Chem **269**(51): 32469-78.
- Mosimann, W., Kohler, T. (1990). Gesäuge. Hamburg, Parey Verlag.
- Moulton, J. E. (1990). Tumors in Domestic Animals. Berkeley, University of California Press.
- Moulton, J. E., L. S. Rosenblatt, et al. (1986). "Mammary tumors in a colony of beagle dogs." Vet Pathol **23**(6): 741-9.
- Mulligan, R. M. (1975). "Mammary cancer in the dog: a study of 120 cases." Am J Vet Res **36**(9): 1391-6.
- Munger, J. S., X. Huang, et al. (1999). "The integrin alpha v beta 6 binds and activates latent TGF beta 1: a mechanism for regulating pulmonary inflammation and fibrosis." Cell **96**(3): 319-28.
- Mutter, G. L., D. Zahrieh, et al. (2004). "Comparison of frozen and RNALater solid tissue storage methods for use in RNA expression microarrays." BMC Genomics **5**(1): 88.
- Niemand, H. G. and P. F. Suter (2002). Praktikum der Hundeklinik, Blackwell Verlag.
- Nolte, I. and M. Nolte (2000). Tumoren der Haut und ihrer Anhangsorgane. Stuttgart, Enke Verlag.
- Noonberg, S. B., G. K. Scott, et al. (1995). "Effect of pH on RNA degradation during guanidinium extraction." Biotechniques **19**(5): 731-3.
- Nunes, I., P. E. Gleizes, et al. (1997). "Latent transforming growth factor-beta binding protein domains involved in activation and transglutaminase-dependent cross-linking of latent transforming growth factor-beta." J Cell Biol **136**(5): 1151-63.
- Okkens, A. C., H. S. Kooistra, et al. (1997). "Comparison of long-term effects of ovariection versus ovariohysterectomy in bitches." J Reprod Fertil Suppl **51**: 227-31.
- Oklu, R. and R. Hesketh (2000). "The latent transforming growth factor beta binding protein (LTBP) family." Biochem J **352 Pt 3**: 601-10.
- Olofsson, A., K. Miyazono, et al. (1992). "Transforming growth factor-beta 1, -beta 2, and -beta 3 secreted by a human glioblastoma cell line. Identification of small and different forms of large latent complexes." J Biol Chem **267**(27): 19482-8.
- Owen, L. N. (1979). "A comparative study of canine and human breast cancer." Invest Cell Pathol **2**(4): 257-75.

- Pelton, R. W., B. Saxena, et al. (1991). "Immunohistochemical localization of TGF beta 1, TGF beta 2, and TGF beta 3 in the mouse embryo: expression patterns suggest multiple roles during embryonic development." J Cell Biol **115**(4): 1091-105.
- Penttinen, C., J. Saharinen, et al. (2002). "Secretion of human latent TGF-beta-binding protein-3 (LTBP-3) is dependent on co-expression of TGF-beta." J Cell Sci **115** (Pt 17): 3457-68.
- Pfaffl, M. W. (2001). "A new mathematical model for relative quantification in real-time RT-PCR." Nucleic Acids Res **29**(9): e45.
- Piek, E., C. H. Heldin, et al. (1999). "Specificity, diversity, and regulation in TGF-beta superfamily signaling." Faseb J **13**(15): 2105-24.
- Proetzel, G., S. A. Pawlowski, et al. (1995). "Transforming growth factor-beta 3 is required for secondary palate fusion." Nat Genet **11**(4): 409-14.
- Radonic, A., S. Thulke, et al. (2004). "Guideline to reference gene selection for quantitative real-time PCR." Biochem Biophys Res Commun **313**(4): 856-62.
- Rebay, I., R. J. Fleming, et al. (1991). "Specific EGF repeats of Notch mediate interactions with Delta and Serrate: implications for Notch as a multifunctional receptor." Cell **67**(4): 687-99.
- Reichler, I. M., E. Pfeiffer, et al. (2004). "Changes in plasma gonadotropin concentrations and urethral closure pressure in the bitch during the 12 months following ovariectomy." Theriogenology **62**(8): 1391-402.
- Reinacher, M. (2002). "Neues zur Onkogenese und Metastasierung." Tierärztliche Praxis **30** (K): 404-416.
- Reinhardt, D. P., R. N. Ono, et al. (2000). "Mutations in calcium-binding epidermal growth factor modules render fibrillin-1 susceptible to proteolysis. A potential disease-causing mechanism in Marfan syndrome." J Biol Chem **275**(16): 12339-45.
- Ribeiro, S. M., M. Poczatek, et al. (1999). "The activation sequence of thrombospondin-1 interacts with the latency-associated peptide to regulate activation of latent transforming growth factor-beta." J Biol Chem **274**(19): 13586-93.
- Rifkin, D. B. (2005). "Latent transforming growth factor-beta (TGF-beta) binding proteins: orchestrators of TGF-beta availability." J Biol Chem **280**(9): 7409-12.
- Robbins, Cotran, et al. (2004). Neoplasia, W.B.Saunders.
- Roberts, A. B. (1998). "Molecular and cell biology of TGF-beta." Miner Electrolyte Metab **24**(2-3): 111-9.
- Roth-Eichhorn, S., B. Heitmann, et al. (2001). "Evidence for the decreased expression of the latent TGF-beta binding protein and its splice form in human liver tumours." Scand J Gastroenterol **36**(11): 1204-10.

- Rozen, S. and H. Skaletsky (2000). "Primer3 on the WWW for general users and for biologist programmers." Methods Mol Biol **132**: 365-86.
- Rüsse, I., Sinowitz, F. (1998). Lehrbuch der Embryologie der Haustiere, Parey Verlag.
- Ruttemann, G. R. (2001). Tumors of the Mammary Gland. Philadelphia, W. B. Saunders Company.
- Saharinen, J., M. Hytyainen, et al. (1999). "Latent transforming growth factor-beta binding proteins (LTBPs)--structural extracellular matrix proteins for targeting TGF-beta action." Cytokine Growth Factor Rev **10**(2): 99-117.
- Saharinen, J. and J. Keski-Oja (2000). "Specific sequence motif of 8-Cys repeats of TGF-beta binding proteins, LTBPs, creates a hydrophobic interaction surface for binding of small latent TGF-beta." Mol Biol Cell **11**(8): 2691-704.
- Saharinen, J., J. Taipale, et al. (1996). "Association of the small latent transforming growth factor-beta with an eight cysteine repeat of its binding protein LTBP-1." Embo J **15**(2): 245-53.
- Saharinen, J., J. Taipale, et al. (1998). "Identification and characterization of a new latent transforming growth factor-beta-binding protein, LTBP-4." J Biol Chem **273**(29): 18459-69.
- Sambrook, J., D. F. Fritsch, et al. (1989). Molecular cloning: a laboratory manual. Cold Spring Harbor Press, New York, USA.
- Sandersleben, J. v. (1968). Die malignen Mammatumoren der Hündin unter besonderer Berücksichtigung ihrer Prognose. Zbl Vet Med. **15**: 111 - 115.
- Sanford, L. P., I. Ormsby, et al. (1997). "TGFbeta2 knockout mice have multiple developmental defects that are non-overlapping with other TGFbeta knockout phenotypes." Development **124**(13): 2659-70.
- Schier, A. F. (2003). "Nodal signaling in vertebrate development." Annu Rev Cell Dev Biol **19**: 589-621.
- Schneider, R., C. R. Dorn, et al. (1969). "Factors influencing canine mammary cancer development and postsurgical survival." J Natl Cancer Inst **43**(6): 1249-61.
- Schroeder, A., O. Mueller, et al. (2006). "The RIN: an RNA integrity number for assigning integrity values to RNA measurements." BMC Mol Biol **7**: 3.
- Schroeder, A., O. Mueller, et al. (2006). "The RIN: an RNA integrity number for assigning integrity values to RNA measurements." BMC Mol Biol **7**(1): 3.
- Serra, R. and M. R. Crowley (2003). "TGF-beta in mammary gland development and breast cancer." Breast Dis **18**: 61-73.

- Serra, R. and M. R. Crowley (2005). "Mouse models of transforming growth factor beta impact in breast development and cancer." Endocr Relat Cancer **12**(4): 749-60.
- Shipley, J. M., R. P. Mecham, et al. (2000). "Developmental expression of latent transforming growth factor beta binding protein 2 and its requirement early in mouse development." Mol Cell Biol **20**(13): 4879-87.
- Shull, M. M., I. Ormsby, et al. (1992). "Targeted disruption of the mouse transforming growth factor-beta 1 gene results in multifocal inflammatory disease." Nature **359**(6397): 693-9.
- Siegel, P. M. and J. Massague (2003). "Cytostatic and apoptotic actions of TGF-beta in homeostasis and cancer." Nat Rev Cancer **3**(11): 807-21.
- Siegel, P. M., W. Shu, et al. (2003). "Transforming growth factor beta signaling impairs Neu-induced mammary tumorigenesis while promoting pulmonary metastasis." Proc Natl Acad Sci U S A **100**(14): 8430-5.
- Simon, D., P. Goronzy, et al. (1996). "Mammatumoren beim Hund: Untersuchung zu Vorkommen und Verlauf der Erkrankung." Prakt. Tierarzt **77**: S.771-782.
- Simon, D., D. Schönröck, et al. (2001). "Mammatumoren des Hundes: Diagnostik und Therapie." Tierärztliche Praxis **29**(K): 47-50.
- Sinha, S., C. Nevett, et al. (1998). "Cellular and extracellular biology of the latent transforming growth factor-beta binding proteins." Matrix Biol **17**(8-9): 529-45.
- Sinowitz, F. (1998). Embryologie, Parey Verlag.
- Sporn, M. B. and A. B. Roberts (1990). "TGF-beta: problems and prospects." Cell Regul **1**(12): 875-82.
- Sterner-Kock, A., I. S. Thorey, et al. (2002). "Disruption of the gene encoding the latent transforming growth factor-beta binding protein 4 (LTBP-4) causes abnormal lung development, cardiomyopathy, and colorectal cancer." Genes Dev **16**(17): 2264-73.
- Taipale, J., K. Miyazono, et al. (1994). "Latent transforming growth factor-beta 1 associates to fibroblast extracellular matrix via latent TGF-beta binding protein." J Cell Biol **124**(1-2): 171-81.
- Taipale, J., J. Saharinen, et al. (1996). "Latent transforming growth factor-beta 1 and its binding protein are components of extracellular matrix microfibrils." J Histochem Cytochem **44**(8): 875-89.
- Todorovic, V., V. Jurukovski, et al. (2005). "Latent TGF-beta binding proteins." Int J Biochem Cell Biol **37**(1): 38-41.
- Tsuji, T., F. Okada, et al. (1990). "Molecular cloning of the large subunit of transforming growth factor type beta masking protein and expression of the mRNA in various rat tissues." Proc Natl Acad Sci U S A **87**(22): 8835-9.

- Unsold, C., M. Hyttiainen, et al. (2001). "Latent TGF-beta binding protein LTBP-1 contains three potential extracellular matrix interacting domains." J Cell Sci **114**(Pt 1): 187-197.
- Vandesompele, J., K. De Preter, et al. (2002). "Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes." Genome Biol **3**(7): RESEARCH0034.
- Vehvilainen, P., M. Hyttiainen, et al. (2003). "Latent transforming growth factor-beta-binding protein 2 is an adhesion protein for melanoma cells." J Biol Chem **278**(27): 24705-13.
- Warner, M. R. (1976). "Age incidence and site distribution of mammary dysplasias in young beagle bitches." J Natl Cancer Inst **57**(1): 57-61.
- Weisser, M., T. Haferlach, et al. (2004). "The use of housekeeping genes for real-time PCR-based quantification of fusion gene transcripts in acute myeloid leukemia." Leukemia **18**(9): 1551-3.
- Wiesner, E. R., R. (2000). Lexikon der Veterinärmedizin. Stuttgart, Enke Verlag.
- Withrow, S. J. and E. G. Maceven (2001). Small animal clinical oncology, W.B. Saunders.
- Yang, X., L. Chen, et al. (2001). "TGF-beta/Smad3 signals repress chondrocyte hypertrophic differentiation and are required for maintaining articular cartilage." J Cell Biol **153**(1): 35-46.
- Yue, J. and K. M. Mulder (2001). "Transforming growth factor-beta signal transduction in epithelial cells." Pharmacol Ther **91**(1): 1-34.
- Zhang, X., L. Ding, et al. (2005). "Selection of reference genes for gene expression studies in human neutrophils by real-time PCR." BMC Mol Biol **6**(1): 4.