

---

## 7 REFERENCES

- [1] **Zedan, H.**, 1993. The Economic Value of Microbial Diversity, *SIM News*, **43/5**, 178-185.
- [2] **Madigan, M.T. and Oren, A.**, 1999, Thermophilic and Halophilic Extremophiles. *Curr. Opin. Microbiol.*, **2**, 265-269.
- [3] **Ventosa, A., Nietro, J. J. and Oren, A.**, 1998, Biology of Moderately Halophilic Aerobic Bacteria. *Microbiol. Mol. Biol. Rev.*, **62**, 504-544.
- [4] **Aguilar, A., Ingemansson, T. and Magnien, E.**, 1998. Extremophile Microorganisms as Cell Factories: Support from the European Union, *Extremophiles*, **2**, 367-373.
- [5] **DasSarma, S., Kennedy, S. P., Berquist, B., Wailop, N., V., Baliga, N. S., Sapudich, J. L., Krebs, M. P., Eisen, J. A., Johnson, C. H. and Hood, L.**, 2001, Genomic Perspective on the Photobiology of Halobacterium Species NRC-1, a Phototropic, Phototactic and UV-tolerant Haloarchaeon, *Photosynthesis Research*, **70/1**, 3-7.
- [6] **Dobson, S. J., and P. D. Franzmann**, 1996, Unification of the Genera *Deleya*, *Halomonas*, and *Halovibrio* and the Species *Paracoccus Halodendrificans* into a Single Genus, *Halomonas*, and Placement of the Genus *Zymobacter* in the Family Halomonadaceae, *Int. J. Syst. Bacteriol.*, **46**, 550-558.
- [7] **Franzmann, P.D., Wehmeyer, U., and Stackebrandt, E.**, 1988, *Halomonadaceae* fam. nov., A New Family of the Class Proteobacteria to Accommodate the Genera *Halomonas* and *Deleya*. *Syst. Appl. Microbiol.*, **11**, 16-19.
- [8] **Kushner, D. J.**, 1993. Growth and Nutrition of Halophilic Bacteria, in *The Biology of Halophilic Bacteria*, pp. 87-103, Eds. Vreeland, R.H. & Hochstein, L. I., CRC Press, Florida.
- [9] **Mullakbanbhai, M. F., and Larsen, B.**, 1975, *Halobacterium Volcanii* Spec. Nov., a Dead Sea Halobacterium with a Moderate Salt Requirement, *Arch. Microbiol.*, **104**, 207-214.
- [10] **Oren A.**, 1999, Bioenergetic Aspects of Halophilism, *Microbiol. Mol. Biol. Rev.*, **63**, 334-348.

- [11] **Galinski E.A.**, 1993, Compatible Solutes of Halophilic Eubacteria: Molecular Principles, Water-Solute Interactions, Stress Protection, *Experientia*, **49**, 487-496.
- [12] **Galinski E.A.**, 1995, Osmoadaptation in Bacteria, *Adv. Microb. Physiol.*, **37**, 273-328.
- [13] **Oren A.**, 1999, The Enigma of Square and Triangular Bacteria, in *Enigmatic Microorganisms and Life in Extreme Environmental Habitats*, pp. 337-355, Ed. Seckbach J., Kluwer Academic Publishers, Dordrecht.
- [14] **Adkins, J. P., Madigan, M.T., Mandelcow, L., Woese, C.R., and Tannae, R.S.**, 1993, *Arhodomonas aquaeolei* Gen. Nov., Sp. Nov., an Aerobic Halophilic Bacterium Isolated from a Subterranean Brine, *Int. J. Syst. Bacteriol.*, **43**, 514-520.
- [15] **Szymanski, M., Barciszewska, M.Z., Erdmann, V.A. and Barciszewski, J.**, 2002, 5S Ribosomal RNA Database, *Nucleic Acids Research*, **30/1**, 176-178.
- [16] **Szymanski, M., Barciszewska, M.Z., Barciszewski, J., and Erdmann, V.A.** 2000, 5S Ribosomal RNA Database Y2K, *Nucleic Acids Research*, **28/1**, 166-167.
- [17] **Szymanski, M., Barciszewska, M.Z., Erdmann, V.A. and Barciszewski, J.**, 1999, 5S Ribosomal RNA Databank, *Nucleic Acids Research*, **27/1**, 158-160.
- [18] **Specht, T., Szymanski, M., Barciszewska, M.Z., Barciszewski and J., Erdmann, V.A.**, 1997, Compilation of 5S rRNA and 5S rRNA Gene Sequences., *Nucleic Acids Research*, **25/1**, 96-97.
- [19] **Shindler, D.B., Wydro, M., and Kushner, D.J.**, 1977, Cell-bound Cations of the Moderately Halophilic Bacterium *Vibrio Casticola*, *J. Bacteriol.*, **130**, 698-703.
- [20] **Vreeland, R.H.**, 1987, Mechanisms of Halotolerance in Microorganisms, *Crit. Rev. Microbiol.*, **14**, 311-356.
- [21] **Vreeland, R. H., Mierau, B.D., Litchfield, C. D. and Martin, E. L.**, 1983, Relationship of the Internal Solute Composition to the Salt Tolerance of *Halomonas elongata*, *Can. J. Microbiol.*, **29**, 407-414.
- [22] **Sadler, M., McAninch, M., Alico, R. and Hochstein, L.I.**, 1980, The Intracellular Na<sup>+</sup> and K<sup>+</sup> Composition of the Moderately Halophilic Bacterium, *Paracoccus halodenditrificans.*, *Can. J. Microbiol.*, **26**, 496-502.
- [23] **Imhoff, J. F.**, 1993, Osmotic Adaptation in Halophilic and Halotolerant Microorganisms, in *The Biology of Halophilic Bacteria*, pp. 211-253, Eds. Vreeland, R. H. & Hochstein, L. I., CRC Press, Florida.
- [24] **Christian, J. H. B., and Waltho, J. A.**, 1962, Solute concentrations Within Cells of Halophilic and Non-halophilic Bacteria, *Biochim. Biophys. Acta*, **65**, 506-508.

- [25] **Kamekura M., and Kushner, D. J.**, 1984, Effects of Chloride and Glutamate Ions on *in vitro* Protein Synthesis by the Moderate Halophile *Vibrio costicola*, *J. Bacteriol.*, **160**, 385-390.
- [26] **Kushner, D. J.**, 1988, What is the "True" Internal Environment of Halophilic and Other Bacteria?, *Can. J. Microbiol.*, **34**, 482-486.
- [27] **Kushner, D. J.**, 1989, Halophilic Bacteria: Life in and out of Salt, in *Microbiology of Extreme Environments and Its Potential for Biotechnology*, pp. 280-288, Eds. Da Costa, M.S., Duarte, J.C. and Williams R.A.D., Elsevier Applied Science, London.
- [28] **Baxter, R. M., and Gibbons, N. E.**, 1954, The Glycerol Dehydrogenase of *Pseudomonas salinaria*, *Vibrio costicolus*, and *Escherichia coli* in Relation to Bacterial Halophilism, *Can. J. Biochem. Physiol.*, **32**, 206-217.
- [29] **Galinski, E. A.**, 1989. The Potential Use of Halophilic Bacteria for the Production of Organic Chemicals and Enzyme Protective Agents, in *Microbiology of Extreme Environments and Its Potential for Biotechnology*, pp. 375-379, Eds. Da Costa, M.S., Duarte, J.C. and Williams R.A.D., Elsevier Applied Science, London.
- [30] **Galinski, E. A.**, 1994, Halophile and Halotolerante Eubakterien, in *Extremophile Mikroorganismen in ausgefallenen Lebensräumen*, pp. 89-112, Eds. Hausmann, K. & Kremer, B.P., VHC, Weinheim, Germany.
- [31] **Galinski, E. A.**, and Louis, P., 1998, Compatible Solutes: Ectoine Production and Gene Expression, in *Microbiology and Biogeochemistry of Hypersaline Environments*, pp. 187-202, Ed. Oren, A., CRC Press, Florida.
- [32] **Wohlfarth, A., Severin, J. and Galinski, E.A.**, 1990, The Spectrum of Compatible Solutes in Heterotrophic Halophilic Eubacteria of the Family *Halomonadaceae*, *J. Gen. Microbiol.*, **136**, 705-712.
- [33] **Louis, P., Trüper, H. G. and Galinski, E. A.**, 1994, Survival of *Escherichia coli* During Drying and Storage in the Presence of Compatible Solutes, *Appl. Microbiol. Biotechnol.*, **41**, 648-688.
- [34] **Cànovas, D., Vargas, C., Iglesias-Guerra, F., Csonka, L., Rhodes, D., Ventosa, A. and Nieto, J. J.**, 1997, Isolation and Characterization of Salt-sensitive Mutants of the Moderate Halophile *Halomonas elongate* and Cloning of the Ectoine Synthesis Genes., *J. Biol. Chem.*, **272**, 25794-25801.
- [35] **Lanyi, J. K.**, 1974, Salt Dependent Properties of Proteins from Extremely Halophilic Bacteria, *Bacteriol. Rev.*, **38**, 272-290.
- [36] **Rao, J. K. M. and Argos, P.**, 1981, Structural Stability of Halophilic Proteins, *Biochemistry*, **20**, 6536-6543.

- [37] **Baldacci, G., Guinet, F., Tillit, J., Zaccai, G. & De Recondo, A. M.**, 1990, Functional Implications Related to the Gene Structure of the Elongation Factor EF-Tu from *Halobacterium marismortui*, *Nucl. Acids Res.*, **18**, 507-511.
- [38] **Benachenhou, N. & Baldacci, G.**, 1991, The Genes for a Halophilic Glutamate Dehydrogenase: Sequence, Transcription Analysis and Phylogenetic Implications, *Mol. Gen. Genet.*, **230**, 345-352.
- [39] **Kuntz, I. D.**, 1971. Hydration of Macromolecules: III. Hydration of Polypeptides, *J. Am. Chem. Soc.*, **93**, 514-516.
- [40] **Elock, A. G. and McCommon, J. A.**, 1998, Electrostatic Contributions to the Stability of Halophilic Proteins, *J. Mol. Biol.*, **280**, 731-748.
- [41] **Russell, N. J.**, 1993, Lipids of Halophilic and Halotolerant Microorganisms., in *The Biology of Halophilic Bacteria*, pp. 163-210, Eds. Vreeland, R.H. and Hochstein, L. I., CRC Press, Florida.
- [42] **Russell, N. J., and Kogut, M.**, 1985, Haloadaptation: Salt Sensing and Cell Envelope Changes, *Microbiol. Sci.*, **2**, 345-350.
- [43] **Vreeland, R. H., Anderson, R., and Murray, R.G.E.**, 1984, Cell Wall and Phospholipids Composition and Their Contribution to the Salt Tolerance of *Halomonas elongata*, *J. Bacteriol.*, **160**, 879-883.
- [44] **Hiramatsu, T., Ohno, Y., Hara, H., Yano, I. and Masui, M.**, 1980, Effects of NaCl Concentration on the Envelope Components in a Moderately Halophilic Bacterium, *Pseudomonas halosaccharolytica*, in *Saline Environments, Proceedings of the Japanese Conference on Halophilic Microbiology*, pp. 189-200, Eds. Morishita, H. & Masui, M., Nakanishi Printing Co., Kyoto.
- [45] **Hiramatsu, T., Yano, I., and Masui, M.**, 1980, Effects of NaCl Concentration on the Protein Species and Phospholipids Composition of Outer Membrane in a Moderately Halophilic Bacterium, *FEMS Microbiol. Lett.*, **7**, 289-292.
- [46] **Ohno, Y., Yano, I., and Masui, M.**, 1979, Effect of NaCl Concentration and Temperature on Phospholipids and Fatty Acid Composition of a Moderately Halophilic Bacterium *Pseudomonas halosaccharolytica*, *J. Biochem.*, **85**, 413-421.
- [47] **Wilkins M. R., Sanchez, J. C., Gooley, A. A., Appel, R. D., et al.**, 1996, Progress with Proteome Projects: Why All Proteins Expressed By a Genome should be Identified and How to Do It, *Biotechnol. Genet. Eng. Rev.*, **13**, 19-51.
- [48] **Anderson L., Seilhammer J.**, 1997; A Comparison of Selected mRNA and Protein Abundance in Human Liver, *Electrophoresis*, **18**, 533-537.
- [49] **Sinchaikul, S., Sookkheo, B., Topanuruk, S., Juan, H. F., Phutrakul, S., Chen, S.T.**, 2002, Bioinformatics, Functional Genomics and Proteomics Study of *bacillus* sp., *Journal of Chromatography B Analyt. Technol. Biomed. Life Sci.*, **771**, 261-287.

- [50] **Karlin, S., Brocchieri, L., Trent, J., Blaisdell, B. E. and Mrazek, J.**, 2002, Heterogeneity of Genome and Proteome Content in Bacteria, Archaea, and Eukaryotes, *Theoretical Population Biology*, **61**, 367-390.
- [51] **Cordwell S. J.**, 2006, Technologies for Bacterial Surface Proteomics, *Curr. Opin. Microbiol.*, **9(3)**, 320-329.
- [52] **Verberkmoes, N. C., Connelly, H. M., Chongle, P., Hettich, R. L.**, 2004, Mass Spectrometric Approaches for Characterizing Bacterial Proteomes, *Expert Review of Proteomics*, December, **1/4**, 433-447.
- [53] **Nandi, T., Brahmachari S. K., Kannan, K., Ramachandran, S.**, 2004, Clusters of Proteins in Archaeal and Bacterial Proteomes Using Compositional Analysis, *In Silico Biol.*, **4(4)**, 573-91.
- [54] **Molloy, M. P., Herbert, B., Walsh, B. J., Tyler, M. I., Traini, M., Sanchez, J. C., Hochstrasser, D. F., Williams, K. L., Gooley, A. A.**, 1998, Extraction of Membrane Proteins by Differential Solubilization of Separation Using Two-dimensional Electrophoresis, *Electrophoresis*, **19**, 837-844.
- [55] **Rabilloud T.**, 1996, Solubilization of Proteins for Electrophoretic Analyses, *Electrophoresis*, **17**, 813-829.
- [56] **Molloy, M. P., Herbert, B. R., Slade, M. B., Rabilloud, T., Nouwens, A. S., Williams, K. L., Gooley, A. A.**, 2000, Proteomic Analysis of the *Escherichia coli* Outer Membrane, *Eur. J. Biochem.*, **267**, 2871-2881
- [57] **Blonder, J., Goshe, M. B., Moore, R. J., Pasa-Tolic, L., Masselon, C. D., Lipton, M. S., Smith, R. D.**, 2002, Enrichment of Integral Membrane Proteins for Proteomic Analysis Using Liquid Chromatography – Tandem Mass Spectrometry, *J. Proteome Res.*, **1(4)**, 353-360.
- [58] **Herbert, B., Molloy, M. P., Yan, J. X., Gooley, A. A., Bryson, W. G., Williams, K. L.**, 1997, Characterisation of Wool Intermediate Filament Proteins Separated by Micropreparative Two-dimensional Electrophoresis, *Electrophoresis*, **18(3-4)**, 568-572.
- [59] **Klose, J. and Kobalz, U.**, 1995, Two-dimensional Electrophoresis of Proteins: an Updated Protocol and Implications for a Functional Analysis of the Genome, *Electrophoresis*, **16(6)**, 1034-1059.
- [60] **Görg, A., Postel, W., Günther, S.**, 1988, Two-dimensional Electrophoresis: The Current State of Two-dimensional Electrophoresis with Immobilised pH Gradients, *Electrophoresis*, **9(9)**, 531-546.
- [61] **Klose, J.**, 1975, Protein Mapping by Combined Isoelectric Focusing and Electrophoresis of Mouse Tissues, *Humangenetik*, **26(3)**, 231-243.
- [62] **O'Farrell, P.**, 1975, High Resolution Two-dimensional Electrophoresis of Proteins, *J. Biol. Chem.*, **250**, 4007-4021.

- [63] **Görg, A. and Weiss, W.**, 2000, Two-Dimensional Electrophoresis with Immobilized pH Gradient, in *Proteome Research: Two-Dimensional Gel Electrophoresis and Identification Methods*, pp.57-106., Ed. T. Rabilloud, Springer Verlag, Berlin & Heidelberg.
- [64] **Wittmann-Liebold, B., Graack, H. R. and Pohl, T.**, 2006, Two-dimensional Gel Electrophoresis as Tool for Proteomics Studies in Combination with Protein Identification by Mass Spectrometry, *Proteomics*, **6**, 4688-4703.
- [65] **Neuhoff V., Stamm, R., Eibl, H.**, 1985, Clear Background and Highly Sensitive Protein Staining with Coomassie Blue Dyes in Polyacrylamide Gels: A Systematic Analysis, *Electrophoresis*, **6**, 427-448.
- [66] **Neuhoff V., Arold, N., Taube, D., Ehrhardt, W.**, 1988, Improved Staining for Proteins in Polyacrylamide Gels Including Isoelectric Focusing Gels with Clear Background at Nanogram Sensitivity Using Coomassie Brilliant Blue G – 250 an R – 250, *Electrophoresis*, **9**, 255-262.
- [67] **Switzer, III, R. C., Merrill, C. R., Shifrin, S.**, 1979, A Highly Sensitive Silver Stain for Detecting Proteins and Peptides in Polyacrylamide Gels, *Anal. Biochem.*, **98** (1), 231-237.
- [68] **T. Rabilloud and Charmont, S.**, 2000, Detection of Proteins on Two Dimensional Electrophoresis Gels, in *Proteome Research: Two-Dimensional Gel Electrophoresis and Identification Methods*, pp. 107-126, Ed. Th. Rabilloud (ed.); Springer Verlag, Berlin & Heidelberg.
- [69] **Oakley, B. R., Kirsch, D. R., Morris, N. R.**, 1980, A Simplified Ultrasensitive Silver Stain for Detecting Proteins in Polyacrylamide Gels, *Anal. Biochem.*, **105** (2), 361-363.
- [70] **Merrill, C. R., Pratt, M. E.**, 1986, A Silver Stain for the Rapid Quantitative Detection of Proteins or Nucleic Acids on Membranes or Thin Layer Plates, *Anal. Biochem.*, **156**(1), 96-110.
- [71] **Rabilloud, T.**, 1990, Mechanisms of Protein Silver Staining in Polyacrylamide Gels: a 10-Year Synthesis, *Electrophoresis*, **10**, 785-794.
- [72] **Rabilloud, T.**, 1999, Silver Staining of 2D Electrophoresis Gels, *Methods Mol. Biol.*, **112**, 297-305.
- [73] **Schevchenko, A., Wilm, M., Vorm, O., Mann, M.**, 1996, Mass Spectrometric Sequencing of Proteins Silver-stained Polyacrylamide Gels, *Anal. Chem.*, **68**(5), 850-858.
- [74] **Yan, J. X., Wait, R., Berkelman, T., Harry, R. A., Westbrook, J. A., Wheeler, C. H., Dunn, M. J.**, 2000, A Modified Silver Staining Protocol for Visualization of Proteins Compatible with Matrix-assisted Laser Desorption / Ionisation and Electrospray Ionisation-mass Spectrometry, *Electrophoresis*, **17**, 3666-3672.

- [75] **Urwin V. E., Jackson P.**, 1993, Two-dimensional Polyacrylamide Gel Electrophoresis of Proteins Labelled with the Fluorophore Monobromobimane Prior to first Dimensional Isoelectric Focusing; Imaging of the Fluorescent Protein Spot Patterns Using a Cooled Charge-coupled Device, *Anal. Biochem.*, **209**, 57-62.
- [76] **Steinberg T. H., Haugland R. P., Singer, V.**, 1996, SYPRO Orange and SYPRO Red Protein Gel Stains: One Step Fluorescence Staining of Denaturing Gels for Detection of Nanogram Levels of Protein, *Anal. Biochem.*, **239**, 223-237.
- [77] **Steinberg, T. H., Haugland, R. P., Singer, V.**, 1996, Applications of SYPRO Orange and SYPRO Red Protein Gel Stains, *Anal. Biochem.*, **239**, 238-245.
- [78] **Alba, F. J., Bermudez, A., Bartolome, S., Daban, J. R.**, 1996, Detection of Five Nanograms of Protein by Two Minute Nile Red Staining of Unfixed SDS Gels, *Biotechniques*, **21**, 625-626.
- [79] **Renart, J., Reiser, J., Stark, G. R.**, 1979, Transfer of Proteins From Gels to Diazobenzyloxymethyl-paper and Detection with Antisera: A Method for Studying Antibody Specificity and Antigen Structure, *Proc. Natl. Acad. Sci. USA*, **76**, 3116-3120.
- [80] **Towbin, H., Staehelin, T., Gordon, J.**, 1979, Electrophoretic Transfer of Proteins from Polyacrylamide Gels to Nitrocellulose Sheets: Procedure and Some Applications, *Proc. Natl. Acad. Sci. USA*, **76**, 4350-4356.
- [81] **Kyhse – Andersen, J. J.**, 1984, Electroblotting of Multiple Gels: a Simple Apparatus without Buffer Tank for Rapid Transfer of Proteins from Polyacrylamide Gels to Nitrocellulose, *Biochem. Biophys. Methods*, **10**, 203-209.
- [82] **Aebersold, R., Teplow, D. B., Hood, L.E., Kent, S. B.**, 1986, Electroblotting onto Activated Glass: High Efficiency Preparation of Proteins from Analytical Sodium Dodecyl Sulphate Polyacrylamide Gels for Direct Sequence Analysis, *J. Biol. Chem.*, **261**, 4229-4239.
- [83] **Vandekerckhove, J., Bauw, G., Puype, M., Van Damme, J., Van Montagu, M.**, 1985, Protein Blotting on Polybrene-coated Glass Fiber Sheets: A Basis for Acid Hydrolysis and Gas-phase Sequencing of Picomole Quantities of Protein Previously Separated on Sodium Dodecyl Sulphate-polyacrylamide Gel, *Eur. J. Biochem.*, **152**, 9-19.
- [84] **Matsudaira, P.**, 1987, Sequence from Picomole Quantities of Proteins Electroblotted onto Polyvinylidene Fluoride Membranes, *J. Biol. Chem.*, **262**, 10035-10038.
- [85] **Jungblut, P., Eckerskorn, C., Lottspeich, F., Klose, J.**, 1990, Blotting Efficiency Investigated by Using Two-dimensional Electrophoresis, Hydrophobic Membranes and Proteins from Different Sources, *Electrophoresis*, **11**, 581-588.
- [86] **Edman, P.**, 1949, A Method for the Determination of the Amino Acid Sequences in Peptides, *Arch. Biochem.*, **22**, 475.

- [87] **Edman, P.**, 1950, Method for Determination of the Amino Acid Sequence Peptides, *Acta Chem. Scand.*, **4**, 283-290.
- [88] **Edman, P.**, 1950, On the Mechanism of the Phenyl Isothiocyanate Degradation of Peptides, *Acta Chem. Scand.*, **10**, 761.
- [89] **Edman, P., Begg, G.**, 1967, A Protein Sequenator, *Eur. J. Biochem.*, **1**, 80-91.
- [90] **Jürgen, H.**, 2004, *Gross Mass Spectrometry A Textbook*, Springer Verlag, Berlin & Heidelberg.
- [91] **Amad, M. H., Cech, N. B., Jackson, G. S., Enke, C. G.**, 2000, Importance of Gas-phase Proton Affinities in Determining the ESI Response for Analytes and Solvents, *J. Mass Spectrom.*, **35**, 784-789.
- [92] **Wilm, M. W., Mann, M.**, 1994, Electrospray and Taylor-Cone Theory, Dole's Beam of Macromolecules at Last, *Int. J. Mass Spectrom. Ion Processes*, **136**, 167-180.
- [93] **Wilm, M., Shevshenko, A., Houthaeve, T., Breit, S., Schweigerer, L., Fotsis, T., Mann, M.**, 1996, Femtomole Sequencing of Proteins from Polyacrylamide Gels by Nano-ESI-MS, *Nature*, **379**, 466-469.
- [94] **Karas, M., Bahr, U., Dülcks, T.**, 2001, Nano-ESI-MS Addressing Analytical Problems Beyond Routine. *Fresenius J. Anal. Chem.*, **366**, 669-676.
- [95] **Juraschek, R., Dülcks, T. Karas, M.**, 1999, Nano-ESI More Than Just a Minimized Flow ESI Source, *J. Am. Soc. Mass Spectrom.*, **10**, 300-308.
- [96] **Karas, M., Bachmann, D., Hillenkamp, F.**, 1985, Influence of the Wavelength in High-Irradiance Ultraviolet Laser Desorption Mass Spectrometry of Organic Molecules, *Anal. Chem.*, **57**, 2935-2939.
- [97] **Yost, R. A., Enke, C. G.**, 1978, Selected Ion Fragmentation with a Tandem Quadrupole Mass Spectrometer, *J. Am. Chem. Soc.*, **100**, 2274-2275.
- [98] **Yost, R. A., Enke, C. G.**, 1979, Triple Quadrupole Mass Spectrometry for Direct Mixture Analysis and Structure Elucidation, *Anal. Chem.*, **51**, 1251A-1262A.
- [99] **Roepstorff, P.**, 1997, Mass Spectrometry in Protein Studies from Genome to Function, *Current Opinion in Biotechnology*, **8**, 6-13.
- [100] **Stephens, W. E.**, 1946, A Pulsed Mass Spectrometer with Time Dispersion, *Phys. Rev.*, **69**, 691.
- [101] **Weickhardt, C., Moritz, F., Grotemeyer, J.**, 1997, TOF-MS: State-of-the-Art in Chemical Analysis and Molecular Science, *Mass Spectrom. Rev.*, **15**, 139-162.
- [102] **Cotter, R. J.**, 1997, *Time-of-flight Mass Spectrometry: Instrumentations and Applications in Biological Research*, ACS, Washington DC.



- [103] **Enka, C. G.**, 1998, The Unique Capabilities of Time-Of-Flight Mass Analysers, *Adv. Mass Spectrom.*, **14**, 197-219.
- [104] **Fuerstenau, S. D, Benner, W. H.**, 1995, Molecular Weight Determination of Megadalton DNA Electrospray Ions Using Charge Detection Time-Of-Flight Mass Spectrometry, *Rapid Commun. Mass Spectrom.*, **9**, 1528-1538.
- [105] **Fuerstenau, S. D, Benner, W. H., Thomas, J. J., Brugidou, C., Bothner, B., Suizdak, G.**, 2001, Mass Spectrometry of an Intact Virus, *Angew. Chem. Int. Ed.*, **40**, 541-544.
- [106] **Morris, H. R., Paxton, T., Dell, A, Langhorne, J., Berg, M., Bordoli, R. S., Hoyes, J., BATERMAN, R. H.**, 1996, High Sensitivity Collisionally-activated Decomposition Tandem Mass Spectrometry on a Novel Quadrupole / Orthogonal – Acceleration Time-of-flight Mass Spectrometer, *Rapid Commun. Mass Spectrom.*, **10(8)**, 889-896.
- [107] **Shevchenko, A. A., Chernushevich, I. V., Ens, W., Standing, K. G., Thomson, B., Wilm, M., Mann, M.**, 1997, Rapid de novo Peptide Sequencing by a Combination of Nanoelectrospray Isotopic Labelling and a Quadrupole Time-of-flight Mass Spectrometer, *Rapid Commun. Mass Spectrom.*, **11**, 1015-1024.
- [108] **Sarıyar-Akbulut, B., Salman-Dilgimen, A., Ceylan, S., Perk, S., Denizci, A. A., Kazan, D.**, 2008, Preliminary Phenotypic Characterization of Newly Isolated Halophilic Microorganisms by Footprinting: a Rapid Metabolome Analysis, *Arch. Microbiol.*, **189/1**, 19-26.
- [109] **Yavuztürk, B.**, 2005, Ekstremofillerin Ülkemiz Çamaltı Tuzlasından İzole Edilmesi ve Tanımlanması, *Yüksek Lisans Tezi*, M.Ü. Fen Bilimleri Enstitüsü, İstanbul.
- [110] **Bradford, M. M.**, 1976, A Rapid and Sensitive for the Quantitation of Microgram Quantities of Protein Utilizing the Principle of Protein-dye Binding, *Analytical Biochemistry*, **72**, 248-254.
- [111] **Heukeshoven, J. und Dernick, R.**, 1985, Simplified Method for Silver Staining of Proteins in Polyacrylamide Gels and the Mechanism of Silver Staining, *Electrophoresis*, **6**, 103-112.
- [112] **Jungblut, P. und Seifert, R.**, 1990, Analysis by High Resolution Two-dimensional Electrophoresis of Differentiation-dependent Alterations in Cytosolic Protein Pattern of HL-60 Leukemic Cells, *J. Biochem. Biophys. Meth.*, **21(1)**, 47-58.
- [113] **Hidalgo, E. , Chen, Y. M. , Lin E.C. Aguilar J.**, 1991, Molecular Cloning and DNA Sequencing of the Escherichia coli K-12 and Gene Encoding Aldehyde dehydrogenase. *J. Bacteriol.* **173** 6118-6123.
- [114] **Schouler C., Clier, F., Lerayer AL., Ehrlich, S.D., Chopin M.C.**, 1998, A Type IC Restriction-Modification System in *Lactococcus lactis*. *J. Bacteriol.*, **180**, 407-411.

- [115] **Starai V.J. , Escalante-Semerena J.C.**, 2004, Acetyl-coenzyme A synthetase (AMP forming). *Cell. Mol. Life Sci.*, **61**, 2020-2030.
- [116] **Weidenhaupt M. , Rossi P. , Beck C. , Fischer H.M. , Hennecke H.**, 1996, Bradyrhizobium japonicum Possesses Two Discrete Sets of Electron Transfer Flavoprotein genes: fixA, fixB and etfS, etfL *Arch. Microbiol.* **165**, 169-78.
- [117] **Roberts D.L. , Frerman F.E. , Kim J.J.**, 1996, Three-Dimensional Structure of Human Electron Transfer Flavoprotein to 2.1-Å Resolution. *Proc. Natl. Acad. Sci. U.S.A.* **93**, 14355-14360.
- [118] **Roberts D.L. , Salazar D. , Fulmer J.P. , Frerman F.E. , Kim J.J.**, 1999, Crystal Structure of *Paracoccus denitrificans* Electron Transfer Flavoprotein: Structural and Electrostatic Analysis of a Conserved Flavin Binding Domain. *Biochemistry* **38**, 1977-1989.
- [119] **Leys D. , Basran J. , Talfournier F. , Sutcliffe M.J. , Scrutton N.S.**, 2003, Extensive Conformational Sampling in a Ternary Electron Transfer Complex. *Nat. Struct. Biol.* **10**, 219-25.
- [120] **Tokunaga H. , Oda Y. , Yonezawa Y. , Arakawa T. , Tokunaga M.**, 2006, Contribution of Halophilic Nucleoside Diphosphate Kinase Sequence to the Heat Stability of Chimeric Molecule. *Protein Pept. Lett.* **13 (5)**, 525-30.
- [121] **Sripo T. , Phongdara A. , Wanapu C. , Caplan A.B.**, 2002, Screening and Characterization of Aldehyde Dehydrogenase Gene from *Halomonas salina* Strain AS11. *J Biotechnol.* May 9; **95 (2)**, 171-9.
- [122] **Baxter R. M. , and Gibbons N.E.**, 1956, Effects of Sodium and Potassium Chloride on Certain Enzymes of *Micrococcus halodenitrificans* and *Pseudomonas salinaria*. *Can. J. Microbiol.* **2**, 599-606.
- [123] **Weisser, J. , and Trüper H.G.**, 1985, Osmoregulation in a New Haloalkaliphilic Bacillus from the Wadi Naturn (Egypt). *Syst. Appl. Microbiol.* **6**, 7-11.