

6. Literaturangaben

1. Assessment of fracture risk and its application to screening for postmenopausal osteoporosis. Report of a WHO Study Group. World Health Organ Tech Rep Ser 1994; 843:1-129.
2. Marshall D, Johnell O, Wedel H. Meta-analysis of how well measures of bone mineral density predict occurrence of osteoporotic fractures [see comments]. *Bmj* 1996; 312:1254-9.
3. Scheidt-Nave C, Ziegler R, Raspe H. [Epidemiologie der Osteoporose]. *Med Klin* 1998; 93(suppl 2):7-11.
4. Sandor T, Felsenberg D, Brown E. Comments on the hypotheses underlying fracture risk assessment in osteoporosis as proposed by the World Health Organization. *Calcif Tissue Int* 1999; 64:267-70.
5. Melton LJ, Chao E, Lane J. Biochemical aspects of fractures. In: Riggs BL, Melton LJ, eds. *Osteoporosis: etiology, diagnosis and management*. New York: Raven, 1988:111-131.
6. Kleerekoper M, Villanueva AR, Stanciu J, Rao DS, Parfitt AM. The role of three-dimensional trabecular microstructure in the pathogenesis of vertebral compression fractures. *Calcif Tissue Int* 1985; 37:594-7.
7. Recker RR, Kimmel DB. Changes in trabecular microstructure in osteoporosis occur with normal bone remodelling dynamics. *J Bone Miner Res* 1991; 6(suppl 1):225.
8. Riggs BL, Melton LJ, III. The worldwide problem of osteoporosis: insight afforded by epidemiology. *Bone* 1996; 17:505-511.
9. Lips P. Epidemiology and predictors of fractures associated with osteoporosis. *Am J Med* 1997 Aug 18; 103(2A):3-11.
10. Cöster A, Haberkamp M, Allolio B. [Inzidenz von Schenkelhalsfrakturen in der Bundesrepublik Deutschland im internationalen Vergleich]. *Soz Präventivmed* 1994; 39:287-92.

11. DAGO. Epidemiologie und Gesundheitsökonomie, Hrsg. Osteoporose Leitlinien. Die Empfehlung der Deutschen Arbeitsgemeinschaft Osteoporose (DAGO). Deutsche Grünes Kreuz. 1. Aufl. Marburg: Kilian, 1996:13-20.
12. Mann B, Richthammer B, Kleinschmidt S, Stremmel W. Die Bedeutung proximaler Femurfrakturen für alte Menschen. Ergebnisse einer prospektiven Studie an 61 Patienten. Akt. Traumatologie 1994; 24:52-5.
13. Schurch MA, Rizzoli R, Mermillod B, Vasey H, Michel JP, Bonjour JP. A prospective study on socioeconomic aspects of fracture of the proximal femur. J Bone Miner Res 1996; 11:1935-42.
14. Leidig-Bruckner G, Minne HW, Schlaich C, et al. Clinical grading of spinal osteoporosis: quality of life components and spinal deformity in women with chronic low back pain and women with vertebral osteoporosis. J Bone Miner Res 1997; 12:663-75.
15. Felsenberg D, Wieland E, Gowin W, et al. [Morphometrische Analyse von Röntgenbildern der Wirbelsäule zur Diagnose osteoporotischer Frakturen]. Med Klin 1998; 93 Suppl 2:26-30.
16. Tan TCF, Sarotius DJ, Resnick D. Differential Diagnosis of Osteoporotic Vertebral Fractures: Pathology and Radiology. In: Genant HK, Jergas M, van Kuijk C, eds. Vertebral Fracture in Osteoporosis. San Francisco: Radiology Research and Education Foundation, 1995:71-94.
17. Harrison JE, Patt N, Muller C, et al. Bone mineral mass associated with postmenopausal vertebral deformities. Bone Miner 1990; 10:243-51.
18. Kleerekoper M, Nelson DA. Vertebral fracture or vertebral deformity. Calcif Tissue Int 1992; 50:5-6.
19. Spector TD, McCloskey EV, Doyle DV, Kanis JA. Prevalence of vertebral fracture in women and the relationship with bone density and symptoms: the Chingford Study. J Bone Miner Res 1993; 8:817-22.
20. McCloskey EV, Spector TD, Eyres KS, et al. The assessment of vertebral deformity: a method for use in population studies and clinical trials [see comments]. Osteoporos Int 1993; 3:138-147.
21. Eastell R, Cedel SL, Wahner HW, Riggs BL, Melton LJ. Classification of vertebral fractures. J Bone Miner Res 1991; 6:207-215.

22. Minne HW, Leidig G, Wuster C, et al. A newly developed spine deformity index (SDI) to quantitate vertebral crush fractures in patients with osteoporosis. *Bone Miner* 1988; 3:335-349.
23. Felsenberg D, Kalender WA. Computerassisted morphometry of vertebral bodies. In: Genant HK, Jergas M, eds. *Vertebral fractures in osteoporosis*. San Francisco: UCSF-Print, 1996.
24. Raspe A, Matthis C, Scheidt-Nave C, Raspe H. [Die europäische Studie zur vertebralen Osteoporose (EVOS): Design und Durchführung in acht deutschen Studienzentren]. *Med Klin* 1998; 93 Suppl 2:12-6,18.
25. Lewis MK, Blake GM. Patient dose in morphometric X-ray absorptiometry [letter; comment]. *Osteoporos Int* 1995; 5:281-2.
26. Genant HK, Wu CY, van Kuijk C, Nevitt MC. Vertebral fracture assessment using a semiquantitative technique. *J Bone Miner Res* 1993; 8:1137-1148.
27. Herss N, V, Podenphant J, Martens S, Gotfredsen A, Ris BJ. Precision in assessment of osteoporosis from spine radiographs. *Eur J Radiol* 1991; 13:11-14.
28. Resnick D, Niwayama G. Intravertebral disk herniations: cartilaginous (Schmorl's) nodes. *Radiology* 1978; 126:57-65.
29. Frost HM. Suggested fundamental concepts in skeletal physiology [editorial]. *Calcif Tissue Int* 1993; 52:1-4.
30. Yochum TR, Rowe LJ. *Essentials of Skeletal Radiology*, 2nd ed. Vol. 1,2. Baltimore: Williams&Wilkins, 1996.
31. Daffner RH. *Image of Vertebral Trauma*, 2nd ed. Philadelphia, New York: Lippincot-Raven, 1996.
32. Resnick D, Goergen TG, Niwayama G. *Diagnosis of Bone and Joint Disorders*, 2nd ed. In: Resnick D, Niwayama G, eds. Vol. 5. Philadelphia: Saunders Company, 1996.
33. Garfin SR, Gertzbein S, Eismont F. *Fractures of the Lumbar Spine: Evaluation, Classification and Treatment*. In: Wiesel SW, Weinstein JN, Herkowitz H, Dvorak J, Bell G, eds. *The Lumbar Spine*, 2nd ed. Vol. 2. Philadelphia: Saunders Comp., 1996.
34. Dihlmann W. *Wirbelverbindungen*, 2nd ed. Stuttgart, New York, 1982.

35. Tayler JAM, Resnick D. The Aging Spine: Radiographic-Pathologic Correlation. In: Genant HK, Jergas M, van Kuijk C, eds. Vertebral Fracture in Osteoporosis. San Francisco: Radiology Research and Education Foundation, 1995:37-69.
36. Kellgren JH, Lawrence JS. Rheumatism in miners. *Brit J industr Med* 1952; 9:198-200.
37. Gluer CC, Blake GM, Lu Y, Blunt BA, Jergas M, Genant HK. Accurate Assessment of Precision Errors: How to Measure the Reproducibility of Bone Densitometry Techniques. *Osteoporos Int* 1995; 5:262-270.
38. Lewis MK, Blake GM, Fogelman I. Patient dosimetry studies on the Hologic QDR-1000, QDR-1000/W and QDR-2000 [abstract]. *Calcif Tissue Int* 1992; 52:164.
39. Steel SA, Baker AJ, Saunderson JR. An assessment of the radiation dose to patients and staff from a Lunar Expert-XL fan beam densitometer. *Physiol Meas* 1998; 19:17-26.
40. Felsenberg D, Gowin W, Diessel E, Armbrust S, Mews J. Recent developments in DXA. Quality of new DXA/MXA-devices for densitometry and morphometry. *Eur J Radiol* 1995; 20:179-184.
41. Steiger P, Cummings SR, Genant HK, Weiss H. Morphometric X-ray absorptiometry of the spine: correlation in vivo with morphometric radiography. Study of Osteoporotic Fractures Research Group. *Osteoporos Int* 1994; 4:238-44.
42. Fogelman I, Blake GM, Steiger P. Reference data for morphometric x-ray absorptiometry (abstract). *J Bone Miner Res* 1994; 9(suppl 1):405.
43. Hans D, Duboeuf F, Schott A, Sornay-Rendu E, Meunier P, Delmas PD. Vertebral fractures: clinical evaluation of a new morphometric technique (Lunar Expert) (abstract). *Proceedings of the Perth International Bone Meeting* 1995:p 64.
44. Kalender WA, Felsenberg D, Genant HK, Fischer M, Dequeker J, Reeve J. The European Spine Phantom--a tool for standardization and quality control in spinal bone mineral measurements by DXA and QCT. *Eur J Radiol* 1995; 20:83-92.

45. Pearson J, Dequeker J, Henley M, et al. European semi-anthropomorphic spine phantom for the calibration of bone densitometers: assessment of precision, stability and accuracy. The European Quantitation of Osteoporosis Study Group. *Osteoporos Int* 1995; 5:174-84.
46. Thorpe JA, Steel SA, Langton CM. A phantom based study on the effect of subject positioning on morphometric X-ray absorptiometry using the Lunar Expert-XL. *Br J Radiol* 1998; 71:1153-61.
47. Edmondston SJ, Price RI, Valente B, Singer KP. Measurement of vertebral body heights: ex vivo comparisons between morphometric X-ray absorptiometry, morphometric radiography and direct measurements. *Osteoporos Int* 1999; 10:7-13.
48. Lang T, Takada M, Gee R, et al. A preliminary evaluation of the lunar expert-XL for bone densitometry and vertebral morphometry. *J Bone Miner Res* 1997; 12:136-143.
49. Ferrar L, Eastell R. Identification of vertebral deformities in men: comparison of morphometric radiography and morphometric X-ray absorptiometry. *Osteoporos Int* 1999; 10:167-74.
50. Rea JA, Steiger P, Blake GM, Potts E, Smith IG, Fogelman I. Morphometric X-ray absorptiometry: reference data for vertebral dimensions. *J Bone Miner Res* 1998; 13:464-474.
51. Rea JA, Steiger P, Blake GM, Fogelman I. Optimizing data acquisition and analysis of morphometric X-ray absorptiometry. *Osteoporos Int* 1998; 8:177-83.
52. Rea JA, Chen MB, Li J, et al. Morphometric X-ray absorptiometry and morphometric radiography of the spine: a comparison of analysis precision in normal and osteoporotic subjects. *Osteoporos Int* 1999; 9:536-44.
53. Rea JA, Chen MB, Li J, et al. Morphometric X-ray absorptiometry and morphometric radiography of the spine: a comparison of prevalent vertebral deformity identification. *J Bone Miner Res* 2000; 15:564-74.
54. Rea JA, Li J, Blake GM, Steiger P, Genant HK, Fogelman I. Visual assessment of vertebral deformity by X-ray absorptiometry: a highly predictive method to exclude vertebral deformity. *Osteoporos Int* 2000; 11:660-8.

55. Genant HK, Jergas M, Palermo L, et al. Comparison of semiquantitative visual and quantitative morphometric assessment of prevalent and incident vertebral fractures in osteoporosis The Study of Osteoporotic Fractures Research Group. *J Bone Miner Res* 1996; 11:984-96.
56. Ferrar L, Jiang G, Barrington NA, Eastell R. Identification of vertebral deformities in women: comparison of radiological assessment and quantitative morphometry using morphometric radiography and morphometric X-ray absorptiometry. *J Bone Miner Res* 2000; 15:575-585.
57. Felsenberg D, Armbrecht G, Khorassani A. Europäische Prospektive Osteoporosestudie (EPOS). Schlussbericht der zentralen Röntgenauswertung für Europa. BMBF 01 KM 9402/3. 1998;p 49.