

## 5. Literaturverzeichnis

- Adessi, C., Matton, G., Ayala, G., Turcatti, G., Mermoud, J. J., Mayer, P. & Kawashima, E. (2000) Solid phase DNA amplification: characterisation of primer attachment and amplification mechanisms. *Nucleic Acids Res*, 28, E87.
- Angenendt, P., Nyarsik, L., Szaflarski, W., Glokler, J., Nierhaus, K. H., Lehrach, H., Cahill, D. J. & Lueking, A. (2004) Cell-free protein expression and functional assay in nanowell chip format. *Anal Chem*, 76, 1844-9.
- Aoyama, C., Santa, T., Tsunoda, M., Fukushima, T., Kitada, C. & Imai, K. (2004) A fully automated amino acid analyzer using NBD-F as a fluorescent derivatization reagent. *Biomed Chromatogr*, 18, 630-6.
- Arber, W. & Dussoix, D. (1962 Jul) Host specificity of DNA produced by *Escherichia coli*. I. Host controlled modification of bacteriophage lambda. *Journal of molecular biology*, 5, 18-36.
- Beier, M. & Hoheisel, J. D. (1999) Versatile derivatisation of solid support media for covalent bonding on DNA-microchips. *Nucleic Acids Res*, 27, 1970-7.
- Beutel, B. A. & Gold, L. (1992) In vitro evolution of intrinsically bent DNA. *J Mol Biol*, 228, 803-12.
- Brownie, J., Shawcross, S., Theaker, J., Whitcombe, D., Ferrie, R., Newton, C. & Little, S. (1997) The elimination of primer-dimer accumulation in PCR. *Nucleic Acids Res*, 25, 3235-41.
- Burns, M. A., Johnson, B. N., Brahmasandra, S. N., Handique, K., Webster, J. R., Krishnan, M., Sammarco, T. S., Man, P. M., Jones, D., Heldsinger, D., Mastrangelo, C. H. & Burke, D. T. (1998) An integrated nanoliter DNA analysis device. *Science*, 282, 484-7.
- Cheek, B. J., Steel, A. B., Torres, M. P., Yu, Y. Y. & Yang, H. J. (2001) Chemiluminescence detection for hybridization assays on the flow-thru chip, a three-dimensional microchannel biochip. *Analytical Chemistry*, 73, 5777-5783.
- Chen, L. X., Luo, G. A., Liu, K. H., Ma, J. P., Yao, B., Yan, Y. C. & Wang, Y. M. (2006) Bonding of glass-based microfluidic chips at low- or room-temperature in routine laboratory. *Sensors and Actuators B-Chemical*, 119, 335-344.
- Consortium (2004) Finishing the euchromatic sequence of the human genome. *Nature*, 431, 931-45.
- Dahl, A., Sultan, M., Jung, A., Schwartz, R., Lange, M., Steinwand, M., Livak, K. J., Lehrach, H. & Nyarsik, L. (2007) Quantitative PCR based expression analysis on a nanoliter scale using polymer nano-well chips. *Biomed Microdevices*, 9, 307-14.
- Dederich, D. A., Okwuonu, G., Garner, T., Denn, A., Sutton, A., Escotto, M., Martindale, A., Delgado, O., Muzny, D. M., Gibbs, R. A. & Metzker, M. L. (2002) Glass bead purification of plasmid template DNA for high throughput sequencing of mammalian genomes. *Nucleic Acids Res*, 30, e32.

## 5. Literaturverzeichnis

- Diehl, F., Li, M., He, Y. P., Kinzler, K. W., Vogelstein, B. & Dressman, D. (2006) BEAMing: single-molecule PCR on microparticles in water-in-oil emulsions. *Nature Methods*, 3, 551-559.
- Dodge, A., Turcatti, G., Lawrence, I., De Rooij, N. F. & Verpoorte, E. (2004) A microfluidic platform using molecular beacon-based temperature calibration for thermal dehybridization of surface-bound DNA. *Anal Chem*, 76, 1778-87.
- Du, Y., Wei, H., Kang, J., Yan, J., Yin, X. B., Yang, X. & Wang, E. (2005) Microchip capillary electrophoresis with solid-state electrochemiluminescence detector. *Anal Chem*, 77, 7993-7.
- Duggan, D. J., Bittner, M., Chen, Y., Meltzer, P. & Trent, J. M. (1999) Expression profiling using cDNA microarrays. *Nat Genet*, 21, 10-4.
- Easley, C. J., Karlinsey, J. M. & Landers, J. P. (2006) On-chip pressure injection for integration of infrared-mediated DNA amplification with electrophoretic separation. *Lab Chip*, 6, 601-10.
- Eckert, K. A. & Kunkel, T. A. (1990) High fidelity DNA synthesis by the *Thermus aquaticus* DNA polymerase. *Nucleic Acids Res*, 18, 3739-44.
- English, C. A., Merson, S. & Keer, J. T. (2006) Use of elemental analysis to determine comparative performance of established DNA quantification methods. *Anal Chem*, 78, 4630-3.
- Erdogan, F., Kirchner, R., Mann, W., Ropers, H. H. & Nuber, U. A. (2001) Detection of mitochondrial single nucleotide polymorphisms using a primer elongation reaction on oligonucleotide microarrays. *Nucleic Acids Res*, 29, E36.
- Erill, I., Campoy, S., Erill, N., Barbe, J. & Aguiló, J. (2003) Biochemical analysis and optimization of inhibition and adsorption phenomena in glass-silicon PCR-chips. *Sensors and Actuators B-Chemical*, 96, 685-692.
- Fedurco, M., Romieu, A., Williams, S., Lawrence, I. & Turcatti, G. (2006) BTA, a novel reagent for DNA attachment on glass and efficient generation of solid-phase amplified DNA colonies. *Nucleic Acids Res*, 34, e22.
- Felbel, J., Bieber, I., Pipper, J. & Kohler, J. M. (2004) Investigations on the compatibility of chemically oxidized silicon (SiO<sub>x</sub>)-surfaces for applications towards chip-based polymerase chain reaction. *Chemical Engineering Journal*, 101, 333-338.
- Fodor, S. P. A., Read, J. L., Pirrung, M. C., Stryer, L., Lu, A. T. & Solas, D. (1991) Light-Directed, Spatially Addressable Parallel Chemical Synthesis. *Science*, 251, 767-773.
- Fradkov, A. F., Lukyanov, K. A., Matz, M. V., Diatchenko, L. B., Siebert, P. D. & Lukyanov, S. A. (1998) Sequence-independent method for in vitro generation of nested deletions for sequencing large DNA fragments. *Anal Biochem*, 258, 138-41.
- Frohlich, J. & König, H. (1999) Rapid isolation of single microbial cells from mixed natural and laboratory populations with the aid of a micromanipulator. *Syst Appl Microbiol*, 22, 249-57.

## 5. Literaturverzeichnis

- Giordano, B. C., Copeland, E. R. & Landers, J. P. (2001) Towards dynamic coating of glass microchip chambers for amplifying DNA via the polymerase chain reaction. *Electrophoresis*, 22, 334-340.
- Gresham, D., Ruderfer, D. M., Pratt, S. C., Schacherer, J., Dunham, M. J., Botstein, D. & Kruglyak, L. (2006) Genome-wide detection of polymorphisms at nucleotide resolution with a single DNA microarray. *Science*, 311, 1932-6.
- Gulliksen, A., Solli, L., Karlsen, F., Rogne, H., Hovig, E., Nordstrom, T. & Sirevag, R. (2004) Real-time nucleic acid sequence-based amplification in nanoliter volumes. *Anal Chem*, 76, 9-14.
- Gunderson, K. L., Steemers, F. J., Lee, G., Mendoza, L. G. & Chee, M. S. (2005) A genome-wide scalable SNP genotyping assay using microarray technology. *Nat Genet*, 37, 549-54.
- Guo, Z., Guilfoyle, R. A., Thiel, A. J., Wang, R. & Smith, L. M. (1994) Direct fluorescence analysis of genetic polymorphisms by hybridization with oligonucleotide arrays on glass supports. *Nucleic Acids Res*, 22, 5456-65.
- Harrison, B. & Zimmerman, S. B. (1984) Polymer-stimulated ligation: enhanced ligation of oligo- and polynucleotides by T4 RNA ligase in polymer solutions. *Nucleic Acids Res*, 12, 8235-51.
- Harrison, D. J., Manz, A., Fan, Z. H., Ludi, H. & Widmer, H. M. (1992) Capillary Electrophoresis and Sample Injection Systems Integrated on a Planar Glass Chip. *Analytical Chemistry*, 64, 1926-1932.
- He, M. & Taussig, M. J. (2001) Single step generation of protein arrays from DNA by cell-free expression and in situ immobilisation (PISA method). *Nucleic Acids Res*, 29, E73-3.
- Henke, W., Herdel, K., Jung, K., Schnorr, D. & Loening, S. A. (1997) Betaine improves the PCR amplification of GC-rich DNA sequences. *Nucleic Acids Res*, 25, 3957-8.
- Higuchi, R., Dollinger, G., Walsh, P. S. & Griffith, R. (1992) Simultaneous amplification and detection of specific DNA sequences. *Biotechnology (N Y)*, 10, 413-7.
- Holland, P. M., Abramson, R. D., Watson, R. & Gelfand, D. H. (1991) Detection of specific polymerase chain reaction product by utilizing the 5'----3' exonuclease activity of *Thermus aquaticus* DNA polymerase. *Proc Natl Acad Sci U S A*, 88, 7276-80.
- Hong, J. W., Fujii, T., Seki, M., Yamamoto, T. & Endo, I. (2001) Integration of gene amplification and capillary gel electrophoresis on a polydimethylsiloxane-glass hybrid microchip. *Electrophoresis*, 22, 328-33.
- Hong, J. W., Studer, V., Hang, G., Anderson, W. F. & Quake, S. R. (2004 Apr) *A nanoliter-scale nucleic acid processor with parallel architecture.*
- Jia, X. Y., Niu, Z. Q. & Chen, W. Y. (2005) A rotary polydimethylsiloxane-based device for polymerase chain reaction. *Analytical Letters*, 38, 2143-2149.

## 5. Literaturverzeichnis

- Jiao, J. W., Lu, D. R., Xiong, B. & Wang, W. Y. (1995) Low-temperature silicon direct bonding and interface behaviours. *Sensors and Actuators a-Physical*, 50, 117-120.
- Kang, J., Lee, M. S. & Gorenstein, D. G. (2005) The enhancement of PCR amplification of a random sequence DNA library by DMSO and betaine: Application to in vitro combinatorial selection of aptamers. *Journal of Biochemical and Biophysical Methods*, 64, 147-151.
- Kessler, N., Ferraris, O., Palmer, K., Marsh, W. & Steel, A. (2004) Use of the DNA flow-thru chip, a three-dimensional biochip, for typing and subtyping of influenza viruses. *Journal of Clinical Microbiology*, 42, 2173-2185.
- Khandurina, J. & Guttman, A. (2002) Microchip-based high-throughput screening analysis of combinatorial libraries. *Curr Opin Chem Biol*, 6, 359-66.
- Khandurina, J., Mcknight, T. E., Jacobson, S. C., Waters, L. C., Foote, R. S. & Ramsey, J. M. (2000) Integrated system for rapid PCR-based DNA analysis in microfluidic devices. *Anal Chem*, 72, 2995-3000.
- Kim, J. A., Lee, J. Y., Seong, S., Cha, S. H., Lee, S. H., Kim, J. J. & Park, T. H. (2006) Fabrication and characterization of a PDMS-glass hybrid continuous-flow PCR chip. *Biochemical Engineering Journal*, 29, 91-97.
- Kinpara, T., Mizuno, R., Murakami, Y., Kobayashi, M., Yamaura, S., Hasan, Q., Morita, Y., Nakano, H., Yamane, T. & Tamiya, E. (2004) A picoliter chamber array for cell-free protein synthesis. *J Biochem (Tokyo)*, 136, 149-54.
- Kirley, T. L. (1989) Reduction and Fluorescent Labeling of Cyst(E)Ine-Containing Proteins for Subsequent Structural-Analyses. *Analytical Biochemistry*, 180, 231-236.
- Kopp, M. U., De Mello, A. J. & Manz, A. (1998) Chemical amplification: Continuous-flow PCR on a chip. *Science*, 280, 1046-1048.
- Krishnan, M., Burke, D. T. & Burns, M. A. (2004) Polymerase chain reaction in high surface-to-volume ratio SiO<sub>2</sub> microstructures. *Anal Chem*, 76, 6588-93.
- Laemmli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227, 680-5.
- Lagally, E. T., Emrich, C. A. & Mathies, R. A. (2001a) Fully integrated PCR-capillary electrophoresis microsystem for DNA analysis. *Lab on a Chip*, 1, 102-107.
- Lagally, E. T. & Mathies, R. A. (2004) Integrated genetic analysis microsystems. *Journal of Physics D-Applied Physics*, 37, R245-R261.
- Lagally, E. T., Medintz, I. & Mathies, R. A. (2001b) Single-molecule DNA amplification and analysis in an integrated microfluidic device. *Analytical Chemistry*, 73, 565-570.
- Lander, E. S. (1999) Array of hope. *Nat Genet*, 21, 3-4.

## 5. Literaturverzeichnis

- Leamon, J. H., Lee, W. L., Tartaro, K. R., Lanza, J. R., Sarkis, G. J., Dewinter, A. D., Berka, J., Weiner, M., Rothberg, J. M. & Lohman, K. L. (2003) A massively parallel PicoTiterPlate based platform for discrete picoliter-scale polymerase chain reactions. *Electrophoresis*, 24, 3769-77.
- Lederman, M. & Zubay, G. (1967) DNA-directed peptide synthesis. 1. A comparison of T2 and Escherichia coli DNA-directed peptide synthesis in two cell-free systems. *Biochim Biophys Acta*, 149, 253-8.
- Legendre, L. A., Bienvenue, J. M., Roper, M. G., Ferrance, J. P. & Landers, J. P. (2006) A simple, valveless microfluidic sample preparation device for extraction and amplification of DNA from nanoliter-volume samples. *Anal Chem*, 78, 1444-51.
- Liu, C. N., Toriello, N. M. & Mathies, R. A. (2006) Multichannel PCR-CE microdevice for genetic analysis. *Anal Chem*, 78, 5474-9.
- Lou, X. J., Panaro, N. J., Wilding, P., Fortina, P. & Kricka, L. J. (2004) Increased amplification efficiency of microchip-based PCR by dynamic surface passivation. *Biotechniques*, 36, 248-+.
- Lukyanov, K. A., Matz, M. V., Bogdanova, E. A., Gurskaya, N. G. & Lukyanov, S. A. (1996) Molecule by molecule PCR amplification of complex DNA mixtures for direct sequencing: an approach to in vitro cloning. *Nucleic Acids Res*, 24, 2194-5.
- Manz, A., Graber, N. & Widmer, H. M. (1990) Miniaturized Total Chemical-Analysis Systems - a Novel Concept for Chemical Sensing. *Sensors and Actuators B-Chemical*, 1, 244-248.
- Marko, M. A., Chipperfield, R. & Birnboim, H. C. (1982) A procedure for the large-scale isolation of highly purified plasmid DNA using alkaline extraction and binding to glass powder. *Anal Biochem*, 121, 382-7.
- Matsubara, Y., Kerman, K., Kobayashi, M., Yamamura, S., Morita, Y., Takamura, Y. & Tamiya, E. (2004) On-chip nanoliter-volume multiplex TaqMan polymerase chain reaction from a single copy based on counting fluorescence released microchambers. *Anal Chem*, 76, 6434-9.
- Matsubara, Y., Kerman, K., Kobayashi, M., Yamamura, S., Morita, Y. & Tamiya, E. (2005) Microchamber array based DNA quantification and specific sequence detection from a single copy via PCR in nanoliter volumes. *Biosens Bioelectron*, 20, 1482-90.
- Matsubara, Y., Kobayashi, M., Morita, Y. & Tamiya, E. (2002) Application of a microchamber array for DNA amplification using a novel dispensing method. *Archives of Histology and Cytology*, 65, 481-488.
- Mercier, J. F. & Slater, G. W. (2005) Solid phase DNA amplification: a Brownian dynamics study of crowding effects. *Biophys J*, 89, 32-42.
- Miyazaki-Imamura, C., Oohira, K., Kitagawa, R., Nakano, H., Yamane, T. & Takahashi, H. (2003) Improvement of H<sub>2</sub>O<sub>2</sub> stability of manganese peroxidase by combinatorial mutagenesis and high-throughput screening using in vitro expression with protein disulfide isomerase. *Protein Eng*, 16, 423-8.

## 5. Literaturverzeichnis

- Nagai, H., Murakami, Y., Morita, Y., Yokoyama, K. & Tamiya, E. (2001) Development of a microchamber array for picoliter PCR. *Anal Chem*, 73, 1043-7.
- Nakamura, S., Katamine, S., Yamamoto, T., Foung, S. K., Kurata, T., Hirabayashi, Y., Shimada, K., Hino, S. & Miyamoto, T. (1993) Amplification and detection of a single molecule of human immunodeficiency virus RNA. *Virus Genes*, 7, 325-38.
- Nakano, H., Kobayashi, K., Ohuchi, S., Sekiguchi, S. & Yamane, T. (2000) Single-step single-molecule PCR of DNA with a homo-priming sequence using a single primer and hot-startable DNA polymerase. *J Biosci Bioeng*, 90, 456-8.
- Nakano, H., Matsuda, K., Yohda, M., Nagamune, T., Endo, I. & Yamane, T. (1994) High speed polymerase chain reaction in constant flow. *Biosci Biotechnol Biochem*, 58, 349-52.
- Nakano, M., Komatsu, J., Kurita, H., Yasuda, H., Katsura, S. & Mizuno, A. (2005) Adaptor polymerase chain reaction for single molecule amplification. *J Biosci Bioeng*, 100, 216-8.
- Nakano, M., Komatsu, J., Matsuura, S., Takashima, K., Katsura, S. & Mizuno, A. (2003) Single-molecule PCR using water-in-oil emulsion. *Journal of Biotechnology*, 102, 117-124.
- Nanassy, O. Z., Haydock, P. V. & Reed, M. W. (2007) Capture of genomic DNA on glass microscope slides. *Anal Biochem*, 365, 240-5.
- Nirenberg, M. W. & Matthaei, J. H. (1961) The dependence of cell-free protein synthesis in *E. coli* upon naturally occurring or synthetic polyribonucleotides. *Proc Natl Acad Sci U S A*, 47, 1588-602.
- Nygren, J., Svanvik, N. & Kubista, M. (1998) The interactions between the fluorescent dye thiazole orange and DNA. *Biopolymers*, 46, 39-51.
- Obeid, P. J., Christopoulos, T. K., Crabtree, H. J. & Backhouse, C. J. (2003) Microfabricated device for DNA and RNA amplification by continuous-flow polymerase chain reaction and reverse transcription-polymerase chain reaction with cycle number selection. *Analytical Chemistry*, 75, 288-295.
- Ohuchi, S., Nakano, H. & Yamane, T. (1998) In vitro method for the generation of protein libraries using PCR amplification of a single DNA molecule and coupled transcription/translation. *Nucleic Acids Res*, 26, 4339-46.
- Pemov, A., Modi, H., Chandler, D. P. & Bavykin, S. (2005) DNA analysis with multiplex microarray-enhanced PCR. *Nucleic Acids Res*, 33, e11.
- Pirrung, M. (2000) Die Herstellung von DNA-Chips. *Angewandte Chemie*, 114, 1326-1341.
- Polisky, B., Greene, P., Garfin, D. E., Mccarthy, B. J., Goodman, H. M. & Boyer, H. W. (1975 Sep) Specificity of substrate recognition by the EcoRI restriction endonuclease. *Proceedings of the National Academy of Sciences of the United States of America*, 72, 3310-3314.
- Pomp, D. & Medrano, J. F. (1991) Organic-Solvents as Facilitators of Polymerase Chain-Reaction. *Biotechniques*, 10, 58-59.

## 5. Literaturverzeichnis

- Ralsler, M., Querfurth, R., Warnatz, H. J., Lehrach, H., Yaspo, M. L. & Krobitch, S. (2006) An efficient and economic enhancer mix for PCR. *Biochem Biophys Res Commun*, 347, 747-51.
- Rhodes, D. R., Tomlins, S. A., Varambally, S., Mahavisno, V., Barrette, T., Kalyana-Sundaram, S., Ghosh, D., Pandey, A. & Chinnaiyan, A. M. (2005) Probabilistic model of the human protein-protein interaction network. *Nat Biotechnol*, 23, 951-9.
- Ririe, K. M., Rasmussen, R. P. & Wittwer, C. T. (1997) Product differentiation by analysis of DNA melting curves during the polymerase chain reaction. *Anal Biochem*, 245, 154-60.
- Roehrl, M. H., Becker, K. F., Becker, I. & Hofler, H. (1998) Efficiency of single-cell polymerase chain reaction from stained histologic slides and integrity of DNA in archival tissue (vol 6, pg 292, 1997). *Diagnostic Molecular Pathology*, 7, 127-127.
- Roth, J., Daus, H., Gause, A., Trumper, L. & Pfreundschuh, M. (1994) Detection of Epstein-Barr-Virus DNA in Hodgkin-Cells and Reed-Sternberg-Cells by Single-Cell Pcr. *Leukemia & Lymphoma*, 13, 137-142.
- Saiki, R. K., Gelfand, D. H., Stoffel, S., Scharf, S. J., Higuchi, R., Horn, G. T., Mullis, K. B. & Erlich, H. A. (1988) Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science*, 239, 487-91.
- Saiki, R. K., Scharf, S., Faloona, F., Mullis, K. B., Horn, G. T., Erlich, H. A. & Arnheim, N. (1985) Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science*, 230, 1350-4.
- Sambrook, J. & Russell, D. W. (2001) *Molecular cloning: A laboratory manual*, Cold Spring Harbor, N.Y, Cold Spring Harbor Laboratory Press.
- Sanger, F., Nicklen, S. & Coulson, A. R. (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A*, 74, 5463-7.
- Schena, M., Shalon, D., Davis, R. W. & Brown, P. O. (1995) Quantitative Monitoring of Gene-Expression Patterns with a Complementary-DNA Microarray. *Science*, 270, 467-470.
- Schneegass, I., Brautigam, R. & Kohler, J. M. (2001) Miniaturized flow-through PCR with different template types in a silicon chip thermocycler. *Lab Chip*, 1, 42-9.
- Shoffner, M. A., Cheng, J., Hvichia, G. E., Kricka, L. J. & Wilding, P. (1996) Chip PCR .1. Surface passivation of microfabricated silicon-glass chips for PCR. *Nucleic Acids Research*, 24, 375-379.
- Siebert, P. D., Chenchik, A., Kellogg, D. E., Lukyanov, K. A. & Lukyanov, S. A. (1995) An improved PCR method for walking in uncloned genomic DNA. *Nucleic Acids Res*, 23, 1087-8.
- Siegers, C., Biesalski, M. & Haag, R. (2004) Self-assembled monolayers of dendritic polyglycerol derivatives on gold that resist the adsorption of proteins. *Chemistry-a European Journal*, 10, 2831-2838.

## 5. Literaturverzeichnis

- Staros, J. V., Lee, W. T. & Conrad, D. H. (1987) Membrane-Impermeant Cross-Linking Reagents - Application to the Study of the Cell-Surface Receptor for Ige. *Methods in Enzymology*, 150, 503-512.
- Steinberg, G., Stromborg, K., Thomas, L., Barker, D. & Zhao, C. (2004) Strategies for covalent attachment of DNA to beads. *Biopolymers*, 73, 597-605.
- Takagi, M., Nishioka, M., Kakihara, H., Kitabayashi, M., Inoue, H., Kawakami, B., Oka, M. & Imanaka, T. (1997) Characterization of DNA polymerase from *Pyrococcus* sp. strain KOD1 and its application to PCR. *Appl Environ Microbiol*, 63, 4504-10.
- Taylor, T. B., Winn-Deen, E. S., Picozza, E., Woudenberg, T. M. & Albin, M. (1997) Optimization of the performance of the polymerase chain reaction in silicon-based microstructures. *Nucleic Acids Res*, 25, 3164-8.
- Tuerk, C., Macdougall, S. & Gold, L. (1992) RNA pseudoknots that inhibit human immunodeficiency virus type 1 reverse transcriptase. *Proc Natl Acad Sci U S A*, 89, 6988-92.
- Vogelstein, B. & Gillespie, D. (1979) Preparative and analytical purification of DNA from agarose. *Proc Natl Acad Sci U S A*, 76, 615-9.
- Vogelstein, B. & Kinzler, K. W. (1999) Digital PCR. *Proc Natl Acad Sci U S A*, 96, 9236-41.
- Von Nickisch-Roseneck, M., Marschan, X., Andresen, D., Abraham, A., Heise, C. & Bier, F. F. (2005) On-chip PCR amplification of very long templates using immobilized primers on glassy surfaces. *Biosens Bioelectron*, 20, 1491-8.
- Wang, H., Chen, J. F., Zhu, L., Shadpour, H., Hupert, M. L. & Soper, S. A. (2006a) Continuous flow thermal cycler microchip for DNA cycle sequencing. *Analytical Chemistry*, 78, 6223-6231.
- Wang, H. Y., Foote, R. S., Jacobson, S. C., Schneibel, J. H. & Ramsey, J. M. (1997) Low temperature bonding for microfabrication of chemical analysis devices. *Sensors and Actuators B-Chemical*, 45, 199-207.
- Wang, W., Wang, H. B., Li, Z. X. & Guo, Z. Y. (2006b) Silicon inhibition effects on the polymerase chain reaction: a real-time detection approach. *J Biomed Mater Res A*, 77, 28-34.
- Weber, K. & Osborn, M. (1969) The reliability of molecular weight determinations by dodecyl sulfate-polyacrylamide gel electrophoresis. *J Biol Chem*, 244, 4406-12.
- Weltman Joel K. , S.-A. J., Joseph Langevin and Elaine F. Riester (1983) N-succinimidyl (4-iodoacetyl) Aminobenzoate: A New Heterobifunctional Crosslinker. *BioTechniques*, Vol. 1, 148-152.
- Williams, R., Peisajovich, S. G., Miller, O. J., Magdassi, S., Tawfik, D. S. & Griffiths, A. D. (2006) Amplification of complex gene libraries by emulsion PCR. *Nature Methods*, 3, 545-550.

## 5. Literaturverzeichnis

- Yan Wang, D. E. P. L. M. J. C. S. M. F. A. P. B. V. H. (2004) A novel strategy to engineer DNA polymerases for enhanced processivity and improved performance in vitro. *Nucleic Acids Research*, 32, 1197-1207.
- Zhou, L., Luo, Z., Wang, S., Hui, Y., Hu, Z. & Chen, X. (2007) In-capillary derivatization and laser-induced fluorescence detection for the analysis of organophosphorus pesticides by micellar electrokinetic chromatography. *J Chromatogr A*, 1149, 377-84.
- Zhuang, G., Jin, Q., Liu, J., Cong, H., Liu, K., Zhao, J., Yang, M. & Wang, H. (2006) A low temperature bonding of quartz microfluidic chip for serum lipoproteins analysis. *Biomed Microdevices*, 8, 255-61.
- Zipper, H., Brunner, H., Bernhagen, J. & Vitzthum, F. (2004) Investigations on DNA intercalation and surface binding by SYBR Green I, its structure determination and methodological implications. *Nucleic Acids Res*, 32, e103.
- Zou, Z. Q., Chen, X., Jin, Q. H., Yang, M. S. & Zhao, J. L. (2005) A novel miniaturized PCR multi-reactor array fabricated using flip-chip bonding techniques. *Journal of Micromechanics and Microengineering*, 15, 1476-1481.