

- ABRAHAMSOHN, I.A., P.A. Abrahamsohn, F.H.F. Nascimento (1987): The inoculation site of *Trypanosoma cruzi* trypomastigotes in the dermis of normal, immune and infected mice. II - Fate of the injected parasites.
Mem. Inst. Oswaldo Cruz 82, 115.
- AEBISCHER, T. (1994): Recurrent cutaneous leishmaniasis: A role for persistent parasites?
Parasitol. Today 10, 25-28.
- ANDRADE, S.G., V. ANDRADE, C. BRODSKYN, J.B. MAGALHAES, M. BARRAL NETTO (1985): Immunological response of Swiss mice to infection with three different strains of *Trypanosoma cruzi*.
Ann. Trop. Med. Parasitol. 79, 397-407.
- ANDRADE, Z.A. (1991): Pathogenesis of Chagas' disease.
Res. Immunol. 142, 126-129.
- ANDREWS, N.W. (1995): What we talk about when we talk about cell invasion: Reflections on a trypanosome system.
In: M. Boothroyd, R. Komuniecki (Hrsg.): Molecular Approaches to Parasitology, Wiley-Liss Inc., New York, USA, S. 359-369.
- ARIAS, A.R.d., E.A. Ferro (1988): Quantification of *Trypanosoma cruzi* parasitaemia by direct micromethod.
Trans. R. Soc. Trop. Med. Hyg. 82, 248.
- ARTHUR, D.R. (1976): Interaction between arthropod ectoparasites and warm blooded hosts.
In: C.R. Kennedy (Hrsg.): Ecological Aspects of Parasitology. North-Holland Publishing Company, Amsterdam, S. 163-183.
- BAPTIST, B.A. (1941): The morphology and physiology of the salivary glands of Hemiptera-Heteroptera.
Q. J. Micros. Sci. 83, 91- 139.

* Die Zeitschriften wurden abgekürzt nach:

List of journals indexed in Index Medicus 1997, National Library of Medicine, U.S. Department of Health and Human Services, Bethesda, Maryland

BIOSIS Serial Sources 1997, 2100 Arch Street, Philadelphia, USA

- BARTH, R. (1954): Estudos anatomicos e histiologicos sobre a subfamilia Triatominae (Heteroptera, Reduviidae). IV. O complexo das glandulas salivares de *Triatoma infestans*. (Anatomische und histologische Studien über eine Subfamilie der Triatominen (Heteroptera, Reduviidae). IV. Über den Speicheldrüsenkomplex von *Triatoma infestans*.)
Mem. Inst. Oswaldo Cruz 52, 517-585.
- BASOMBRIO, M.A., D. GORLA, S. CATALÁ, M.A. SEGURA, M.C. MORA, L. GÓMEZ, J. NASSER (1996): Number of vector bites determining the infection of guinea pigs with *Trypanosoma cruzi*.
Mem. Inst. Oswaldo Cruz 91, 421-424.
- BEAMAN, L., B.L. BEAMAN (1994): Differences in the interactions of *Nocardia asteroides* with macrophage, endothelial, and astrocytoma cell lines.
Inf. and Immun. 62, 1787-1798.
- BEAMAN, B.L., M.E. GERSHWIN, S.S. SCATES, Y. OHSUGI (1980): Immunobiology of germfree mice infected with *Nocardia asteroides*.
Inf. and Immun. 29, 733-743.
- BERGSTRESSER, P.R., C.R. FLETCHER, J.W. STREILEIN (1989): Surface densities of Langerhans cells in relation to rodent epidermal sites with special immunologic properties.
J. Invest. Dermatol. 74, 77-80.
- BERGSTRESSER, P.R., R. E. TIGELAAR, J.H. DEES, J.W. STREILEIN (1983): Thy-1 antigen-bearing dendritic cells populate murine epidermis.
J. Invest. Dermatol. 81, 286-288.
- BICE, D.E., R. ZELEDON (1970): Comparison of infectivity of strains of *Trypanosoma cruzi* (Chagas, 1909).
J. Parasitol. 56, 663-670.
- BIJOVSKY, A.T., R.V. MILDER (1988): Ultrastructural analysis of the interaction between host cells and *Trypanosoma cruzi* in experimental chagomas.
Trans. R. Soc. Trop. Med. Hyg. 82, 704-708.
- BIJOVSKY, T.A., R.V. MILDER, I.A. ABRAHAMSOHN, I.L. SINHORINI, M. MARIANO (1984): The influence of lymphatic drainage in experimental *Trypanosoma cruzi* infection.
Acta Trop. 41, 207-214.
- BLANK, C., H. FUCHS, K. RAPPERSBERGER, M. RÖLLINGHOFF, H. MOLL (1993): Parasitism of epidermal Langerhans cells in experimental cutaneous leishmaniasis with *Leishmania major*.
J. Infect. Dis. 167, 418-425.
- BLETZACHER, B. (1992): Einfluß von Tumor-Necrosis-Factor alpha auf die Immunkompetenz epidermaler Langerhanszellen. Untersuchungen mit einer neuen Zellpräparationsmethode.
Innsbruck, Leopold-Franzens-Univ., Med. Fak., Diss. .
- BONENCINI-ALMEIDA, M.d.G., B. GALVAO-CASTRO, M.H. RIBEIRO PESSOA, C. PIRMEZ, F. LARANJA (1990): Experimental Chagas' disease in Rhesus monkeys. I. Clinical, parasitological, hematological and anatomo-pathological studies in the acute and indeterminate phase of the disease.
Mem. Inst. Oswaldo Cruz 85, 163-171.

- BRENAN, M., C.R. PARISH (1984): Intracellular fluorescent labelling of cells for analysis of lymphocyte migration.
J. Immunol. Methods *74*, 31-38.
- BRENER, Z. (1962): Therapeutic activity and criterion of cure on mice experimentally infected with *Trypanosoma cruzi*.
Rev. Inst. Med. Trop. Sao Paulo *4*, 389-396.
- BRENER, Z. (1969): The behaviour of slender and stout forms of *Trypanosoma cruzi* in the blood-stream of normal and immune mice.
Ann. Trop. Med. Parasitol. *63*, 215-220.
- BRENER, Z. (1973): Biology of *Trypanosoma cruzi*.
Ann. Rev. Microbiol. *27*, 347-382.
- BRENNESSEL, D.J., M. WITTNER, V. BRAUNSTEIN, H.B. TANOWITZ (1985): Acetylcholinesterase levels in skeletal muscle of mice infected with *Trypanosoma cruzi*.
Am. J. Trop. Med. Hyg. *34*, 460-464.
- BUCHER, O., H. WARTENBERG (1989): Zytologie, Histologie und mikroskopische Anatomie des Menschen.
 11. Auflage, Verlag Hans Huber, Bern/Stuttgart, a: S.558, b: S. 617, c: S. 557 ff.
- CALABRESE, K.S., P.G. BAUER, P.H. LAGRANGE, S.C. GONCALVES DA COSTA (1991): *Trypanosoma cruzi* infection in immunosuppressed mice.
Immunol. Lett. *31*, 91-96.
- CARREIRA, J.C.A., A.M. JANSEN, M.P. DEANE, H.L. LENZI (1996): Histopathological study of experimental and natural infections by *Trypanosoma cruzi* in *Didelphis marsupialis*.
Mem. Inst. Oswaldo Cruz *91*, 609-618.
- CELENTANO, A.M., S.M. GONZÁLES CAPPÀ (1992): Induction of macrophage activation opsonizing antibodies by *Trypanosoma cruzi* subpopulations.
Parasite Immunol. *14*, 155-167.
- CELENTANO, A.M., S.M. GONZÁLES CAPPÀ (1993): In vivo macrophage function in experimental infection with *Trypanosoma cruzi* subpopulations.
Acta Trop. *55*, 171-180.
- CHAGAS, C. (1909): Über eine neue Trypanosomiasis des Menschen.
Arch. Schiffs- und Tropenhyg. *13*, 351-353.
- CHANNON, J.Y., M.B. ROBERTS, J.M. BLACKWELL (1984): A study of the differential respiratory burst activity elicited by promastigotes and amastigotes of *Leishmania donovani* in murine resident peritoneal macrophages.
Immunology *53*, 345-355.
- CHRISTENSEN, H.A., A.M. DE VASQUEZ (1981): Host feeding profiles of *Rhodnius pallescens* (Hemiptera: Reduviidae) in rural villages of central Panama.
Am. J. Trop. Med. Hyg. *30*, 278-283.
- CHRISTENSEN, H.A., O.E. SOUSA, A.M. DE VASQUEZ (1988): Host feeding profiles of *Triatoma dimidiata* in peridomestic habitats of western Panama.
Am. J. Trop. Med. Hyg. *38*, 477-479.

- CONTRERAS, V.T., J.M. SALLES, N. THOMAS, C.M. MOREL, S. GOLDENBERG (1985): In vitro differentiation of *Trypanosoma cruzi* under chemical confined conditions.
Mol. Biochem. Parasitol. 16, 315-327.
- COSTA, C.H.N., M.T. COSTA, J.N. WEBER, G.F. GILKS, C. CASTRO, P.D. MARSDEN (1981): Skin reactions to bug bites as a result of xenodiagnosis.
Trans. R. Soc. Trop. Med. Hyg. 75, 405-408.
- COVER, B., W.E. GUTTERIDGE, F.P. WHARTON (1978): The course of infection of *Trypanosoma cruzi* in gamma-irradiated rats.
Trans. R. Soc. Trop. Med. Hyg. 72, 596-601.
- CROWLE, A.J. (1976): Delayed hypersensitivity in the mouse.
Adv. Immunol. 21, 197-264.
- CULBERTSON, J.T., W.R. KESSLER (1942): Age resistance of mice to *Trypanosoma cruzi*.
J. Parasitol. 28, 155-158.
- CUMBERBATCH, M., I. KIMBER (1990): Phenotypic characteristics of antigen-bearing cells in the draining lymph nodes of contact sensitized mice.
Immunol. 71, 404-410.
- DEANE, M.P., T. DE BRITO, L.M. DEANE (1963): Pathogenicity to mice of some strains of *Trypanosoma cruzi* isolated from wild animals of Brazil.
Rev. Inst. Med. Trop. Sao Paulo 5, 225-235.
- DEANE, M.P., A.M. JANSEN, R.H.R. MANGIA, A.M. GONCALVES, C.M. MOREL (1984): Are our laboratory "strains" representative samples of *Trypanosoma cruzi* populations that circulate in nature?
Mem. Inst. Oswaldo Cruz 79, 19-24.
- DEANE, M.P., H.L. LENZI, A. JANSEN (1984b): *Trypanosoma cruzi*: Vertebrate and invertebrate cycles in the same mammal host, the opossum *Didelphis marsupialis*.
Mem. Inst. Oswaldo Cruz 79, 513-515.
- DEUTSCHLÄNDER, N., R. VOLLERTHUN, K.-D. HUNGERER (1978): Histopathology of experimental Chagas' disease in MNRI mice.
Tropenmed. Parasitol. 29, 323-329.
- DIAS, E. (1932): Expériences sur la transmission du *Trypanosoma cruzi* de l'insecte au vertébré.
C.R. Hebdom. Soc. Biol. Fil. 111, 490-492.
- DIAS, E. (1955): Observacoes sôbre eliminacao de dejecoes e tempo de succao em alguns triatomíneos sul-americanos. (Beobachtungen über die Kotausscheidung und Saugzeit bei einigen südamerikanischen Triatomen.)
Mem. Inst. Oswaldo Cruz 54, 115-124.
- DIMOCK, K.A., C.D. DAVIS, R.E. y (1992): Changes in humoral responses to *Trypanosoma cruzi* during the course of infection in mice held at elevated temperatures.
J. Parasitol. 78, 687-696.
- DIOTAIUTI, L., A.S. PEREIRA, C.F. LOIOLA, A.J. FERNANDES, J.C. SCHOFIELD, J.P. DUJARDIN, J.C.P. DIAS, E. CHIARI (1995): Inter-relation of sylvatic and domestic transmission of *Trypanosoma cruzi* in areas with and without domestic vectorial transmission in Minas Gerais, Brasil.
Mem. Inst. Oswaldo Cruz 90, 443-448.

- DUNN, F.L., F.L. LAMBRECHT, R. DU PLESSIS (1963): Trypanosomes of South American monkeys and marmosets.
Am. J. Trop. Med. Hyg. 12, 524-534.
- EDGCOMB, J.H., D.H. WALKER, MD, C.M. JOHNSON (1973): Pathological features of *Trypanosoma cruzi* infections of *Rattus rattus*.
Arch. Pathol. 96, 36-38.
- EICHLER, S., N. REINTJES, M. JUNG, A.F. YASSIN, K.P. SCHAAL, A. JUNQUEIRA, J.R. COURA, G.A. SCHAUB (1996): Identification of bacterial isolates and symbionts from wild populations of *Triatoma infestans* and *T. sordida*.
Mem. Inst. Oswaldo Cruz 91, 125.
- ENDERS, B., E. WEINMANN, C.A. NAGLE, B. HEIN, O. ZWISLER (1982): Experimental Chagas' disease in primates *Macaca fascicularis* and *Cebus apella* with special reference to preclinical trials and the evaluation of a living non replicating vaccine.
Behring Inst. Mitt. 71, 132-156.
- FOSSUM, S. (1989): Dendritic leucocytes: Features of their in vivo physiology.
In: MACPHERSON, G.G.: Lymphoid dendritic cells: Their life history and roles in immune responses.
Res. Immunol. 140, 877-926.
- GESSNER, A., C. BOGDAN, M. RÖLLINGHOFF (1994): Leishmaniose.
In: M. Röllinghoff, M. Rommel (Hrsg.): Immunologische und molekulare Parasitologie, Gustav Fischer Verlag, Jena, S. 29-52.
- GILLITZER, R., H. MOLL (1993): Simultaneous demonstration of two antigens with immunogold-silver staining and immunoenzymatic labeling.
J. Histotechnol. 16, 223-227.
- GOBLE, F.C. (1952): Observations on experimental Chagas' disease in dogs.
Am. J. Trop. Med. Hyg. 1, 189-204.
- GÜRTLER, R.E., M.C. CÉCERE, D.N. RUBEL, R.M. PETERSEN, N.J. SCHWEIGMANN, M.A. LAURICELLA, M.A. BUJAS, E.L. SEGURA, C. WISNIVESKI-COLLI (1991): Chagas' disease in north-west Argentina: Infected dogs as a risk factor for the domestic transmission of *Trypanosoma cruzi*.
Trans. R. Soc. Trop. Med. Hyg. 85, 741-745.
- GÜRTLER, R.E., M. LAURICELLA, N.D. SOLARZ, M.A. BUJAS, C. WISNIVESKI-COLLI (1986): Dynamics of transmission of *Trypanosoma cruzi* in a rural area of Argentina. I. The dog reservoir: An epidemiological profile.
Rev. Inst. Med. Trop. Sao Paulo 28, 28-35.
- HARRINGTON, J.S. (1958): Histamine and histidine in excreta of the blood-sucking bug *Rhodnius prolixus*.
Nature 178, 268.
- HAUSCHKA, T.S. (1947): Sex of host as a factor in Chagas' disease.
J. Parasitol. 33, 399-404.
- HAUSCHKA, T.S. (1949): Persistence of strain-specific behaviour in two strains of *Trypanosoma cruzi* after prolonged transfer through inbred mice.
J. Parasitol. 35, 593-599.
- HAUSTEIN, U.-F. (1987): Das Immunsystem der Haut.
Dermatologische Monatsschrift 173, 173-182.

- HERRERA, L., S. URDANETA-MORALES (1992): *Didelphis marsupialis*: A primary reservoir of *Trypanosoma cruzi* in urban areas of Caracas, Venezuela. *Ann. Trop. Med. Parasitol.* *86*, 607-612.
- HOFFLIN, J.M., R.H. SADLER, F.G. ARAUJO, W.E. PAGE, J.S. REMINGTON (1987): Laboratory-acquired Chagas disease. *Trans. R. Soc. Trop. Med. Hyg.* *81*, 437-440.
- HOFT, D.F., P.L. FARRAR, K. KRATZ-OWENS, D. SHAFFER (1996): Gastric invasion by *Trypanosoma cruzi* and induction of protective mucosal immune response. *Inf. Immun.* *64*, 3800-3810.
- HOFT, D.F., R.G. LYNCH, L.V. KIRCHHOFF (1993): Kinetic analysis of antigen specific immune response in resistant and susceptible mice during infection with *Trypanosoma cruzi*. *J. Immunol.* *151*, 7038-7047.
- HOWELLS, R.E., C.A. CHIARI (1975): Observations on two strains of *Trypanosoma cruzi* in laboratory mice. *Ann. Trop. Med. Parasitol.* *69*, 435-448.
- INABA, K., M. INABA, M. DEGUCHI, K. HAGI, R. YASUMIZU, S. IKEHARA, S. MURAMATSU, R.M. STEINMAN (1993): Granulocytes, macrophages, and dendritic cells arise from a common major histocompatibility complex class II-negative progenitor in mouse bone marrow. *Proc. Natl. Acad. Sci. USA* *90*, 3038-3042.
- IZUMI, S., H. UEDA, M. OKUHARA, H. AOKI, Y. YAMAMURA (1986): Effect of *Nocardia rubra* cell wall skeleton on murine interferon production in vitro. *Cancer Res.* *46*, 1960-1965.
- JUHLIN, L., W.B. SHELLEY (1977): New staining techniques for the Langerhans cell. *Acta Derm. Venerol.* *57*, 289-296.
- KÄMPGEN, E., R. GOLD, A. EGGERT, S. KLEUDGEN, K.V. TOYKA, E.B. BRÖCKER (1994): Evidence for apoptotic cell death within the dendritic cell system and its modulation by GM-CSF and TNF alpha. *Arch. Dermatol. Res.* *286*, 230.
- KANEDA, K., Y. SUMI, F. KURANO, Y. KATO, I. YANO (1986): Granuloma formation and haemopoiesis induced by C36-48-mycolic-acid-containing glycolipids from *Nocardia rubra*. *Inf. Immun.* *54*, 869-875.
- KIERSZENBAUM, F., J. IVANYI, D.B. BUDZKO (1976): Mechanisms of natural resistance to *Trypanosoma cruzi* infection - Role of complement in avian resistance to *Trypanosoma cruzi* infection. *Immunology* *30*, 1-5.
- KIRCHHOFF, L.V., D.F. HOFT (1990): Immunisation and challenge of mice with insect-derived metacyclic trypomastigotes of *Trypanosoma cruzi*. *Parasite Immunol.* *12*, 65-74.
- KIRK, M.L., C.J. SCHOFIELD (1987): Density-dependent timing of defecation by *Rhodnius prolixus*, and its implications for the transmission of *Trypanosoma cruzi*. *Trans. R. Soc. Trop. Med. Hyg.* *81*, 348-349.

- KLEFFMANN, T., J. SCHMIDT, G.A. SCHAUB (1998): Attachment of *Trypanosoma cruzi* epimastigotes to hydrophobic substrates, and effects on chromatographic separation of cell stages and metacyclogenesis.
J. Eucaryot. Microbiol. (in press)
- KÖBERLE, F. (1968): Chagas' disease and Chagas' syndromes: The pathology of American Trypanosomiasis.
Adv. Parasitol. 6, 63-116.
- KOLLIEN, A.H., G.A. SCHAUB (1998): The development of *Trypanosoma cruzi* (Trypanosomatidae) in the reduviid bug *Triatoma infestans* (Insecta): Influence of starvation.
J. Eukariot. Microbiol. 45, 59-63.
- KRAUSE, K.-H., D.P. LEW (1988): Bacterial toxins and neutrophil activation.
Sem. Hematol. 25, 112-122.
- KRAUSS, H., A. WEBER, B. ENDERS, H.G. SCHIEFER, W. SLENCZKA, H. ZAHNER (1997): Zoonosen: Von Tier zu Mensch übertragbare Infektionskrankheiten.
 Deutscher Ärzte-Verlag, Köln, S. 218.
- KUPPER, T.S. (1990): The activated keratinocyte: A model for inducible cytokine production by non-bone marrow derived cells in cutaneous inflammatory and immune responses.
J. Invest. Dermatol. 94, 164S-150S.
- LAMMEL, E.L., L.A. MÜLLER, E.L.D. ISOLA, S.M. GONZÁLES CAPPÀ (1985): Effect of vector on infectivity of *Trypanosoma cruzi*.
Acta Trop. 42, 149-155.
- LARSEN, C.P., R.M. STEIMAN, M. WITMER-PACK, D.F. HANKINS, P.J. MORRIS, J.M. AUSTYN (1990): Migration and maturation of Langerhans cells in skin transplants and explants.
J. Exp. Med. 172, 1483-1493.
- LAVERAN, A., F. MESNIL (1902): Recherches morphologiques et expérimentales sur le trypanosome du nagana ou la mouche tsétsé.
Ann. Inst. Pasteur 16, 1
- LAVOIEPIERRE, M.M.J., G. DICKERSON, R.M. GORDON (1959): Studies on the methods of feeding of bloodsucking arthropods. I. The manner in which triatomine bugs obtain their bloodmeal, as observed in the tissues of the living rodent, with some remarks on the effects of the bite on human volunteers.
Ann. Trop. Med. Parasitol. 53, 235-250.
- LAZZARI, C.R., J.A. NÚÑEZ (1989): The response to radiant heat and the estimation of the temperature of distant sources in *Triatoma infestans*.
J. Insect Physiol. 35, 525-529.
- LENZ, A., M. HEINE, G. SCHULER, N. ROMANI (1993): Human and murine dermis contain dendritic cells: Isolation by means of a novel method and phenotypical and functional characterisation.
J. Clin. Invest. 92, 2587-2596.
- LESSARD, R.J., K. WOLFF, R.K. WINKELMANN (1968): The disappearance and regeneration of Langerhans cells following epidermal injury.
J. Invest. Dermatol. 50, 171-179.

- LEWINSOHN, R. (1979): CARLOS CHAGAS (1879-1934): The discovery of *Trypanosoma cruzi* and the American Trypanosomiasis (foot notes to the history of Chagas' disease).
Trans. R. Soc. Trop. Med. Hyg. 73, 513-523.
- LIENHARD, A. (1990): Chagas-Krankheit. Südamerikas Infektion der Armen.
Naturwiss. Rundsch. 43, 193-197.
- LOPEZ, M.F., J.M.T. CUNHA, F.L. BEZERRA, M.S. GONZALES, J.E.L. GOMEZ, J.R. LAPA E SILVA, E.S. GARCIA, G.A. DOS REIS (1995): *Trypanosoma cruzi*: Both chemically induced and triatomine-derived metacyclic trypomastigotes cause the same immunological disturbances in the infected mammalian host.
Exp. Parasitol. 80, 194-204.
- LUMBRERAS, H., W. FLORES, A. ESCALLÓN (1959): Allergische Reaktionen auf Stiche von Reduviiden und ihre Bedeutung bei der Chagaskrankheit.
Z. Tropenmed. Parasitol. 10, 6-19.
- MACHIOLDI, E.L., C.H. CARBONETTO, D. GRANA, K. EIGUCHI DE PALMERO, M.G. CHIARAMONTE, C.A. FALASCA, R.A. MARGNI (1993): Immune response against *Trypanosoma cruzi* antigens in *Cebus apella* monkeys.
Trop. Med. Parasitol. 44, 86-90.
- MACKENZIE, I.C., C.A. SQUIER (1975): Zytochemical identification of ATPase-positive Langerhans cells in EDTA-separated sheets of mouse epidermis.
Br. J. Dermatol. 92, 523-533.
- MARINKELLE, C.J. (1982): Prevalence of *Trypanosoma cruzi*-like infection of columbian bats.
Ann. Trop. Med. Parasitol. 76, 125-134.
- MARINKELLE, C.J., E. RODRIGUEZ (1968): The influence of environmental temperature on the pathogenicity of *Trypanosoma cruzi* in mice.
Exp. Parasitol. 23, 260-263.
- MARSDEN, P.D. (1967a): *Trypanosoma cruzi* infections in CFI mice. I.- Mortality with different doses of trypanosomes.
Ann. Trop. Med. Parasitol. 61, 57-61.
- MARSDEN, P.D. (1967b): *Trypanosoma cruzi* infections in CFI mice. II.-Infections induced by different routes.
Ann. Trop. Med. Parasitol. 61, 62-67.
- MARSDEN, P.D., J.W.C. HAGSTROM (1968): Experimental *Trypanosoma cruzi* infection in beagle puppies. The effect of variations in the dose and source of infecting trypanosomes and the route of inoculation on the course of the infection.
Trans. R. Soc. Trop. Med. Hyg. 62, 816-824.
- MARSDEN, P.D., C.C. CUBA, N.J. ALVARENGA, A.C. BARRETO (1979): Report on a field collection of *Dipetalogaster maximus* (Hemiptera, Triatominae), (Uhler, 1894).
Rev. Inst. Med. Trop. Sao Paulo 21, 202-206.
- MARSDEN, P.D., S.K.K. SEAH, C.C. DRAPER, L.E. PETERSON, M.A. MILES, A. VOLLER (1976): Experimental *Trypanosoma cruzi* infections in Rhesus monkeys. II. The early chronic phase.
Trans. R. Soc. Trop. Med. Hyg. 70, 247-251.

- McHARDY, N. (1977): Immunisation of mice against *Trypanosoma cruzi* -The effect of size of dose and route of infection of immunizing and challenge inocula. *Tropenmed. Parasitol.* 28, 11-16.
- McHARDY, N., R.A. NEAL (1979): A comparison of challenge with *Trypanosoma cruzi* blood-stream trypomastigotes and metacyclic trypomastigotes from *Rhodnius prolixus* in mice immunized with killed antigens. *Trans. R. Soc. Trop. Med. Hyg.* 73, 409-414.
- MELO, R.C., Z. BRENER (1978): Tissue tropism of different *Trypanosoma cruzi* strains. *J. Parasitol.* 64, 475-482.
- MILES, M.A., J.W. PATTERSON, P.D. MARSDEN, D.M. MINTER (1975): A comparison of *Rhodnius prolixus*, *Triatoma infestans* and *Panstrongylus megistus* in the xenodiagnosis of a chronic *Trypanosoma* (*Schizotrypanum*) *cruzi* infection in a rhesus monkey (*Macaca mulatta*). *Trans. R. Soc. Trop. Med. Hyg.* 69, 377-382.
- MIURA, S., T. TAKEUCHI (1986): Experimental Chagas' disease in athymic nude (rnu/nu) rats: Histopathological characteristics and kinetics of appearance of amastigotes. *Jpn. J. Parasitol.* 35, 475-482.
- MOLL, H. (1993): Epidermal Langerhans cells are critical for immunoregulation of cutaneous leishmaniasis. *Immunol. Today* 14, 383-386.
- MOLL, H. (1995): The Immune Functions of Epidermal Langerhans Cells. Springer Verlag, Heidelberg, S. 1-20, 37-57, 87-102, 103-118.
- MOLL, H., S. FLOHÉ, M. RÖLLINGHOFF (1995): Dendritic cells in *Leishmania major*-immune mice harbor persistent parasites and mediate an antigen-specific T-cell immune response. *Eur. J. Immunol.* 25, 693-699.
- MOLL, H., H. FUCHS, C. BLANK, M. RÖLLINGHOFF (1993): Langerhans cells transport *Leishmania major* from the infected skin to the draining lymph node for presentation to antigen-specific T-cells. *Eur. J. Immunol.* 23, 1595-1601.
- MOLL, H., U. RITTER, K. ERB, C. BAUER, C. BLANK (1996): Cutaneous leishmaniasis: A model for analysis of the immunoregulation by accessory cells. *Med. Microbiol. Immunol. (Berl.)* 184, 163-168.
- MONTEÓN, V.M., J. FURUZAWA-CARBALLEDA, R. ALEJANDRO-AGUILAR, A. ARANDA-FRAUSTRO, J.L. ROSALES-ENCINA, P.A. REYES (1996): American Trypanosomiasis: In situ and generalized features of parasitism and inflammation kinetics in a murine model. *Exp. Parasitol.* 83, 267-274.
- MSHELBWALA, A.S., W.E. Ormerod (1973): Measurement of the infectivity of *Trypanosoma cruzi* in faeces of *Rhodnius* by comparison of dose-response curves. *J. Gen. Microbiol.* 75, 339-350.
- MURFIN, D.J., L. CHOROMANSKI, R.E. KUHN (1989): Relationship of the route of infection to susceptibility and immune response of inbred mice to Y strain *Trypanosoma cruzi*. *Am. J. Trop. Med. Hyg.* 41, 41-49.

- NEAL, R.A., M. DE DEFFIS, E.L. SEGURA (1980): Susceptibility of *Triatoma infestans* from two laboratory colonies to infection with *Trypanosoma cruzi*.
Trans. R. Soc. Trop. Med. Hyg. *74*, 550-551.
- NEAL, R.A., N. McHARDY (1977): Comparison of infectivity of *Trypanosoma cruzi* blood stream trypomastigotes and metacyclic trypomastigotes from *Rhodnius prolixus*.
Acta Trop. *34*, 79-85.
- OGURA, T., H. HARA, S. YOKOTA, S. HOSOE, I. KAWASE, S. KISHIMOTO, Y. YAMAMURA (1985): Effector mechanism in concomitant immunity potentiated by intratumoral injection of *Nocardia rubra* cell wall skeleton.
Cancer Res. *45*, 6371-6375.
- OKANLA, E.O., J.L. STUMPF, D.G. DUSANIC (1982): Resistance of mice immunized with irradiated and lyophilized stages of *Trypanosoma cruzi* to infections with metacyclics.
Int. J. Parasitol. *12*, 251-256.
- ORTNER, U., K. INABA, F. KOCH, M. HEINE, M. MIWA, G. SCHULER, N. ROMANI (1996): An improved isolation method for murine migratory cutaneous dendritic cells.
J. Immunol. Methods *193*, 71-79.
- PENIN, P., C. GAMALLO, J.A. DE DIEGO (1996): Biological comparison between three clones of *Trypanosoma cruzi* and the strain of origin (Bolivia) with reference to clonal evolution studies.
Mem. Inst. Oswaldo Cruz *91*, 285-291.
- PEREIRA, M.H., M.E.L. SOUZA, A.P. VARGAS, M.S. MARTINS, C.M. PENIDO, L. DIOTAIUTI (1996): Anticoagulant activity of *Triatoma infestans* saliva (Hemiptera/Triatominae).
Acta Trop. *61*, 255-261.
- PETANA, W.B. (1969): American trypanosomiasis in British Honduras.
Ann. Trop. Med. Parasitol. *63*, 47-56.
- PHILLIPS, N.R. (1960): Experimental studies on the quantitative transmission of *Trypanosoma cruzi*: Considerations regarding the standardisation of materials.
Ann. Trop. Med. Parasitol. *54*, 60-70.
- POSTAN, M., J.P. McDANIEL, J.A. DVORAK (1984): Studies of *Trypanosoma cruzi* clones in inbred mice. II. Course of infection of C57Bl/6 mice with single-cell-isolated-stocks.
Am. J. Trop. Med. Hyg. *33*, 236-238.
- POSTAN, M., J.P. McDANIEL, J.A. DVORAK (1986): *Trypanosoma cruzi*: Constancy of clone pathogenicity for inbred mice during long-term in vitro maintenance.
Trans. R. Soc. Trop. Med. Hyg. *80*, 659-663.
- POSTAN, M., J.P. McDANIEL, J.A. DVORAK (1987): Comparative studies of the infection of Lewis rats with four *Trypanosoma cruzi* clones.
Trans. R. Soc. Trop. Med. Hyg. *81*, 415-419.
- PUNG, O.C., L.A. HULSEBOS, R.E. KUHN (1988): Experimental American leishmaniasis and Chagas' disease in the Brazilian Squirrel monkey: Cross immunity and electrocardiographic studies of monkeys infected with *Leishmania braziliensis* and *Trypanosoma cruzi*.
Int. J. Parasitol. *18*, 1053-1059.

- QUINTAL, R.E., G.G. POLANCO (1977): Feeding preferences of *Triatoma dimidiata maculipennis* in Yucatan, Mexico.
Am. J. Trop. Med. Hyg. 26, 176-178.
- RABINOVICH, J.E., C. WISNIVESKY-COLLI, N.D. SOLARZ, R.E. GÜRTLER (1990): Probability of transmission of Chagas' disease by *Triatoma infestans* (Hemiptera: Reduviidae) in an endemic area of Santiago del Estero, Argentina.
Bull. World Health Organisation 68, 737-746.
- RAMIREZ, L.E., Z. BRENER (1987): Evaluation of the rabbit as a model for Chagas' disease. I. Parasitological studies.
Mem. Inst. Oswaldo Cruz 82, 531-536.
- REINHOLD, H.S., J.W.M. VISSER (1983): In vivo fluorescence of endothelial cell nuclei stained with the dye Bis-benzamide H 33342.
Int. J. Microcirc.: Clin. Exp. 2, 143-146.
- REIS E SOUSA, C., P.D. STAHL, J.M. AUSTYN (1993): Phagozytosis of antigens by Langerhans cells in vitro.
J. Exp. Med. 178, 509-519.
- RENNER, E. (1997): *Mathematisch-statistische Methoden in der praktischen Anwendung.* Verlag Paul Parey, Berlin, S. 83-85.
- RIBEIRO DOS SANTOS, R., L. HUDSON (1981): Denervation and the immune response in mice infected with *Trypanosoma cruzi*.
Clin. Exp. Immunol. 44, 349-354.
- RIBEIRO, J.M.C. (1987a): Role of saliva in blood-feeding arthropods.
Ann. Rev. Entomol. 32, 463-478.
- RIBEIRO, J.M.C. (1987b): Vector salivation and parasite transmission.
Mem. Inst. Oswaldo Cruz 82, 1-3.
- RIBEIRO, J.M.C. (1989): Vector saliva and its role in parasite transmission.
Exp. Parasitol. 69, 104-106.
- RIBEIRO, J.M.C., E.S. GARCIA (1981): The role of the salivary glands in feeding of *Rhodnius prolixus*.
J. Exp. Biol. 94, 219-230.
- ROLLE, M., A. MAYR (1993): *Medizinische Mikrobiologie, Infektions- und Seuchenlehre.* 6. Auflage, Enke Verlag, Stuttgart, S. 793-795.
- ROMANI, N., G. STINGL, E. TSCHACHLER, M.D. WITMER, R.M. STEINMAN, E. SHEVACH, G. SCHULER (1985): The Thy-1-bearing cell in murine epidermis – A distinctive leukocyte perhaps related to the natural killer cells.
J. Exp. Med. 161, 1368-1383.
- ROMEIS, B. (1989): *Mikroskopische Technik.* 17. Auflage, Urban und Schwarzenberg, München/Wien, S. 27.
- ROSENBERGER, G. (1977): *Die klinische Untersuchung des Rindes.* Verlag Paul Parey, Berlin/Hamburg.
- RUBIO, M. (1956): Actividad litica de sueros normales sobre formas de cultivo y sanguineas de *Trypanosoma cruzi*. (Die lytische Aktivität von Maus-Normalseren für Kultur- und Blutstadien von *Trypanosoma cruzi*.)
Bol. Chil. Parasitol. 11, 62-69.

- RUSSO, M., N. STAROBINAS, R. RIBEIRO DOS SANTOS, P. MINOPRIO, H. EISEN, M. HONTEBEYRIE-JASKOWICZ (1989): Susceptible mice present higher macrophage activation than resistant mice during infections with myotropic strains of *Trypanosoma cruzi*.
Parasite Immunol. *11*, 385-395.
- RYCKMAN, R.E., A.E. RYCKMAN (1963): Loma Linda University's 1962 expedition to Baja California.
Med. Art. Sci. *17*, 65-76.
- RYCKMAN, R.E. (1965): Epizootiology of *Trypanosoma cruzi* in southwestern North America. Part V- Host parasite specificity between *Trypanosoma cruzi* and *Triatominae*.
J. Med. Entomol. *2*, 96-99.
- SATO, H., H. KAMIYA (1995): Role of epidermal Langerhans cells in the induction of protective immunity to *Schistosoma mansoni* in guinea-pigs.
Immunology *84*, 233-240.
- SCHAUB, G.A. (1989): *Trypanosoma cruzi*: Quantitative studies of development of two strains in small intestine and rectum of the vector *Triatoma infestans*.
Exp. Parasitol. *68*, 260-273.
- SCHAUB, G.A. (1990): Membrane Feeding for infection of the reduviid bug *Triatoma infestans* with *Blastocrithidia triatominae* (*Trypanosomatidae*) and pathogenic effects of the flagellate.
Parasitol. Res. *76*, 306-310.
- SCHAUB, G.A. (1991): Rapid isolation of metacyclic trypomastigotes of *Trypanosoma cruzi* from feces and urine of the vector.
Acta Trop. *50*, 51-58.
- SCHAUB, G.A., P. LÖSCH (1988): *Trypanosoma cruzi*: Origin of metacyclic trypomastigotes in the urine of the vector *Triatoma infestans*.
Exp. Parasitol. *65*, 174-186.
- SCHAUB, G.A., J. SCHOTTELIUS (1984): Identification of trypanosomes isolated from North Chile.
Z. Parasitenkd. *70*, 3-9.
- SCHAUB, G.A., F. WUNDERLICH (1985): Die Chagas-Krankheit.
Biol. unserer Zeit *15*, 42-51.
- SCHULER, G.E. (1985): Murine epidermal Langerhans cells mature into potent immunostimulatory dendritic cells in vitro.
J. Exp. Med. *161*, 526-546.
- SCHWEIGMANN, N.J., S. PIETROKOVSKY, V. BOTTAZZI, O. CONTI, C. WISNIVESKY-COLLI (1995): Interaction between *Didelphis albiventris* and *Triatoma infestans* in relation to *Trypanosoma cruzi* transmission.
Mem. Inst. Oswaldo Cruz *90*, 679-682.
- SEAH, S.K.K., P.D. MARSDEN, A. VOLLER, L.E. PETTTTT (1974): Experimental *Trypanosoma cruzi* infection in Rhesus monkeys - The acute phase.
Trans. R. Soc. Trop. Med. Hyg. *68*, 63-69.
- SHERLOCK, I.A., M. SADIGURSKY (1997): *Triatominae* saliva contributes to pathogenicity of *Trypanosoma cruzi*.
Mem. Inst. Oswaldo Cruz *92*, 113.

- SILVA, M.E., E.A. EVANGELISTA, J.R. NICOLI, E.A. BAMBIRRA, E.C. VIEIRA (1987): American Trypanosomiasis (Chagas' disease) in conventional and germfree rats and mice. *Rev. Inst. Med. Trop. Sao Paulo* 29, 284-288.
- SOARES, V.A., P.D. MARSDEN (1986): Penetracao do Trypanosoma cruzi atraves do ponto da picada de Triatomineos. (Eindringen von Trypanosoma cruzi durch die Stichöffnung von Triatomenen.) *Rev. Soc. Bras. Med. Trop.* 19, 165-166.
- STILES, B., F. KIERSZENBAUM (1986): An improved procedure for the purification of Trypanosoma cruzi (Chagas 1909) metacyclics from the insect vector. *J. Protozool.* 33, 132-134.
- STREILEIN, J.W. (1983): Skin-associated lymphoid tissues (SALT): Origins and functions. *J. Invest. Dermatol.* 80, 12s-16s.
- STÜNZI, H., E. WEISS (1990): Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin. 8. Auflage, Verlag Paul Parey, Berlin/Hamburg, S. 230-250.
- TANOWITZ, H.B., L.V. KIRCHHOFF, D. SIMON, S.A. MORRIS, L.M. WEISS, M. WITTNER (1992): Chagas' disease. *Clin. Microbiol. Rev.* 5, 400-419.
- TANURI, A., P.P. DE ANDRADE, D.F. DE ALMEIDA (1985): Trypanosoma cruzi: Isolation of cloned strains and characterisation of their infectivity. *J. Parasitol.* 71, 397-402.
- TDR (1992): New initiative will halt Chagas' disease in six years, says Argentine health official. In: TDR news No. 40. UNDP/World Bank/WHO Special programme for reseach and training in tropical diseases (TDR).
- TDR (1996): Four TDR diseases can be "eliminated". In: TDR news No. 46. UNDP/World Bank/WHO Special programme for reseach and training in tropical diseases (TDR).
- TEIXEIRA, A.R.L., F. FIGUEIREDO, J. REZENDE FILHO, V. MACÊDO (1983): Chagas' disease: A clinical, parasitological, immunological, and pathological study in rabbits. *Am. J. Trop. Med. Hyg.* 32, 258-272.
- THEODOS, C.M., J.M.C. RIBEIRO, R.G. TITUS (1991): Analysis of enhancing effect of Sand Fly saliva on Leishmania infection in mice. *Inf. Immun.* 59, 1592-1598.
- TIBAYRENC, M., F.J. AYALA (1988): Isozyme variability in Trypanosoma cruzi, the agent of Chagas' disease: Genetical, taxonomical and epidemiological significance. *Evolution* 42, 277-292.
- TIBAYRENC, M., P. DESJEUX (1983): The presence in Bolivia of two distinct zymodemes of Trypanosoma cruzi, circulating sympatrically in a domestic transmission cycle. *Trans. R. Soc. Trop. Med. Hyg.* 77, 73-75.
- TIGELAAR, R.E., J.M. LEWIS (1995): Immunobiology of mouse dendritic epidermal T-cells: A decade later, some answers, but still more questions. *J. Invest. Dermatol.* 105, 43S-49S.

- TITUS, R.G. (1996): The influence of arthropod vector saliva on disease transmission. *Mem. Inst. Oswaldo Cruz* *91*, 19-20.
- TITUS, R.G., RIBEIRO, J.M.C. (1990): The role of vector saliva in transmission of arthropod-borne disease. *Parasitol. Today* *6*, 157-160.
- TONN, R. (1980): Chagas' disease vector control programmes: Evaluation and perspectives. In: WHO-Workshop on epidemiological, social and economic aspects of present and future methods for Chagas' disease control, TDR/CHA-SER/WSP/80.6, Mexico City.
- TRAVI, B.L., C. JARAMILLO, J. MONTOYA, I. SEGURA, A. ZEA, A. GONCALVES, I.D. VELEZ (1994): *Didelphis marsupialis*, an important reservoir of *Trypanosoma* (*Schizotrypanum*) *cruzi* and *Leishmania* (*Leishmania*) *chagasi* in Colombia. *Am. J. Trop. Med. Hyg.* *50*, 557-565.
- TRISCHMANN, T.M. (1986): *Trypanosoma cruzi*: Early parasite proliferation and host resistance in inbred strains of mice. *Exp. Parasitol.* *62*, 194-201.
- TRISCHMANN, T., H. TANOWITZ, M. WITTNER, B. BLOOM (1978): *Trypanosoma cruzi*: Role of the immune response in the natural resistance of inbred strains of mice. *Exp. Parasitol.* *45*, 160-168.
- VICKERMAN, K. (1977): The dyskinetoplasty mutation in *Trypanosoma evansi* and other flagellates. *Protozoology* *111*, 57-69.
- VILLALTA, F., F. KIERSZENBAUM (1983a): Immunisation against a challenge with insect vector, metacyclic forms of *Trypanosoma cruzi* simulating natural infection. *Am. J. Trop. Med. Hyg.* *32*, 273-276.
- VILLALTA, F., F. KIERSZENBAUM (1983b): Cross-reactivity of vector borne metacyclic forms of *Trypanosoma cruzi* with mammalian and culture stages. *J. Protozool.* *30*, 329-331.
- VILLALTA, F., F. KIERSZENBAUM (1987): Insect-borne and culture-derived metacyclic *Trypanosoma cruzi*: Differences in infectivity and virulence. *Am. J. Trop. Med. Hyg.* *36*, 529-532.
- VOLF, P., L. GRUBHOFFER, P. HOSEK (1993): Characterisation of salivary gland antigens of *Triatoma infestans* and antigen-specific serum antibody response in mice exposed to bites of *Triatoma infestans*. *Vet. Parasitol.* *47*, 327-337.
- VOLLERTHUN, R., N. DEUTSCHLÄNDER, K.-D. HUNGERER (1980): Histological examination of the footpad of mice after infection with *Trypanosoma cruzi*. *Behring Inst. Mitt.* *66*, 27-33.
- WANG, B., S. KONDO, G.M. SHIVJI, H. FUJISAWA, T.W. WAK, D.N. SAUDER (1996): Tumor necrosis factor receptor II(p75) signalling is required for the migration of Langerhans cells. *Immunology* *88*, 284-288.

- WARBURG, A., Y. SCHLEIN (1986): The effect of post-bloodmeal nutrition of *Phlebotomos papatasi* on the transmission of *Leishmania major*.
Am. J. Trop. Med. Hyg. 53, 926-930.
- WEBER-MATTHIESEN, K., W. STERRY (1990): Organization of the monocyte/macrophage system of normal human skin.
J. Invest. Dermatol. 95, 83-89.
- WHO (1984): Report of the Scientific working group on the development and evaluation of animal models for Chagas' disease.
TDR/IMMCHA-AMOD/84.3. Geneva, Switzerland.
- WHO (1991): Control of Chagas' Disease.
WHO Technical Report, 811, S. 27-30, Geneva, Switzerland.
- WILL, A., C. BLANK, M. RÖLLINGHOFF, H. MOLL (1992): Murine epidermal Langerhans cells are potent stimulators of an antigen-specific T-cell response to *Leishmania major*, the cause of cutaneous leishmaniasis.
Eur. J. Immunol. 22, 1341-1347
- WILLIAMS, G.D., L.G. ADAMS, R.G. YAEGER, R.K. McGRATH, W.K. REED, W.R. BILDERBACK (1977): Naturally occurring trypanosomiasis (Chagas' disease) in dogs.
J. Am. Vet. Med. Assoc. 171, 171-177.
- WILSEM, E.J.G.v., J. BREVÉ, M. KLEIJMEER, G. KRAAL (1994): Antigen-bearing Langerhans cells in skin draining lymph nodes: Phenotype and kinetics of migration.
J. Invest. Dermatol. 103, 217-220.
- WIRTH, J.J., F. KIERSZENBAUM (1988): Recombinant tumor necrosis factor enhances macrophage destruction of *Trypanosoma cruzi* in the presence of bacterial endotoxin.
J. Immunol. 141, 286-288.
- WIRTZ, H.-P. (1987): Eindringen der Mundwerkzeuge von Raubwanzen durch eine Membran (Hemiptera: Reduviidae).
Entomol. Gen. 12, 147-153.
- WISNIVESKI-COLLI, C., R.E. GÜRTLER, N. SOLARZ, D. SALOMÓN, A. RUIZ (1982): Feeding patterns of *Triatoma infestans* (Hemiptera: Reduviidae) in relation to transmission of American trypanosomiasis in Argentina.
J. Med. Entomol. 19, 645-654.
- WISNIVESKI-Colli, C., R.E. GÜRTLER, N.D. SOLARZ, M.A. LAURICELLA, E.L. SEGURA (1985): Epidemiological role of humans, dogs and cats in the transmission of *Trypanosoma cruzi* in a central area of Argentina.
Rev. Inst. Med. Trop. Sao Paulo 27, 346-352.
- WITMER-PACK, M.D., W. OLIVIER, J. VALINSKY, G. SCHULER, R.M. STEINMAN (1987): Granulocyte/macrophage colony-stimulating factor is essential for the viability and function of cultured murine epidermal Langerhans cells.
J. Exp. Med. 166, 1484-1498.
- WOLFF, K., R.K. WINKELMANN (1967): Quantitative studies on the Langerhans cell population of guinea pig epidermis.
J. Invest. Dermatol. 48, 504-513.

- WOLFF, K., K. KONRAD (1972): Phagozytosis of latex beads by epidermal keratinocytes in vivo.
J. Ultrastructure Res. 39, 262-280.
- WOOD, F.D., S.F. WOOD (1941): Present knowledge of the distribution of *Trypanosoma cruzi* in reservoir animals and vectors.
Am. J. Trop. Med. 21, 335-345.
- WOOD, S.F. (1951): Importance of feeding and defecation times of insect vectors in transmission of Chagas' disease.
J. Econ. Entomol. 44, 52-54.
- YAEGER, R.G. (1971): Transmission of *Trypanosoma cruzi* infection to opossums via the oral route.
J. Parasitol. 57, 1375-1376.
- ZELEDON, R., R. ALVARADO, L.F. JIRÓN (1977): Observations on the feeding and defecation patterns of three triatomine species (Hemiptera: Reduviidae).
Acta Trop. 34, 65-77.
- ZELEDON, R., J.E. RABINOVICH (1981): Chagas' Disease: An ecological appraisal with special emphasis on its insect vectors.
Ann. Rev. Entomol. 26, 101-133.
- ZELEDÓN, R., G. Solano, G. Sáenz S., J.C. Swartzwelder (1970): Wild reservoir of *Trypanosoma cruzi* with special mention of the opossum, *Didelphis marsupialis*, and its role in the epidemiology of Chagas' disease in an endemic area of Costa Rica.
J. Parasitol. 56, 38.