

## Literatur

Abe, K., und T. Ito (1977) A qualitative and quantitative morphologic study of Peyer's patches of the mouse. Arch. Histol. Jpn. 40: 407-420.

Aiken, J.M. und R.F. Marsh (1990) The search for scrapie agent nucleic acid. Microbiol Rev; 54: 242-246.

Akowitz, A., T. Sklaviadis und L. Manuelidis (1994) Endogenous viral complexes with long RNA cosediment with the agent of Creutzfeldt-Jakob disease - Nucleic Acids Research Mar 25; 22(6): 1101-1107.

Alper, T., W.A. Cramp, D.A. Haig und M.C. Clarke (1967) Does the agent of scrapie replicate without nucleic acid? Nature 214(90): 764-766.

Alper, T. (1993) The scrapie enigma – insights from radiation experiments. Radiat Res 135: 283-292.

Andréoletti, O., P. Berthon, D. Marc, P. Sarradin, J. Grosclaude, L. van Keulen, F. Schelcher, J.-M. Elsen und F. Lantier (2000) Early accumulation of PrP<sup>Sc</sup> in gut-associated lymphoid and nervous tissues of susceptible sheep from a Romanov flock with natural scrapie. J Gen Virol 81: 3115-3126.

Aucouturier, P. und C. Carnaud (2002), The immune system, prion diseases: a relationship of complicity, blindness. J Leukocyte Biol 72: 1075–1083.

Austbø, L., A. Espenes, I. Olsaker, C.McL. Press und G. Skretting (2006) Lymphoid follicles of the ileal Peyer's patch of lambs express low levels of PrP, as demonstrated by quantitative real-time RT-PCR on microdissected tissue compartments, in situ hybridization and immunohistochemistry. J Gen Virol 87: 3463-3471.

Baldauf, E., M. Beekes und H. Diringer (1997) Evidence for an alternative direct route of access for the scrapie agent to the brain bypassing the spinal cord. J Gen Virol 78: 1187-1197.

Baldwin, M.A., K.M. Pan, J. Nguyen, Z. Huang, D. Groth, A. Serban, M. Gasset, I. Mehlhorn, R.J. Fletterick, F.E. Cohen und S.B. Prusiner (1994) Spectroscopic characterization of conformational differences between PrPC and PrPSc: an alpha-helix to beta-sheet transition. *Philos Trans R Soc Lond B Biol Sci* 343(1306):435-441.

Ballerini, C., P. Gourdain, V. Bachy, N. Blanchard, E. Levavasseur, S. Gregoire, P. Fontes, P. Aucouturier, C. Hivroz, C. Carnaud (2006) Functional implication of cellular prion protein in antigen-driven interactions between T cells and dendritic cells. *J Immunol.* 176(12):7254-7262.

Banchereau, J., F. Briere, C. Caux, J. Davoust, S. Lebecque, Y.-J. Liu, B. Pulendran und K. Palucka (2000) Immunobiology of dendritic cells. *Annu. Rev. Immunol.* 18:767–811.

Beekes, M. und R. Kurth (2002) BSE und Creutzfeld-Jakob-Krankheit. *Dtsch Med Wochenschr* 127: 335-340.

Beekes, M., E. Baldauf und H. Diringer (1996) Sequential appearance and accumulation of pathognomonic markers in the central nervous system of hamsters orally infected with scrapie. *J Gen Virol* 77:1925–1934.

Beekes, M. und P.A. McBride (2000) Early accumulation of pathological PrP in the enteric nervous system and gut-associated lymphoid tissue of hamsters orally infected with scrapie. *Neurosci Lett* 278:181–184.

Beekes, M., P.A. McBride und E. Baldauf (1998) Cerebral targeting indicates vagal spread of infection in hamsters fed with scrapie. *J Gen Virol* 79: 601-607.

Bendheim ,P.E., H.R. Brown, R.D. Rudelli, L.J. Scala, N.L. Goller, G.Y. Wen, R.J. Kascsak, N.R. Cashman und D.C. Bolton (1992) Nearly ubiquitous tissue distribution of the scrapie agent precursor protein. *Neurology* 42: 149–156.

Besnoit, C. und C. Morel (1898) Note sur les lésions nerveuses de la tremblante du mouton. *Rev Vét (Toulouse)* 23: 397-400.

Bessen, R.A. und R.F. Marsh (1994) Distinct PrP properties suggest the molecular basis of strain variation in transmissible mink encephalopathy. *J Virol* 68: 7859-7868.

Bessen, R.A. und R.F. Marsh (1992a) Identification of two biologically distinct strains of transmissible mink encephalopathy in hamsters. *J Gen Virol* 73: 329-334.

Bessen, R.A. und R.F. Marsh (1992b) Biochemical and physical properties of the prion protein from two strains of the transmissible mink encephalopathy agent. *J Virol* 66(4): 2096-2101.

Billeter, M., R. Riek, G. Wider, S. Hornemann, R. Glockshuber und K. Wüthrich (1997) Prion protein NMR structure and species barrier for prion diseases *Proc Natl Acad Sci USA* 94: 7281-7285.

Bolton D.C, R.K. Meyer und S.B. Prusiner (1985) Scrapie PrP 27-30 is a sialoglycoprotein *J Virol* 53: 596-606.

Bons, N., N. Mestre-Frances, P. Belli, F. Cathala, D.C. Gajdusek und P. Brown (1999) Natural and experimental oral infection of nonhuman primates by bovine spongiform encephalopathy agents. *Proc Natl Acad Sci USA* 96: 4046-4051.

Bossers, A., B.E.C. Schreuder, I.H. Muileman, P.B.G.M. Belt und M.A. Smits (1996) PrP genotype contributes to determining survival times of sheep with natural scrapie. *J Gen Virol* 77: 2669-2673.

Bradley, R. (1996) in *Bovine Spongiform Encephalopathy: The BSE Dilemma*, (Springer, New York) Gibbs, C.J., Jr. Herausgeber, p. 11.

Brenner, H.R., A. Herczeg und B. Oesch (1992) Normal development of nerve-muscle synapses in mice lacking the prion protein gene. *Proc R Soc Lond B Biol Sci* 250: 151-155.

Brown, D.R., K.F. Qin, J.W. Herms, A. Madlung, J. Manson, R. Strome, P.E. Fraser, T. Kruck, A. von Bohlen, W. Schulz-Schaeffer, A. Giese, D. Westaway und H. Kretzschmar (1997) The cellular prion protein binds copper *in-vivo*. *Nature* 390: 684-697.

Brown, D.R., B. Schmidt, M.H. Groschup und H.A. Kretzschmar (1998) Prion protein expression in muscle cells and toxicity of a prion protein fragment. *Eur J Cell Biol* 7: 29-37.

Brown D.R., B. Wong, F. Hafiz, C. Clive, S.J. Haswell und I.M. Jones (1999) Normal prion protein has an activity like that of superoxide dismutase. *Biochem J* 344: 1-5.

Brown, P., P.P. Liberski, A. Wolff und D.C. Gajdusek (1990) Resistance of scrapie infectivity to steam autoclaving after formaldehyde fixation and limited survival after washing at 360°C: practical and theoretical implications. *J Infect Dis* 161: 467-472.

Brown, P., M. Preece, J.-P. Brandel, T. Sato, L. McShane, I. Zerr, A. Fletcher, R. G. Will, M. Pocchiari, N. R. Cashman, J. H. d'Aignaux, L. Cervenáková, J. Fradkin, L.B. Schonberger und S. J. Collins (2000) Iatrogenic Creutzfeldt–Jakob disease at the millennium. *Neurology* 55: 1075-1081.

Bruce, M.E., R.G. Will, J.W. Ironside, I. McConnell, D. Drummond, A. Suttie, L. McCardle, A. Chree, J. Hope, C. Birkett, S. Cousens, H. Fraser und C.J. Bostock (1997) Transmission to mice indicate that „new variant“ CJD is caused by the BSE agent. *Nature* 398: 489-501.

Bruce, M.E. und A.G. Dickinson (1987) Biological evidence that the scrapie agent has an independent genome. *J Gen Virol* 68: 79-89.

Bruce, M.E., P.A. McBride und C.F. Faquhar (1989) Precise targeting of the pathology of sialoglycoprotein, PrP, and vacuolar degeneration in mouse scrapie. *Neurosci Lett* 102: 1-6.

Bruce, M.E. und H. Fraser (1991) Scrapie strain variation and its implications. *Curr Top Microbiol Immunol* 172: 125-138.

Bruce, M.E., P.A. McBride, M. Jeffrey und J.R. Scott. (1994) PrP in pathology and pathogenesis in scrapie infected mice. *Mol Neurobiol* 8: 105-112.

Bruce, M. E. (2003) TSE strain variation. *British Medical Bulletin* 66: 99-108.

Budka, H., A. Aguzzi, P. Brown, J.M. Brucher, O. Bugiani, F. Gullotta, M. Haltia, J.J. Hauw, J.W. Ironside, K. Jellinger, H.A. Kretzschmar, P.L. Lantos, C. Masullo, W. Schlote, J. Tateishi und R.O. Weller (1995) Neurological diagnostic criteria for Creutzfeldt-Jakob disease (CJD) and other human spongiform encephalopathies (prion diseases). *Brain Pathol* 5: 459-466.

Büeler, H., M. Fischer, Y. Lang, H. Bluethmann, H.-P. Lipp, S.J. DeArmond, S.B. Prusiner, M. Aguet und C. Weissmann (1992) Normal development and behaviour of mice lacking the neuronal cell-surface PrP protein. *Nature* 356: 577-582.

Büeler, H., A. Aguzzi, A. Sailer, R.A. Greiner, P. Autenried, M. Aguet und C. Weissmann (1993) Mice devoid of PrP are resistant to scrapie. *Cell* 73: 1339-1348.

Burger, D. und G. R. Hartsough (1965) Encephalopathy of mink. II. Experimental and natural transmission. *J Infect Dis* 115: 393-399.

Burthem, J., B. Urban, A. Pain und D.J. Roberts (2001) The normal cellular prion protein is strongly expressed by myeloid dendritic cells. *Blood* 98: 3733–3738.

Cashman, N.R., R. Loertscher, J. Nalbantoglu, I. Shaw, R.J. Kascak, D.C. Bolton und P.E. Bendheim (1990) Cellular isoform of the scrapie agent protein participates in lymphocyte activation. *Cell* 61:185-192.

Caughey, B.W., A. Dong, K.S. Bhat, D. Ernst, S.F. Hayes und W.S. Caughey (1991) Secondary structure analysis of the scrapie-associated protein PrP (27-30) in water by infrared spectroscopy. *Biochem* 30: 250-252.

Caughey B., G.J. Raymond und R.A. Bessen (1998). Strain-dependent differences in beta-sheet conformations of abnormal prion protein. *J Biol Chem.* 1998 Nov 27 273(48): 32230-32235.

Chaffin, K.E., C.R. Beals, T.M. Wilkie, K.A. Forbush, M.I. Simon und R.M. Perlmutter (1990) Dissection of thymocyte signaling pathways by *in-vivo* expression of pertussis toxin ADP-ribosyltransferase *EMBO J* 9: 3821-3829.

Chandler, R.L. (1961) Encephalopathy in mice produced by inoculation with scrapie brain material. *Lancet* 1: 1378-1379.

Chesebro, B., R. Race, K. Wehrly, J. Nishio, M. Bloom, D. Lechner, S. Bergstrom, K. Robbins, L. Mayer, J.M. Keith, C. Garon und A. Haase (1985) Identification of scrapie prion protein-specific mRNA in scrapie-infected and uninfected brain. *Nature* 315: 331-333.

Chesebro, B., (2003) Introduction to the transmissible spongiform encephalopathies or prion diseases. *British Medical Bulletin* 66: 1-20.

Cloucard, C., P. Beaudry, J.M. Elsen, D. Milan, M. Dussaucy, C. Bounneau, F. Schelcher, J. Chatelain, J.M. Launay und J.L. Laplanche (1995) Different allelic effects of the codons 136 and 171 of the prion protein gene in sheep with natural scrapie. *J Gen Virol* 76: 2097-2101.

Cohen, F.E. und S.B. Prusiner. (1998) Pathologic Conformations of Prion Proteins. *Annual Review of Biochemistry* 67: 793-819.

Collee, J. G. und R. Bradley (1997) BSE: a decade on - part I. *The Lancet* 349: 636–641.

Colling, S.B., J. Collinge und J.G. Jefferys (1996) Hippocampal slices from prion protein null mice: Disrupted  $\text{Ca}^{(2+)}$ -activated  $\text{K}^+$  currents. *Neurosci Lett* 209: 49-52.

Collinge, J., M.A., Whittington, K.C. Sildle, C.J. Smith, M.S. Palmer, A.R. Clarke und J.G. Jefferys (1994) Prion protein is necessary for normal synaptic function. *Nature* 370: 295-297.

Collinge, J. (1996) New diagnostic tests for prion diseases. *New Engl J Med* 335: 963–965.

Coulthart, M.B. und N.R. Cashman (2001) Variant Creutzfeldt–Jakob disease: a summary of current scientific knowledge in relation to public health. *CMAJ* July 10 165 (1): 51-58.

Creutzfeld, H.G. (1920) Über eine eigenartige herdförmige Erkrankung des Zentralnervensystems. *Z Neurol Psychiatr* 57: 1-18.

Cuillé, J. und P.I. Chelle (1938) La tremblante du mouton est bien inoculable. *C. R. Acad Sci (Paris)* 206: 78-79.

Cunningham, A.A., J.K. Kirkwood, M. Dawson, Y.I. Spencer, R.B. Green und G.A.H. Wells (2004) Bovine Spongiform Encephalopathy Infectivity in Greater Kudu (*tragelaphus strepsiceros*) *Emerg Infect Dis Jun* . Available from: <http://www.cdc.gov/ncidod/EID/vol10no5/03-0615.htm>

Cutlip, R.C., J.M. Miller, R.E. Race, A.L. Jenny, J.B. Katz, H.D. Lehmkuhl, B.M. deBey und M.M. Robinson (1994) Intracerebral Transmission of scrapie to cattle. *J Inf Dis* 169: 814–820.

Cutlip R.C., J.M. Miller und H.D. Lehmkuhl (1997) Second passage of a US scrapie agent in cattle. *J Comp Pathol Oct* 117(3): 271-275.

Czub, M., H.R. Braig und H. Diringer (1988) Replication of the scrapie agent in hamsters infected intracerebrally confirms the pathogenesis of an amyloid-inducing virosis. *J Gen Virol* 69: 1753–1756.

Daude, N., S. Lehmann und D.A. Harris (1997) Identification of intermediate steps in the conversion of a mutant prion protein to a scrapie-like form in cultured cells. *J Biol Chem* 272(17): 11604–11612.

Dawson, M., L.J. Hoinville, B. Hoise und N. Hunter (1998): Guidance of the use of PrP genotyping as an aid to the control of clinical scrapie. *Vet Rec* 142: 623-625.

DeArmond, S.J., W.C. Mobley, D.L. DeMott, R.A. Barry, J.H. Beckstead und S.B. Prusiner (1987) Changes in the localisation of brain prion proteins during scrapie infection. *Neurol* 37: 1271-1280.

Diringer, H., M. Beekes und U. Oberdieck (1994) The nature of the scrapie agent: the virus theory. *Ann New York Acad Sci* 724: 246-258.

Diringer, H., J. Roehmel und M. Beekes (1998) Effect of repeated oral infection of hamsters with scrapie. *J Gen Virol* 79: 609–612.

Doh-ura, K., J. Tateishi, H. Sasaki, T. Kitamoto und Y. Sakaki (1989) Pro to Leu change at position 102 of prion protein is the most common but not the sole mutation related to Gerstmann- Straussler syndrome. *Biochem Biophys Res Commun* 163: 974-979.

Donne, D.G., D. Groth, I. Mehlhorn, T. James, F.E. Cohen, S.B. Prusiner, P. Wright und H.J. Dyson (1997) Structure of rekombinant full-length hamster prion protein PrP(29-231): the N-terminus is highly flexible. *Proc Natl Acad Sci USA* 94: 13452-13457.

Egberts, H.J., M.G. Brinkhoff, J.M. Mouwen, J.E. van Dijk und J.F. Koninkx (1985) Biology and pathology of the intestinal M cell. A review. *Vet. Quart.* 7: 333-336.

Eigen, M. (1996) Prionics or kinetic basis of prion diseaes. *Biophys Chem* 63: A1-18.

Endo, T., T. Groth, S.B. Prusiner, und A. Kobata (1989) Diversity of oligosaccharide structures linked to asparagines of the scrapie prion protein. *Biochem* 28: 8380-8388.

Farquhar, C.F., J. Dornan, R.A. Somerville, A.M. Tunstell und J. Hope (1994) Effect of *Sinc* genotype, agent isolate and route of infection on the accumulation of protease-resistant PrP in non-central nervous systems tissues during the development of murine scrapie. *J Gen Virol* 75: 495-504.

Fischer, M., T. Rülcke, A. Raeber, A. Sailer, M. Moser, B. Oesch, S. Brandner, A. Aguzzi, und C. Weissmann (1996) Prion protein (PrP) with amino-proximal deletions restoring susceptibility of PrP knockout mice to scrapie. *EMBO J* 15: 1255-1264.

Ford, M.J., L.J. Burton, H. Li, C.H. Graham, Y. Frobert, J. Grassi, S.M. Hall und R.J. Morris (2001) A marked disparity between the expression of prion protein and its message by neurones of the CNS. *Neuroscience* 111: 599-551.

Ford, M.J., L.J. Burton, H. Li, C.H. Graham, Y. Frobert, J. Grassi, S.M. Hall und R.J. Morris (2002a) A marked disparity between the expression of prion protein and its message by neurones of the CNS. *Neurosci* 111: 533–551.



Ford, M.J., L.J. Burton, R.J. Morris und S.M. Hall (2002b) Selective expression of prion protein in peripheral tissues of the adult mouse. *Neurosci* 113: 177–192.

Foster, J.D. und A.G. Dickinson (1988) The unusual properties of CH1641, a sheep-passaged isolate of scrapie. *Vet Rec* 123: 5-8.

Foster J.D., J. Hope und H. Fraser (1993) Transmission of bovine spongiform encephalopathy to sheep and goats. *Vet Rec* 133: 339-341.

Fournier, J.-G., F. Escaig-Haye, T. Billette de Villemeur, O. Robain, C. Lasmézas, J.-P. Deslys, D. Dormont und P. Brown (1998) Distribution and submicroscopic immunogold localisation of cellular prion protein (PrP<sup>C</sup>) in extracerebral tissues. *Cell Tissue Res* 292: 77-84.

Gajdusek, D.C. und V. Zigas (1957) Degenerative disease of the central nervous system in New Guinea: the endemic occurrence of 'kuru' in the native population. *N Engl J Med* 257: 974-978.

Gajdusek, D.C. und C.J. Gibbs Jr (1971) Transmission of two subacute spongiform encephalopathies of man (Kuru and Creutzfeldt-Jakob disease) to new world monkeys. *Nature* 230(5296): 588-591.

Gajdusek, D. C. (1977) Unconventional viruses and the origin and disappearance of kuru. *Science* 197: 943–960.

Gebbers, J.O. und J.A. Laissue (1989) Immunologic structures and functions of the gut. *Schweiz Arch Tierheilkd* 131: 221-238.

Gerstmann, J. (1928) Über ein noch nicht beschriebenes Reflexphänomen bei einer Erkrankung des zerebellaren Systems. *Wien Med Wochenschr* 78: 906–908.

Gerstmann, J., E. Sträussler und I. Scheinker (1936) Über eine eigenartige hereditär-familiäre Erkrankung des Zentralnervensystems und zugleich ein Beitrag zur Frage des vorzeitigen lokalen Alterns. *Z Neurol* 154: 736-762.

Ghani, A.C., C.A. Donnelly, N.M. Ferguson und R.M. Anderson (2000) Assessment of the prevalence of vCJD through testing tonsils and appendices for abnormal prion protein. *Proc R Soc London Ser B* 267: 23-29.

Ghosh, S. (2004) Mechanism of intestinal entry of infectious prion protein in the pathogenesis of variant Creutzfeldt–Jakob disease. *Adv Drug Deliv Rev* 56: 915–920.

Gibbs, C.J., J. Safar, M. Ceroni, A. DiMartino, W. W. Clark und J. L. Hourrigan (1990) Experimental transmission of scrapie to cattle. *Lancet* 335: 1275.

Gibbs, C.J., D.C. Gajdusek und R. Latarjet (1978) Unusual resistance to ionizing radiation of the viruses of kuru, Creutzfeld-Jakob-disease, and scrapie. *Proc Natl Acad Sci USA* 75: 6268-6270.

Gibbs, C.J. Jr, H.L. Amyx, A. Bacote, C.L. Masters, D.C. Gajdusek (1980) Oral Transmission of Kuru, Creutzfeldt-Jakob Disease, and Scrapie to Nonhuman Primates. *J Infect Dis* 142: 205 208.

Gohel, C., V. Grigoriev, F. Escaig-Haye, C.I. Lasmézas, J-P. Deslys, J. Langeveld, M. Alaboune, D. Hantai und J-G. Fournier (1999) Ultrastructural localisation of cellular prion protein (PrP<sup>C</sup>) at the neuromuscular junction. *J Neurosci Res* 55: 261-267.

Goldfarb, L. G., R B. Petersen, M. Tabaton, P. Brown, A. C. LeBlanc, P. Montagna, P. Cortelli, J. Julien, C. Vital, W. W. Pendelbury, M. Haltia, P.R Willis, J. J. Hauw, P. E. McKeever, L Monari, B. Schrank, G. D. Swerfold, L. Autilio-Gambetti, D. C. Gajdusek, E. Lugaresi und P. Gambetti (1992) Fatal familial insomnia and familial Creutzfeldt-Jakob disease: disease phenotype determined by a DNA polymorphism. *Science* 258: 806-808.

Goldgarber, D., L. G. Goldfarb, P. Brown, D. M. Asher, W. T. Brown, S. Lin, J. W. Teener, S. M. Feinstone, R Rubenstein, R J. Kascsak, J. W. Boellard, and D. C. Gajdusek (1989) Mutations in familial Creutzfeldt-Jakob disease and Gerstmann-Straussler- Scheinker's syndrome. *Exp Neurol* 106: 204-206.

Goldmann W., N. Hunter, G. Smith, J. Foster und J. Hope (1994) PrP genotype and agent effects in scrapie change in allelic interaction with different isolates of agent in sheep, a natural host of scrapie. *J Gen Virol* 75: 989-995.

Griffith, J. S., (1967) Self-replication and scrapie. *Nature* 215: 1043-1044.

Halleraker, M., T. Landsverk und L. Nicander (1990) Organization of ruminant Peyer's patches as seen with enzyme histochemical markers of stromal and accessory cells. *Vet Immunol Immunopath* 26: 93–104.

Harries-Jones, R., R. Knight, R.G. Will, S. Cousens, P.G. Smith und W.B. Matthews. (1988) Creutzfeldt-Jakob disease in England and Wales, 1980-1984: a case-control study of potential risk.factors. *J Nerol Neurosurg Psychiatry* 51: 1113-1119.

Hartsough, G.R, und D. Burger (1965) Encephalopathy of mink. I. Epizootiologic and clinical observations. *J Infect Dis* 115: 387-392.

Heggebø, R., C.McL. Press, G. Gunnes, K.I. Lie, M.A. Tranulis, M. Ulvund, M.H. Groschup und T. Landsverk (2000) Distribution of prion protein in the ileal Peyer's patch of scrapie und -free lambs and lambs naturally and experimentally exposed to the scrapie agent. *J Gen Virol* 81: 2327–2337.

Heggebø, R., C.McL. Press, G. Gunnes, L. González und M. Jeffrey (2002) Distribution and accumulation of PrP in gut-associated and peripheral lymphoid tissue of scrapie-affected Suffolk sheep. *J Gen Virol* 83: 479–489.

Heggebø, R., C.McL. Press, G. Gunnes, M. Ulvund, M.A. Tranulis und T. Landsverk (2003a) Detection of PrP<sup>Sc</sup> in lymphoid tissues of lambs experimentally exposed to the scrapie agent. *J Comp Pathol* 128: 172–181.

Heggebø, R., L. González, C.McL. Press, G. Gunnes, A. Espenes und M. Jeffrey (2003b) Disease-associated PrP in the enteric nervous system of scrapie-affected Suffolk sheep. *J Gen Virol* 84: 1327–1338.

Heppner, F.L., A.D. Christ, M.A. Klein, M. Prinz, M. Fried, J.-P. Kraehenbuhl und A. Aguzzi (2001) Transepithelial prion transport by M cells. *Nature Medicine* 7: 976-977.

Hill, A.F., R.J. Butterworth, S. Joiner, G. Jackson, M.N. Rossor, D.J. Thomas, A. Frosh, N. Tolley, J.E. Bell, M. Spencer, A. King, S. Al-Sarraj, J.W. Ironside, P.L. Lantos und J. Collinge (1999) Investigation of variant Creutzfeldt-Jakob disease and other human prion diseases with tonsil biopsy samples. *Lancet* 353: 183-189.

Hill, A.F., R.J. Desbruslais, S. Joiner, K.C.L. Sidle, I. Gowland, J. Collinge, L.J. Doey und P. Lantos (1997) The same prion strain causes vCJD and BSE. *Nature* 389: 183-189.

Hornbach S., C. Korth, B. Oesch, R. Riek, G. Wider, K. Wüthrich und R. Glockshuber (1997) Recombinant full-length murine prion protein, mPrP(23-231): purification and spectroscopic characterization. *FEBS-Letters* 413, 227-281.

Houston F., J.D. Foster, A. Chong, N. Hunter und C.J. Bostock (2000) Transmission of BSE by blood transfusion in sheep. *Lancet* 356: 999-1000.

Huang, F.-P. und G.G. MacPherson (2004) Dendritic cells and oral transmission of prion diseases. *Adv Drug Deliv Rev* 56: 901–913

Huang, F.-P., C.F. Farquhar, N.A. Mabbot, M.E. Bruce und G.G. MacPherson (2002) Migrating intestinal dendritic cells transport PrP<sup>Sc</sup> from the gut. *J Gen Virol* 83: 267-271.

Hunter, A.L. und C.D. Klaassen (1975) Biliary excretion of colchicine. *J Pharmacol Exp Ther* 192: 605-617.

Hunter, N., J. Foster, A. Chong, S. McCutcheon, D. Parnham, S. Eaton, C. MacKenzie und F. Houston (2002) Transmission of prion diseases by blood transfusion. *J Gen Virol* 83: 2897-2905.

Hunter, N., J.D. Foster, W. Goldmann, M.J. Stear und C. Bostock (1996) Natural scrapie in a closed flock of Cheviot sheep occurs only in specific PrP genotypes. *Arch Virol* 141: 809-824.

Jakob, A. (1921) Über eine eigenartige Erkrankung des Zentralnervensystems mit bemerkenswertem anatomischen Befund (Spastische Pseudosklerose – Encephalomyelopathie mit disseminierten Degenerationsherden). *Z Ges Neurol Psychiat* 64: 147-228.

James, T.L., N.B. Ulyanov, S. Farrjones, H. Zhang, D.G. Donne, K. Kaneko, D. Groth, I. Mehlhorn, S.B. Prusiner und F.E. Cohen (1997) Solubisation structure of a 142 residue recombinant prion protein corresponding to infectious fragment of scrapie isoforms. *Proc Natl Acad Sci USA* 94: 10086-10091.

Jeffrey, M., S. Ryder, S. Martin, S.A. Hawkins, L. Terry, C. Berthelin-Baker und S.J. Bellworthy (2001) Oral inoculation of sheep with the agent of bovine spongiform encephalopathy (BSE). 1. Onset and distribution of disease-specific PrP accumulation in brain and viscera. *J Comp Pathol* 124: 280-289.

Jeffrey, M., G. McGovern, C.M. Goodsir, K.L. Brown und M.E. Bruce (2000) Sites of prion protein accumulation in scrapie-infected mouse spleen revealed by immunoelectron microscopy. *J Pathol* 191: 323–332.

Jones, B.D., N. Ghori und S. Falkow (1994) *Salmonella typhimurium* initiates murine infection by penetrating, destroying the specialized epithelial M cells of the Peyer's patches. *J Exp Med*: 15–23

Kascsak, R.J., R. Rubenstein, P. A. Merz, M. Tonna-Demasi, R. Fersko, R. I. Carp, H. M. Wisniewski und H. Diringer (1987) Mouse polyclonal and monoclonal antibodies to scrapie-associated fibril protein. *J Virol* 61: 3688-3693.

Kelsall, B. L. und W. Strober (1996) Distinct populations of dendritic cells are present in the subepithelial dome and T cell regions of the murine Peyer's patch. *J Exp Med* 183: 237–247.

Keshet, G.I., H. Ovadia, A. Taraboulos und R. Gabizon (1999) Scrapie-infected mice and PrP knockout mice share abnormal localization and activity of neuronal nitric oxide synthase. *J Neurochem* 72: 1224-1231.

Kimberlin, R. H. und C. A. Walker (1977) Characteristics of a short incubation model of scrapie in the golden hamster. *J Gen Virol* 34: 295–304.

Kimberlin, R.H., C.A. Walker und H. Fraser (1989) The genomic identity of different strains of mouse scrapie is expressed in hamsters and preserved on reisolation in mice. *J Gen Virol* 70: 2017-2025.

Kimberlin, R.H., C.A. Walker, G.C. Millson, D.M. Taylor, P.A. Robertson, A.H. Tomlinson und A.G. Dickinson (1983) Disinfection studies with two strains of mouse-passaged scrapie agent. Guidelines for Creutzfeldt-Jakob and related agents. *J Neurol Sci* 59: 355-369.

Kimberlin, R.H. und J. W. Wilesmith (1994) Bovine spongiform encephalopathy. Epidemiology, low dose exposure and risks *Ann NY Acad Sci* 724: 210-220.

Kitamoto, T., T. Muramoto, S. Mohri, K. Doh-Ura und J. Tateishi (1991) Abnormal isoform of prion protein accumulates in follicular dendritic cells in mice with Creutzfeldt–Jakob disease. *J Virol* 65: 6292–6295.

Klein, M.A., R. Frigg, E. Flechsig, A.J. Raeber, U. Kalinke, H. Bluethmann, F. Bootz, M. Suter, R.M. Zinkernagel und A. Aguzzi (1997) A crucial role for B cells in neuroinvasive scrapie. *Nature* 390: 687-690.

Kretzschmar, H.A., S.B. Prusiner, L.E. Stowring und S.J. DeArmond (1986) Scrapie prion proteins are synthesised in neurones. *Am J Pathol* 122: 1-5.

Kretzschmar, H.A. (2001) Die Pathologie und Genetik der Prionenkrankheiten beim Menschen: Prionen und Prionenkrankheiten, de Gruyter, Hörnlimann, B., D. Riesner und H. Kretzschmar, Herausgeber: 207-224.

Krüger, D., G. Lenz, A. Thomzig, K. Kampf, P. McBride und M. Beekes (2008) Intestinal pathophysiology of alimentary prion infections: Further insights from hamster studies. *Vet J*: under review.

Kucharzik, T., N. Lügering, K. Rautenberg, A. Lügering, M.A. Schmidt, R. Stoll und W. Domschke (2000) Role of M Cells in Intestinal Barrier Function. *Ann NY Acad Scis* 915: 171-183.

Landsverk, T. (1981) Peyer`s patches and the follicle-associated epithelium in diarrheic calves. Pathomorphology, morphometry, and acid phosphatase histochemistry. *Acta Vet. Scand.* 22: 459-471.

Lasmézas, C.I., J.-P. Deslys, O. Robain, R. Demaimay, K.T. Adjou, F. Lamoury, J. Ironside, J.-J. Hauw und D. Dormont (1996) BSE transmission to macaques. *Nature* 381: 743-744.

Lasmézas, C.I., J-G. Fournier, V. Nouvel, H. Boe, D. Marcé, F. Lamoury, N. Kopp, J-J. Hauw, J. Ironside, M. Bruce, D. Dormont und J-P. Deslys (2001) Adaptation of the bovine spongiform encephalopathy agent to primates and comparison with Creutzfeldt-Jakob disease: Implications for human health. *Proc Natl Acad Sci USA* 98 (7): 4142-4147.

Lawson, V.A., S.J. Collin, C.L. Masters und A.F. Hill (2005) Prion protein glycosylation. *J Neurochem* 93: 793–801.

Leggett, M.M., J. Dukes und H.M. Pirie (1990) A spongiform encephalopathy in a cat. *Vet Rec* 127: 586-588.

Lemaire-Vielle, C., T. Schulze, V. Podevin-Dimster, B. Follet, Y. Bailly, F. Blanqueet-Grossard, J.P. Decavel, E. Heinen und J.Y. Cesbron (2000) Epithelial and endothelial expression of the green fluorescent protein reporter gene under the control of bovine prion protein (PrP) gene regulatory sequences in transgenic mice. *Proc Natl Acad Sci USA* 97: 5422-5427.

Leopoldt, J. G. (1759) Nützliche und auf die Erfahrung gegründete Einleitung zur Landwirtschaft 5: 344-360.

Liu, L.M. und G.G. MacPherson (1993) Antigen acquisition by dendritic cells: intestinal dendritic cells acquire antigen administered orally, can prime naive T cells in vivo. *J Exp Med* 177: 1299–1307.

Liu, H., S. Farr-Jones, N. B. Ulyanov, M. Llinas, S. Marqusee, D. Groth, F. E. Cohen, S. B. Prusiner und T.L. James (1999) Solution Structure of Syrian Hamster Prion Protein rPrP(90-231). *Biochem* 38: 5362-5377.

Lopez, G.F., R. Zahn, R. Riek und K. Wuthrich (2000) NMR structure of the bovine prion protein. *Proc Natl Acad Sci USA* 97: 8334-8339.

Lowenstein, D.H., D.A. Butler, D. Westaway, M.P. McKinley, S.J. DeArmond und S.B. Prusiner 1990 Three hamster species with different scrapie incubation times and neuropathological features encode distinct prion proteins. *Mol Cell Biol* 10(3): 1153–1163.

Lugaresi E, P. Montagna, A. Baruzzi, P. Cortelli, P. Tinuper, M. Zucconi, P.L. Gambetti und R. Medori (1986) Familial insomnia with a malignant course: a new thalamic disease. *Rev Neurol (Paris)* 142(10): 791-792.

Maignien, T., C.I. Lasmezas, V. Beringue, D. Dormont und J.P. Deslys (1999) Pathogenesis of the oral route of infection of mice with scrapie and bovine spongiform encephalopathy agents *J Gen Virol* 80: 3035-3042.

Manson, J.C., P.A. McBride und J. Hope (1992) Expression of the PrP gene in the brain of *Sinc* congenic mice and its relationship to the development of scrapie. *Neurodegen* 1: 45-52.

Marsh, R.F. und R.H. Kimberlin (1975) Comparison of scrapie and transmissible mink encephalopathy in hamsters. II. Clinical signs, pathology and pathogenesis. *J Infect Dis* 131: 104-110.



Masters, C.L., D.C. Gajdusek und C.J. Gibbs Jr. (1981) Creutzfeldt-Jakob disease virus isolations from Gerstmann-Sträussler syndrome with an analysis of the various forms of amyloid plaque deposition in the virus-induced spongiform encephalopathies. *Brain* 104: 559–88.

McBride, P.A. und M. Beekes (1999) Pathological PrP is abundant in sympathetic and sensory ganglia of hamsters fed with scrapie. *Neurosci Letters* 265: 135-138.

McBride, P.A., W.J. Schulz-Schaeffer, M. Donaldson, M.E. Bruce, H. Diringer, H.A. Kretzschmar und M. Beekes (2001) Early spread of scrapie from the gastrointestinal tract to the central nervous system involves autonomic fibers of the splanchnic and vagus nerves. *J Virol* 75: 9320–9327.

McBride, P.A., M.I. Wilson, P. Eikelenboom, A. Tunstall und M.E. Bruce (1998) Heparan sulfate proteoglycan is associated with amyloid plaques and neuroanatomically targeted PrP pathology throughout the incubation period of scrapie-infected mice. *Exp Neurol* 149: 447-454.

McBride, P.A., P. Eikelenboom, G. Kraal, H. Fraser und M.E. Bruce (1992) Prp protein is associated with follicular dendritic cells of spleens and lymph nodes in uninfected and scrapie-infected mice. *J Pathol* 168: 413-418.

McKinley, M.P., D.C. Bolton und S.B. Prusiner (1983) A protease-resistant protein is a structural component of scrapie prion. *Cell* 35: 57-62.

Medori, R., H.J. Tritschler, A.C. LeBlanc, F. Villare, V. Manetto, H.Y. Chen, R. Xue, S. Leal, P. Montagna, P. Cortelli, P. Tinuper, P. Avoni, M. Mochi, A. Baruzzi, J.J. Hauw, J. Ott, E. Lugaresi, L. Autilio-Gambetti und P. Gambetti (1992) Fatal familial insomnia is a prion disease with a mutation at codon 178 of the prion gene. *N Engl J Med* 326: 444-449.

Meyer, R. K., M. P. McKinley, K. A. Bowman, M. B. Braunfeld, R. A. Barry und S. B. Prusiner (1986) Separation and properties of cellular and scrapie prion proteins. *Proc Natl Acad Sci USA* 83: 2310–2314.

M'Gowan, J.P. (1914) Investigation into the disease of sheep called "Scrapie".  
Blackwood, Edinburgh.

Mikami, T., A. Ohshima, E. H. Mosbach, B. I. Cohen, N. Ayyad, M. Yoshii, K. Ohtani, K. Kihira, C. D. Schteingart und T. Hoshita (1996) 15 $\alpha$ - Hydroxylation of a bile acid analogue, sodium 3 $\alpha$ ,7 $\alpha$ -dihydroxy- 25,26-bishomo-5 $\alpha$ -cholane-26-sulfonate in the hamster. *J Lipid Res* 37: 1189-1197.

Miller, M.W., E.S. Williams, N. Thompson Hobbs und L.L. Wolfe (2004a) Emerging Infectious Diseases • [www.cdc.gov/eid](http://www.cdc.gov/eid) • Vol. 10, No. 6, June 2004

Miller, M.W. und E.S. Williams (2004b) Chronic wasting disease of cervids. *Curr Top Microbiol Immunol* 284: 193-214.

Miller, M.W. und E.S. Williams (2003) Horizontal prion transission in mule deer. *Nature* 425: 35-36.

Miller, M.W., M.A. Wild und E.S. Williams (1998) Epidemiology of chronic wasting disease in captive Rocky Mountain elk. *J Wildl Dis* 34: 532-538.

Miura T., A. Hori-I, H. Mototani und H. Takeuchi (1999) Raman Spectroscopic Study on the Copper(II) Binding Mode of Prion Octapeptide and Its pH Dependence *Biochem* 38: 11560 – 11569.

Mobley W.C., R.L. Neve, S.B. Prusiner und M.P. McKinley (1988) Nerve growth factor increases mRNA levels for the prion protein and the beta-amyloid protein precursor in developing hamster brain. *Proc Natl Acad Sci USA* 85: 9811-9815.

Nakamura, F., I. Seki, K. Kobayashi, M. Tanaka und S. Fukunaga (2002) Immunohistochemical detection of cellular prion protein (PrP<sup>C</sup>) in the rat central nervous system. *Animal Sci J* 73: 553-556.

Narang, H.K. (1994) Evidence that homologous ssDNA is present in scrapie, Creutzfeldt-Jakob disease, and bovine spongiform encephalopathy - Slow Infections of the Central Nervous System (Herausgeber Bjornsson, J.; Carp, R.I.; Love, A.; Wisniewski, H.M.) *Journal of Neurology* 231: 314-26.

Nicoletti, C. (2000) Unsolved mysteries of intestinal M cells *Gut* 47 (5): 735-739.

Oesch, B., D. Westaway, M. Walchi, M.P. McKinley, S.B.H. Kent, R. Aebersold, R.A. Barry, D.B. Teplow, D.B. Tempst, L.E. Hood, S.B. Prusiner und C. Weissmann. (1985) A cellular gene encodes scrapie PrP(27-30) protein. *Cell* 40: 735-746.

Özel, M. und H. Diringer (1994) Small virus-like structure in fractions from scrapie hamster brain. *Lancet* 343(8902): 894-895.

O'Rourke, K.I., T.V. Baszler, T.E. Besser, J.M. Miller, R.C. Cutlip, G.A. Wells, S.J. Ryder, S.M. Parish, A.N. Hamir, N.E. Cockett, A. Jenny und D.P. Knowles (2000) Preclinical diagnosis of scrapie by immunohistochemistry of third eyelid lymphoid tissue. *J Clin Microbiol* 38(9): 3254-3259.

Owen, R.L. (1977) Sequential uptake of horseradish peroxidase by lymphoid follicle epithelium of Peyer`patches in the normal unobstructed mouse intestine: An ultrastructural study. *Gastroent* 72: 440-451.

Owen, R.L. (1982) Macrophage function in Peyer`patch epithelium. *Adv. Exp. Med. Biol.* 149: 507-513.

Owen, R.L. und A.L. Jones (1974) Epithelial cell specialisation within human Peyer`s patches: An ultrastructural study of intestinal lymphoid follicles. *Gastroent* 66: 189-203.

Owen, R.L., N.F. Pierce, R.T. Apple, u. W.C. Cray (1986) M-cell transport of *Vibrio cholerae* from the intestinal lumen into Peyer`s patches: A mechanism for antigen sampling and for microbial transepithelial migration. *J. Inf. Dis.* 153: 1108-1118.

Pálsson, P.A. (1979) Rida (scrapie) in Iceland and its epidemiology. In: Slow transmissible diseases of the nervous system: volume I, Academic Press, New York, S.B. Prusiner und W.J. Hadlow, Herausgeber: 357-366.

Pammer, J., H.S. Cross, Y. Frobert, E. Tschachler und G. Oberhuber (2000) The pattern of prion-related protein expression in the gastrointestinal tract. *Vichows Arch* 436: 466-472.

Pan, K.M., M. Baldwin, J. Nguyen, M. Gasset, A. Serban, , D. Groth, I. Mehlhorn, Z. Huang, R. J. Fletterick, F.E. Cohen und S.B. Prusiner (1993) Conversion of  $\alpha$ -helices into  $\beta$ -sheets features in the formation of scrapie prion proteins. *Proc Natl Acad Sci USA*. 90: 10962–10966.

Pauly, P.C. und D.A. Harris (1998) Copper stimulates endocytosis of the prion protein. *J Biol Chem* 273: 33107-33110.

Post, K., D. Riesner, V. Walldorf und H. Mehlhorn (1999) Fly larvae und pupae as vectors for scrapie. *Lancet* 354: 1969-1970.

Press, C.McL., M. Halleraker und T. Landsverk (1992) Ontogeny of leukocyte populations in the ileal Peyer's patch of sheep. *Dev Comp Immunol* 16: 229–241.

Prinz, M., G. Huber, J.S. Macpherson, F.L. Heppner, M. Glatzel, H.P. Eugster, N. Wagner, A. Aguzzi (2003) Oral prion infection requires normal numbers of Peyer's patches but not of enteric lymphocytes. *Am J Pathol*; 162: 1103-1111.

Prusiner S. B., D.F. Groth, S.P. Cochran, F.R. Masiarz, M.P. McKinley und H.M. Matinez (1980) Molekular properties, partial purification and assay by incubation period measurements of hamster scrapie agent. *Biochem* 19: 4883-4891.

Prusiner, S.B., D.F. Groth, M.P. McKinley, S.P. Chochran, K.A. Bowman und K.C. Kasper (1981) Thiocyanate and hydroxyl ions inactivate the scrapie agent. *Proc Natl Acad Sci USA* 78: 4606-4610.

Prusiner, S.B. (1982) Novel proteinaceous infectious particles cause scrapie. *Science* 216: 136-144.

Prusiner, S.B., D.C. Bolton und D.F. Groth (1982a) Further purification and characterization of scrapie prions. *Biochem* 21: 6942-6950.

Prusiner, S.B., D.F. Groth, D.C. Bolton, S.B. Kent, L.E. Hood (1984) Purification and structural studies of a major scrapie prion protein. *Cell* 38: 127-134.

Prusiner, S.B. (1991) Molecular biology of prion diseases. *Science*. 252: 1515-1522.

Prusiner, S.B. (1997) Prion diseases and the BSE crisis. *Science* 278: 245-251.

Prusiner, S.B. (1998) Prions. *Proc Natl Acad Sci USA* 95: 13363-13383.

Prusiner, S.B. (2001) Die Geschichte der Erforschung von Prionen: Prionen und Prionenkrankheiten, de Gruyter, Hörnlmann, B., D. Riesner und H. Kretzschmar, Herausgeber: 36-49.

Race, R., A. Jenny und D. Sutton (1998) Scrapie infectivity and proteinase K-resistant prion protein in sheep placenta, brain, spleen, and lymph node: implications for transmission and antemortem diagnosis. *J Infect Dis* 178: 949-953.

Race, R., A. Raines, G. J. Raymond, B. Caughey, und B. Chesebro (2001) Long-term subclinical carrier state precedes scrapie replication and adaptation in a resistant species: analogies to bovine spongiform encephalopathy and variant Creutzfeldt–Jakob disease in humans. *J Virol* 75: 10106-10112.

Riek R., S. Hornemann, G. Wider, M. Billeter, R. Glockshuber und K. Wüthrich (1996) NMR structure of the mouse prion protein domain PrP(121-231). *Nature* 382: 180-182.

Riek R., S. Hornemann, G. Wider, R. Glockshuber und K. Wüthrich (1997) NMR characterization of the full-length recombinant murine prion protein, mPrP(23-231). *FEBS Lett* 413: 282-288.

Riek R., G. Wider, M. Billeter, S. Hornemann, R. Glockshuber und K. Wüthrich (1998) Prion protein NMR structure and familial human spongiform encephalopathies Proc Natl Acad Sci USA 95: 11667-11672.

Riesner, D. (2001) Die Scrapie-Isoform des Prion-Proteins PrP<sup>Sc</sup> im Vergleich zur zellulären Isoform PrP<sup>C</sup>: Prionen und Prionenkrankheiten, de Gruyter, Hörnlmann, B., D. Riesner und H. Kretzschmar, Herausgeber: 81-91.

Ritchie, D.L., K.L. Brown und M.E. Bruce (1999) Visualisation of PrP protein and follicular dendritic cells in uninfected and scrapie infected spleen. J Cell Pathol 1: 3-10.

Robinson, M.M., W.J. Hadlow, T.P. Huff, G.A. Wells, M. Dawson, R.F. Marsh und J.R. Gorham (1994) Experimental infection of mink with bovine spongiform encephalopathy. J Gen Virol 75: 2151-2155.

Rubenstein, R., H. Deng, R. Race, W. Ju, C. Scalici, M. Papini, A. Rubenstein, R. Kascsak und R. Carp (1994) Scrapie strain infection in vitro induces changes in neuronal cells. Mol Neurobiol 8:129–138.

Safar J., W. Wang, M.P. Padgett, M. Ceroni, P. Piccarodo, D. Zopf, D.C. Gajdusek und C.J. Gibbs (1990) Molecular mass, biochemical composition and physiochemical behavior of infectious forms of scrapie precursor protein monomer. Proc Natl Acad Sci USA 87: 6373-6377.

Safar, J., P.P. Roller, D.C. Gajdusek, and C.J. Gibbs, Jr. (1993) Conformational transitions, dissociation, and unfolding of scrapie amyloid (prion) protein. J Biol Chem 268: 20276–20284.

Safar, J., H. Wille, V. Itri, D. Groth, H. Serban, M. Torchia, F.E. Cohen und S.B. Prusiner (1998) Eight prion strains have PrP<sup>(Sc)</sup> molecules with different conformations. Nat Med 4: 1157-1165.

Sailer, A., H. Büeler, M. Fischer, A. Aguzzi, und C. Weissmann (1994) No propagation of prions in mice devoid of PrP. Cell 77: 967-968.

Schätzl, H.M., M. Da Costa, L. Taylor, F.E. Cohen und S.B. Prusiner (1995) Prion protein gene variation among primates. *J Mol Biol* 245: 362-374.

Schulz-Schaeffer, W.J., S. Tschoke, N. Kranefuss, W. Drose, D. Hause-Reitner, A. Giese, M.H. Groschup und H.A. Kretzschmar (2000) The Paraffin-Embedded Tissue Blot detects PrP<sup>Sc</sup> Early in the incubation time in Prion diseases. *Am J Pathol* 156(1): 51–56.

Schulz-Schaeffer, W. (2002) BSE und variante CJK. *Dtsch Med Wochenschr* 127: 344-346.

Scott, M. R., R. Will, J. Ironside, H.-J. B. Nguyen, P. Trembley, S. J. DeArmond und S. B. Prusiner (1999) From the Cover: Compelling transgenetic evidence for transmission of bovine spongiform encephalopathy prions to humans. *Proc Natl Acad Sci USA* 96: 15137-15142.

Shmakov, A., N. McLennan, P. McBride, C. Faquhar, J. Bode, K. Rennison und S. Gosh (2000) Cellular prion protein is expressed in the human enteric system. *Nat Med* 6: 840-850.

Sigurdson, C. J., E.S. Williams, M.W. Miller, T.R. Spraker, K.I. O'Rourke und E.A. Hoover (1999) Oral transmission and early lymphoid tropism of chronic wasting disease PrPres in mule deer fawns (*Odocoileus hemionus*). *J Gen Virol* 80: 2757-2764.

Somerville, R.A., R.C. Oberthur, U. Havekost, F. MacDonald, D.M. Taylor und A.G. Dickinson (2002) Characterisation of Thermodynamic diversity between TSE agent strains. *J Biol Chem* 277 (13): 11084-11089.

Spencer, M.D., R.S.G. Knight und R.G. Will (2002) First hundred cases of variant Creutzfeldt-Jakob disease: retrospective case note review of early psychiatric and neurological features. *BMJ* 324:1479-1482.

Spraker, T.R., R.R. Zink, B.A. Cummings, M.A. Wild, M.W. Miller und K.I. O'Rourke (2002) Comparison of histological lesions and immunohistochemical staining of protease-resistant prion protein in a naturally-occurring spongiform encephalopathy of free-ranging mule deer (*Odocoileus hemionus*) with those of chronic wasting disease of captive mule deer. *Vet Path* 39: 110-119.

Stahl, N., M.A. Baldwin, D.B. Teplow, L. Hood, B.W. Gibson, A.L. Burlingame und S.B. Prusiner (1993) Structural Analysis of the scrapie prion protein using mass spectrometry and amino acid sequencing. *Biochem* 32: 1991-2002.

Starke, R., I. Mackie, O. Drummond, I. MacGregor, P. Harrison und S. Machin (2006) Prion protein in patients with renal failure. *Transfus Med* 16(3):165-168.

Steele, A.D., J.G. Emsley, P.H. Özdinler, S. Lindquist und J.D. Macklis (2006) Prion protein (PrP<sup>C</sup>) positively regulates neural precursor proliferation during developmental and adult mammalian neurogenesis. *Proc Natl Acad Sci USA* 103: 3416-3421.

Taraboulos, A. , Scott, M. , Semenov, A. , Avrahami, D. , Lazlo, L. , Prusiner, S. B. und D. Avrahami (1995) Cholesterol depletion and modification of COOH-terminal targeting sequence of the prion protein inhibit formation of the scrapie isoform. *J Cell Biol* 129: 121-132.

Tateishi, J., M. Koga, Y. Sato, und R. Mori (1980) Properties of the transmissible agent derived from chronic spongiform encephalopathy. *Ann Neurol* 7: 390-391.

Tateishi J., P. Brown, T. Kitamoto, Z.M. Hoque, R. Roos, R. Wollman, L. Cervenakova und D.C. Gajdusek (1995): First experimental transmission of fatal familial insomnia. *Nature* 376(6539): 434-435.

Taylor, D.M., I. McConnell und K. Fernie (1996) The effect of dry heat on the ME7 strain of mouse-passaged scrapie agent. *J Gen Virol* 77: 3161-3164.



Telling, G.C., P. Parchi, S.J. DeArmond, P. Cortelli, P. Montagna, R. Gabizon, J. Mastrianni, E. Lugaresi, P. Gambetti und S.B. Prusiner (1996) Evidence for the Conformation of the Pathologic Isoform of the Prion Protein Enciphering and Propagating Prion Diversity. *Science*. 274: 2079-2082.

Thomzig, A, C. Kratzel, D. Krüger, G. Lenz und M. Beekes (2003) Widespread PrP<sup>Sc</sup> accumulation in muscles of hamsters orally infected with scrapie. *EMBO rep* 4: 530-533.

Thomzig, A., S. Spassov, M. Friedrich, D. Naumann und M. Beekes (2004a) Discriminating Scrapie and Bovine Spongiform Encephalopathy Isolates by Infrared Spectroscopy of Pathological Prion Protein. *J Biol Chem* 279: 33847-33854.

Thomzig, A., W. Schulz-Schaeffer, C. Kratel, J. Mai und M. Beekes (2004b) Preclinical deposition of pathological prion protein PrP<sup>Sc</sup> in muscles of hamsters orally exposed to scrapie. *J Clin Invest* 113: 1465-1472.

Thomzig, A., F. Cardone, D. Krüger, M. Pocchiari, P Brown und M. Beekes (2006) Pathological prion protein in muscles of hamsters and mice infected with rodent-adapted BSE or vCJD. *J Gen Virol* 87: 251-254.

Tobler, I., S.E. Gaus, T. Deboer, P. Achermann, M. Fischer, T. Rülicke, M. Moser, B. Oesch, P.A. McBride und J.C. Manson (1996) Altered circadian activity rhythms and sleep in mice devoid of prion protein. *Nature* 380: 639-631.

Turk, E., D.B. Teplow, L.E. Hood und S.B. Prusiner (1988) Purification and properties of the cellular and scrapie hamster prion proteins. *Eur J Biochem* 176: 21-30.

Tuo, W., D. Zhuang, D.P. Knowles, W.P. Cheevers, M.-S. Sy und K.I. O'Rourke (2001) PrP-C and PrP-Sc at the Fetal-Maternal Interface. *J Biol Chem* 276: 18229-18234.

Tuo, W., K.I. O'Rourke, D. Zhuang, W.P. Cheevers, T.R. Spraker und D.P. Knowles (2002) Pregnancy status and fetal prion genetics determine PrP<sup>Sc</sup> accumulation in placentomes of scrapie-infected sheep. *Proc Natl Acad Sci USA* 99: 6310-6315.

van Keulen, L.J., M.E. Vromans und F.G. van Zijderveld (2002) Early and late pathogenesis of natural scrapie infection in sheep. *APMIS* 110: 23-32.

van Keulen, L.J., B.E. Schreuder, M.E. Vromans, J.P. Langeveld und M.A. Smits (2000) Pathogenesis of natural scrapie in sheep. *Arch Virol Suppl* 16: 57-71.

van Keulen, L.J., B.E. Schreuder, M.E. Vromans, J.P. Langeveld und M.A. Smits (1999) Scrapie-associated prion protein in the gastrointestinal tract of sheep with natural scrapie. *J Comparative Path* 121: 55-63.

van Keulen, L.J., B.E. Schreuder, R.H. Meloen, G. Mooij-Harkes, M.E. Vromans und J.P. Langeveld (1996) Immunhistological detection of prion protein in lymphoid tissues of sheep with natural scrapie. *J Clin Microbiol* 34: 1228-1231.

Vey, M., S. Pilkuhn, H. Wille, R. Nixon, S.J. DeArmond, E.J. Smart, R.W.G. Anderson, A. Taraboulos und S.B. Prusiner (1996) Subcellular colocalization of the cellular and scrapie prion proteins in caveolaelike membranous domains. *Proc Natl Acad Sci USA* 93: 14945-14949.

Wadsworth, J.D.F., A.F. Hill, J.A. Beck und J. Collinge (2003) Molecular and clinical classification of human prion disease. *Br Med Bull* 66: 241 - 254.

Walker, R.I., E.A. Schmauder Chock, J.L. Parker und D. Burr (1988) Selective association, transport of *Campylobacter jejuni* through M cells of rabbit Peyer's patches. *Can J Microbiol* 34: 1142–1147.

Weissmann, C.A. (1991) „unified theory“ of prion propagation. *Nature* 352: 679-683.

Weissmann, C., E. Flechsig, A.J. Raeber, A. Cozzio und A. Aguzzi (2001) Modifizierte Mäuse in der Prionenforschung: Prionen und Prionenkrankheiten, de Gruyter, Hörnlimann, B., D. Riesner und H. Kretzschmar, Herausgeber: 207-224.

Weissmann, C., M. Enari, P.-C. Klöhn, D. Rossi und E. Flechsig (2002) Transmission of prions. *Proc Natl Acad Sci USA* 99: 16378-16383.

Wells, G.A.H., S.A.C. Hawkins, A.R. Austin, S.J. Ryder, S.H. Done, R.B. Green, I. Dexter, M. Dawson und R.H. Kimberlin (2003) Studies of the transmissibility of the agent of bovine spongiform encephalopathy to pigs. *J Gen Virol* 84(4): 1021-1031.

Will, R.G., J.W. Ironside, M. Zeidler, S.N. Cousens, K. Estibeiro, A. Alperovitch, S. Poser, M. Pocchiari, A. Hofman und P.G. Smith (1996) A new variant of Creutzfeldt-Jakob disease in the UK. *Lancet* 347: 921-925.

Williams, E. S. und S. Young (1993) Neuropathology of chronic wasting disease of mule deer (*Odocoileus hemionus*) and elk (*Cervus elaphus nelsoni*). *Vet Pathol* 30: 36-45.

Williams, E.S. (2001) Portrait der chronisch zehrenden Krankheit der Hirschartigen (CWD) : Prionen und Prionenkrankheiten, de Gruyter, Hörnlimann, B., D. Riesner und H. Kretzschmar, Herausgeber: 186-190.

Williams, E.S. und M.W. Miller (2002) Chronic wasting disease in deer and elk in North America. *Rev sci tech Off int Epiz* 21(2): 305-316.

Williams, E.S. und M.W. Miller (2003) Transmissible spongiform encephalopathies in non-domestic animals: origin, transmission and risk factors. *Rev sci tech Off int Epiz* 22(1): 145-156.

Wion, D., M. Le Bert und P. Brachet (1988) Messenger RNAs of beta-amyloid precursor protein and prion protein are regulated by nerve growth factor in PC12 cells. *Int J Dev Neurosci* 6: 387-393.

Wolf, J.L., R. Dambrauskas, A.H. Sharpe und J.S. Trier (1987), Adherence to, penetration of the intestinal epithelium by reovirus type 1 in neonatal mice. *Gastroenterol* 92: 82–91

Wopfner, F., G. Weidenhöfer, R. Schneider, A. von Brunn, S. Gilch, T.F. Schwarz, T. Werner und H.M. Schätzl (1999) Analysis of 27 mammalian and 9 avian PrPs reveals high conservation of flexible regions of the prion protein. *J Mol Biol* 289: 1163-1178.

Yamada G., M. Ogawa, K. Akagi, H. Miyamoto, N. Nakano, S. Itoh, J. Miyazaki, S. Nishikawa, K. Yamamura und T. Taniguchi (1991) Specific depletion of the B-cell populatio induced by aberrant expression of human interferon regulatory factor 1 gene in transgenic mice. Proc Natl Acad Sci USA 88: 532-536.

Yehiely F, P. Bamborough, M. Da Costa, B.J. Perry, G. Thinakaran, F.E. Cohen, G.A. Carlson und S.B. Prusiner (1997) Identification of candidate proteins binding to prion protein. Neurobiol Dis 3:339-355.

Zahn, R., A. Liu, T. Lührs, Riek R., C. von Schoetter, F.L. Garcia, M. Billeter, L. Calzolari, G. Wider und K. Wüthrich (2000) NMR solution structure of the human prion protein. Proc Natl Acad Sci USA 97:145-150.