

## 7 Literaturverzeichnis

- [1] I. Bandyopadhyay, H. M. Lee and K. S. Kim: Phenol vs water molecule interacting with various molecules:  $\sigma$ -type,  $\pi$ -type and  $\chi$ -type hydrogen bonds, interaction energies and their energy components, *J. Phys. Chem. A*, **2005**, 109, 1720-8.
- [2] A. Fujii, T. Ebata and N. Mikami: Direct observation of weak hydrogen bonds in microsolvated phenol: Infrared spectroscopy of OH stretching vibrations of phenol-CO and -CO<sub>2</sub> in S<sub>0</sub> and D<sub>0</sub>, *J. Phys. Chem. A*, **2002**, 106, 10124-9.
- [3] B. Reimann, K. Buchhold, H.-D. Barth, B. Brutschy, P. Tarakeshwar and K. S. Kim: Anisole-(H<sub>2</sub>O)<sub>n</sub> (n=1-3) complexes: An experimental and theoretical investigation of the modulation of optimal structures, binding energies and vibrational spectra in both the ground and first excited states, *J. Chem. Phys.*, **2002**, 117, 8805-22.
- [4] A. Schiefke, C. Deusen, C. Jacoby, M. Gerhards, M. Schmitt, K. Kleinermanns and P. Hering: Structure and vibrations of the phenol-ammonia cluster, *J. Chem. Phys.*, **1995**, 102, 9197-204.
- [5] D. E. Belcher and C. R. Cockett: The effects of changes in the electronic environment of the 2-aminopyridine-argon van der Waals complex, *Chem. Phys. Lett.*, **2004**, 398, 539-43.
- [6] O. Dopfer and K. Müller-Dethlefs: S<sub>1</sub> excitation and zero kinetic energy spectra of partly deuterated 1:1 phenol-water complexes, *J. Chem. Phys.*, **1994**, 101, 8508-16.
- [7] K. Daigoku, S.-i. Ishiuchi, M. Sakai, M. Fujii and K. Hashimoto: Photochemistry of phenol-(NH<sub>3</sub>)<sub>n</sub> clusters: Solvent effect on a radical cleavage of an OH bond in an electronically excited state and intracuster reactions in the product NH<sub>4</sub>(NH<sub>3</sub>)<sub>n-1</sub> (n≤5), *J. Chem. Phys.*, **2003**, 119, 5149-58.
- [8] C. Jouvet, C. Lardeux-Dedonder, M. Richard-Viard, D. Solgadi and A. Tramer: Reactivity of molecular clusters in the gas phase. Proton-transfer reaction in neutral phenol-(NH<sub>3</sub>)<sub>n</sub> and phenol-(C<sub>2</sub>H<sub>5</sub>NH<sub>2</sub>)<sub>n</sub>, *J. Phys. Chem.*, **1990**, 94, 5041-8.
- [9] M. Schmitt, C. Jacoby, M. Gerhards, C. Unterberg, W. Roth and K. Kleinermanns: Structures and vibrations of phenol(NH<sub>3</sub>)<sub>2-4</sub> clusters, *J. Chem. Phys.*, **2000**, 113, 2995-3001.
- [10] H. J. Neusser and H. Krause: Binding energy and structure of van der Waals complexes of benzene, *Chem. Rev.*, **1994**, 94.
- [11] R. Parthasarathi, V. Subramanian and N. Sathyamurthy: Hydrogen bonding in phenol, water and phenol-water clusters, *J. Phys. Chem. A*, **2005**, 109, 843-50.
- [12] A. Boatwright, N. A. Besley, S. Curtis, R. R. Wright and A. J. Stace: A systematic shift in the electronic spectra of substituted benzene molecules trapped in helium nanodroplets, *J. Chem. Phys.*, **2005**, 123, 021102/1-/3.

- [13] J. Han, R. L. Deming and F.-M. Tao: Theoretical Study of Hydrogen-Bonded Complexes of Chlorophenols with Water or Ammonia: Correlations and Predictions of pKa Values, *J. Phys. Chem. A*, **2005**, 109, 1159-67.
- [14] J. W. Ribblett, W. E. Sinclair, D. R. Borst, J. T. Yi and D. W. Pratt: High Resolution Electronic Spectra of Anisole and Anisole-Water in the Gas Phase: Hydrogen Bond Switching in the S<sub>1</sub>-State, *J. Phys. Chem. A*, **2006**, 110, 1478-83.
- [15] N. Tsuji, S.-i. Ishiuchi, M. Sakai, M. Fujii, T. Ebata, C. Jouvet and C. Dedonder-Lardeux: Excited state hydrogen transfer in fluorophenol-ammonia clusters studied by two-color REMPI spectroscopy, *Phys. Chem. Chem. Phys.*, **2006**, 8, 114-21.
- [16] A. S. Gemechu, L. J. H. Hoffmann, S. Marquardt, C. G. Eisenhardt, H. Baumgaertel, R. Chelli, G. Cardini and S. Califano: The absorption spectrum of anisole and the anisole/CO<sub>2</sub> 1:1-cluster. The influence of intermolecular interaction on intramolecular vibrations, *Z. Phys. Chem.*, **2004**, 218, 123-53.
- [17] L. J. H. Hoffmann, S. Marquardt, A. S. Gemechu and H. Baumgaertel: The absorption spectra of anisole-h8, anisole-d3 and anisole-d8. The assignment of fundamental vibrations in the S<sub>0</sub> and the S<sub>1</sub> states, *Phys. Chem. Chem. Phys.*, **2006**, 8, 2360-77.
- [18] A. Iwasaki, A. Fujii, T. Watanabe, T. Ebata and N. Mikami: Infrared spectroscopy of hydrogen-bonded phenol-amine clusters in supersonic jets, *J. Phys. Chem.*, **1996**, 100, 16053-7.
- [19] G. A. Jeffrey and Editor: *An Introduction to Hydrogen Bonding*. **1997**
- [20] R. Wu and B. Brutschy: Infrared depletion spectroscopy and structure of the 2-aminopyridine dimer, *J. Phys. Chem. A*, **2004**, 108, 9715-20.
- [21] M. Schütz, T. Bürgi, S. Leutwyler and T. Fischer: Intermolecular bonding and vibrations of phenol\*H<sub>2</sub>O (D<sub>2</sub>O), *J. Chem. Phys.*, **1993**, 98, 3763-76.
- [22] M. Sodupe, A. Oliva and J. Bertran: Theoretical Study of the Ionization of Phenol-Water and Phenol-Ammonia Hydrogen-Bonded Complexes, *J. Phys. Chem. A*, **1997**, 101, 9142-51.
- [23] P. S. Meenakshi, N. Biswas and S. Wategaonkar: Vibronic spectroscopy of the H-bonded aminophenol-water complex, *J. Chem. Phys.*, **2002**, 117, 11146-51.
- [24] R. Matsumoto, K. Sakeda, Y. Matsushita, T. Suzuki and T. Ichimura: Spectroscopy and relaxation dynamics of photoexcited anisole and anisole-d3 molecules in a supersonic jet, *J. Mol. Struct.*, **2005**, 735-736, 153-67.
- [25] W. J. Balfour: The 275-nm absorption system of anisole, *J. Mol. Spectrosc.*, **1985**, 109, 60-72.
- [26] G. v. Büнау and T. Wolff: *Photochemie*. VCH, Weinheim, **1987**
- [27] J. B. Anderson, R. P. Andres and J. B. Fenn: Supersonic nozzle beams in: *Molecular beams*, Ed.: J. Ross, New York, **1966**, 275-317.
- [28] A. Kantrowitz and J. Grey: A high intensity source for the molecular beam. Part I. Theoretical, *Rev. Sci. Instrum.*, **1951**, 22, 328-32.

- [29] G. B. Kistiakowsky and W. P. Slichter: A high intensity source for the molecular beam. Part II. Experimental, *Rev. Sci. Instrum.*, **1951**, 22, 333-7.
- [30] R. E. Smalley, L. Wharton and D. H. Levy: Molecular optical spectroscopy with supersonic beams and jets, *Acc. Chem. Res.*, **1977**, 10, 139-45.
- [31] S. C. Foster and T. A. Miller: The spectroscopy of transient species in supersonic free jet expansions in: *Laser applications in physical chemistry*, Ed.: D. K. Evans, Marcel Dekker, New York, **1989**, 307-24.
- [32] D. H. Levy: Laser spectroscopy of cold gas-phase molecules, *Ann. Rev. Phys. Chem.*, **1980**, 31, 197-225.
- [33] L. Goodmann and J. Philis: *Multiphoton absorption spectroscopy*. VCH, Weinheim, **1992**
- [34] E. W. Becker and K. Bier: Die Erzeugung eines intensiven, teilweise monochromatisierten Wasserstoff-Molekularstrahl mit einer Laval-Düse, *Z. Naturforsch.*, **1954**, 9a, 975-86.
- [35] H. Haberland: Experimental methods in: *Cluster of atoms and molecules*, Ed.: H. Haberland, Springer-Verlag, Berlin, **1994**.
- [36] J. B. Anderson and J. B. Fenn: Velocity distributions in molecular beams from nozzle sources, *Phys. Fluids*, **1965**, 8, 780- 7.
- [37] T. A. Miller: Chemistry and chemical intermediates in supersonic free jet expansions, *Science*, **1984**, 223, 545-53.
- [38] C. Riehn, J. Avdiew, J. Eggert, B. Wassermann, B. Brutschy and H. Baumgärtel: Structural aspects of chemical reactions in molecular clusters studied with resonant two-photon ionization, *J. Mol. Struct.*, **1991**, 249, 33-46.
- [39] U. Boesl, H. J. Neusser and E. W. Schlag: Multi-photon ionization in the mass spectrometry of polyatomic molecules: Cross sections, *Chem. Phys.*, **1981**, 55, 193-204.
- [40] S. H. Lin, Y. Fujimura, H. J. Neusser and E. W. Schlag: *Multiphoton Spectroscopy of Molecules*. Academic Press., Orlando, **1984**
- [41] U. Boesl, H. J. Neusser and E. W. Schlag: Two-photon ionization of polyatomic molecules in a mass spectrometer, *Z. Naturforsch.*, **1978**, 33a, 1546-8.
- [42] D. M. Friedrich: Two-photon molecular spectroscopy, *J. Chem. Educ.*, **1982**, 59, 472-81.
- [43] P. M. Johnson: Molecular multiphoton ionization spectroscopy, *Acc. Chem. Res.*, **1980**, 13, 20-6.
- [44] M. Göppert-Mayer: Über Elementarakte mit zwei Quantensprüngen, *Ann. Phys.*, **1931**, 9, 273-94.
- [45] W. Kaiser and C. G. B. Garrett: Two-photon excitation in  $\text{CaF}_2:\text{Eu}^{2+}$ , *Phys. Rev. Lett.*, **1961**, 7, 229-31.
- [46] K. Walter, K. Scherm and U. Boesl: Multiphoton ionization spectroscopy: The neutral  $S_1 \leftarrow S_0$  transition and the ionic X state of p-xylene, *Chem. Phys. Lett.*, **1989**, 161, 473-8.
- [47] H. J. Neusser: Multi-photon mass spectrometry and unimolecular ion decay, *Int. J. Mass Spectrom. Ion Processes*, **1987**, 79, 141-81.

- [48] W. Demtroeder and H. J. Foth: Molecular spectroscopy in cold jets, *Physikalische Blätter*, **1987**, 43, 7-13.
- [49] O. F. Hagen: Nucleation and growth of clusters in expanding nozzle flows, *Surf. Sci.*, **1981**, 106, 101-16.
- [50] H. W. Liepmann and A. Roshko: *Elements of gas dynamics*. Wiley, New York, **1970**
- [51] K. Bier: Zur Wirkung von Verdichtungsstößen im Übergangsbereich zwischen gasdynamischer und molekularer Strömungsform, *Fortschritte der Physik*, **1963**, 11, 325-56.
- [52] A. L. J. Burgmans, J. M. Farrar and Y. T. Lee: Attractive well of He-He from  $^3\text{He}$ - $^4\text{He}$  differential elastic scattering measurements, *J. Chem. Phys.*, **1976**, 64, 1345-55.
- [53] A. P. J. v. Deursen and J. Reuss: Experimental investigation of small He clusters, *J. Chem. Phys.*, **1975**, 63, 4559-60.
- [54] R. Campargue: Progress in overexpanded supersonic jets and skimmed molecular beams in free-jet zones of silence, *J. Phys. Chem.*, **1984**, 88, 4466-74.
- [55] O. F. Hagen: Cluster beams from nozzle sources in: *Molecular beams and low density gasdynamics*, Ed.: P. P. Wegener, Marcel Dekker, Inc., **1974**.
- [56] O. F. Hagen and W. Obert: Cluster formation in expanding supersonic jets: Effect of pressure, temperature nozzle size and test gas, *J. Chem. Phys.*, **1972**, 56, 1793-802.
- [57] W. Kutzelnigg: *Introduction of Theoretical Chemistry, Vol. 2: The Chemical Bond*. **1978**
- [58] P. Schuster: Energy surfaces for hydrogen bonded systems in: *Hydrogen Bond*, Ed., **1976**, 1, 25-163.
- [59] N. Gonohe, H. Abe, N. Mikami and M. Ito: Two-color photoionization of van der Waals complexes of fluorobenzene and hydrogen-bonded complexes of phenol in supersonic jets, *J. Phys. Chem.*, **1985**, 89, 3642-8.
- [60] J. C. Baum and D. S. McClure: The ultraviolet transitions of benzoic acid. 2. Hydrogen bonding in the ground and excited states, *J. Am. Chem. Soc.*, **1979**, 101, 2340-3.
- [61] Y. He, C. Wu and W. Kong: Theoretical and experimental studies of water complexes of p- and o-aminobenzoic acid, *J. Phys. Chem. A*, **2005**, 109, 2809-15.
- [62] Hollas: *Moderne Methoden in der Spectroscopy*. Vieweg, Braunschweig, **1995**
- [63] K. Kimura: Photoelectron spectroscopy of excited states in: *Photodissociation and Photoionization*, Ed.: K. P. Lawley, Wiley, New York, **1985**, LX, 161-99.
- [64] G. Herzberg and E. Teller: Vibrational structure of electronic transitions for polyatomic molecules, *Z. Phys. Chem.*, **1933**, B21, 410-46.
- [65] L. J. Bellamy: *The Infrared Spectra of Complex Molecules. 3rd Ed.* Halsted, New York, **1975**

- [66] J. N. Murrell: *The Theory of the Electronic Spectra of Organic Molecules*, **1964**
- [67] H. Spöner and E. Teller: Electronic spectra of polyatomic molecules, *Rev. Mod. Phys.*, **1941**, 13, 75-116.
- [68] C. G. Eisenhardt: Charakterisierung kleiner Aromaten-Cluster mit der excited state-Photoelektronenspektroskopie, *Dissertation der Freien Universität Berlin*, **2000**.
- [69] Handbuch des Scanmate-Lasers, *Lambda Physics*, **2001**.
- [70] U. Brackmann: *Lambdachrome Laser Dyes*. *Lambda Physics*, **1999**
- [71] J. R. Nestor: Optogalvanic spectra of neon and argon in glow discharge lamps, *Appl. Opt.*, **1982**, 21, 4154-7.
- [72] U. Boesl, H. J. Neusser, R. Weinkauff and E. W. Schlag: Multiphoton mass spectrometry of metastables: Direct observation of decay in a high-resolution time-of-flight instrument, *J. Phys. Chem.*, **1982**, 86, 4857-63.
- [73] W. C. Wiley and I. H. McLaren: Time-of-flight mass spectrometer with improved resolution, *Rev. Sci. Instrum.*, **1955**, 26, 1150-7.
- [74] K. Walter, U. Boesl and E. W. Schlag: Mass resolution of 10 000 in a laser ionization time-of-flight mass spectrometer, *Int. J. Mass Spectrom. Ion Processes*, **1986**, 71, 309-13.
- [75] U. Boesl, R. Weinkauff and E. W. Schlag: Reflectron time-of-flight mass spectrometry and laser excitation for the analysis of neutral, ionized molecules and secondary fragments, *Int. J. Mass Spectrom. Ion Processes*, **1992**, 112, 121-66.
- [76] P. Schwartze, H. Baumgärtel and C. G. Eisenhardt: A simple and fast transimpedance amplifier for microchannel plate detectors, *Rev. Sci. Instrum.*, **2001**, 72, 3125-6.
- [77] C. G. Eisenhardt, G. Pietraperzia and M. Becucci: The high resolution of the  $S_1 \leftarrow S_0$  transition of anisole, *Phys. Chem. Chem. Phys.*, **2001**, 3, 1407-10.
- [78] G. M. Anderson, P. A. Kollmann, L. N. Domelsmith and K. N. Houk: Methoxy group nonplanarity in o-dimethoxybenzenes. Simple predictive models for conformation and rotational barriers in alkoxyaromatics, *J. Am. Chem. Soc.*, **1979**, 101, 2344-52.
- [79] this work.
- [80] C. G. Eisenhardt, A. S. Gemechu, H. Baumgärtel, R. Chelli, G. Cardini and S. Califano: Excited state photoelectron spectroscopy of anisole, *Phys. Chem. Chem. Phys.*, **2001**, 3, 5358-68.
- [81] T. Cvitas, J. M. Hollas and G. H. Kirby: Interpretation of rotational constants of the first singlet excited state of substituted benzenes in terms of molecular geometry, *Mol. Phys.*, **1970**, 19, 305-16.
- [82] E. B. Wilson: The normal modes and frequencies of vibration of the regular plane hexagon model of the benzene molecule, *Phys. Rev.*, **1934**, 45, 706-14.
- [83] W. J. Balfour: The vibrational spectrum of anisole, *Spectrochim. Acta, Part A*, **1983**, 39A, 795-800.

- [84] H. D. Bist, J. C. D. Brand and D. R. Williams: The 2750-A electronic band system of phenol. Part I. The in-plane vibrational spectrum, *J. Mol. Spectrosc.*, **1966**, 21, 76-98.
- [85] H. D. Bist, J. C. D. Brand and D. R. Williams: The 2750-A band system of phenol. Part II. Extended vibrational assignment and band contour analysis, *J. Mol. Spectrosc.*, **1967**, 24, 413-67.
- [86] W. W. Robertson, A. J. Seriff and F. A. Matsen: The effect of O-deuteration and O-substitution on the ultraviolet absorption spectrum of phenol, *J. Am. Chem. Soc.*, **1950**, 72, 1539-43.
- [87] G. Varsanyi: *Vibrational spectra of benzene derivatives*. Academic Press, New York, **1969**
- [88] M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, V. G. Zakrzewski, J. A. Montgomery, Jr., R. E. Stratmann, J. C. Burant, S. Dapprich, J. M. Millam, A. D. Daniels, K. N. Kudin, M. C. Strai, O. Farkas, J. Tomasi, V. Barone, M. Cossi, R. Cammi, B. Mennucci, C. Pomelli, C. Adamo, S. Clifford, J. Ochterski, G. A. Petersson, P. Y. Ayala, Q. Cui, K. Morokuma, D. K. Malick, A. D. Rabuck, K. Raghavachari, J. B. Foresman, J. Cioslowski, J. V. Ortiz, A. G. Baboul, B. B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. Gomperts, R. L. Martin, D. J. Fox, T. Keith, M. A. Al-Laham, C. Y. Peng, A. Nanayakkara, C. Gonzalez, M. Challacombe, P. Gill, M. W. Johnson, W. Chen, M. W. Wong, J. L. Andres, M. Head-Gordon, E. S. Replogle and J. A. Pople: *GAUSSIAN 98, Revision A.5*, Gaussian, Inc., Pittsburgh, PA, **1998**.
- [89] N. Fuson, C. Garrigou-Lagrange and M. L. Josien: Infrared spectra and vibrational assignments for the toluenes C<sub>6</sub>H<sub>5</sub>CH<sub>3</sub>, C<sub>6</sub>H<sub>5</sub>CD<sub>3</sub>, and C<sub>6</sub>D<sub>5</sub>CD<sub>3</sub>, *Spectrochim. Acta*, **1960**, 16, 106-27.
- [90] A. R. Katritzky and J. M. Lagowski: Infrared absorption of heteroaromatic and benzenoid six-membered monocyclic nuclei. IV. Monosubstituted benzenes, *J. Chem. Soc. Abstr.*, **1958**, 4155-62.
- [91] A. R. Katritzky: *The infrared spectra of heteroaromatic compounds*. Quarterly Revs., London, **1959**
- [92] S. Brodersen and A. Langseth: The infrared spectra of benzene, sym-benzene-d<sub>3</sub>, and benzene-d<sub>6</sub>, *K. Dan. Vidensk. Selsk. Mat. Fys. Medd.*, **1956**, 1, 47 pp.
- [93] I. R. Scherer: Planar vibrations of chlorinated benzenes, *The Dow Chemical Company*, **1963**.
- [94] T. A. Stephenson, P. L. Radloff and S. A. Rice: <sup>1</sup>B<sub>2u</sub> ↔ <sup>1</sup>A<sub>1g</sub> spectroscopy of jet-cooled benzene: Single vibronic level fluorescence studies, *J. Chem. Phys.*, **1984**, 81, 1060-72.
- [95] S. N. Garg: Relation of vibration frequencies of monosubstituted benzenes to those of benzene, *Current Science*, **1953**, 22, 298-9.

- [96] F. F. Bentley and E. F. Wolfarth: Analytical applications of far infrared spectra. II. Spectra-structure correlations for aliphatic and aromatic hydrocarbons in the cesium bromide region, *Spectrochim. Acta*, **1959**, 165-205.
- [97] C. V. Stephenson, W. C. Coburn and J. a. W. S. Wilcox: The vibrational spectra and assignments of nitrobenzene, phenyl isocyanate, phenyl isothiocyanate, thionylaniline and anisole, *Spectrochim. Acta*, **1961**, 17, 933-46.
- [98] J. B. Foresman, M. Head-Gordon, J. A. Pople and M. J. Frisch: Toward a systematic molecular orbital theory for excited states, *J. Phys. Chem.*, **1992**, 96, 135-49.
- [99] G. S. Jas and K. Kuczera: *Chem. Phys.*, **1997**, 214, 229.
- [100] J. M. L. Martin, P. R. Taylor and T. J. Lee: *Chem. Phys. Lett.*, **1997**, 275, 414.
- [101] A. Bernhardsson, N. Forsberg, P.-A. Malmqvist, B. O. Roos and L. Serrano-Andres: A theoretical study of the  ${}^1B_{2u}$  and  ${}^1B_{1u}$  vibronic bands in benzene, *J. Chem. Phys.*, **2000**, 112, 2798-809.
- [102] W. B. Tzeng, N. K., C. Y. Hsieh and C. C. Tung: Structures and vibrations of p-dimethoxybenzene conformers in the  $S_0$  and  $S_1$  states studied by ab initio calculations and resonant two-photon ionization spectroscopy, *J. Mol. Struct.*, **1998**, 448, 91-100.
- [103] S. Shaik, S. Zilberg and Y. Haas: A Kekule-crossing model for the "anomalous" behavior of the  $b_{2u}$  modes of aromatic hydrocarbons in the lowest excited  ${}^1B_{2u}$  state, *Acc. Chem. Res.*, **1996**, 29, 211-8.
- [104] M. A. Kovner and A. M. Bogomolov: General theory of vibrational spectra of normal monoalkylbenzenes, *Opt. Spektrosk.*, **1956**, 1, 364-73.
- [105] M. A. Kovner and A. M. Bogomolov: Vibrational spectra of aromatic compounds. V. Calculation and interpretation of vibrational spectra of m-xylene, *Opt. Spektrosk.*, **1958**, 4, 301-8.
- [106] M. A. Kovner and A. M. Bogomolov: Vibration spectra of aromatic compounds. VI. Computation and interpretation of the o-xylene vibration spectrum, *Opt. Spektrosk.*, **1959**, 7, 751-5.
- [107] M. A. Kovner and G. V. Peregudov: Vibrational spectra of octadeuteriotoluene, *Opt. Spektrosk.*, **1958**, 5, 134-40.
- [108] C. V. Stephenson and W. C. Coburn, Jr.: Infrared and Raman spectra of a,a,a-trichlorotoluene,  $C_6H_5CCl_3$ , *J. Chem. Phys.*, **1965**, 42, 35-8.
- [109] S. Schumm, M. Gerhards and K. Kleinermanns: Frank-Condon simulation of the  $S_1 \leftarrow S_0$  spectrum of phenol, *J. Phys. Chem. A*, **2000**, 104, 10648-55.
- [110] H. D. Bist, V. N. Sarin, A. Ojha and Y. S. Jain: The 2699 Å electronic band system of chlorobenzene- The in-plane vibrational modes in the excited state, *Appl. Spectrosc.*, **1970**, 24, 292-4.
- [111] H. Sponer, G. Nordheim, A. L. Sklar and E. Teller: Analysis of the near-ultraviolet electronic transition of benzene, *J. Chem. Phys.*, **1939**, 7, 207-20.
- [112] G. Varsanyi: *Assignments for vibrational spectra of 700 benzene derivatives*. Wiley, New York, **1974**

- [113] M. Pradhan, C. Li, L. L. Jung and W. Bih Tzeng: Mass analyzed threshold ionization spectroscopy of anisole cation and the OCH<sub>3</sub> substitution effect, *Chem. Phys. Lett.*, **2005**, 407, 100-4.
- [114] J. H. S. Green: Vibrational spectra of benzene derivatives-III. Anisole, ethylbenzene, phenetole methyl phenyl sulphide and ethyl phenyl sulphide, *Spectrochim. Acta*, **1962**, 18, 39-50.
- [115] G. B. Kistiakowsky and A. K. Solomon: The ultraviolet absorption spectrum of benzene, *J. Chem. Phys.*, **1937**, 5, 609-16.
- [116] H. Sponer and S. H. Wollman: Analysis of the near ultraviolet absorption spectrum of monochlorobenzene, *J. Chem. Phys.*, **1941**, 9, 816-25.
- [117] W. Roth, P. Imhof, M. Gerhards, S. Schumm and K. Kleinermanns: Reassignment of ground and first excited state vibrations in phenol, *Chem. Phys.*, **2000**, 252, 247-56.
- [118] S. Ullrich, G. Tarczay and K. Müller-Dethlefs: A resonance-enhanced multiphoton ionization and zero kinetic energy photoelectron study of the phenol-Kr and phenol-Xe van der Waals complexes, *J. Phys. Chem. A*, **2002**, 106, 1496-503.
- [119] D. Spangenberg, P. Imhof and K. Kleinermanns: The S<sub>1</sub> state geometry of phenol determined by simultaneous Frank-Condon and rotational constants fits, *Phys. Chem. Chem. Phys.*, **2003**, 5, 2505-14.
- [120] C. Ratzer, J. Küpper, D. Spangenberg and M. Schmitt: The structure of phenol in the S<sub>1</sub>-state determined by high resolution UV-spectroscopy, *Chem. Phys.*, **2002**, 283, 153-69.
- [121] A. Fujii, T. Ebata and N. Mikami: An infrared study of  $\pi$ -hydrogen bonds in micro-solvated phenol: OH stretching vibrations of phenol-X (X=C<sub>6</sub>H<sub>6</sub>, C<sub>2</sub>H<sub>4</sub> and C<sub>2</sub>H<sub>2</sub>) clusters in the neutral and cationic ground states, *J. Phys. Chem. A*, **2002**, 106, 8554-60.
- [122] S.-i. Ishiuchi, M. Sakai, K. Daigoku, T. Ueda, T. Yamanaka, K. Hashimoto and M. Fujii: Picosecond time-resolved infrared spectra of photo-excited phenol-(NH<sub>3</sub>)<sub>3</sub> cluster, *Chem. Phys. Lett.*, **2001**, 347, 87-92.
- [123] G. Gregoire, C. Dedonder-Lardeux, C. Jouvet, S. Martrenchard and D. Solgadi: Has the excited state proton transfer ever been observed in phenol-(NH<sub>3</sub>)<sub>n</sub> molecular clusters? *J. Phys. Chem. A*, **2001**, 105, 5971-6.
- [124] A. Longarte, J. A. Fernandez, I. Unamuno, F. J. Basterretxea and F. Castano: Experimental determination of phenol (CH<sub>3</sub>F)<sub>1</sub> complex binding energies in the S<sub>0</sub>, S<sub>1</sub> and I<sub>0</sub> states and comparison with ab initio calculations, *J. Chem. Phys.*, **2001**, 115, 270-6.
- [125] A. Courty, M. Mons, I. Dimicoli, F. Piuze, V. Brenner and P. Millie: Ionization, energetics and geometry of the phenol-S complexes (S=H<sub>2</sub>O, CH<sub>3</sub>OH and CH<sub>3</sub>OCH<sub>3</sub>), *J. Phys. Chem. A*, **1998**, 102, 4890-8.
- [126] R. J. Lipert and S. D. Colson: Deuterium isotope effects on S<sub>1</sub> radiationless decay in phenol and on intermolecular vibrations in the phenol-water complex, *J. Phys. Chem.*, **1989**, 93, 135-9.



- [127] J. Kahane-Paillous and S. Leach: Electronic spectra of monosubstituted derivatives of benzene. I. The emission spectrum of toluene, *J. Chim. Phys. Phys.-Chim. Biol.*, **1958**, 55, 439-53.
- [128] N. Ginsburg, W. W. Robertson and F. A. Matsen: The near-ultraviolet absorption spectrum of toluene vapor, *J. Chem. Phys.*, **1946**, 14, 511-17.
- [129] J. Kahane-Paillous: Electronic spectra of monosubstituted derivatives of benzene. IV. Emission spectra of aniline, *J. Chim. Phys. Phys.-Chim. Biol.*, **1960**, 57, 587-92.
- [130] N. Ginsburg and F. A. Matsen: The near-ultraviolet absorption spectrum of aniline vapor, *J. Chem. Phys.*, **1945**, 13, 167-71.
- [131] J. Kahane-Paillous and S. Leach: The effect of monosubstitution on the electronic spectra of benzene. Study of the gas phase. in: *Adv. in Mol. Spectroscopy*, Ed., Adv. in Mol. Spectroscopy, 398 ff, Pergamon Press, Oxford, **1962**, 398-412.
- [132] T. G. Wright, S. I. Panov and T. A. Miller: Vibrational spectroscopy of the chlorobenzene cation using zero kinetic energy photoelectron spectroscopy, *J. Chem. Phys.*, **1995**, 102, 4793-803.
- [133] D. H. Whiffen: Vibrational frequencies and thermodynamic properties of fluoro-, chloro-, bromo-, and iodobenzene, *J. Chem. Soc. Abstr.*, **1956**, 1350-6.
- [134] J. Kahane-Paillous: Electronic spectra of monosubstituted derivatives of benzene. III. Emission spectra of benzonitrile, *J. Chim. Phys. Phys.-Chim. Biol.*, **1960**, 57, 581-6.
- [135] R. C. Hirt and J. P. Howe: The ultraviolet absorption spectrum of benzonitrile vapor, *J. Chem. Phys.*, **1948**, 16, 480-5.
- [136] A. M. Bass: Fluorescence studies of some simple benzene derivatives. in the near ultraviolet. II. Toluene and benzonitrile, *J. Chem. Phys.*, **1950**, 18, 1403-10.
- [137] R. K. Asundi and B. D. Joshi: Emission bands of benzonitrile, *Current Science*, **1956**, 25, 150-1.
- [138] G. Wedler: *Lehrbuch der Physikalischen Chemie*. Wiley-VCH, Weinheim, **1997**
- [139] P. W. Atkins: *Physikalische Chemie*. VCH, Weinheim, **1988**
- [140] P. Schuster, G. Zundel and C. Sandorfy: *The Hydrogen Bond: Recent Developments in Theory and Experiments*. North-Holland Publ. Comp. Amsterdam, New York, **1976**
- [141] P. S. Meenakshi, N. Biswas and S. Wategaonkar: Gas phase spectroscopic studies on hydroquinone-water complex, *Phys. Chem. Chem. Phys.*, **2003**, 5, 294-9.
- [142] S. Ullrich, X. Tong, G. Tarczay, C. E. H. Dessent and K. Müller-Dethlefs: Hydration of a cationic amide group: a ZEKE spectroscopic study of transformanilide-H<sub>2</sub>O, *Phys. Chem. Chem. Phys.*, **2002**, 4, 2897-903.
- [143] P. Tarakeshwar, K. S. Kim and B. Brutschy: Fluorobenzene-water and difluorobenzene-water systems: An ab initio investigation, *J. Chem. Phys.*, **1999**, 110, 8501-12.

- [144] S. Sun and E. R. Bernstein: Aromatic van der Waals Clusters: Structure and Nonrigidity, *J. Phys. Chem.*, **1996**, 100, 13348-66.
- [145] M. Becucci, G. Pietraperzia, M. Pasquini, G. Piani, A. Zoppi, R. Chelli, E. Castellucci and W. Demtroeder: A study on the anisole-water complex by molecular beam-electronic spectroscopy and molecular mechanics calculations, *J. Chem. Phys.*, **2004**, 120, 5601-7.
- [146] A. L. Sobolewski and W. Domcke: Photoinduced electron and proton transfer in phenol and its clusters with water and ammonia, *J. Phys. Chem. A*, **2001**, 105, 9275-83.
- [147] W. Roth, M. Schmitt, C. Jacoby, D. Spangenberg, C. Janzen and K. Kleinermanns: Double resonance spectroscopy of phenol(H<sub>2</sub>O)<sub>1-12</sub>: evidence for ice-like structures in aromate-water clusters? *Chem. Phys.*, **1998**, 239, 1-9.
- [148] L. S. Prabhmirashi, D. K. Narayanan Kutty and A. S. Bhide: Excited state dipole moments of some monosubstituted benzenes from solvent effect on electronic absorption spectra, *Spectrochim. Acta*, **1983**, 39A, 663-8.
- [149] S. F. Boys and F. Bernardi: The calculation of small molecular interactions by the differences of separate total energies. Some procedures with reduced errors, *Mol. Phys.*, **1970**, 19, 553-66.
- [150] M. Gutowski and G. Chalasinski: Critical evaluation of some computational approaches to the problem of basis-set-superposition error, *J. Chem. Phys.*, **1993**, 98, 5540-54.
- [151] M. Gutowski, J. G. C. M. Van Duijneveldt-Van de Rijdt, J. H. Van Lenthe and F. B. Van Duijneveldt: Accuracy of the Boys and Bernardi function counterpoise method, *J. Chem. Phys.*, **1993**, 98, 4728-37.
- [152] D. Feller, E. D. Glendening, D. E. Woon and M. W. Feyereisen: An extended basis set ab initio study of alkali metal cation-water clusters, *J. Chem. Phys.*, **1995**, 103, 3526-42.
- [153] P. A. Günther, M. Oppel and H. Baumgärtel: Chemical reactions in ionic molecular aggregates. An ab initio and R2PI-study of the halogenbenzene /Ammonia system, *Z. Phys. Chem.*, **2000**, 214, 1569-95.
- [154] N. Biswas, S. Wategaonkar, T. Watanabe, T. Ebata and N. Mikami: Fluorescence, REMPI, hole-burning and FDIR spectroscopy of para-cyanophenol-water<sub>1</sub> complex, *Chem. Phys. Lett.*, **2004**, 394, 61-7.
- [155] A. J. Abkowitz-Bienko and Z.-l. Latajka: Density Functional Study on Phenol Derivative-Ammonia Complexes in the Gas Phase, *J. Phys. Chem. A*, **2000**, 104, 1004-8.
- [156] S. Re and Y. Osamura: Size-Dependent Hydrogen Bonds of Cluster Ions between Phenol Cation Radicals and Water Molecules: A Molecular Orbital Study, *J. Phys. Chem. A*, **1998**, 102, 3798-812.
- [157] M. Yi and S. Scheiner: Proton transfer between phenol and ammonia in ground and excited electronic states, *Chem. Phys. Lett.*, **1996**, 262, 567-72.
- [158] T. Droz, R. Knochenmuss and S. Leutwyler: Excited-state proton transfer in gas-phase clusters: 2-Naphthol\*(NH<sub>3</sub>)<sub>n</sub>, *J. Chem. Phys.*, **1990**, 93, 4520-32.

- [159] J. A. Syage: tunneling mechanism for excited-state proton transfer in phenol-ammonia clusters, *J. Phys. Chem.*, **1993**, 97, 12523-9.
- [160] S. Martrenchard-Barra, C. Dedonder-Lardeux, C. Jouvét, D. Solgadi, M. Vervloet, G. G. and I. Dimicoli: Proton-transfer in the ground state of phenol-ammonia clusters: an experimental study, *Chem. Phys. Lett.*, **1999**, 310, 173-9.
- [161] C. Crepin and A. Tramer: Electronic spectra and proton transfer in the phenol/(NH<sub>3</sub>)<sub>n</sub> clusters in argon matrices, *Chem. Phys.*, **1991**, 156, 281-91.
- [162] H.-T. Kim, R. J. Green, J. Qian and S. L. Anderson: Proton transfer in the [phenol-NH<sub>3</sub>]<sup>+</sup> system: An experimental and ab initio study, *J. Chem. Phys.*, **2000**, 112, 5717-21.
- [163] W. Siebrand, M. Z. Zgierski, Z. K. Smedarchina, M. Vener and J. Kaneti: The structure of phenol-ammonia clusters before and after proton transfer. A theoretical investigation, *Chem. Phys. Lett.*, **1997**, 266, 47-52.
- [164] Tomodan: *J. Chem. Phys.*, **1986**, 110, 431.
- [165] N. Mikami, A. Okabe and I. Suzuki: Photodissociation of the hydrogen-bonded heterodimer ion [C<sub>6</sub>H<sub>5</sub>OH-NH<sub>3</sub>]<sup>+</sup>, *J. Phys. Chem.*, **1988**, 92, 1858-62.
- [166] R. Wu, S. Vaupel, P. Nachtigall and B. Brutschy: Structure and hydrogen bonding of different isomers of 2-Aminopyridine\*NH<sub>3</sub> studied by IR/R2PI spectroscopy, *J. Phys. Chem. A*, **2004**, 108, 3338-43.
- [167] W.-H. Fang: Theoretical characterization of the excited-state structures and properties of phenol and its one-water complex, *J. Chem. Phys.*, **2000**, 112, 1204-11.
- [168] M. Gerhards and K. Kleinermanns: Structure and vibrations of phenol(H<sub>2</sub>O)<sub>2</sub>, *J. Chem. Phys.*, **1995**, 103, 7392-400.
- [169] C. Jacoby, W. Roth, M. Schmitt, C. Janzen, D. Spangenberg and K. Kleinermanns: Intermolecular vibrations of phenol(H<sub>2</sub>O)<sub>2-5</sub> and phenol(D<sub>2</sub>O)<sub>2-5</sub>-d<sub>1</sub> studied by UV double-resonance spectroscopy and ab Initio theory, *J. Phys. Chem. A*, **1998**, 102, 4471-80.
- [170] Y. Hu, X. Yang and S. Yang: Resonant two-photon ionization spectra of van der Waals complexes p, m, o-C<sub>6</sub>H<sub>4</sub>F<sub>2</sub>.NH<sub>3</sub>(ND<sub>3</sub>), *J. Chem. Phys.*, **1999**, 111, 134-9.
- [171] K. Weyers, T. Freudenberg, H. H. Ritze, W. Radloff and V. Stert: Energetics of benzene-ammonia dimers, *Z. Phys. D: At., Mol. Clusters*, **1997**, 39, 217-23.
- [172] A. J. Gotch and T. S. Zwier: Multiphoton ionization studies of clusters of immiscible liquids. I. C<sub>6</sub>H<sub>6</sub>-(H<sub>2</sub>O)<sub>n</sub>, n=1,2, *J. Chem. Phys.*, **1992**, 96, 3388-401.
- [173] E. J. Bieske, M. W. Rainbird, I. M. Atkinson and A. E. W. Knight: Stretch-bend coupling between van der Waals modes in the S<sub>1</sub> state of substituted benzene-Ar<sub>1</sub> complexes, *J. Chem. Phys.*, **1989**, 91, 752-61.

- [174] J. E. Braun, T. L. Grebner and H. J. Neusser: Van der Waals versus hydrogen-bonding in complexes of indole with argon, water and benzene by mass-analyzed pulsed field threshold ionization, *J. Phys. Chem. A*, **1998**, 102, 3273-8.
- [175] C. R. Company: *CRC Handbook of chemistry and physics*. CRC, London, **1995**