

6 Anhang

6.1 Literatur

Abkowitz JL, Hume H, Yancik SA, Bennett LG, Matsumoto AM:
Stem cell factor serum levels may not be clinically relevant
Blood: 87, 4017-4018, 1996

Abkowitz JL, Robinson AE, Kale S, Long MW, Chen J:
Mobilization of hematopoietic stem cells during homeostasis and after cytokine exposure
Blood: 102, 1249-1253, 2003

Advani AS:
C-kit as a target in the treatment of acute myelogenous leukemia
Curr Hematol Rep: 4, 51-58, 2005

Alberts B, Bray D, Lewis J, Raff M, Roberts K, Watson JD:
Molekularbiologie der Zelle
VCH Verlagsgesellschaft, Weinheim, 1995

Anderson DM, Lyman SD, Baird A, Wignall JM, Eisenman J, Rauch C, March CJ, Boswell HS, Gimpel SD, Cosman D:
Molecular cloning of mast cell growth factor, a hematopoietin that is active in both membrane bound and soluble forms
Cell: 63, 235-243, 1990

André C, d'Auriol L, Lacombe C, Gisselbrecht S, Galibert F:
C-kit mRNA expression in human and murine hematopoietic cell lines
Oncogene: 4, 1047-1049, 1989

Andreoni C, Moreau I, Rigal D:
Long-term culture of human bone marrow. I. characterization of adherent cells in flow cytometry
Exp Hematol: 18, 431-437, 1990

Ashman LK:
The biology of stem cell factor and its receptor c-kit
Int J Biochem Cell Biol: 31, 1037-1051, 1999

d'Auriol L, Mattei MG, André C, Galibert F:
Localization of the human c-kit protooncogene on the q11-q12 region of chromosome 4
Hum Genet: 78, 374-376, 1988

Avanzi GC, Brizzi MF, Giannotti A, Ciarletta A, Yang YC, Pegoraro L, Clark SC:
M-07e human leukemic factor-dependent cell line provides a rapid and sensitive bioassay for the human cytokines GM-CSF and IL-3.
J Cell Physiol: 145, 458-464, 1990

Avanzi GC, Lista P, Giovinazzo B, Miniero R, Saglio G, Benetton G, Coda R, Cattoretti G, Pegoraro L:
Selective growth response to IL-3 of a human leukaemic cell line with megakaryoblastic features
Br J Haematol: 69, 359-366, 1988

Aye MT, Hashemi S, Leclair B, Zeibdawi A, Trudel E, Halpenny M, Fuller V, Cheng G:
Expression of stem cell factor and c-kit mRNA in cultured endothelial cells, monocytes and cloned human bone marrow stromal cells
Exp Hematol: 20, 523-527, 1992

Bahia Kerbauy DM, Kimura E, Chauffaille M, Bordin J, Kerbauy J, Yamamoto M:
The singular value of CD34 and CD117 expression for minimal residual disease detection in AML
Leuk Res: 27, 1069-1070, 2003

Barnett MJ, Eaves CJ, Eaves AC:
Autografting in Chronic Myeloid Leukemia
In: Forman SJ, Blume KG, Thomas ED [Hrsg]:
Bone Marrow Transplantation
Blackwell Scientific Publications, Boston, 1994

Barnett MJ, Eaves CJ, Phillips GL, Gascoyne RD, Hogge DE, Horsman DE, Humphries RK, Klingemann HG, Lansdorp PM, Nantel SH:
Autografting with cultured marrow in chronic myeloid leukemia: results of a pilot study
Blood: 84, 724-732, 1994

Barnett MJ, Eaves CJ, Phillips GL, Kalousek DK, Klingemann HG, Lansdorp PM, Reece DE, Shepherd JD, Shaw GJ, Eaves AC:
Successful autografting in chronic myeloid leukaemia after maintenance of marrow in culture
Bone Marrow Transplant: 4, 345-351, 1989

Beghini A, Peterlongo P, Ripamonti CB, Larizza L, Cairoli R, Morra E, Mecucci C:
C-kit mutations in core binding factor leukemias
Blood: 95, 726-727, 2000

Bendall LJ, Daniel A, Kortlepel K, Gottlieb DJ:
Bone marrow adherent layers inhibit apoptosis of acute myeloid leukemia cells
Exp Hematol: 22, 1252-1260, 1994

Bendall LJ, Kortlepel K, Gottlieb DJ:
Human acute myeloid leukemia cells bind to bone marrow stroma via a combination of β -1 and β -2 integrin mechanisms
Blood: 82, 3125-3132, 1993

Bendall LJ, Makrynika V, Hutchinson A, Bianchi AC, Bradstock KF, Gottlieb DJ:
Stem cell factor enhances the adhesion of AML cells to fibronectin and augments
fibronectin-mediated anti-apoptotic and proliferative signals
Leukemia: 12, 1375-1382, 1998

Blechman JM, Lev S, Barg J, Eisenstein M, Vaks B, Vogel Z, Givol D, Yarden Y:
The fourth immunoglobulin domain of the stem cell factor receptor couples ligand
binding to signal transduction
Cell: 80, 103-113, 1995

Bröker B, Schütt C:
Immuteach – immunology online [www.immuteach.de]
Ernst-Moritz-Arndt-Universität - Institut für Immunologie, Greifswald, 2005

Broudy VC:
Stem cell factor and hematopoiesis
Blood: 90, 1345-1364, 1997

Broudy VC, Kovach NL, Bennett LG, Lin N, Jacobsen FW, Kidd PG:
Human umbilical vein endothelial cells display high-affinity c-kit receptors and
produce a soluble form of the c-kit receptor
Blood: 83, 2145-2152, 1994

Broudy VC, Smith FO, Lin N, Zsebo KM, Egrie J, Bernstein ID:
Blasts from patients with acute myelogenous leukemia express functional
receptors for stem cell factor
Blood: 80, 60-67, 1992

Bühring HJ, Ullrich A, Schaudt K, Müller CA, Busch FW:
The product of the proto-oncogene c-kit (P145^{c-kit}) is a human bone marrow
surface antigen of hemopoietic precursor cells which is expressed on a subset of
acute non-lymphoblastic leukemic cells
Leukemia: 5, 854-860, 1991

Care RS, Valk PJ, Goodeve AC, Abu-Duhier FM, Geertsma-Kleinekoort WM,
Wilson GA, Gari MA, Peake IR, Löwenberg B, Reilly JT:
Incidence and prognosis of c-kit and FLT3 mutations in core binding factor (CBF)
acute myeloid leukaemias
Br J Haematol: 121, 775-777, 2003

Cashman J, Eaves AC, Eaves CJ:
Regulated proliferation of primitive hematopoietic progenitor cells in long-term
human marrow cultures
Blood: 66, 1002-1005, 1985

Chabot B, Stephenson DA, Chapman VM, Besmer P, Bernstein A:
The proto-oncogene c-kit encoding a transmembrane tyrosine kinase receptor
maps to the mouse W locus
Nature: 335, 88-89, 1988

Chang J, Coutinho L, Morgenstern G, Scarffe JH, Deakin D, Harrison C, Testa NG, Dexter TM:
Reconstitution of haemopoietic system with autologous marrow taken during relapse of acute myeloblastic leukaemia and grown in long-term culture
Lancet: 1, 294-295, 1986

Chang J, Dexter TM:
Long-term marrow cultures: in vitro purging of leukaemic cells
Baillieres Cli Haematol: 4, 775-788, 1991

Chang J, Morgenstern GR, Coutinho LH, Scarffe JH, Carr T, Deakin DP, Testa NG, Dexter TM:
The use of bone marrow cells grown in long-term culture for autologous bone marrow transplantation in acute myeloid leukaemia: an update
Bone Marrow Transplant: 4, 5-9, 1989

Costa JJ, Demetri GD, Harrist TJ, Dvorak AM, Hayes DF, Merica EA, Menchaca DM, Gringeri AJ, Schwartz LB, Galli SJ:
Recombinant human stem cell factor (kit ligand) promotes human mast cell and melanocyte hyperplasia and functional activation in vivo
J Exp Med: 183, 2681-2686, 1996

Coulombel L, Eaves AC, Eaves CJ:
Enzymatic treatment of long-term human marrow cultures reveals the preferential location of primitive hemopoietic progenitors in adherent layer
Blood: 62, 291-297, 1983

Coulombel L, Eaves CJ, Kalousek DK, Gupta CM, Eaves AC:
Long-term marrow culture of cells from patients with acute myelogenous leukemia. Selection in favor of normal phenotypes in some but not all cases
J Clin Invest: 75, 961-969, 1985

Coulombel L, Kalousek DK, Eaves CJ, Gupta CM, Eaves AC:
Long-term marrow culture reveals chromosomally normal hematopoietic progenitor cells in patients with Philadelphia chromosome-positive chronic myelogenous leukemia
N Engl J Med: 308, 1493-1498, 1983

Coutinho LH, Testa NG, Chang J, Morgenstern G, Harrison C, Dexter TM:
The use of cultured bone marrow cells in autologous transplantation
Prog Clin Biol Res: 333, 415-432, 1990

Dasty J, Metcalfe DD:
Stem cell factor induces mast cell adhesion to fibronectin
J Immunol: 152, 213-219, 1994

Delwel R, Salem M, Pellens C, Dorssers L, Wagemaker G, Clark S, Löwenberg B:
Growth regulation of human acute myeloid leukemia: effects of five recombinant hematopoietic factors in a serum-free culture system
Blood: 72, 1944-1949, 1988

Dexter TM:

Stromal cell associated haemopoiesis
J Cell Physiol: Suppl 1, 87-94, 1982

Dexter TM, Allen TD, Lajtha LG:

Conditions controlling the proliferation of haemopoietic stem cells in vitro
J Cell Physiol: 91, 335-344, 1977

Dexter TM, Chang J:

New strategies for the treatment of chronic myeloid leukemia
Blood: 84, 673-675, 1994

Dexter TM, Spooncer E, Simmons P, Allen TD:

Long-term marrow culture: an overview of techniques and experience
In: Liss AR [Hrsg.]:
Long-term marrow culture
Alan R. Liss Inc., 57-96, 1984

Dexter TM, Wright EG, Krizsa F, Lajtha LG:

Regulation of haemopoietic stem cell proliferation in long term bone marrow cultures
Biomedicine: 27, 344-349, 1977

Dominici M, Hofmann TJ, Horwitz EM:

Bone marrow mesenchymal cells: biological properties and clinical applications
J Biol Regul Homeost Agents: 15, 28-37, 2001

Dührsen U, Knieling G, Beecken W, Neumann S, Hossfeld DK:

Chimaeric cultures of human marrow stroma and murine leukaemia cells: evidence for abnormalities in the haemopoietic microenvironment in myeloid malignancies and other infiltrating marrow disorders
Br J Haematol: 90, 502-511, 1995

Dylla SJ, Deyle DR, Theunissen K, Padurean AM, Verfaillie CM:

Integrin engagement-induced inhibition of human myelopoiesis is mediated by proline-rich tyrosine kinase 2 gene products
Exp Hematol: 32, 365-374, 2004

Eaves CJ, Cashman J, Eaves AC:

Methodology of long-term culture of human hematopoietic cells
J Tissue Culture Meth: 13, 55-61, 1991

Eaves AC, Cashman JD, Gaboury LA, Eaves CJ:

Clinical significance of long-term cultures of myeloid blood cells
Crit Rev Oncol Hematol: 7, 125-138, 1987

Erben U:

Ein humanes Stammzellfaktor-ImmunglobulinG1-Fusionsprotein: Klonierung, Expression und Untersuchung biologischer Wirkungen auf maligne und nicht-maligne hämatopoietische Progenitorzellen
Inaugural-Dissertation, FU Berlin, 2000

Erben U, Thiel E, Bittroff-Leben A, Schoch C, Fichtner I, Dürkop H, Notter M:
CS-1, a novel c-kit^{hi+} acute myeloid leukemia cell line with dendritic cell differentiation capacity and absent immunogenicity
Int J Cancer: 105, 232-240, 2003

Erben U, Thiel E, Notter M:

Differential effects of a stem cell factor-Immunglobulin fusion protein on malignant and normal hematopoietic cells
Cancer Res: 59, 2924-2930, 1999

Escribano L, Ocqueteau M, Almeida J, Orfao A, San Miguel JF:

Expression of the c-kit (CD117) molecule in normal and malignant hematopoiesis
Leuk Lymphoma: 30, 459-466, 1998

Flanagan JG, Chan DC, Leder P:

Transmembrane form of the kit ligand growth factor is determined by alternative splicing and is missing in the Sl^d mutant
Cell: 64, 1025-1035, 1991

Flanagan JG, Leder P:

The kit ligand: a cell surface molecule altered in steel mutant fibroblasts
Cell: 63, 185-194, 1990

Fleming WH, Alpern EJ, Uchida N, Ikuta K, Weissman IL:

Steel factor influences the distribution and activity of murine hematopoietic stem cells in vivo
Proc Natl Acad Sci USA: 90, 3760-3764, 1993

Fuchs E, Tumber T, Guasch G:

Socializing with the neighbors: stem cells and their niche
Cell: 116, 769-778, 2004

Gartner S, Kaplan HS:

Long-term culture of human bone marrow cells
Proc Natl Acad Sci USA: 77, 4756-4759, 1980

Geissler EN, Ryan MA, Housman DE:

The dominant-white spotting (W) locus of the mouse encodes the c-kit proto-oncogene
Cell: 55, 185-192, 1988

Giancotti FG, Ruoslahti E:

Integrin signaling
Science: 285, 1028-1032, 1999

Gillis S, Smith KA:

In vitro generation of tumor-specific cytotoxic lymphocytes. Secondary allogeneic mixed tumor lymphocyte culture of normal murine spleen cells
J Exp Med: 146, 468-482, 1977

Gillis S, Smith KA:

Long term culture of tumor-specific cytotoxic T cells
Nature: 268, 154-156, 1977

Gommerman JL, Sittaro D, Klebasz NZ, Williams DA, Berger SA:

Differential stimulation of c-kit mutants by membrane-bound and soluble steel factor correlates with leukemic potential
Blood: 96, 3734-3742, 2000

Greenberger JS:

Is the marrow stroma of AML patients a "leukemic" stroma?
Exp Hematol: 20, 1041-1042, 1992

Gulati SC:

Purging in Bone Marrow Transplantation
R. G. Landes Company, Austin Georgetown, 1. Aufl. 1993.

Hart C, Drewel D, Müller G, Grassinger J, Zaiss M, Kunz-Schughart LA, Andreesen R, Reichle A, Holler E, Hennemann B:

Expression and function of homing-essential molecules and enhanced in vivo homing ability of human peripheral blood-derived hematopoietic progenitor cells after stimulation with stem cell factor
Stem Cells: 22, 580-589, 2004

Hays EF, Hale L:

Growth of normal hemopoietic cells in cultures of bone marrow from leukemic mice
Eur J Cancer Clin Oncol: 18, 413-418, 1982

Heinrich MC, Blanke CD, Druker BJ, Corless CL:

Inhibition of KIT tyrosine kinase activity: a novel molecular approach to the treatment of KIT-positive malignancies
J Clin Oncol: 20, 1692-1703, 2002

Heinrich MC, Dooley DC, Freed AC, Band L, Hoatlin ME, Keeble WW, Peter ST, Silvey KV, Ey FS, Kabat D:

Constitutive expression of steel factor gene by human stromal cells
Blood: 82, 771-783, 1993

Hocking WG, Golde DW:

Long-term human bone marrow cultures
Blood: 56, 118-124, 1980

Hsu YR, Wu GM, Mendiaz EA, Syed R, Wypych J, Toso R, Mann MB, Boone TC, Narhi LO, Lu HS, Langley KE:
The majority of stem cell factor exists as a monomer under physiological conditions: implications for dimerization mediating biological activity
J Biol Chem: 272, 6406-6415, 1997

Huang E, Nocka K, Beier DR, Chu TY, Buck J, Lahm HW, Wellner D, Leder P, Besmer P:
The hematopoietic growth factor KL is encoded by the *S*/locus and is the ligand of the c-kit receptor, the gene product of the *W*/locus
Cell: 63, 225-233, 1990

Huang EJ, Nocka KH, Buck J, Besmer P:
Differential expression and processing of two cell associated forms of the c-kit ligand: KL-1 and KL-2
Mol Biol Cell: 3, 349-352, 1992

Hynes RO:
Integrins: a family of cell surface receptors
Cell: 48, 549-554, 1987

Hynes RO:
Integrins: versatility, modulation, and signaling in cell adhesion
Cell: 69, 11-25, 1992

Ikeda H, Kanakura Y, Tamaki T, Kuriu A, Kitayama H, Ishikawa J, Kanayama Y, Yonezawa T, Tarui S, Griffin JD:
Expression and functional role of the proto-oncogene c-kit in acute myeloblastic leukemia cells
Blood: 78, 2962-2968, 1991

Janeway CA, Travers P, Walport M, Shlomchik M:
Immunologie
Spektrum Akademischer Verlag, Heidelberg Berlin, 5. Aufl. 2002

Jones G:
Human Cell Culture Protocols
Humana Press, Totowa New Jersey, 2. Aufl. 1996

Juliano RL, Haskill S:
Signal transduction from the extracellular matrix
J Cell Biol: 120, 577-585, 1993

Kapur R, Cooper R, Zhang L, Williams DA:
Cross-talk between $\alpha 4\beta 1/\alpha 5\beta 1$ and c-kit results in opposing effect on growth and survival of hematopoietic cells via the activation of focal adhesion kinase, mitogen-activated protein kinase, and Akt signaling pathways
Blood: 97, 1975-1981, 2001

Katayama N, Shih JP, Nishikawa S, Kina T, Clark SC, Ogawa M:
Stage-specific expression of c-kit protein by murine hematopoietic progenitors
Blood: 82, 2353-2360, 1993

Keshet E, Lyman SD, Williams DE, Anderson DM, Jenkins NA, Copeland NG, Parada LF:
Embryonic RNA expression patterns of the c-kit receptor and its cognate ligand suggest multiple functional roles in mouse development
EMBO J: 10, 2425-2435, 1991

Kiger AA, White-Cooper H, Fuller MT :
Somatic support cells restrict germline stem cell self-renewal and promote differentiation
Nature: 407, 750-754, 2000

Kinashi T, Asaoka T, Setoguchi R, Takatsu K:
Affinity modulation of very late antigen-5 through phosphatidylinositol-3-kinase in mast cells
J Immunol: 162, 2850-2857, 1999

Kinashi T, Springer TA:
Adhesion molecules in hematopoietic cells
Blood Cells: 20, 25-44, 1994

Kinashi T, Springer TA:
Regulation of cell-matrix adhesion by receptor tyrosine kinases
Leuk. Lymphoma: 18, 203-208, 1995

Kinashi T, Springer TA:
Steel factor and c-kit regulate cell-matrix adhesion
Blood: 83, 1033-1038, 1994

Kodama H, Nose M, Niida S, Nishikawa S, Nishikawa S:
Involvement of the c-kit receptor in the adhesion of hematopoietic stem cells to stromal cells
Exp Hematol: 22, 979-984, 1994

Kortlepel K, Bendall LJ, Gottlieb DJ:
Human acute myeloid leukaemia cells express adhesion proteins and bind to bone marrow fibroblast monolayers and extracellular matrix proteins
Leukemia: 7, 1174-1179, 1993

Kovach NL, Lin N, Yednock T, Harlan JM, Broudy VC:
Stem cell factor modulates avidity of $\alpha 4\beta 1$ and $\alpha 5\beta 1$ integrins expressed on hematopoietic cell lines
Blood: 85, 159-167, 1995

Kuci S, Taylor G, Neu S, Schumm M, Niethammer D, Handgretinger R:
Phenotypic and functional characterization of mobilized peripheral blood CD34⁺
cells coexpressing different levels of c-kit
Leuk Res: 22, 355-363, 1998

Langley KE, Bennett LG, Wypych J, Yancik SA, Liu XD, Westcott KR, Chang DG,
Smith KA, Zsebo KM:
Soluble stem cell factor in human serum
Blood: 81, 656-660, 1993

Lemischka IR:
Microenvironmental regulation of hematopoietic stem cells
Stem Cells: 15, 63-68, 1997

Lentner C:
Wissenschaftliche Tabellen Geigy
Ciba-Geigy AG, Basel, 8. Auflage 1980

Lev S, Yarden Y, Givol D:
Dimerization and activation of the kit receptor by monovalent and bivalent binding
of the stem cell factor
J Biol Chem: 267, 15970-15977, 1992

Levesque JP, Haylock DN, Simmons PJ:
Cytokine regulation of proliferation and cell adhesion are correlated events in
human CD 34⁺ hemopoetic progenitors
Blood: 88, 1168-1176. 1996

Levesque JP, Leavesley DI, Niutta S, Vadas M, Simmons PJ:
Cytokines increase human hemopoietic cell adhesiveness by activation of very
large antigen VLA-4 and VLA-5 integrins
J Exp Med: 181, 1805-1815, 1995

Liesveld JL, Winslow JM, Frediani KE, Ryan DH, Abboud CN:
Expression of integrins and examination of their adhesive function in normal and
leukemic hematopoietic cells
Blood: 81, 112-121, 1993

de Lima M, Shpall EJ:
Ex-vivo purging of hematopoietic progenitor cells
Curr Hematol Rep: 3, 257-264, 2004

Lindl T:
Zell- und Gewebekultur
Spektrum Akademischer Verlag, Heidelberg Berlin, 4. Aufl. 2000

Linnekin D:
Early signaling pathways activated by c-kit in hematopoietic cells
Int. J. Biochem. Cell. Biol.: 31, 1053-1074, 1999

Löffler G, Petrides EP:
Biochemie & Pathobiochemie
Springer-Verlag, Berlin Heidelberg New York, 7. Aufl. 2003

Löwenberg B, Touw IP:
Hematopoietic growth factors and their receptors in acute leukemia
Blood: 81, 281-292, 1993

Lorentz A, Schuppan D, Gebert A, Manns MP, Bischoff SC:
Regulatory effects of stem cell factor and interleukin-4 on adhesion of human mast cells to extracellular matrix proteins
Blood: 99, 966-972, 2002

Luque A, Gomez M, Puzon W, Takada Y, Sanchez-Madrid F, Cabanas C:
Activated conformations of very late activation antigen integrins detected by a group of antibodies (HUTS) specific for a novel regulatory region (355.425) of the common β 1 chain
J Biol Chem: 271, 11067-11075, 1996

Lyman SD, Jacobsen SE:
C-kit ligand and Flt3 ligand: Stem/Progenitor cell factors with overlapping yet distinct activities
Blood: 91, 1101-1134, 1998

Martin FH, Suggs SV, Langley KE, Lu HS, Ting J, Okino KH, Morris CF, McNiece IK, Jacobsen FW, Mendiaz EA:
Primary structure and functional expression of rat and human stem cell factor DNAs
Cell: 63, 203-211, 1990

Mayani H:
Composition and function of the hemopoietic microenvironment in human myeloid leukemia
Leukemia: 10, 1041-1047, 1996

McNiece IK, Briddell RA, Hartley CA, Andrews RG:
The role of stem cell factor in mobilization of peripheral blood progenitor cells: synergy with G-CSF
Stem Cells: 11, 83-88, 1993

Metcalf D, Nicola NA:
Direct proliferative actions of stem cell factor on murine bone marrow cells *in vitro*: Effects of combination with colony-stimulating factors
Proc Natl Acad Sci USA: 88, 6239-6243, 1991

Miyazawa K, Williams DA, Gotoh A, Nishimaki J, Broxmeyer HE, Toyama K:
Membrane-bound Steel factor induces more persistent tyrosine kinase activation and longer life span of c-kit gene-encoded protein than its soluble form
Blood: 85, 641-649, 1995

Moore KA:

Recent advances in defining the hematopoietic stem cell niche
Curr Opin Hematol: 11, 107-111, 2004

Moore S, McDiarmid LA, Hughes TP:

Stem cell factor and chronic myeloid leukemia CD34⁺ cells
Leuk Lymphoma: 38, 211-220, 2000

Moritz T, Dutt P, Xiao X, Carstanjen D, Vik T, Hanenberg H, Williams DA:

Fibronectin improves transduction of reconstituting hematopoietic stem cells by retroviral vectors : evidence of direct viral binding to chymotryptic carboxy-terminal fragments
Blood: 88, 855-862, 1996

Moritz T, Patell VP, Williams DA:

Bone marrow extracellular matrix molecules improve gene transfer into human hematopoietic cells via retroviral vectors
J. Clin. Invest.: 93, 1451-1457, 1994

Nicola NA:

Hemopoietic cell growth factors and their receptors
Annu Rev Biochem: 58, 45-77, 1989

Nilsson SK, Simmons PJ:

Transplantable stem cells: home to specific niches
Curr Opin Hematol: 11, 102-106, 2004

Notter M, Willinger T, Erben U, Thiel E:

Targeting of a B7-1 (CD80) immunoglobulin G fusion protein to acute myeloid leukemia blasts increases their costimulatory activity for autologous remission T cells
Blood: 97, 3138-3145, 2001

Ogawa M, Matsuzaki Y, Nishikawa S, Hayashi S, Kunisada T, Sudo T, Kina T, Nakauchi H, Nishikawa S:

Expression and function of c-kit in hemopoietic progenitor cells
J Exp Med: 174, 63-71, 1991

Okumura N, Tsuji K, Ebihara Y, Tanaka I, Sawai N, Koike K, Komiyama A, Nakahata T:

Chemotactic and chemokinetic activities of stem cell factor on murine hematopoietic progenitor cells
Blood: 87, 4100-4108, 1996

Oostendorp RA:

Zytokine, Zytokinrezeptoren und die hämatopoetische Stammzelle
Bundesgesundheitsbl Gesundheitsforsch Gesundheitsschutz: 46, 225-232, 2003

Ostermann H:

Bone Marrow Reconstitution

In: Haverich A, Graf H [Hrsg.]:

Stem Cell Transplantation and Tissue Engineering

Springer-Verlag, Heidelberg Berlin New York, 1. Aufl. 2002

Papayannopoulou T, Nakamoto B:

Peripheralization of hematopoietic progenitors in primates treated with anti-VLA-4 integrin

Proc Natl Acad Sci USA: 90, 9374-9378, 1993

Papayannopoulou T, Priestley GG, Nakamoto B:

Anti-VLA4/VCAM-1-induced mobilization requires cooperative signaling through the kit/mkit ligand pathway

Blood: 91, 2231-2239, 1998

Pietsch T, Kyas U, Steffens U, Yakisan E, Hadam MR, Ludwig WD, Zsebo K, Welte K:

Effects of human stem cell factor on proliferation of myeloid leukemia cells: Heterogeneity in response and synergy with other hematopoietic growth factors

Blood: 80, 1199-1206, 1992

Raffael A:

Grundlagen der analytischen Durchflusszytometrie

Becton Dickinson GmbH, Heidelberg, 1995

Reuss-Borst MA, Bühring HJ, Schmidt H, Müller CA:

AML: Immunophenotypic heterogeneity and prognostic significance of c-kit expression

Leukemia: 8, 258-263, 1994

Riede U, Werner M, Schäfer HE [Hrsg.]:

Allgemeine und Spezielle Pathologie

Thieme-Verlag, Stuttgart, 5. Aufl. 2004

Roseblatt M, Vuillet-Gaugler MH, Leroy C, Coulombel L:

Coexpression of two fibronectin receptors, VLA-4 and VLA-5, by immature human erythroblastic precursor cells

J Clin Invest: 87, 6-11, 1991

Ruoslahti E:

RGD and other recognition sequences for integrins

Annu Rev Cell Dev Biol: 12, 697-715, 1996

Ruoslahti E:

Integrins as signaling molecules and targets for tumor therapy

Kidney Int: 51, 1413-1417, 1997

Ruoslahti E:

Fibronectin and its integrin receptors in cancer
Adv Cancer Res: 76, 1-20, 1999

Ruoslahti E, Obrink B:

Common principles in cell adhesion
Exp Cell Res: 227, 1-11, 1996

Ruoslahti E, Pierschbacher MD:

New perspectives in cell adhesion: RGD and integrins
Science: 238, 491-497, 1987

Schiro R, Coutinho LH, Will A, Chang J, Testa NG, Dexter TM:

Growth of normal versus leukemic bone marrow cells in long term culture from acute lymphoblastic and myeloblastic leukemias
Blut: 61, 267-270, 1990

Schofield R:

The relationship between the spleen colony-forming cell and the hematopoietic stem cell
Blood Cells: 4, 7-25, 1978

Schwartz S, Heinecke A, Zimmermann M, Creutzig U, Schoch C, Harbott J, Fonatsch C, Löffler H, Buchner T, Ludwig WD, Thiel E:

Expression of the c-kit receptor (CD117) is a feature of almost all subtypes of de novo acute myeloblastic leukemia (AML), including cytogenetically good-risk AML, and lacks prognostic significance
Leuk Lymphoma: 34, 85-94, 1999

Scolnik MP, Morilla R, de Bracco MM, Catovsky D, Matutes E:

C34 and CD117 are overexpressed in AML and may be valuable to detect minimal residual disease
Leuk Res: 26, 615-619, 2002

Seyffert W, Gassen HG, Hess O, Jäckle H, Fischbach KF [Hrsg.]:

Lehrbuch der Genetik
Gustav Fischer Verlag, Stuttgart Lübeck Jena Ulm, 1. Aufl. 1998

Shpall EJ, Cagoni PJ, Bearman SI, Ross M, Jones RB:

Peripheral blood stem cells for autografting
Annu Rev Med: 48, 241-251, 1997

Spradling A, Drummond-Barbosa D, Kai T:

Stem cells find their niche
Nature: 414, 98-104, 2001

Strobel ES, Mobest D, von Kleist S, Dangel M, Mertelsmann R, Henschler R:

Adhesion and migration are differentially regulated in hematopoietic progenitor cells by cytokines and extracellular matrix
Blood: 90, 3524-3532, 1997

Sugahara H, Kanakura Y, Furitsu T, Ishihara K, Oritani K, Ikeda H, Kitayama H, Ishikawa J, Hashimoto K, Kanayama Y, Matsuzawa Y:
Induction of programmed cell death in human hematopoietic cell lines by fibronectin via its interaction with very late antigen 5
J Exp Med: 179, 1757-1766, 1994

Sundström C, Nilsson K:
Establishment and characterization of a human histiocytic lymphoma cell line
Int J Cancer: 17, 565-577, 1976

Taichman RS:
Blood and bone: two tissues whose fates are intertwined to create the hematopoietic stem-cell niche
Blood: 105, 2631-2639, 2005

Tan BL, Yazicioglu MN, Ingram D, McCarthy J, Borneo J, Williams DA, Kapur R:
Genetic evidence for convergence of c-kit and $\alpha 4$ - integrin mediated signals on class IA PI-3-kinase and the Rac pathway in regulating integrin-directed migration in mast cells
Blood: 101, 4725-4732, 2003

Toksoz D, Zsebo KM, Smith KA, Hu S, Brankow D, Suggs SV, Martin FH, Williams DA:
Support of human hematopoiesis in long term bone marrow cultures by murine stromal cells selectively expressing the membrane-bound and secreted forms of the human homolog of the steel gene product, stem cell factor
Proc Natl Acad Sci USA: 89, 7350-7354, 1992

Tsao AS, Kantarjian H, Thomas D, Giles F, Cortes J, Garcia-Manero G, Huh Y, Yang Y, Shen Y, Albitar M, Estey E:
C-kit receptor expression in acute leukemias-association with patient and disease characteristics and with outcome
Leuk Res: 28, 373-378, 2004

Valverde LR, Matutes E, Farahat N, Heffernan A, Owusu-Ankomah K, Morilla R, Catovsky D:
C-kit receptor (CD 117) expression in acute leukemia
Ann Hematol: 72, 11-15, 1996

Verfaillie C, Hurley R, Bhatia R, McCarthy JB:
Role of bone marrow matrix in normal and abnormal hematopoiesis
Crit Rev Oncol Hematol: 16, 201-224, 1994

Wang C, Curtis JE, Geissler EN, McCulloch EA, Minden MD:
The expression of the proto-oncogene c-kit in the blast cells of acute myeloblastic leukemia
Leukemia: 3, 699-702, 1989

Wang YY, Zhou GB, Yin T, Chen B, Shi JY, Liang WX, Jin XL, You JH, Yang G, Shen ZX, Chen J, Xiong SM, Chen GQ, Xu F, Liu YW, Chen Z, Chen SJ:
AML1-ETO and C-KIT mutation/overexpression in t(8;21) leukaemia: implication in stepwise leukemogenesis and response to Gleevec
Proc Natl Acad Sci USA: 102, 1104-1109, 2005

Whetton AD, Graham GJ:
Homing and mobilization in the stem cell niche
Trends Cell Biol: 9, 233-238, 1999

Williams DA, Rios M, Stephens C, Patel VP:
Fibronectin and VLA-4 in haematopoietic stem cell-microenvironment interactions
Nature: 352, 438-441, 1991

Williams GT, Smith CA, Spooncer E, Dexter TM, Taylor DR:
Haemopoietic colony stimulating factors promote cell survival by suppressing apoptosis
Nature: 343, 76-79, 1990

Wozniak J, Kopec-Szlezak J:
C-kit receptor (CD117) expression on myeloblasts and white blood cell counts in acute myeloid leukemia
Cytometry B Clin Cytom: 58, 9-16, 2004

Wünsch KH, Miethchen R, Ehlers D:
Organische Chemie. Grundkurs
Deutscher Verlag der Wissenschaften, Berlin, 1980

Yan XQ, Briddell R, Hartley C, Stoney G, Samal B, McNiece I:
Mobilization of long-term hematopoietic reconstituting cells in mice by the combination of stem cell factor plus granulocyte colony-stimulating factor
Blood: 84, 795-799, 1994

Yarden Y, Kuang WJ, Yang-Feng T, Coussens L, Munemitsu S, Dull TJ, Chen E, Schlessinger J, Francke U, Ullrich A:
Human proto-oncogene c-kit: a new cell surface receptor tyrosine kinase for an unidentified ligand
EMBO J: 6, 3341-3351, 1987

Yin JA, Grimwade D:
Minimal residual disease evaluation in acute myeloid leukaemia
Lancet: 360, 160-162, 2002

Yokota T, Oritani K, Mitsui H, Aoyama K, Ishikawa J, Sugahara H, Matsumura I, Tsai S, Tomiyama Y, Kanakura Y, Matsuzawa Y:
Growth-supporting activities of fibronectin on hematopoietic stem/progenitor cells *in vitro* and *in vivo*: structural requirement for fibronectin activities of CS1 and cell-binding domains
Blood: 91, 3263-3272, 1998

Zhang J, Niu C, Ye L, Huang H, He X, Tong WG, Ross J, Haug J, Johnson T, Feng JQ, Harris S, Wiedemann LM, Mishina Y, Li L:
Identification of the hematopoietic stem cell niche and control of the niche size
Nature: 425, 836-841, 2003

Zsebo KM, Williams DA, Geissler EN, Broudy VC, Martin FH, Atkins HL, Hsu RY, Birkett NC, Okino KH, Murdock DC, Jacobsen FW, Langley KE, Smith KA, Takeishi T, Cattanach BM, Galli SJ, Suggs SV:
Stem cell factor is encoded at the *Sf* locus of the mouse and is the ligand for the c-kit tyrosine kinase receptor
Cell: 63, 213-224, 1990