

## 6 Literaturverzeichnis

1. Hartikainen JE, Malik M, Staunton A, Poloniecki J, Camm AJ. Distinction between arrhythmic and nonarrhythmic death after acute myocardial infarction based on heart rate variability, signal-averaged electrocardiogram, ventricular arrhythmias and left ventricular ejection fraction. *J Am Coll Cardiol* 1996;28:296-304
2. Hohnloser SH, Klingenhoben T, Li YG, Zabel M, Peetermans J, Cohen RJ. T wave alternans as a predictor of recurrent ventricular tachyarrhythmias in ICD recipients: prospective comparison with conventional risk markers. *J Cardiovasc Electrophysiol* 1998;9:1258-68
3. Grimm W, Hoffmann J, Menz V, Maisch B. Relation between microvolt level T wave alternans and other potential noninvasive predictors of arrhythmic risk in the Marburg Cardiomyopathy Study. *Pacing Clin Electrophysiol* 2000;23:1960-4
4. Ikeda T, Sakata T, Takami M, Kondo N, Tezuka N, Nakae T, Noro M, Enjoji Y, Abe R, Sugi K, Yamaguchi T. Combined assessment of T-wave alternans and late potentials used to predict arrhythmic events after myocardial infarction. A prospective study. *J Am Coll Cardiol* 2000;35:722-30
5. Grimm W, Glaveris C, Hoffmann J, Menz V, Muller HH, Hufnagel G, Maisch B. Arrhythmia risk stratification in idiopathic dilated cardiomyopathy based on echocardiography and 12-lead, signal-averaged, and 24-hour holter electrocardiography. *Am Heart J* 2000;140:43-51
6. Kuchar DL, Thorburn CW, Sammel NL. Prediction of serious arrhythmic events after myocardial infarction: signal-averaged electrocardiogram, Holter monitoring and radionuclide ventriculography. *J Am Coll Cardiol* 1987;9:531-8

7. el-Sherif N, Denes P, Katz R, Capone R, Mitchell LB, Carlson M, Reynolds-Haertle R. Definition of the best prediction criteria of the time domain signal-averaged electrocardiogram for serious arrhythmic events in the post-infarction period. The Cardiac Arrhythmia Suppression Trial/Signal-Averaged Electrocardiogram (CAST/SAECG) Substudy Investigators. *J Am Coll Cardiol* 1995;25:908-14
8. Gomes JA, Winters SL, Stewart D, Horowitz S, Milner M, Barreca P. A new noninvasive index to predict sustained ventricular tachycardia and sudden death in the first year after myocardial infarction: based on signal-averaged electrocardiogram, radionuclide ejection fraction and Holter monitoring. *J Am Coll Cardiol* 1987;10:349-57
9. Bigger JT, Jr., Fleiss JL, Kleiger R, Miller JP, Rolnitzky LM. The relationships among ventricular arrhythmias, left ventricular dysfunction, and mortality in the 2 years after myocardial infarction. *Circulation* 1984;69:250-8
10. Morganroth J. Premature ventricular complexes. Diagnosis and indications for therapy. *Jama* 1984;252:673-6
11. Ruberman W, Weinblatt E, Frank CW, Goldberg JD, Shapiro S, Feldman CL. Ventricular premature beats and mortality of men with coronary heart disease. *Circulation* 1975;52:III199-203
12. Hallstrom AP, Bigger JT, Jr., Roden D, Friedman L, Akiyama T, Richardson DW, Rogers WJ, Waldo AL, Pratt CM, Capone RJ. Prognostic significance of ventricular premature depolarizations measured 1 year after myocardial infarction in patients with early postinfarction asymptomatic ventricular arrhythmia. *J Am Coll Cardiol* 1992;20:259-64
13. Moss AJ, Davis HT, DeCamilla J, Bayer LW. Ventricular ectopic beats and their relation to sudden and nonsudden cardiac death after myocardial infarction. *Circulation* 1979;60:998-1003
14. Ruberman W, Weinblatt E, Goldberg JD, Frank CW, Chaudhary BS, Shapiro S. Ventricular premature complexes and sudden death after myocardial infarction. *Circulation* 1981;64:297-305

15. Mukharji J, Rude RE, Poole WK, Gustafson N, Thomas LJ, Jr., Strauss HW, Jaffe AS, Muller JE, Roberts R, Raabe DS, Jr., Croft C, Passami E, Braunwald E, Willerson J. Risk factors for sudden death after acute myocardial infarction: two- year follow-up. *Am J Cardiol* 1984;54:31-6
16. Maggioni AP, Zuanetti G, Franzosi MG, Rovelli F, Santoro E, Staszewsky L, Tavazzi L, Tognoni G. Prevalence and prognostic significance of ventricular arrhythmias after acute myocardial infarction in the fibrinolytic era. GISSI-2 results. *Circulation* 1993;87:312-22
17. Farrell TG, Paul V, Cripps TR, Malik M, Bennett ED, Ward D, Camm AJ. Baroreflex sensitivity and electrophysiological correlates in patients after acute myocardial infarction. *Circulation* 1991;83:945-52
18. Zuanetti G, Neilson JM, Latini R, Santoro E, Maggioni AP, Ewing DJ. Prognostic significance of heart rate variability in post-myocardial infarction patients in the fibrinolytic era. The GISSI-2 results. Gruppo Italiano per lo Studio della Sopravvivenza nell' Infarto Miocardico. *Circulation* 1996;94:432-6
19. Saul JP, Arai Y, Berger RD, Lilly LS, Colucci WS, Cohen RJ. Assessment of autonomic regulation in chronic congestive heart failure by heart rate spectral analysis. *Am J Cardiol* 1988;61:1292-9
20. Bigger JT, Jr., Fleiss JL, Steinman RC, Rolnitzky LM, Kleiger RE, Rottmann JN. Frequency domain measures of heart period variability and mortality after myocardial infarction. *Circulation* 1992;85:164-71
21. La Rovere MT, Specchia G, Mortara A, Schwartz PJ. Baroreflex sensitivity, clinical correlates, and cardiovascular mortality among patients with a first myocardial infarction. A prospective study. *Circulation* 1988;78:816-24
22. Farrell TG, Odemuyiwa O, Bashir Y, Cripps TR, Malik M, Ward DE, Camm AJ. Prognostic value of baroreflex sensitivity testing after acute myocardial infarction. *Br Heart J* 1992;67:129-37
23. Schwartz PJ, La Rovere MT, Vanoli E. Autonomic nervous system and sudden cardiac death. Experimental basis and clinical observations for post-myocardial infarction risk stratification. *Circulation* 1992;85:177-91

24. Behrens S, Li C, Knollmann BC, Franz MR. Dispersion of ventricular repolarization in the voltage domain. *Pacing Clin Electrophysiol* 1998;21:100-7
25. Pye M, Quinn AC, Cobbe SM. QT interval dispersion: a non-invasive marker of susceptibility to arrhythmia in patients with sustained ventricular arrhythmias? *Br Heart J* 1994;71:511-4
26. Barr CS, Naas A, Freeman M, Lang CC, Struthers AD. QT dispersion and sudden unexpected death in chronic heart failure. *Lancet* 1994;343:327-9
27. Surawicz B. Will QT dispersion play a role in clinical decision-making? *J Cardiovasc Electrophysiol* 1996;7:777-84
28. Perkiomaki JS, Koistinen MJ, Yli-Mayry S, Huikuri HV. Dispersion of QT interval in patients with and without susceptibility to ventricular tachyarrhythmias after previous myocardial infarction. *J Am Coll Cardiol* 1995;26:174-9
29. de Bruyne MC, Hoes AW, Kors JA, Hofman A, van Bommel JH, Grobbee DE. QTc dispersion predicts cardiac mortality in the elderly: the Rotterdam Study. *Circulation* 1998;97:467-72
30. Zabel M, Franz MR. The electrophysiological basis of QT dispersion: global or local repolarization? *Circulation* 2000;101:E235-6
31. Zabel M, Malik M. Predictive value of T-wave morphology variables and QT dispersion for postmyocardial infarction risk assessment. *J Electrocardiol* 2001;34:27-35
32. Simson MB. Signal averaging. *Circulation* 1987;75:III69-78
33. Gomes JA, Winters SL, Martinson M, Machac J, Stewart D, Targonski A. The prognostic significance of quantitative signal-averaged variables relative to clinical variables, site of myocardial infarction, ejection fraction and ventricular premature beats: a prospective study. *J Am Coll Cardiol* 1989;13:377-84
34. Zabel M, Acar B, Klingenhoben T, Franz MR, Hohnloser SH, Malik M. Analysis of 12-lead T-wave morphology for risk stratification after myocardial infarction. *Circulation* 2000;102:1252-7

35. Bourke JP, Richards DA, Ross DL, Wallace EM, McGuire MA, Uther JB. Routine programmed electrical stimulation in survivors of acute myocardial infarction for prediction of spontaneous ventricular tachyarrhythmias during follow-up: results, optimal stimulation protocol and cost-effective screening. *J Am Coll Cardiol* 1991;18:780-8
36. Pedretti R, Etro MD, Laporta A, Braga SS, Caru B. Prediction of late arrhythmic events after acute myocardial infarction from combined use of noninvasive prognostic variables and inducibility of sustained monomorphic ventricular tachycardia. *Am J Cardiol* 1993;71:1131-41
37. Zoni-Berisso M, Molini D, Mela GS, Vecchio C. Value of programmed ventricular stimulation in predicting sudden death and sustained ventricular tachycardia in survivors of acute myocardial infarction. *Am J Cardiol* 1996;77:673-80
38. Wilber DJ, Garan H, Finkelstein D, Kelly E, Newell J, McGovern B, Ruskin JN. Out-of-hospital cardiac arrest. Use of electrophysiologic testing in the prediction of long-term outcome. *N Engl J Med* 1988;318:19-24
39. Denniss AR, Richards DA, Cody DV, Russell PA, Young AA, Cooper MJ, Ross DL, Uther JB. Prognostic significance of ventricular tachycardia and fibrillation induced at programmed stimulation and delayed potentials detected on the signal-averaged electrocardiograms of survivors of acute myocardial infarction. *Circulation* 1986;74:731-45
40. Bloomfield DM, Hohnloser SH, Cohen RJ. Interpretation and classification of microvolt T wave alternans tests. *J Cardiovasc Electrophysiol* 2002;13:502-12
41. Klingenhöben T, Siedow A, Credner SC, Gronefeld G, Zabel M, Li YG, Hohnloser SH. T-Wellen-Alternans im Mikrovoltbereich als neuer Indikator einer gestörten ventrikulären Repolarisation: Pathophysiologie, Methodik, klinische Ergebnisse. *Z Kardiologie* 1999;88:974-81
42. Klingenhöben T, Credner S, Li YG, Bender B, Hohnloser SH. Mikrovolt-T-Wellen-Alternans - ein neuer Marker zur nicht invasiven Risikostratifikation. *Z Kardiologie* 2000;89:57-61

43. Klingenheben T, Zabel M, D'Agostino RB, Cohen RJ, Hohnloser SH. Predictive value of T-wave alternans for arrhythmic events in patients with congestive heart failure. *Lancet* 2000;356:651-2
44. Aroundas AA, Cohen RJ. Clinical utility of T-wave alternans. *Card Electrophysiol Rev* 1997;1:390-4
45. Rosenbaum DS, Jackson LE, Smith JM, Garan H, Ruskin JN, Cohen RJ. Electrical alternans and vulnerability to ventricular arrhythmias. *N Engl J Med* 1994;330:235-41
46. Smith JM, Clancy EA, Valeri CR, Ruskin JN, Cohen RJ. Electrical alternans and cardiac electrical instability. *Circulation* 1988;77:110-21
47. Rosenbaum DS, Albrecht P, Cohen RJ. Predicting sudden cardiac death from T wave alternans of the surface electrocardiogram: promise and pitfalls. *J Cardiovasc Electrophysiol* 1996;7:1095-111
48. Estes NA, 3rd, Michaud G, Zipes DP, El-Sherif N, Venditti FJ, Rosenbaum DS, Albrecht P, Wang PJ, Cohen RJ. Electrical alternans during rest and exercise as predictors of vulnerability to ventricular arrhythmias. *Am J Cardiol* 1997;80:1314-8
49. Hohnloser SH, Klingenheben T, Zabel M, Li YG, Albrecht P, Cohen RJ. T wave alternans during exercise and atrial pacing in humans. *J Cardiovasc Electrophysiol* 1997;8:987-93
50. Kitamura H, Ohnishi Y, Okajima K, Ishida A, Galeano E, Adachi K, Yokoyama M. Onset heart rate of microvolt-level T-wave alternans provides clinical and prognostic value in nonischemic dilated cardiomyopathy. *J Am Coll Cardiol* 2002;39:295-300
51. Hering H. Experimentelle Studien an Säugethieren über das Elektrokardiogramm. *Zschr Exper Path Therapie* 1909;7:363
52. Lewis T. Notes upon alternation of the heart. *QJ Med* 1910;4:141-144
53. Navarro-Lopez F, Cinca J, Sanz G, Periz A, Magrina J, Betriu A. Isolated T wave alternans. *Am Heart J* 1978;95:369-74

54. Armoundas AA, Osaka M, Mela T, Rosenbaum DS, Ruskin JN, Garan H, Cohen RJ. T-wave alternans and dispersion of the QT interval as risk stratification markers in patients susceptible to sustained ventricular arrhythmias. *Am J Cardiol* 1998;82:1127-9, A9
55. Armoundas AA, Rosenbaum DS, Ruskin JN, Garan H, Cohen RJ. Prognostic significance of electrical alternans versus signal averaged electrocardiography in predicting the outcome of electrophysiological testing and arrhythmia-free survival. *Heart* 1998;80:251-6
56. Joyal M, Feldman RL, Pepine CJ. ST-segment alternans during percutaneous transluminal coronary angioplasty. *Am J Cardiol* 1984;54:915-6
57. Hashimoto H, Suzuki K, Miyake S, Nakashima M. Effects of calcium antagonists on the electrical alternans of the ST segment and on associated mechanical alternans during acute coronary occlusion in dogs. *Circulation* 1983;68:667-72
58. Nakashima M, Hashimoto H, Kanamaru M, Nagaya T, Hashizume M, Oishi H. Experimental studies and clinical report on the electrical alternans of ST segment during myocardial ischemia. *Jpn Heart J* 1978;19:396-408
59. Puletti M, Curione M, Righetti G, Jacobellis G. Alternans of the ST segment and T wave in acute myocardial infarction. *J Electrocardiol* 1980;13:297-300
60. Salerno JA, Previtali M, Panciroli C, Klersy C, Chimienti M, Regazzi Bonora M, Marangoni E, Falcone C, Guasti L, Campana C. Ventricular arrhythmias during acute myocardial ischaemia in man. The role and significance of R-ST-T alternans and the prevention of ischaemic sudden death by medical treatment. *Eur Heart J* 1986;7 Suppl A:63-75
61. Cinca J, Janse MJ, Morena H, Candell J, Valle V, Durrer D. Mechanism and time course of the early electrical changes during acute coronary artery occlusion. An attempt to correlate the early ECG changes in man to the cellular electrophysiology in the pig. *Chest* 1980;77:499-505
62. Shimoni Z, Flatau E, Schiller D, Barzilay E, Kohn D. Electrical alternans of giant U waves with multiple electrolyte deficits. *Am J Cardiol* 1984;54:920-1
63. Reddy CV, Kiok JP, Khan RG, El-Sherif N. Repolarization alternans associated with alcoholism and hypomagnesemia. *Am J Cardiol* 1984;53:390-1

64. Ricketts HH, Denison EK, Haywood LJ. Unusual T-wave abnormality. Repolarization alternans associated with hypomagnesemia, acute alcoholism, and cardiomyopathy. *Jama* 1969;207:365-6
65. Kleinfeld MJ, Rozanski JJ. Alternans of the ST segment in Prinzmetal's angina. *Circulation* 1977;55:574-7
66. Cheng TC. Electrical alternans. An association with coronary artery spasm. *Arch Intern Med* 1983;143:1052-3
67. Rozanski JJ, Kleinfeld M. Alternans of the ST segment of T wave. A sign of electrical instability in Prinzmetal's angina. *Pacing Clin Electrophysiol* 1982;5:359-65
68. Turitto G, El-Sherif N. Alternans of the ST segment in variant angina. Incidence, time course and relation to ventricular arrhythmias during ambulatory electrocardiographic recording. *Chest* 1988;93:587-91
69. Williams RR, Wagner GS, Peter RH. ST-Segment alternans in Prinzmetal's angina. A report of two cases. *Ann Intern Med* 1974;81:51-4
70. Schwartz PJ, Malliani A. Electrical alternation of the T-wave: clinical and experimental evidence of its relationship with the sympathetic nervous system and with the long Q-T syndrome. *Am Heart J* 1975;89:45-50
71. Schwartz PJ. Idiopathic long QT syndrome: progress and questions. *Am Heart J* 1985;109:399-411
72. Rosenbaum MB, Acunzo RS. Pseudo 2:1 atrioventricular block and T wave alternans in the long QT syndromes. *J Am Coll Cardiol* 1991;18:1363-6
73. Surawicz B, Fisch C. Cardiac alternans: diverse mechanisms and clinical manifestations. *J Am Coll Cardiol* 1992;20:483-99
74. Jackman WM, Friday KJ, Anderson JL, Aliot EM, Clark M, Lazzara R. The long QT syndromes: a critical review, new clinical observations and a unifying hypothesis. *Prog Cardiovasc Dis* 1988;31:115-72
75. Habbab MA, el-Sherif N. TU alternans, long QTU, and torsade de pointes: clinical and experimental observations. *Pacing Clin Electrophysiol* 1992;15:916-31



76. Shimizu W, Yamada K, Arakaki Y, Kamiya T, Shimomura K. Monophasic action potential recordings during T-wave alternans in congenital long QT syndrome. *Am Heart J* 1996;132:699-701
77. Platt SB, Vijgen JM, Albrecht P, Van Hare GF, Carlson MD, Rosenbaum DS. Occult T wave alternans in long QT syndrome. *J Cardiovasc Electrophysiol* 1996;7:144-8
78. Nearing BD, Huang AH, Verrier RL. Dynamic tracking of cardiac vulnerability by complex demodulation of the T wave. *Science* 1991;252:437-40
79. Shimizu W, Antzelevitch C. Cellular and ionic basis for T-wave alternans under long-QT conditions. *Circulation* 1999;99:1499-507
80. Simon AB, Janz N. Symptomatic bradyarrhythmias in the adult: natural history following ventricular pacemaker implantation. *Pacing Clin Electrophysiol* 1982;5:372-83
81. Muller C, Cernin J, Glogar D, Laczkovics A, Mayr H, Scheibelhofer W, Schmidinger H, Schuster E, Sedlacek K, Kaliman J. Survival rate and causes of death in patients with pacemakers: dependence on symptoms leading to pacemaker implantation. *Eur Heart J* 1988;9:1003-9
82. Zehender M, Buchner C, Meinertz T, Just H. Prevalence, circumstances, mechanisms, and risk stratification of sudden cardiac death in unipolar single-chamber ventricular pacing. *Circulation* 1992;85:596-605
83. Kaufman ES, Mackall JA, Julka B, Drabek C, Rosenbaum DS. Influence of heart rate and sympathetic stimulation on arrhythmogenic T wave alternans. *Am J Physiol Heart Circ Physiol* 2000;279:H1248-55
84. Sutton PM, Taggart P, Lab M, Runnalls ME, O'Brien W, Treasure T. Alternans of epicardial repolarization as a localized phenomenon in man. *Eur Heart J* 1991;12:70-8
85. Atiga WL, Calkins H, Lawrence JH, Tomaselli GF, Smith JM, Berger RD. Beat-to-beat repolarization lability identifies patients at risk for sudden cardiac death. *J Cardiovasc Electrophysiol* 1998;9:899-908
86. Narayan SM, Smith JM. Exploiting rate-related hysteresis in repolarization alternans to improve risk stratification for ventricular tachycardia. *J Am Coll Cardiol* 2000;35:1485-92

87. Kavesh NG, Shorofsky SR, Sarang SE, Gold MR. Effect of heart rate on T wave alternans. *J Cardiovasc Electrophysiol* 1998;9:703-8
88. Narayan SM, Smith JM. Differing rate dependence and temporal distribution of repolarization alternans in patients with and without ventricular tachycardia. *J Cardiovasc Electrophysiol* 1999;10:61-71
89. Hollander M, Wolfe, D.A. *Nonparametric Statistical Methods*. 2 ed. New York: Wiley, 1999
90. Fleiss JL. *Statistical Methods for Rates and Proportions*. 2 ed. New York: Wiley, 1981
91. Pastore JM, Girouard SD, Laurita KR, Akar FG, Rosenbaum DS. Mechanism linking T-wave alternans to the genesis of cardiac fibrillation. *Circulation* 1999;99:1385-94
92. Adam DR, Smith JM, Akselrod S, Nyberg S, Powell AO, Cohen RJ. Fluctuations in T-wave morphology and susceptibility to ventricular fibrillation. *J Electrocardiol* 1984;17:209-18
93. Konta T, Ikeda K, Yamaki M, Nakamura K, Honma K, Kubota I, Yasui S. Significance of discordant ST alternans in ventricular fibrillation. *Circulation* 1990;82:2185-9
94. Kurz RW, Mohabir R, Ren XL, Franz MR. Ischaemia induced alternans of action potential duration in the intact heart: dependence on coronary flow, preload and cycle length. *Eur Heart J* 1993;14:1410-20
95. Ben-David J, Zipes DP. Differential response to right and left anastomoses stimulation of early afterdepolarizations and ventricular tachycardia induced by cesium in dogs. *Circulation* 1988;78:1241-50
96. Luomanmaki K, Heikkila J, Hartikainen M. T-wave alternans associated with heart failure and hypomagnesemia in alcoholic cardiomyopathy. *Eur J Cardiol* 1975;3:167-70
97. Moss AJ, Schwartz PJ. Delayed repolarization (QT or QTU prolongation) and malignant ventricular arrhythmias. *Mod Concepts Cardiovasc Dis* 1982;51:85-90
98. Surawicz B, Knochel SB. Long QT: good, bad or indifferent? *J Am Coll Cardiol* 1984;4:398-413

99. Ishikawa K, Tateno M. Alternans of the repolarization wave in a case of hypochloremic alkalosis with hypopotassemia. *J Electrocardiol* 1976;9:75-9
100. Antzelevitch C, Shimizu W, Yan GX, Sicouri S, Weissenburger J, Nesterenko VV, Burashnikov A, Di Diego J, Saffitz J, Thomas GP. The M cell: its contribution to the ECG and to normal and abnormal electrical function of the heart. *J Cardiovasc Electrophysiol* 1999;10:1124-52
101. Zabel M, Portnoy S, Franz MR. Electrocardiographic indexes of dispersion of ventricular repolarization: an isolated heart validation study. *J Am Coll Cardiol* 1995;25:746-52
102. Dilly SG, Lab MJ. Electrophysiological alternans and restitution during acute regional ischaemia in myocardium of anaesthetized pig. *J Physiol* 1988;402:315-33
103. Hayakawa T, Nagamoto Y, Ninomiya K, Abe S, Fukumoto T, Kuroiwa A. Effects of heart rate and diltiazem hydrochloride on alternans of ST segment elevation and ventricular arrhythmia during acute myocardial ischaemia in dogs. *Cardiovasc Res* 1989;23:520-8
104. Coronel R, Wilms-Schopman FJ, Opthof T, Cinca J, Fiolet JW, Janse MJ. Reperfusion arrhythmias in isolated perfused pig hearts. Inhomogeneities in extracellular potassium, ST and TQ potentials, and transmembrane action potentials. *Circ Res* 1992;71:1131-42
105. Naimi S, Avitall B, Mieszala J, Levine HJ. Dispersion of effective refractory period during abrupt reperfusion of ischemic myocardium in dogs. *Am J Cardiol* 1977;39:407-12
106. Kleber AG, Janse MJ, van Capelle FJ, Durrer D. Mechanism and time course of S-T and T-Q segment changes during acute regional myocardial ischemia in the pig heart determined by extracellular and intracellular recordings. *Circ Res* 1978;42:603-13
107. Downar E, Janse MJ, Durrer D. The effect of acute coronary artery occlusion on subepicardial transmembrane potentials in the intact porcine heart. *Circulation* 1977;56:217-24

108. Janse MJ, Wit AL. Electrophysiological mechanisms of ventricular arrhythmias resulting from myocardial ischemia and infarction. *Physiol Rev* 1989;69:1049-169
109. Grimm W, Glaveris C, Hoffmann J, Menz V, Mey N, Born S, Maisch B. Noninvasive arrhythmia risk stratification in idiopathic dilated cardiomyopathy: design and first results of the Marburg Cardiomyopathy Study. *Pacing Clin Electrophysiol* 1998;21:2551-6
110. Katz AM. Cellular mechanisms in congestive heart failure. *Am J Cardiol* 1988;62:3A-8A
111. Vora AM, Dalvi B, Joshi M, Lokhandwala Y, Kulkarni H. Ventricular tachycardia with retrograde 2:1 atrial activation masquerading as T wave alternans. *Am Heart J* 1993;125:1197-9
112. Saitoh H, Bailey JC, Surawicz B. Action potential duration alternans in dog Purkinje and ventricular muscle fibers. Further evidence in support of two different mechanisms. *Circulation* 1989;80:1421-31