

Literatur

- Abbasi et al.;2004 Abbasi F, Chu JW, Lamendola C, et al.: Discrimination Between Obesity And Insulin Resistance in the Relationship With Adiponectin. *Diabetes*. 2004 , 53, S.585-590,
- Abrams et al; 1995 Abrams B, Carmichael S, Selvin S: Factors associated with the pattern of maternal weight gain during pregnancy. *Obstet Gynecol*. 1995, 86 (2), S.170-6,
- Abrams et al; 2000 Abrams B, Altman SL, Pickett KE: Pregnancy weight gain: still controversial. *Am J Clin Nutr*. 2000, 71, S.1233S-41S,
- Anthony et al; 1995 Anthony RV, Pratt SL, Liang R, Holland MD: Placental-Fetal Hormonal Interaction: Impact on Fetal Growth. *J Anim Sci*. 1995, 73, S.1861-71,
- Armellini et al; 2000 Armellini F, Zamboni M, Bosello O: Hormones and body composition in human: clinical studies. *Int J Obes Relat Metab Disord*.. 2000, 24 Suppl. 2, S.S 18-21,
- Baratta et al; 2004 Baratta R, Amato S, Degano C, et al: Adiponectin Relationship with Lipid Metabolism Is Independent of Body Fat Mass: Evidence from Both Cross-Sectional and Intervention Studies. *J Clin Endocrinol Metabol* . 2004, 89 (6), S.2665-2671,
- Beltowski; 2003 Beltowski J.: Adiponectin and resistin- new hormones of white adipose tissue. *Med Sci Monit*. 2003, 9(2), S.RA55-61,
- Berg et al.; 2001 Berg AH, Combs TP, Du X, Brownlee M, Scherer PE: The adipocyte-secreted protein Acrp30 enhances hepatic insulin action. *Nature Medicine*. 2001, 7 (8), S.947-53,
- Boden; 1996 Boden G.: Fuel Metabolism in Pregnancy and in Gestational Diabetes Mellitus. *Obstetrics and Gynecology Clinics of North America*. 1996, 23 (1), S.1-10,
- Butte 2000 Butte, NF.: Carbohydrat and lipid metabolism in pregnancy: normal compared with gestational diabetes mellitus. *Am J Clin Nutr* . 2000, 71(Suppl), S.1256S-61S,
- Catalano et al.; 1999 Catalano PM: Pregancy and lactation in relation to range of acceptable carbohydrate and fat intake. *Eur J Clin Nutr*. 1999, 53 Suppl 1: s124-31, S.discussion s131,
- Catalano et al; 1993 Catalano PM, Avallone DA, Drago NM, Amini SB: Reproducibility of the oral glucose tolerance test in pregnant woman. *Am J Obstet Gynecol*. 1993, 169, S.874-81,
- Chan et al; 2004 Chan TF, Yuan SSF, Chen HS, et al.: Correlations between umbilical and maternal serum adiponectin levels and neonatal birthweight. *Acta Obestetrica et Gynecologica Scandinavica*. 2004, 83 (2) , S.165,

- Chardonnens et al; 1999 Chardonnens D, Cameo P, Aubert ML, et al: Modulation of human cytothrophoblastic leptin secretion by interleukin-1 α and 17 β -oestradiol and its effect on HCG secretion. Molec Human Reproduction. 1999, 5 n.11, S.1077-1082,
- Cock et al.; 2003 Cock TA, Auwerx J.: Leptin: cutting the fat off the bone. The Lancet. 2003, 362, S.1572,
- Couch et al; 1998 Couch SC, Philipson EH, Bendel RB, Pujda WM, Milvae RA, Lammi-Keefe Cj: Elevated lipoprotein lipids and gestational hormones in women with diet-treated gestational diabetes mellitus compared to healthy pregnant controls. J Diabetes Complications. 1998, 12 (1), S.1-9,
- Cseh et al. 2002 Cseh K, Baranyi E, Melczer Z, et al.: The pathophysiological influence of leptin and tumor necrosis factor system on maternal insulinresistance: negative correlation with anthropometric parameters of neonates in gestational diabetes. Gynecol Endocrinol . 2002, 16, S.453-60,
- Cseh et al.; 2004 Cseh K, Baranyi E, Melczer Z: Plasma Adiponectin and Pregnancy Induced Insulin Resistance. Diabetes Care. 2004, 27 no. 1, S.274- 275,
- Dandona et al; 2004 Dandona P, Aljada A, Bandyopadhyay A: Inflammation: the link between insulin resistance, obesity and diabetes. Trends in Immunology. 2004, 25 (1), S.4-7,
- Darmady et al;1982 Darmady JM, Postle AD: Lipid metabolism in pregnancy. Britsh Journal of Obstetrics and Gynecology. 1982, 82, S.211-5,
- Del Priore et al; 1993 Del Priore G, Chatterton RT Jr, Chandarana A, Silver R: Comparison of maternal serum lipids before and during parturition. Obstet Gynecol. . 1993, 82(5), S.837-40,
- Desoye et al; 1987 Desoye G, Schweditsch MO, Pfeiffer KP, Zechner R, Kostner GM: Correlation of Hormones with Lipi and Lipoprotein Levels During Normal Pregnancy and Postpartum. J Clin Endocrinol Metab. 1987, 64, S.704,
- Di Cianni et al; 2005 Di Chianni et al.: Maternal triglyceride concentrations and newborn weight in women with normal glucose tolerance. Diabet Med . 2005, 22 (1), S.21-5,
- Ducy et al.; 2000 Ducy P, Amling M, Takeda S, et al.: Leptin Inhibits Bone Formation through a Hypothalamic Relay: A Central Control of Bone Mass. Cell. 2000, 100, S.197-207,
- Esposito et al; 2003 Esposito K, Nappo F, Giugliano F, et al.: Meal modulation of circulating interleukin 18 and adiponectin concentrations in healthy subject and in patients with type 2 diabetes mellitus. Am J of Clin Nutr. 2003, 78 (6), S.1135-1140,

- Fassbauer et al; 2002 Fassbauer M, Klein J, Neumann S, Eszlinger M, Paschke R: Hormonal Regulation of Adiponectin Gene Expression in 3T3-L1 Adipocytes. Biochem and Biophysiol Res Comm. 2002, 290, S.1084-89,
- Feige et al; 1984 Feige A, Mitzkat HJ, Zick R, Jakobitz K: Effect of pregnancy on carbohydrate and lipid metabolism of the mother. Z Geburtshilfe Perinatol. . 1984, 188 (3), S.136-42,
- Frühbeck et al. 2000 Frühbeck G, Salvador J: Relation between leptin and the regulation of glucose metabolism. Diabetologia. 2000, 43, S.3-12,
- Grikorakis et al; 2000 Grikorakis SI, Alevizaki M, Beis C, et al.: Hormonal parameters in gestational diabetes mellitus during the third trimester: high glucagon levels . Gynecol Obstet Invest.. 2000, 49 (2), S.106 -9,
- Hassink et al.; 1997 Hassink SG, de Lancey E, Sheslow DV. et al.: Placental Leptin: An Important New Groth Factor in Intrauterine and Neonatal Development. Pediatrics. 1997, 100,
- Havel 2002 Havel PJ: Control of energy homeostasis and insulin action by adipocyte hormones: leptin, acylation stimulating protein, and adiponectin. Curr Opin Lipodol. 2002, 13 Febr, S.51-9,
- Highman et al.; 1998 Highman TJ, Friedman JE, Huston LP, et al.: Longitudinal changes in maternal serum leptin concentrations, body composition, and resting metabolic rate in pregnancy. Am J Obstet Gynecol. 1998, 178/5, S.1010,
- Hornnes; 1985 Hornnes PJ: On the decreaseof glucose tolerance in pregnancy. A review.. Diabetes Metab. . 1985, 11(5), S.310-5,
- Hotamisligil; 1995 Hotamisligil GS, Arner P, Caro JF Atkinson RL, Spiegelman BM : Increased Adipose Tissue Expression of Tumor Necrosis Factor-alpha in Human Obesity and Insulin Resistance. j Clin Invest. 1995, 95, S.2409-2415,
- Hotta et al; 2000 Hotta K, Funahashi T, Arita Y, et al.: Plasma Concentrations of a Novel , Adipoese-Specific Protein, Adiponectin, in Type 2 Diabetic Patients. Arteriosler Thromb Vasc Biol. 2000, 20, S.1595-1599,
- Hube et al; 1999 Hube F, Hauner H: The role of TNF-alpha in human adipose tissue: prevention of weight gain at the expense of insulin resistance. Horm Metab Res. 1999, 31, S.626-31,
- Nanz 2004 Nanz J: Leptin in der Schwangerschaft, am Geburtstermin sowie im Nabelschnurblut. 1.Auflage akademos, 2004 3-934410-72-3.
- Kautzky-Willer et al.; 2001 Kautzky-Willer A, Pacini G, Tura A, et al.: Increased plasma leptin in gestation diabetes. Diabetologia. 2001, 44, S.164-172,

- Kazumi et al; 2004 Kazumi T, Kawaguchi A, Hirano T, Yoshino G: Serum Adiponectin is Associated with High-Density Lipoprotein Cholesterol, Triglycerides, and Low-Density Lipoprotein Particle Size in Young Healthy Men. *Metabolism*. 2004, 53(5), S.589,
- Kennedy et al; 1997 Kennedy A, Gettys TW, Watson P, et al.: The Metabolic Significance of Leptin in Human: Gender based Differences in Relationship to Adiposity, Insulin Sensitivity and Energy Expenditure. *J Clin Endocrinol Metab*. 1997, 82 (4), S.1293-1300,
- Kern et al; 1995 Kern PA, Saghizadeh M, Ong JM, Bosch RJ, Deem R, Simsolo RB: The expression of tumor necrosis factor in human adipose tissue. Regulation by obesity, weight loss, and relationship to lipoprotein lipase. *J Clin Invest*. 1995, 95 (5), S.2111-9,
- Kershaw et al.; 2004 Kershaw EE, Flier JS: Adipose tissue as an Endocrine Organ. *J Clin Endocrinol Metab*. 2004, 89 (6), S.2548,
- King 2000 King JC.: Physiology of pregnancy and nutrient metabolism. *Am J Clin Nutr*. 2000, 71 (No.5), S.1218 -1225,
- Kirwan et al; 2002 Kirwan JP, Hauguel-De Mouzon S, Lepercq J: TNF-alpha is a Predictor of Insulin Resistance in Human Pregnancy. *Diabetes*. 2002, 51, S.2207-13,
- Kolaczynski et al.; 1996 Kolaczynski JW, Nyce MR, Considine RV et al.: Acute and Chronic Effect of Insulin on Leptin Productions in Humans. *Diabetes*. 1996, 45, S.699,
- Koukkou et al; 1996 Koukkou E, Watt GF, Lowy C.: Serum lipid, lipoprotein and apolipoprotein changes in gestational diabetes mellitus: a cross-sectional and prospective study. *J Clin Pathol*. 1996, 49(8), S.634-7,
- Kuhl 1998 Kuhl C: Etiology and pathogenesis of gestational diabetes. *Diabetes Care*. 1998, 21 Suppl.2, S.B 19-26,
- Kühl et al; 1985 Kühl C, Hornnes PJ, Andersen O: Etiology and Pathophysiology of Gestational Diabetes Mellitus. *Diabetes*. 1985, 34 (Suppl.2), S.66-70,
- Larsson et al.; 1998 Larsson H, Elmstahl S, Berglund G, Ahren B: Evidence for leptin regulation of food intake in humans. *J Clin Endocrinol*. 1998, 83 (12), S.4382-5,
- Lepercq et al., 1998 Lepercq J, Cauzac M, Lahlou N, et al.: Overexpression of Placental Leptin in Diabetic Pregnancy. *Diabetic*. 1998, 47, S.847-850,
- Lindsay et al; 2003 Lindsay RS, Walker JD, Havel PJ, Hamilton BA, Calder AA, Johnstone FD: Adiponectin Is Present in Cord Blood but is Unrelated to Birth Weight. *Diabetes Care*. 2003, 26 (8), S.2244-49,

- Liu et al; 1998 Liu LS, Spelleken M, Röhrig K, Hauner H, Eckel J: Tumor necrosis factor-alpha acutely inhibits insulin signaling in human adipocytes: implications of the p80 tumor necrosis factor receptor. *Diabetes* . 1998, 47(4), S.515-22,
- Liu et al; 1999 Liu D, Wu L, Gao X: Changes of insulin and C-Peptid in pregnancy og gestational diabetes mellitus. *Zhonghua Fu Chan Ke Za Zhi* . 1999, 34 (12), S.717-9,
- Lupi et al.; 1999 Lupi R, Marchetti P, Maffei M, et al.: Effects of Acute or Prolonged Exposure to Human Leptin on Isolated Human Islet Functions. *Biochemical and Biophysical Research Communications*. 1999, 256/3, S.637-41,
- Markestad et al; 1997 Markestad T, Bergsjo P, Aakvaag A, et al.: Prediction of fetal growth based on maternal serum concentrations of human chorionic gonadotropin human placental lactogen and estriol.. *Acta Obstet Gynecol Scand Suppl.* 1997, 165, S.50-5,
- Martin et al; 2005 Martin LJ, Woo JG, Daniels SR, Goodman E, Dolan LM.: The Relationships of Adiponectin with Insulin and Lipids Are Strengthened with Increasing Adiposity . *J Clin Endo Metab*. 2005, 90 (7), S.4255-4259,
- Masuzaki et al.; 1997 Masuzaki H, Ogawa Y, Sagawa N, et al. : Nonadipose tissue production of leptin. *Nature Medicine*. 1997, 3/9, S.1029,
- Matsubara et al; 2002 Matsubara M, Maruoka S, Katayose S: Decreased Plasma Adiponectin Concentrations in Women with Dyslipidemia. *J Clin Endocrinol Metab*. 2002, 87, S.2764- 2769,
- McCarthy et al; 2004 McCarthy EA, Strauss B, Walker SP, Permezel M: Determination of Maternal Body Composition in Pregnancy an Its Relevance to Perinatal Outcomes. *Obstet and Gynecol survey*. 2004, 59 (10), S.731-42,
- Meier et al.; 2004 Meier U, Gressner AM: Endocrine Regulation of Energy Metabolism: Review of Pathobiochemical and Clinical Chemical Aspects of Leptin, Ghrelin, Adiponectin, and Resistin. *Clinical Chemistry* . 2004, 50 No.9, S.1-15,
- Melczer et al.; 2003 Melczer Z, Banhidy F, Csomor S, et al.: Influence of leptin and the TNF system on insulin resistance in pregnancy and their effect on anthropometric parameters of newborns. *Acta Obstet Gynecol Scand* . 2003, 82, S.432-438,
- Möhlig et al; 2002 Möhlig M, Wegewitz U, Osterhoff M, et al: Insulin Decreasesn Human Adiponectin Plasma Levels. *Horm Metab Res*. 2002, 34, S.655-658,
- Neulen et al; 1987 Neulen J, Breckwoldt M: Modification of lipid metabolism by hPL in late pregnancy. *Geburtshilfe und Frauenheilkunde*. 1987, 47 (4), S.270-3,

- Ng et al; 2005 Ng TWK, Watts GF, Farvid MS, Chan DC, Barrett PHR: Adipocytokines and VLDL Metabolism. *Diabetes*. 2005, 54, S.795-802,
- Ochoa et al; 2001 Ochoa R, Zarate A, Hernandez M, Galvan R, Basurto L: Serum leptin and somatotropin components correlate with neonatal birth weight. *Gynecol Obstet Invest*. 2001, 52 (4), S.243-7,
- Ranheim et al.; 2004 Ranheim T, Haugen F, Staff AC, Braekke K, Harsem NK, Drevon CA et al.: Adiponectin is reduced in gestational diabetes mellitus in normal weight women. *Acta Obstet Gynecol Scand* . 2004, 83, S.341-47,
- Reidy et al.; 2000 Reidy SP, Weber JM: Leptin: an essential regulator of lipid metabolism. *Comp Biochem Physiol* . 2000, A125, S.285- 297,
- Reidy et al.; 2002 Reidy SP, Weber JM.: Accelerated substrate cycling: a new energy-wasting role for leptin in vivo. *Am J Physiol Endocrinol Metab* . 2002, 282, S.E312-E317,
- Romon et al.; 1999 Romon M, Lebel P, Velly C, Marecaux N, Fruchart JC, Dallongeville J: Leptin response to carbohydrate or fat meal and association with subsequent satiety and energy intake. *Endocrinol Metabol* . 1999, 40, S.E855- E861,
- Ryan et al; 1988 Ryan EA, Enns L.: Role of Gestational Hormones in the Induction of Insulin Resistance. *J of Clinical Endocrinology and Metabolism*. 1988, 67 (2), S.341-347,
- Saad et al; 1997 Saad MF, Damani S, Gingerich RL, et al.: Sexual dimorphism in plasma leptin concentration. *J Clin Endocrinol Metab*. 1997, 82 (2), S.579-84,
- Sagawa et al.; 2002 Sagawa N, Yura S, Itoh H, et al.: Role of Leptin in Pregnancy - A Review. *Placenta*. 2002, 23 Suppl.A, S.80-86,
- Saghizadeh et al; 1996 Saghizadeh M, Ong JM, Garvey WT, Henry RR, Kern PA: The Expression of TNF alpha by human muscle. Relationship to insulin resistance.. *J Clin Invest*.. 1996, 97 (4), S.1111-6,
- Saladin et al.; 1995 Saladin R, De Vos P, Guerre- Millo M, et al.: Transient increase in obese gene expression after food intake or insulin administration. *Nature*. 1995, 377 (12), S.527,
- Sattar et al., 1998 Sattar N, Greer IA, Pirwani I, Gibson J, Wallace AM: Leptin levels in pregnancy: marker for fat accumulation and mobilization. *Acta Obstet Gynecol* . 1998, 77, S.278-283,
- Schubring et al.; 1997 Schubring C, Kiess W, Englano P, et al: Levels of Leptin in Maternal Serum, Amniotic Fluid, and Arterial and Venous Cord Blood: Relation to Neonatal and Placental Weight. *J Clin Endocrinol Metab*. 1997, 82/5, S.1480,

- Schubring et al.; 1998 Schubring C, Englano P, Siebler T, Blum WF, et al.: Longitudinal Analysis of Maternal Serum Leptin Levels during Pregnancy, at Birth and Up To Six Weeks after Birth: Relation To Body Mass Index, Skinfolds, Sex Steroids and Umbilical Cord Blood Leptin Levels. Horm Res. 1998, 50, S.276-283,
- Schulze et al; 2004 Schulze MB, Rimm EB, Shai I, Rifal N, Hu FB: Relationship Between Adiponectin and Glycemic Control, Blood Lipids, and Inflammatory Markers in Men with Typ 2 Diabetes. Diabetes Care. 2004, 27 (7), S.1680-1687,
- Shaarawy; 1999 Shaarawy M, el-Mallah SY: Leptin and gestational weight gain: relation of maternal and cord blood leptin to birth weight. J Soc Gynecol Invest. 1999, 6 (2), S.70-73,
- Shimada et al; 2004 Shimada K, Miyazaki T, Daida H: Adiponectin and atherosclerotic disease. Clinica Chimica Acta. 2004, 344, S.1-12,
- Sivan et al.; 1998 Sivan E, Whittaker PG, Sinha D, et al.: Leptin in human pregnancy: The relationship with gestational hormones. Am J Obstet Gynecol . 1998, 179, S.1128-32,
- Sivan et al; 2003 Sivan E, Mazaki-Tovi S, Pariente C, et al.: Adiponectin in Human Cord Blood: Relation to Fetal Birth Weight and Gender. Journal of Clinical Endocrinology & Metabolism . 2003, 88 (12), S.5656-5660,
- Sonnenberg et al; 2004 Sonnenberg GE, Krakower GR, Kisseebah AH: A Novel Pathway to the Manifestations of Metabolic Syndrome. Obesity Res.. 2004, 12(2), S.180-186,
- Stefan et al.; 2002 Stefan N, Vozaroava B, Funahashi T, et al.: Plasma Adiponectin Concentration is associated with skeletal muscle insulin receptor tyrosine phosphorylation , and low plasma concentrations precedes a decrease in whole-body insulin sensitivity in humans. Diabetes . 2002, 50, S.1884-88,
- Toescu et al; 2004 Toescu V, Nuttall SL, Martin U, et al.: Changes in plasma lipids and markers of oxidative stress in normal pregnancy and pregnancies complicated by diabetes. Clin Sci (Lond). 2004, 106(1), S.93-8,
- Tsai et al; 2004 Tsai PJ, Yu CH, Hsu SP, et al.: Cord plasma concentrations of adiponectin and leptin in healthy term neonates: positive correlation with birthweight and neonatal adiposity. Clinical Endocrinology. 2004, 61 (1), S.88,
- Tschritter et al.; 2003 Tschritter , Fritsche A, Thamer C, et al.: Plasma Adiponectin Concentrations Predict Insulin Sensitivity of Both Glucose and Lipid Metabolism. Diabetes. 2003, 52, S.239,

- Valensise et al; 2002 Valensise H, Larciprete G, Vasapollo B, et al. : C-peptid and insulin levels at 24-30 weeks' gestation: an increased risk of adverse pregnancy outcomes?. Eur J Obstet Gyn Repro Biol. 2002, 103 (2), S.130-35,
- Vidal et al.; 1996 Vidal H, Auboeuf D, De Vos P, et al.: The Expression of ob gene is not acutely regulated by insulin and fasting in human abdominal subcutaneous adipose tissue . J. Clin Invest. 1996, 98, S.251-55,
- Vitoratos et al., 2001 Vitoratos N, Salamalekis E, Kassanos D, et al.: Maternal Plasma Leptin Levels and Their Relationship to Insulin and Glucose in Gestational -Onset-Diabetes. Gynecol Obstet Invest. 2001, 51, S.17-2,
- Voigt et al; 1996 Voigt M, Schneider KTM, Jährig K: Analyse des Geburtengutes des Jahrgangs 1992 der Bundesrepublik Deutschland. Geburtshilfe und Frauenheilkunde. 1996 , 56, S.550-558,
- Wabitsch et al.; 1996 Wabitsch M, Jensen PB, Blum WF, et al.: Insulin and Cortisol Promote Leptin Production in Cultured Human Fat Cells. Diabetes. 1996, 45, S.1435,
- Wang et al.; 1999 Wang MY, Lee Y, Unger RH: Novel Form of Lipolysis Induced by Leptin. J Biol Chem. 1999, 274 (25), S.17541-17544,
- Weijers et al; 2002 Weijers RNM, Bekedam DJ, Smulders YM: Determinants of mild hyperglycemia and gestational diabetes mellitus in a large dutch multiethnic cohort. Dibates Care. 2002, 25(1), S.72-77,
- Williams et al;2004 Williams MA, Qiu C, Muy-Rivera M, Vadachkoria S, Song T, Luthy DA: Plasma Adiponectin Concentrations in Early Pregnancy and Subsequent Risk of Gestational Diabetes Mellitus. J Clin Endocrinol Metab. 2004, 89, S.2306-2311,
- Williams et al; 1978 Williams C, Colart TM.: Adipose tissue metabolism in pregnancy: the lipolytic effect of human placental lactogen. Br J Obstet Gynaecol. 1978, 85 (1), S.43-6,
- Williams et al;1999 Williams MA, Farrand A, Mittendorf R, et al.: Maternal second trimester serum tumor necrosis factor- alpha soluble receptor p55(sTNF p55) and subsequent risk of preeclampsia. Am. J. Epidemiol. 1999, 149, S.323-29,
- Winkler et al; 2002 Winkler G, Cseh K, Baranyi E, et al: Tumor necrosis factor sysstem in insulin resistance in gestational diabetes. Diabetes Research and Clinical Practice . 2002, 56, S.93-99,
- Yamaguchi et al; 1998 Yamaguchi M, Murakami T, Tomimatsu T: Autocrine Inhibition of Leptin Production byTumor Necrosis Factor- alpha through TNF-alpha Type-1 Receptor in Vitro. Biochemical and Biophysikal Research Comm.. 1998, 244, S.30-34,

- Yamauchi et al. 2001 Yamauchi T, Kamon J, Waki Y, et al.: The fat-derived hormone adiponectin reverses insulin resistance associated with both lipodystrophy and obesity. *Nature Medicine*. 2001, 7(8), S.941-46,
- Yannakoulia et al; 2003 Yannakoulia M, Yiannakouris N, Blüher S, Matalas AL, Klimis-Zacas D, Mantzoros CS: Body Fat Mass and Macronutrient Intake in Relation to Circulating Soluble Leptin Receptor, Free Leptin Index, Adiponectin, and Resistin Concentrations in Healthy Humans. *J Clin Endocrinol Metab*. 2003, 88, S.1730- 1736,
- Yildiz et al.; 2004 Yildiz BO, Suchard MA, Wong M, McCann SA, Licinio J: Alterations in the dynamics of circulating ghrelin, adiponectin, and leptin in human obesity. *PNAS*. 2004, 101 no. 28, S.1034-1039,