

## *Bibliography*

1. Wuthrich,K. NMR of proteins and nucleic acids. Wiley, New York. 1986.
2. Grishaev,A. & Llinas,M. CLOUDS, a protocol for deriving a molecular proton density via NMR (vol 99, pg 6707, 2002). *Proceedings of the National Academy of Sciences of the United States of America* **99**, 10941 (2002).
3. Wuthrich,K., Wider,G., Wagner,G. & Braun,W. Sequential resonance assignments as a basis for determination of spatial protein structures by high resolution proton nuclear magnetic resonance. *J. Mol. Biol.* **155**, 311-319 (1982).
4. Ikura,M., Kay,L.E. & Bax,A. A novel approach for sequential assignment of <sup>1</sup>H, <sup>13</sup>C, and <sup>15</sup>N spectra of proteins: heteronuclear triple-resonance three-dimensional NMR spectroscopy. Application to calmodulin. *Biochemistry* **29**, 4659-4667 (1990).
5. Jeener,J., Meier,B.H., Bachmann,P. & Ernst,R.R. Investigation of Exchange Processes by 2-Dimensional Nmr-Spectroscopy. *Journal of Chemical Physics* **71**, 4546-4553 (1979).
6. Macura,S. & Ernst,R.R. Elucidation of Cross Relaxation in Liquids by Two-Dimensional Nmr-Spectroscopy. *Molecular Physics* **41**, 95-117 (1980).
7. Solomon,I. Relaxation Processes in A System of 2 Spins. *Physical Review* **99**, 559-565 (1955).
8. Karplus,M. Vicinal Proton Coupling in Nuclear Magnetic Resonance. *Journal of the American Chemical Society* **85**, 2870-& (1963).
9. Cornilescu,G., Delaglio,F. & Bax,A. Protein backbone angle restraints from searching a database for chemical shift and sequence homology. *Journal of Biomolecular Nmr* **13**, 289-302 (1999).
10. Stein,E.G., Rice,L.M. & Brunger,A.T. Torsion-angle molecular dynamics as a new efficient tool for NMR structure calculation. *Journal of Magnetic Resonance* **124**, 154-164 (1997).
11. Brunger,A.T. & Nilges,M. Computational challenges for macromolecular structure determination by X-ray crystallography and solution NMR-spectroscopy. *Q. Rev. Biophys.* **26**, 49-125 (1993).
12. Kirkpatrick,S., Gelatt,C.D. & Vecchi,M.P. Optimization by Simulated Annealing. *Science* **220**, 671-680 (1983).
13. Brunger,A.T., Adams,P.D. & Rice,L.M. New applications of simulated annealing in X-ray crystallography and solution NMR. *Structure*. **5**, 325-336 (1997).
14. Berendsen,H.J.C., Postma,J.P.M., Vangunsteren,W.F., Dinola,A. & Haak,J.R. Molecular-Dynamics with Coupling to An External Bath. *Journal of Chemical Physics* **81**, 3684-3690 (1984).

15. Bennett,A.E. *et al.* Homonuclear radio frequency-driven recoupling in rotating solids. *Journal of Chemical Physics* **108**, 9463-9479 (1998).
16. Suter,D. & Ernst,R.R. Spin diffusion in resolved solid-state NMR spectra. *Physical Review Condensed Matter* **32**, 5608-5627 (1985).
17. Griffiths,J.M. *et al.* Structural investigation of the active site in bacteriorhodopsin: geometric constraints on the roles of Asp-85 and Asp-212 in the proton-pumping mechanism from solid state NMR. *Biochemistry* **39**, 362-371 (2000).
18. Kihne,S. *et al.* Distance measurements by dipolar recoupling two-dimensional solid-state NMR. *Journal of Physical Chemistry A* **102**, 2274-2282 (1998).
19. Hodgkinson,P. & Emsley,L. The accuracy of distance measurements in solid-state NMR. *J. Magn Reson.* **139**, 46-59 (1999).
20. Castellani,F. *et al.* Structure of a protein determined by solid-state magic-angle-spinning NMR spectroscopy *Nature* **420**, 98-102 (2002).
21. Castellani,F., van Rossum,B.J., Diehl,A., Rehbein,K. & Oschkinat,H. Determination of solid-state NMR structures of proteins by means of three-dimensional <sup>15</sup>N-<sup>13</sup>C-<sup>13</sup>C dipolar correlation spectroscopy and chemical shift analysis. *Biochemistry* **42**, 11476-11483 (2003).
22. van Rossum,B.J., Castellani,F., Rehbein,K., Pauli,J. & Oschkinat,H. Assignment of the nonexchanging protons of the alpha-spectrin SH3 domain by two- and three-dimensional <sup>1</sup>H-<sup>13</sup>C solid-state magic-angle spinning NMR and comparison of solution and solid-state proton chemical shifts. *Chembiochem.* **2**, 906-914 (2001).
23. Jaroniec,C.P., Tounge,B.A., Herzfeld,J. & Griffin,R.G. Frequency selective heteronuclear dipolar recoupling in rotating solids: Accurate C-13-N-15 distance measurements in uniformly C-13,N-15-labeled peptides. *Journal of the American Chemical Society* **123**, 3507-3519 (2001).
24. Jaroniec,C.P., Filip,C. & Griffin,R.G. 3D TEDOR NMR experiments for the simultaneous measurement of multiple carbon-nitrogen distances in uniformly C-13, N-15-labeled solids. *Journal of the American Chemical Society* **124**, 10728-10742 (2002).
25. Raleigh,D.P., Levitt,M.H. & Griffin,R.G. Rotational Resonance in Solid-State Nmr. *Chemical Physics Letters* **146**, 71-76 (1988).
26. Brunger,A.T. *et al.* Crystallography & NMR system: A new software suite for macromolecular structure determination. *Acta Crystallographica Section D-Biological Crystallography* **54**, 905-921 (1998).
27. Braun,W. Distance Geometry and Related Methods for Protein-Structure Determination from NMR Data. *Quarterly Reviews of Biophysics* **19**, 115-157 (1987).
28. Guntert,P., Berndt,K.D. & Wuthrich,K. The Program Asno for Computer-Supported Collection of Noe Upper Distance Constraints As Input for Protein-Structure Determination. *Journal of Biomolecular NMR* **3**, 601-606 (1993).

29. Kraulis,P.J. *et al.* Determination of the 3-Dimensional Solution Structure of the C-Terminal Domain of Cellobiohydrolase-I from Trichoderma-Reesei - A Study Using Nuclear Magnetic-Resonance and Hybrid Distance Geometry Dynamical Simulated Annealing. *Biochemistry* **28**, 7241-7257 (1989).
30. Meadows,R.P., Olejniczak,E.T. & Fesik,S.W. A Computer-Based Protocol for Semiautomated Assignments and 3D Structure Determination of Proteins. *Journal of Biomolecular NMR* **4**, 79-96 (1994).
31. Weber,P.L., Morrison,R. & Hare,D. Determining Stereo-Specific H-1 Nuclear Magnetic-Resonance Assignments from Distance Geometry Calculations. *Journal of Molecular Biology* **204**, 483-487 (1988).
32. Linge,J.P., O'Donoghue,S.I. & Nilges,M. Automated assignment of ambiguous nuclear overhauser effects with ARIA. *Nuclear Magnetic Resonance of Biological Macromolecules, Pt B* **339**, 71-90 (2001).
33. Linge,J.P., Habeck,M., Rieping,W. & Nilges,M. ARIA: automated NOE assignment and NMR structure calculation. *Bioinformatics* **19**, 315-316 (2003).
34. Nilges,M., Macias,M.J., O'Donoghue,S.I. & Oschkinat,H. Automated NOESY interpretation with ambiguous distance restraints: The refined NMR solution structure of the pleckstrin homology domain from beta-spectrin. *Journal of Molecular Biology* **269**, 408-422 (1997).
35. Nilges,M. & O'Donoghue,S.I. Ambiguous NOEs and automated NOE assignment. *Progress in Nuclear Magnetic Resonance Spectroscopy* **32**, 107-139 (1998).
36. Kharrat,A., Macias,M.J., Gibson,T.J., Nilges,M. & Pastore,A. Structure of the dsRNA binding domain of E. coli RNase III. *EMBO J.* **14**, 3572-3584 (1995).
37. Herrmann,T., Guntert,P. & Wuthrich,K. Protein NMR structure determination with automated NOE assignment using the new software CANDID and the torsion angle dynamics algorithm DYANA. *Journal of Molecular Biology* **319**, 209-227 (2002).
38. Guntert,P., Mumenthaler,C. & Wuthrich,K. Torsion angle dynamics for NMR structure calculation with the new program DYANA. *J. Mol. Biol.* **273**, 283-298 (1997).
39. Gronwald,W. *et al.* Automated assignment of NOESY NMR spectra using a knowledge based method (KNOWNOE). *J. Biomol. NMR* **23**, 271-287 (2002).
40. Mumenthaler,C. & Braun,W. Automated assignment of simulated and experimental NOESY spectra of proteins by feedback filtering and self-correcting distance geometry. *J. Mol. Biol.* **254**, 465-480 (1995).
41. Mumenthaler,C., Guntert,P., Braun,W. & Wuthrich,K. Automated combined assignment of NOESY spectra and three-dimensional protein structure determination. *J. Biomol. NMR* **10**, 351-362 (1997).
42. Moseley,H.N., Monleon,D. & Montelione,G.T. Automatic determination of protein backbone resonance assignments from triple resonance nuclear magnetic resonance data. *Methods Enzymol.* **339**, 91-108 (2001).

43. Moseley,H.N. & Montelione,G.T. Automated analysis of NMR assignments and structures for proteins. *Curr. Opin. Struct. Biol.* **9**, 635-642 (1999).
44. Guntert,P. Automated NMR structure calculations. *Progress in Nuclear Magnetic Resonance Spectroscopy* **43**, 105-125 (2003).
45. Nilges,M. A calculation strategy for the structure determination of symmetric dimers by <sup>1</sup>H NMR. *Proteins* **17**, 297-309 (1993).
46. Nilges,M. Calculation of protein structures with ambiguous distance restraints. Automated assignment of ambiguous NOE crosspeaks and disulphide connectivities. *J. Mol. Biol.* **245**, 645-660 (1995).
47. Jain,A., Vaidehi,N. & Rodriguez,G. A fast recursive algorithm for molecular dynamics simulation. *J. Comp. Phys.* 258-268 (1993).
48. Bell,C.E. & Lewis,M. Crystallographic analysis of Lac repressor bound to natural operator O1. *J. Mol. Biol.* **312**, 921-926 (2001).
49. Sunnerhagen,M., Nilges,M., Otting,G. & Carey,J. Solution structure of the DNA-binding domain and model for the complex of multifunctional hexameric arginine repressor with DNA. *Nat. Struct. Biol.* **4**, 819-826 (1997).
50. Ni,J.P., Sakanyan,V., Charlier,D., Glansdorff,N. & Van Duyne,G.D. Structure of the arginine repressor from *Bacillus stearothermophilus*. *Nature Structural Biology* **6**, 427-432 (1999).
51. Leitner,D. *et al.* The solution structure of an N-terminally truncated version of the yeast CDC24p PB1 domain shows a different beta-sheet topology. *FEBS Lett.* (2005).
52. Liu,Z. *et al.* The three-dimensional structure of the HRDC domain and implications for the Werner and Bloom syndrome proteins. *Structure. Fold. Des* **7**, 1557-1566 (1999).
53. Ball,L.J., Jarchau,T., Oschkinat,H. & Walter,U. EVH1 domains: structure, function and interactions. *FEBS Lett.* **513**, 45-52 (2002).
54. Fedorov,A.A., Fedorov,E., Gertler,F. & Almo,S.C. Structure of EVH1, a novel proline-rich ligand-binding module involved in cytoskeletal dynamics and neural function. *Nat. Struct. Biol.* **6**, 661-665 (1999).
55. Pauli,J., van Rossum,B., Forster,H., de Groot,H.J. & Oschkinat,H. Sample optimization and identification of signal patterns of amino acid side chains in 2D RFDR spectra of the alpha-spectrin SH3 domain. *J. Magn Reson.* **143**, 411-416 (2000).
56. Musacchio,A., Noble,M., Paupert,R., Wierenga,R. & Saraste,M. Crystal structure of a Src-homology 3 (SH3) domain. *Nature* **359**, 851-855 (1992).
57. Jee,J. & Guntert,P. Influence of the completeness of chemical shift assignments on NMR structures obtained with automated NOE assignment. *J. Struct. Funct. Genomics* **4**, 179-189 (2003).
58. Lougheed,J.C., Domaille,P.J. & Handel,T.M. Solution structure and dynamics of melanoma inhibitory activity protein. *J. Biomol. NMR* **22**, 211-223 (2002).

## *Bibliography*

---

59. van Gammeren,A.J., Hulsbergen,F.B., Hollander,J.G. & de Groot,H.J. Biosynthetic site-specific (<sup>13</sup>C labeling of the light-harvesting 2 protein complex: a model for solid state NMR structure determination of transmembrane proteins. *J. Biomol. NMR* **30**, 267-274 (2004).