

9 Quellenverzeichnis

- Aabenhus, R., On, S.L., Siemer, B.L., Permin, H. and Andersen, L.P. (2005): Delineation of *Campylobacter concisus* genomospecies by amplified fragment length polymorphism analysis and correlation of results with clinical data. J. Clin. Microbiol. 43, 5091-5096
- Abbott, S.L., Waddington, M., Lindquist, D., Ware, J., Cheung, W., Ely, J. and Janda, J.M. (2005): Description of *Campylobacter curvus* and *C. curvus*- like strains associated with sporadic episodes of bloody gastroenteritis and Brainerd's diarrhea. J. Clin. Microbiol. 43, 585-588
- Aboaba, O.O. and Smith, S.I. (2005): Occurrence of *Campylobacter* species in poultry forms in Lagos area of Nigeria. J. Environ. Biol. 26, 403-408
- Abuoun, M., Manning, G., Cawthraw, S.A., Ridley, A., Ahmed, I.H., Wassenaar, T.M. and Newell, D.G. (2005): Cytolethal distending toxin (CDT)- negative *Campylobacter jejuni* strains and anti- CDT neutralizing antibodies are induced during human infection but not during colonization in chickens. Infect. Immun. 73, 3053-3062
- Achen, M., Morishita, T.Y. and Ley, E.C. (1998): Shedding and colonization of *Campylobacter jejuni* in broilers from day- of- hatch to slaughter age. Avian Dis. 42, 732-737
- Adak, G.K., Meakins, S.M., Yip, H., Lopman, B.A. and O'Brian, S.J. (2005): Disease risks from foods, England and Wales, 1996-2000. Emerg. Infect. Dis. 11, 365-372
- Aho, M. and Hirn, J. (1988): Prevalence of *Campylobacteria* in the Finnish broiler chicken chain from the producer to the consumer. Acta Vet. Scand. 29, 451-462
- Aho, M., Kauppi, M. and Hirn, J. (1988): The stability of small number of *Campylobacteria* in four different transport media. Acta Vet. Scand. 29, 437-442
- Albert, M.J., Neil, L., Pazhoor, A.A., Haridas, S., Rotimi, V.O. and Khan, I. (2005): Ciprofloxacin resistance and its molecular mechanism in *Campylobacter* spp. isolated in Kuwait. Microb. Drug Resist. 11, 266-270
- Ali, A.M., Qureshi, A.H., Rafi, S., Roshan, E., Khan, I., Malik, A.M. and Shahid, S.A. (2003): Frequency of *Campylobacter jejuni* in diarrhoea/dysentery in children in Rawalpindi and Islamabad. J. Pak. Med. Assoc. 53, 517-520
- Alonso, R., Mateo, E., Churruca, E., Martinez, I., Girbau, C. and Fernandez- Astorga, A. (2005): MAMA- PCR assay for the detection of point mutations associated with high-

level erythromycin resistance in *Campylobacter jejuni* and *Campylobacter coli* strains. J. Microbiol. Methods 63, 99-103

Alter, T. und Fehlhaber, K. (2003): Einsatz der AFLP-Analyse zur molekularbiologischen Feintypisierung von *Campylobacter jejuni*-Stämmen aus Putenbeständen. Berl. Münch. Tierärztl. Wschr. 116, 454-459

Altmeyer, M., Krabisch, P. und Dorn, P. (1985): Zum Vorkommen und zur Verbreitung von *Campylobacter jejuni/coli* in der Jungmastgeflügel-Produktion. 1. Mitteilung. Dtsch. tierärztl. Wschr. 92, 456-459

Amit-Romach, E., Sklan, D. and Unil, Z. (2004): Microflora ecology of the chicken intestine using 16S ribosomal DNA primers. Poult. Sci. 83, 1093-1098

Andersen, S.R., Saadbye, P., Shukri, N.M., Rosenquist, H., Nielsen, N.L. and Boel, J. (2006): Antimicrobial resistance among *Campylobacter jejuni* isolated from raw poultry meat at retail level in Denmark. Int. J. Food Microbiol. 107, 250-255

Angulo, F.J., Nargund, V.N. and Chiller, T.C. (2004): Evidence of an association between use of anti-microbial agents in food animals and anti-microbial resistance among bacteria isolated from humans and the human health consequences of such resistance. J. Vet. Med. B. Infect. Dis. Vet. Public Health 51, 374-379

Anonymous (2002): CampNet Website. www.campynet.vetinst.dk/genus.html

Anonymous (1998): Microorganisms in foods 5. Characteristics of microbial pathogens. International Commission on Microbiological Specifications for Foods, Blackie Academic & Professional, London, 45-65

Anonymous (1995): Microbiology of food and animal feeding stuffs – Horizontal method for the detection of *Campylobacter* growing at 41,5 °C. ISO 10272 1995/cor.1:1996(E)

Arwana, A.A.K. (1987): Untersuchungen zum Vorkommen von *Campylobacter jejuni* und *Campylobacter coli* in Hühner- und Schaffleisch und zum Verhalten der Keime gegenüber verschiedenen Umwelteinflüssen. Diss. med. vet., HU Berlin

Atterbury, R.J., Dillon, E., Swift, C., Connerton, P.L., Frost, J.A., Dodd, C.E.R., Rees, C.E.D. and Connerton, I.F. (2005): Correlation of *Campylobacter* bacteriophage with reduced presence of hosts in broiler chicken ceca. Appl. Environ. Microbiol. 71, 4885-4887

Avrain, L., Vernozy-Rozand, C. and Kempf, I. (2004): Evidence for natural horizontal transfer of tetO gene between *Campylobacter jejuni* strains in chickens. J. Appl. Microbiol. 97, 134-140

- Axelsson- Olsson, D., Waldenstrom, J., Broman, T., Olsen, B. and Holmberg, M. (2005): Protozoan Acanthamoeba polyphaga as a potential reservoir for *Campylobacter jejuni*. Appl. Environ. Microbiol. 71, 987-992
- Baird, RM., Corry, J.E.L. and Curtis, G.D. (1987): Pharmacopoeia of culture media for food microbiology. Int. J. Food Microbiol. 5, 212-213, 250-253, 268-269
- Bartholomew, M.J., Vose, D.J., Tollefson, L.R. and Travis, C.C. (2005): A linear model for managing the risk of antimicrobial resistance originating in food animals. Risk Anal. 25, 99-108
- Barrios, P.R., Reiersen, J., Lowman, R., Bisailon, J.R., Michel, P., Fridriksdóttir, V., Gunnarsson, E., Stern, N., Berke, O., McEwen, S. and Martin, W. (2006): Risk factors for *Campylobacter* spp. colonization in broiler flocks in Iceland. Prev. Vet. med. 74, 264-278
- Barrow, P.A. and Page, K. (2000): Inhibition of colonisation of the alimentary tract in young chickens with *Campylobacter jejuni* by pre-colonisation with strains of *C. jejuni*. FEMS Microbiol. Lett. 182, 87-91
- Bashor, M.P., Curtis, P.A., Keener, K.M., Sheldon, B.W., Kathariou, S. and Osborne, J.A. (2004): Effects of carcass washers on *Campylobacter* contamination in large broiler processing plants. Poult. Sci. 83, 1232-1239
- Bates, C., Hiett, K.L. and Stern, N.J. (2004): Relationship of *Campylobacter* isolated from poultry and from darkling beetles in New Zealand. Avian Dis. 48, 138-147
- Bender, J.B., Shulman, S.A., Averbeck, G.A., Pantlin, G.C. and Stromberg, B.E. (2005): Epidemiologic features of *Campylobacter* infection among cats in the upper midwestern United States. J. Am. Vet. Med. Assoc. 226, 544-547
- Berndtson, E., Danielsson- Tham, M.L. and Engvall, A. (1996a): *Campylobacter* incidence on a chicken farm and the spread of *Campylobacter* during the slaughter process. Int. J. Food Microbiol. 32, 35-47
- Berndtson, E., Emanuelson, U., Engvall, A. and Danielsson- Tham, M.L. (1996b): A 1-year epidemiological study of *Campylobacters* in 18 Swedish chicken farms. Prev. Vet. Med. 26, 167-185
- Berndtson, E., Tivemo, M. and Engvall, A. (1992): Distribution and numbers of *Campylobacter* in newly slaughtered broiler chickens and hens. Int. J. Food Microbiol. 15, 45-50

- Berrang, M.E. and Northcutt, J.K. (2005): Use of water spray and extended drying time to lower bacterial numbers on soiled flooring from broiler transport coops. Poult. Sci. 84, 1797-1801
- Berrang, M.E., Buhr, R.J., Cason, J.A. and Dickens, J.A. (2001): Broiler carcass contamination with *Campylobacter* from feces during defeathering. J. Food Prot. 64, 2063-2066
- Berrang, M.E. and Dickens, J.A. (2000): Presence and level of *Campylobacter* spp. on broiler carcasses throughout the processing plant. J. Appl. Poultry Res. 9, 43-47
- Berry, J.T., Huddahl, M.B. and Doyle, M.P. (1988): Colonization of gastrointestinal tracts of chicks by *Campylobacter jejuni*. Appl. Environ. Microbiol. 54, 2365-2370
- Beumer, R.R., de Vries, J. and Rombouts, F.M. (1992): *Campylobacter jejuni* non-culturable coccoid cells. Int. J. Food Microbiol. 15, 153-163
- Bhaduri, S. and Cottrell, B. (2004): Survival of cold- stressed *Campylobacter jejuni* on ground chicken and chicken skin during frozen storage. Appl. Environ. Microbiol. 70, 7103-7109
- Black, R.E., Levine, M.M., Clements, M.L., Hughes, T.P. and Blaser, M.J. (1988): Experimental *Campylobacter jejuni* infections in humans. J. Infect. Dis. 157, 472-479
- Blankenship, L.C. and Craven, S.E. (1982): *Campylobacter jejuni* survival in chicken meat as a function of temperature. Appl. Environ. Microbiol. 44, 88-92
- Blaser, M.J., Smith, P.F., Wang, W.L.L. and Hoff, J.C. (1986): Inactivation of *Campylobacter jejuni* by chlorine and monochloramine. Appl. Environ. Microbiol. 51, 307-311
- Blaser, M.J., Hardesty, H.L., Powers, B. and Wang, W.L.L. (1980): Survival of *Campylobacter fetus* subsp. *jejuni* in biological milieus. J. Clin. Microbiol. 11, 309-313
- Blaser, M.J., Cravens, J., Powers, R. and Wang, W.L. (1978): *Campylobacter enteritis* associated with canine infection. Lancet 2, 979-981
- Boes, J., Nersting, L., Nielsen, E.M., Kraker, S., Enoe, C., Wachmann, H.C. and Baggesen D.L. (2005): Prevalence and diversity of *Campylobacter jejuni* in pig herds on farms with and without cattle or poultry. J. Food Prot. 68, 722-727
- Bolder, N.M. and Mulder, R.W.A.W. (1991) Minimum infective number of *Campylobacter* bacteria for broilers.In: Blankenship, L.C. (editors): Colonization control of human bacterial enteropathogens in poultry. Academic Press Inc., San Diego, CA, 353-357

Bolton, F.J. and Robertson, L. (1982): A selective medium for isolating *Campylobacter jejuni/coli*. J. Clin. Pathol. 35, 462-467

Bolton, F.J., Hichcliffe, P.M., Coates, D. and Robertson, L. (1982): A most probable number method for estimating small numbers of *Campylobacters* in water. J. Hyg. Camb. 89, 185-190

Bolton, F.J., Hutchinson, D.N. and Coates, D. (1984): Blood- free selective medium for isolation of *Campylobacter jejuni* from feces. J. Clin. Microbiol. 19, 169-171

Boonmar, S., Sangsuk, L., Suthivarakom, K., Padungtod, P. and Morita, Y. (2005): Serotypes and antimicrobial resistance of *Campylobacter jejuni* isolated from humans and animals in Thailand. Southeast Asian J. Trop. Med. Public Health 36, 130-134

Botteldoorn, N., Heyndrickx, M., Rijpens, N. and Herman, L. (2001): Prevalence of *Salmonella*, *Campylobacter* and VTEC on pig farms. Meded. Rijksuniv. Gent. Fak. Landbouwkd. Toegep. Biol. Wet. 66, 373-380

Bostan, K. (2001): Effects of cooking and cold storage on the survival of *Campylobacter jejuni* in meatballs. Archiv für Lebensmittelhygiene 52, 25-48

Boucher, S.N., Slater, E.R., Chamberlain, A.H.L. and Adams, M.R. (1994): Production and viability of coccoid forms of *Campylobacter jejuni*. J. Appl. Bacteriol. 77, 330-307

Bouwknegt, M., van de Giessen, A.W., Dam- Deisz, W.D.C., Havelaar, A.H., Nagelkerke, N.J.D. and Henken, A.M. (2003): Risk factors for the presence of *Campylobacter* spp. in Dutch broiler flocks. Prev. Vet. Med. 62, 35-49

Boyd, Y., Herbert, E.G., Marston, K.L., Jones, M.A. and Barrow, P.A. (2005): Host genes affect intestinal colonisation of newly hatched chickens by *Campylobacter jejuni*. Immunogenetics 57, 248-253

Brondsted, L., Andersen, M.T., Parker, M., Jorgensen, K. and Ingmer, H. (2005): The HtrA protease of *Campylobacter jejuni* is required for heat and oxygen tolerance and for optimal interaction with human epithelial cells. Appl. Environ. Microbiol. 71, 3205-3212

Brown, P.E., Christensen O.F., Clough H.E., Diggle, P.J., Hart, C.A., Hazel, S., Kemp, R., Leatherbarrow, A.J., Moore, A., Sutherst, J., Turner, J., Williams, N.J., Wright, E.J. and French, N.P. (2004): Frequency and spatial distribution of environmental *Campylobacter* spp. Appl. Environ. Microbiol. 70, 6501-6511

Buck, G.E., Parshall, K.A. and Davis, C.P. (1983): Electron microscopy of the coccoid form of *Campylobacter jejuni*. J. Clin. Microbiol. 18, 420-421

- Buhr, R.J., Bourassa, D.V., Northcutt, J.K., Hinton, A.Jr., Ingram, K.D. and Cason, J.A. (2005): Bacteria recovery from genetically feathered and featherless broiler carcasses after immersion chilling. *Poult. Sci.* 84, 1499-1504
- Bull, S.A., Allen, V.M., Domingue, G., Jorgensen, F., Frost, J.A., Ure, R., Whyte, R., Tinker, D., Corry, J.E., Gillard- King, J. and Humprey, T.J. (2006): Sources of *Campylobacter* spp. colonizing housed broiler flocks during rearing. *Appl. Environ. Microbiol.* 72, 645-652
- Buswell, C.M., Herlihy, Y.M., Lawrence, L.M., McGuigan, J.T.M., Marsh, P.D., Keevil, C.W. and Leach, S.A. (1998): Extended survival and persistence of *Campylobacter* spp. in water and aquatic biofilms and their detection by immunofluorescent- antibody and -rRNA Staining. *Appl. Environ. Microbiol.* 64, 733-741
- Byrd, J.A., Corrier, D.E., Hume, M.E., Bailey, R.H., Stanker, L.H. and Hargis, B.M. (1998): Incidence of *Campylobacter* in crops of preharvest market- age broiler chickens. *Poult. Sci.* 77, 1303-1305
- Cappelier, J.M., Magras, C., Jouve, J.L. and Federighi, M. (1999): Recovery of viable but non- culturable *Campylobacter jejuni* cells in two animal models. *Food Microbiol.* 16, 375-383
- Cardinale, E., Rose, V., Perrier Gros- Claude, J.D., Tall, F., Rivoal, K., Mead, G. and Salvat, G. (2006): Genetic characterization and antibiotic resistance of *Campylobacter* spp. isolated from poultry and humans in Senegal. *J. Appl. Microbiol.* 100, 209-217
- Cardinale, E., Tall, F., Guèye, E.F., Cisse, M. and Salvat, G. (2004): Risk factors for *Campylobacter* spp. infection in Senegalese broiler- chicken flocks. *Prev. Vet. Med.* 64, 15-25
- Carrique- Mas, J., Andersson, Y., Hjertqvist, M., Svensson, A., Torner, A. and Giesecke, J. (2005): Risk factors for domestic sporadic *Campylobacteriosis* among young children in Sweden. *Scand. J. Infect. Dis.* 37, 101-110
- Cawthraw, S.A., Wassenaar, T.M., Ayling, R. and Newell, D.G. (1996): Increased colonization potential of *Campylobacter jejuni* strain 81116 after passage through chickens and its implication on the rate of transmission within flocks. *Epidemiol. Infect.* 117, 213-215
- Champion, O.L., Gaunt, M.W., Gundogdu, O., Elmi, A., Witney, A.A., Hinds, J., Dorrell, N. and Wren, B.W. (2005): Comparative phylogenomics of the food- borne pathogen *Campylobacter jejuni* reveals genetic markers predictive of infection source. *Proc. Natl. Acad. Sci. USA* 102, 16043-16048

- Chan, K.F., le Tran, H., Kanenaka, R.Y. and Kathariou, S. (2001): Survival of clinical and poultry- derived isolates of *Campylobacter jejuni* at a low temperature (4°C). Appl. Environ. Microbiol. 67, 4186-4191
- Chantarapanont, W., Berrang, M.E. and Frank, J.F. (2004): Direct microscopic observation of viability of *Campylobacter jejuni* on chicken skin treated with selected chemical sanitizing agents. J. Food Prot. 67, 1146-1152
- Chen, H.C. and Stern, N.J. (2001): Competitive exclusion of heterologous *Campylobacter* spp. in chicks. Appl. Environ. Microbiol. 67, 848-851
- Colles, F.M., Jones, K., Harding, R.M. and Maiden, M.C.J. (2003): Genetic diversity of *Campylobacter jejuni* isolates from farm animals and the farm environment. Appl. Environ. Microbiol. 69, 7409-7413
- Connerton, P.L., Loc Carrillo, C.M., Swift, C., Dillon, E., Scott, A., Rees, C.E.D., Dodd, C.E.R., Frost, J. and Connerton, I.F. (2004): Longitudinal study of *Campylobacter jejuni* bacteriophages and their hosts from broiler chickens. Appl. Environ. Microbiol. 70, 3877-3883
- Cools, I., Uyttendaele, M., Cerpentier, J., D'Haese, E., Nelis, H.J. and Debevere, J. (2005): Persistence of *Campylobacter jejuni* on surfaces in a processing environment and on cutting boards. Lett. Appl. Microbiol. 40, 418-423
- Corcoran, D., Quinn, R., Cotter, L. and Fanning, S. (2005): Relative contribution of target gene mutation and efflux to varying quinolone resistance in Irish *Campylobacter* isolates. FEMS Microbiol. Lett. 253, 39-46
- Corry, J.E.L., Post, D.E., Colin, P. and Laisney, M.J. (1995): Culture media for the isolation of *Campylobacters*. Int. J. Food Microbiol. 26, 43-76
- Cox, N.A., Hofacre, C.L., Bailey, J.S., Buhr, R.J., Wilson, J.L., Hiett, K.L., Richardson, L.J., Musgrove, M.T., Cosby, D.E., Tankson, J.D., Vizzier, Y.L., Cray, P.F., Vaughn, L.E., Holt, P.S. and Bourassaa, D.V. (2005): Presence of *Campylobacter jejuni* in various organs one hour, one day, and one week following oral or intracloacal inoculations of broiler chicks. Avian Dis. 49, 155-158
- Cox, N.A., Stern, N.J., Hiett, K.L. and Berrang, M.E. (2002): Identification of a new source of *Campylobacter* contamination in poultry: transmission from breeder hens to broiler chickens. Avian Dis. 46, 535-541
- Cui, S., Ge, B., Zheng, J. and Meng, J. (2005): Prevalence and antimicrobial resistance of *Campylobacter* spp. and *Salmonella* serovars in organic chickens from Maryland retail stores. Appl. Environ. Microbiol. 71, 4108-4111

De Boer, P., Wagenaar, J.A., Achterberg, R.P., van Putten, J.P.M., Schouls, L.M. and Duim, B. (2002): Generation of *Campylobacter jejuni* genetic diversity in vivo. Mol. Microbiol. 44, 351-359

De Boer, P., Duim, B., Rigter, A., van der Plas, J., Jacobs- Reitsma, W.F. and Wagenaar, J.A. (2000): Computer- assisted analysis and epidemiological value of genotyping methods for *Campylobacter jejuni* and *Campylobacter coli*. J. Clin. Microbiol. 38, 1940-1946

De Boer, E. and Hahne, M. (1999): Cross- contamination with *Campylobacter jejuni* and *Salmonella* spp. from raw chicken products during food preparation. J. Food Prot. 53, 1067-1068

De Boer, E. and Humphrey, T.J. (1991): Comparison of methods for the isolation of thermophilic *Campylobacters* from chicken products. Microb. Ecol. Health Dis. 4 (Special Issue), 43

Denis, M., Refrégier- Petton, J., Laisney, M.J., Ermel, G. and Salvat, G. (2001): *Campylobacter* contamination in French chicken production from farm to consumers. Use of a PCR assay for detection and identification of *Campylobacter jejuni* and *Campylobacter coli*. J. Appl. Microbiol. 91, 255-267

Desai, M., Logan, J.M.J., Frost, J.A. and Stanley, J. (2001): Genome sequence- based fluorescent amplified fragment length polymorphism of *Campylobacter jejuni*, its relationship to serotyping, and its implication for epidemiological analysis. J. Clin. Microbiol. 39, 3823-3829

Desmonts, M.H., Dufour- Gesbert, F., Avrain, L. and Kempf, I. (2004): Antimicrobial resistance in *Campylobacter* strains isolated from French broilers before and after antimicrobial growth promoter bans. J. Antimicrob. Chemother. 54, 1025-1030

Ding, W., Wang, H. and Griffiths, M.W. (2005): Probiotics down- regulate flaA sigma28 promoter in *Campylobacter jejuni*. J. Food Prot. 68, 2295-2300

Dingle, K.E., Colles, F.M., Falush, D. and Maiden, M.C.J. (2005): Sequence typing and comparison of population biology of *Campylobacter coli* and *Campylobacter jejuni*. J. Clin. Microbiol. 43, 340-347

Dingle, K.E., Colles, F.M., Ure, R., Wagenaar, J.A., Duim, B., Bolton, F.J., Fox, A.J., Warring, D.R.A. and Maiden, M.C.J. (2002): Molecular characterization of *Campylobacter jejuni* clones: a basis for epidemiologic investigation. Emerg. Infect. Dis. 8, 949-955

- Dingle, K.E., Colles, F.M., Wareing, D.R.A., Ure, R., Fox, A.J., Bolton, F.E., Bootsma, H.J., Willems, R.J.L., Urwin, R. and Maiden, M.C.J. (2001): Multilocus sequence typing system for *Campylobacter jejuni*. *J. Clin. Microbiol.* 39, 14-23
- Doyle, M.P. and Roman, D.J. (1982a): Recovery of *Campylobacter jejuni* and *Campylobacter coli* from inoculated foods by selective enrichment. *Appl. Environ. Microbiol.* 43, 1343-1353
- Doyle, M.P. and Roman, D.J. (1982b): Response of *Campylobacter jejuni* to sodium chloride. *Appl. Environ. Microbiol.* 43, 561-565
- Duim, B., Godschalk, P.C.R., van den Braak, N., Dingle, K.E., Dijkstra, J.R., Leyde, E., van der Plas, J., Colles, F.M., Endtz, H.P., Wagenaar, J.A., Maiden, M.C.J. and van Belkum, A. (2003): Molecular evidence for dissemination of unique *Campylobacter jejuni* clones in Curaçao, Netherlands Antilles. *J. Clin. Microbiol.* 41, 5593-5597
- Duim, B., Vandamme, P.A.R., Rigter, A., Laevens, S., Dijkstra, J.R. and Wagenaar, J.A. (2001): Differentiation of *Campylobacter* species by AFLP fingerprinting. *Microbiol.* 147, 2729-2737
- Duim, B., Wassenaar, T.M., Rigter, A. and Wagenaar, J. (1999): High- resolution genotyping of *Campylobacter* strains isolated from poultry and humans with amplified fragment length polymorphism fingerprinting. *Appl. Environ. Microbiol.* 65, 2369-2375
- Ekdahl, K., Normann, B. and Andersson, Y. (2005): Could flies explain the elusive epidemiology of Campylobacteriosis? *BMC Infect. Dis.* 5, 11
- El-Shibiny, A., Connerton, P.L. and Connerton, I.F. (2005): Enumeration and diversity of *Campylobacters* and bacteriophages isolated during the rearing cycles of free- range and organic chickens. *Appl. Environ. Microbiol.* 71, 1259-1266
- Endtz, H.P., Ruijs, G.J., van Klingerden, B., Jansen, W.H., van der Reyden, T. and Mouton, R.P. (1991): Quinolone resistance in *Campylobacter* isolated from man and poultry following the introduction of fluoroquinolones in veterinary medicine. *J. Antimicrob. Chemother.* 27, 199-208
- Engberg, J., Bang, D.D., Aabenhus, R., Aarestrup, F.M., Fussing, V. and Gerner-Smidt, P. (2005): *Campylobacter concisus*: an evaluation of certain phenotypic and genotypic characteristics. *Clin. Microbiol. Infect.* 11, 288-295
- Engberg, J., Neumann, J., Nielsen, E.M., Aarestrup, F.M. and Fussing, V. (2004): Quinolone- resistant *Campylobacter* infections: risk factors and clinical consequences. *Emerg. Infect. Dis.* 10, 1056-1063

- Ethelberg, S., Simonsen, J., Gerner- Smidt, P., Olsen, K.E. and Molbak, K. (2005): Spatial distribution and registry- based case- control analysis of *Campylobacter* infections in Denmark, 1991-2001. Am. J. Epidemiol. 162, 1008-1015
- EFSA (European Food Safety Authority) (2006): The community summary report on trends and source of zoonoses, zoonotic agents and antimicrobial resistance in the European Union in 2004. European Food Safety Authority, EFSA Journal, 130
- Evans, S.J. and Sayers, A.R. (2000): A longitudinal study of *Campylobacter* infection of broiler flocks in Great Britain. Prev. Vet. Med. 46, 209-223
- Farnell, M.B., Donoghue, A.M., Cole, K., Reyes- Herrera, I., Blore, P.J. and Donoghue, D.J. (2005): *Campylobacter* susceptibility to ciprofloxacin and corresponding fluoroquinolone concentrations within the gastrointestinal tracts of chickens. J. Appl. Microbiol. 99, 1043-1050
- Fearnhead, P., Smith, N.G., Barrigas, M., Fox, A. and French, N. (2005): Analysis of recombination in *Campylobacter jejuni* from MLST population data. J. Mol. Evol. 61, 333-340
- Fernández, H., Salazar, R. and Landskron, E. (1993): Occurrence of thermotolerant species of *Campylobacter* in three groups of hens maintained under different environmental conditions. Rev. Microbiol. 24, 265-268
- Fouts, D.E., Mongodin, E.F., Mandrell, R.E., Miller, W.G., Rasko, D.A., Ravel, J., Brinkac, L.M., DeBoy, R.T., Parker, C.T., Daugherty, S.C., Dodson, R.J., Durkin, A.S., Madupu, R., Sullivan, S.A., Shetty, J.U., Ayodeji, M.A., Shvartsbeyn, A., Schatz, M.C., Badger, J.H., Fraser, C.M. and Nelson, K.E. (2005): Major structural differences and novel potential virulence mechanisms from the genomes of multiple *Campylobacter* species. PLoS Biol. 3, e15
- Frediani- Wolf, V. and Stephan, R. (2003): Resistance patterns of *Campylobacter* spp. in strains isolated from poultry carcasses in a big Swiss poultry slaughterhouse. Int. J. Food Microbiol. 89, 233-240
- Ge, B., White, D.G., McDermott, P.F., Girard, W., Zhao, S., Hubert, S. and Meng, J. (2003): Antimicrobial- resistant *Campylobacter* species from retail raw meats. Appl. Environ. Microbiol. 69, 3005-3007
- Gibreel, A., Kos, V.N., Keelan, M., Trieber, C.A., Levesque, S., Michaud, S. and Taylor, D.E. (2005): Macrolide resistance in *Campylobacter jejuni* and *Campylobacter coli*: molecular mechanism and stability of the resistance phenotype. Antimicrob. Agents Chemother. 49, 2753-2759

Gibreel, A., Skold, O. and Taylor, D.E. (2004a): Characterization of plasmid- mediated aphA- 3 kanamycin resistance in *Campylobacter jejuni*. *Microb. Drug Resist.* 10, 98-105

Gibreel, A., Tracz, D.M., Nonaka, L., Ngo, T.M., Connell, S.R. and Taylor, D.E. (2004b): Incidence of antibiotic resistance in *Campylobacter jejuni* isolated in Alberta, Canada, from 1999 to 2002, with special reference to tet(O)- mediated tetracycline resistance. *Antimicrob. Agents Chemother.* 48, 3442-3450

Gilbert, C. and Slavik, M. (2004): Determination of toxicity of *Campylobacter jejuni* isolated from humans and from poultry carcasses acquired at various stages of production. *J. Appl. Microbiol.* 97, 347-353

Glünder, G. (1993): *Campylobacter-* Infektionen beim Geflügel- Epizoologie, Bedeutung und Bekämpfungsmöglichkeiten. *Arch. Geflügelk.* 57, 241-248

Glünder, G., Neumann, U, Braune, S., Prüter, J., Petersen, S. und Vauk, G. (1991): Zum Vorkommen von *Campylobacter* spp. und *Salmonella* spp. bei Möwen in Norddeutschland. *Dtsch. tierärztl. Wschr.* 98, 152-155

Goode, D., Allen, V.M. and Barrow, P.A. (2003): Reduction of experimental *Salmonella* and *Campylobacter* contamination of chicken skin by application of lytic bacteriophages. *Appl. Environ. Microbiol.* 69, 5032-5036

Green, C.G., Krause, D. and Wylie, J. (2006): Spatial analysis of *Campylobacter* infection in the Canadian province of Manitoba. *Int. J. Health Geogr.* 5, 2

Gregory, E., Barnhart, H., Dreesen, D.W., Stern, N.J. and Corn, J.L. (1997): Epidemiological study of *Campylobacter* spp. in broilers: source, time of colonization, and prevalence. *Avian Dis.* 41, 890-898

Griffiths, P.L. (1993): Morphological changes of *Campylobacter jejuni* growing in liquid culture. *Lett. Appl. Microbiol.* 17, 152-155

Griggs, D.J., Johnson, M.M., Frost, J.A., Humphrey, T., Jorgensen, F. and Piddock, L.J. (2005): Incidence and mechanism of ciprofloxacin resistance in *Campylobacter* spp. isolated from commercial poultry flocks in the United Kingdom before, during, and after fluoroquinolone treatment. *Antimicrob. Agents Chemother.* 49, 699-707

Gun-Munro, J., Rennie, R.P., Thornley, J.H., Richardson, H.L., Hodge, D. and Lynch, J. (1987): Laboratory and clinical evaluation of isolation media for *Campylobacter jejuni*. *J. Clin. Microbiol.* 25, 2274-2277

- Gupta, A., Nelson, J.M., Barrett, T.J., Tauxe, R.V., Rossiter, S.P., Friedman, C.R., Joyce, K.W., Smith, K.E., Jones, T.F., Hawkins, M.A., Shiferaw, B., Beebe, J.L., Vugia, D.J., Rabatsky- Ehr, T., Benson, J.A., Root, T.P. and Angulo, F.J.; NARMS Working Group. (2004): Antimicrobial resistance among *Campylobacter* strains, United States, 1997- 2001. *Emerg. Infect. Dis.* 10, 1102-1109
- Hänel, I., Müller, J., Müller, W. and Schulze, F. (2004): Correlation between invasion of Caco- 2 eukaryotic cells and colonization ability in the chick gut in *Campylobacter jejuni*. *Vet. Microbiol.* 101, 75-83
- Hänninen, M.L., Perko- Mäkelä, P., Rautelin, H., Duim, B. and Wagenaar, J.A. (2001): Genomic relatedness within five common Finnish *Campylobacter jejuni* pulsed- field gel electrophoresis genotypes studied by amplified fragment length polymorphism analysis, ribotyping, and serotyping. *Appl. Environ. Microbiol.* 67, 1581-1586
- Halbert, L.W., Kaneene, J.B., Mansfield, L.S., Ruegg, P.L., Warnick, L.D., Wells, S.J., Fossler, C.P., Campbell, A.M. and Geiger- Zwald, A.M. (2005): Comparison of automated microbroth dilution and agar dilution for antimicrobial susceptibility of *Campylobacter jejuni* isolated from dairy sources. *J. Appl. Chemother.* 56, 686-691
- Hald, B., Skovgard, H., Bang, D.D., Pedersen, K., Dybdahl, J., Jespersen, J.B. and Madsen, M. (2004): Flies and *Campylobacter* infection of broiler flocks. *Emerg. Infect. Dis.* 10, 1490-1492
- Hansson, I., Ederoth, M., Andersson, L., Vågsholm, I. and Olsson Engvall, E. (2005): Transmission of *Campylobacter* spp. to chickens during transport to slaughter. *Appl. Environ. Microbiol.* 99, 1149-1157
- Hartung, M. (2005): Ergebnisse der Zoonosenerhebungen 2004 bei Lebensmitteln. Ergebnisprotokoll der 58. Arbeitstagung des Arbeitskreises der auf dem Gebiet der Lebensmittelhygiene und der vom Tier stammenden Lebensmittel tätigen Sachverständigen (ALTS) vom 14.-16.06.2005 in Berlin, 102-121
- Hein, I., Schneck, C., Knögler, M., Feierl, G., Pless, P., Köfer, J., Achmann, R. and , M. (2003): *Campylobacter jejuni* isolated from poultry and humans in Styria, Austria: epidemiology and ciprofloxacin resistance. *Epidemiol. Infect.* 130, 377-386
- Helms, M., Simonsen, J., Olsen, K.E. and Molbak, K. (2005): Adverse health events associated with antimicrobial drug resistance in *Campylobacter* species: a registry-based cohort study. *J. Infect. Dis.* 191, 1050-1055

- Heres, L., Engel, B., Urlings, H.A.P., Wagenaar, J.A. and van Knapen, F. (2004): Effect of acidified feed on susceptibility of broiler chickens to intestinal infection by *Campylobacter* and *Salmonella*. *Vet. Microbiol.* 99, 259-267
- Heuer, O.E., Pedersen, K., Andersen, J.S. and Madsen, M. (2001): Prevalence and antimicrobial susceptibility of thermophilic *Campylobacter* in organic and conventional broiler flocks. *Lett. Appl. Microbiol.* 33, 269-274
- Hiett, K.L., Stern, N.J., Fedorka-Cray, P., Cox, N.A., Musgrove, M.T. and Ladely, S. (2002): Molecular subtype analyses of *Campylobacter* spp. from Arkansas and California poultry operations. *Appl. Environ. Microbiol.* 68, 6220-6236
- Hinton, A.Jr. and Ingram, K.D. (2005): Microbicidal activity of tripotassium phosphate and fatty acids towards spoilage and pathogenic bacteria associated with poultry. *J. Food Prot.* 68, 1462-1466
- Höök, H., Fattah, M.A., Ericsson, H., Vågsholm, I. and Danielsson-Tham, M.L. (2005): Genotype dynamics of *Campylobacter jejuni* in broiler flock. *Vet. Microbiol.* 106, 109-117
- Hopkins, K.L., Desai, M., Frost, J.A., Stanley, J. and Logan, J.M.J. (2004): Fluorescent amplified fragment length polymorphism genotyping of *Campylobacter jejuni* and *Campylobacter coli* strains and its relationship with host specificity, serotyping, and phage typing. *J. Clin. Microbiol.* 42, 229-235
- Horman, A., Rimhanen-Finne, R., Maunula, L., von Bonsdorff, C.H., Torvela, N., Heikinheimo, A. and Hanninen, M.L. (2004): *Campylobacter* spp., *Gardia* spp., *Cryptosporidium* spp., noroviruses, and indicator organisms in surface water in southwestern Finland, 2000-2001. *Appl. Environ. Microbiol.* 70, 87-95
- Hu, L. and Hickey, T.E. (2005): *Campylobacter jejuni* induces secretion of proinflammatory chemokines from human intestinal epithelial cells. *Infect. Immun.* 73, 4437-4440
- Hu, L., Raybourne, R.B. and Kopecko, D.J. (2005): Ca²⁺ release from host intracellular stores and related signal transduction during *Campylobacter jejuni* 81-176 internalization into human intestinal cells. *Microbiol.* 151, 3097-3105
- Hubalek, Z. (2004): An annotated checklist of pathogenic microorganisms associated with migratory birds. *J. Wildl. Dis.* 40, 639-659
- Hudock, J.F., Borger, A.C. and Kaspar, C.W. (2005): Temperature-dependent genome degeneration in the coccoid form of *Campylobacter jejuni*. *Curr. Microbiol.* 50, 110-113

- Hugdahl, M.B., Berry, J.T. and Doyle, M.P. (1988): Chemotactic behavior of *Campylobacter jejuni*. Infect. Immun. 56, 1560-1566
- Hughes, R.A.C. and Cornblath, D.R. (2005): Guillain- Barré syndrome. Lancet 366, 1653-1666
- Humphrey, T.J., Jorgensen, F., Frost, J.A., Wadda, H., Domingue, G., Elviss, N.C., Griggs, D.J. and Piddock, L.J. (2005): Prevalence and subtypes of ciprofloxacin-resistant *Campylobacter* spp. in commercial poultry flocks before, during, and after treatment with fluoroquinolones. Antimicrob. Agents Chemother. 49, 690-698
- Humphrey, T.J., Henley, A. and Lanning, D.G. (1993): The colonization of broiler chickens with *Campylobacter jejuni*: some epidemiological investigations. Epidemiol. Infect. 110, 601-607
- Humphrey, T.J. (1989): An appraisal of the efficacy of pre- enrichment for the isolation of *Campylobacter jejuni* from water and food. J. Appl. Bacteriol. 66, 119-126
- Hunt, J.M. (1992): *Campylobacter*. In: Food and Drug Administration Bacteriological Analytical Manual, 7th edition. AOAC, Arlington, VA, 77-94
- Hutchinson, D.N. and Bolton, F.J. (1984): Improved blood- free selective medium for the isolation of *Campylobacter jejuni* from faecal specimens. J. Clin. Pathol. 37, 956-957
- Hwang, C.A. and Beuchat, L.R. (1995): Efficacy of a lactic acid/sodium benzoate wash solution in reducing bacterial contamination of raw chicken. Int. J. Food Microbiol. 27, 91-98
- Ibrahim, N.G., Zafar, A. and Hasan, R. (2004): Evaluation of frequency of isolation and trends in antibiotic resistance among *Campylobacter* isolates over 11 year period. J. Pak. Med. Assoc. 54, 291-294
- Inglis, G.D., Kalischuk, L.D., Busz, H.W. and Kastelic, J.P. (2005): Colonization of cattle intestines by *Campylobacter jejuni* and *Campylobacter lanienae*. Appl. Environ. Microbiol. 71, 5145-5153
- Ishihara, K., Yamamoto, T., Satake, S., Takayama, S., Kubota, S., Negishi, H., Kojima, A., Asai, T., Sawada, T., Takahashi, T. and Tamura, Y. (2006): Comparison of *Campylobacter* isolated from humans and food- producing animals in Japan. J. Appl. Microbiol. 100, 153-160
- Ishihara, K., Kira, T., Ogikubo, K., Morioka, A., Kojima, A., Kijima- Tanaka, M., Takahashi, T. and Tamura, Y. (2004): Antimicrobial susceptibilities of *Campylobacter*

isolated from food- producing animals on farms (1999- 2001): results from the Japanese veterinary antimicrobial resistance monitoring program. Int. J. Antimicrob. Agents 24, 261-267

Ismaeel, A.Y., Senok, A.C., Bindayna, K.M., Bakhet, M., Al Mahmeed, A., Yousif, A.Q., and Botta, G.A. (2005): Effect of antibiotic sub inhibitory concentration on cytolethal distending toxin production by *Campylobacter jejuni*. J. Infect. 51, 144-149

Izat, A.L., Gardner, F.A., Denton, J.H. and Golan, F.A. (1988): Incidence and level of *Campylobacter jejuni* in broiler processing. Poult. Sci. 67, 1568-1572

Jacobs- Reitsma, W. (2000): *Campylobacter* in the food supply. In: I. Nachamkin and M.J. Blaser (editors), *Campylobacter*, 2nd Edition, American Society for Microbiology, Washington, D.C., 467-481

Jacobs- Reitsma, W.F., van de Giessen, A.W., Bolder, N.M. and Mulder, R.W.A.W. (1995): Epidemiology of *Campylobacter* spp. at two Dutch broiler farms. Epidemiol. Infect. 114, 413-421

Jacobs- Reitsma, W.F. (1994): *Campylobacter* and *Salmonella* in breeder flocks. In: W.F. Jacobs- Reitsma (editor), Epidemiologie of *Campylobacter* in poultry, ID- DLO, Beekbergen, 25-32

Jacobs- Reitsma, W.F., Bolder, N.M. and Mulder, R.W.A.W. (1994): Cecal Carriage of *Campylobacter* and *Salmonella* in Dutch broiler flocks at slaughter: a one- year study. Poult. Sci. 73, 1260-1266

Jain, D., Sinha, S., Prasad, K.N. and Pandrey, C.M. (2005): *Campylobacter* species and drug resistance in a north Indian rural community. Trans. R. Soc. Trop. Med. Hyg. 99, 207-214

Jesse, T.W., Englen, M.D., Pittenger- Alley, L.G. and Fedorka- Cray, P.J. (2006): Two distinct mutations in *gyrA* lead to ciprofloxacin and nalidixic resistance in *Campylobacter coli* and *Campylobacter jejuni* isolated from chickens and beef cattle. J. Appl. Microbiol. 100, 682-688

Jørgensen, F., Bailey, R., Williams, S., Henderson, P., Wareing, D.R.A., Bolton, F.J., Frost, J.A., Ward, L. and Humphrey, T.J. (2002): Prevalence and numbers of *Salmonella* and *Campylobacter* spp. on raw, whole chickens in relation to sampling methods. Int. J. Food. Microbiol. 76, 151-164

Kärenlampi, R. and Hänninen, M.L. (2004): Survival of *Campylobacter jejuni* on various fresh produce. Int. J. Food Microbiol. 97, 187-195

- Karlyshev, A.V., Ketley, J.M. and Wren, B.W. (2005): The *Campylobacter jejuni* glycome. FEMS Microbiol. Rev. 29, 377-390
- Karmali, M.A., Simor, A.E., Roscoe, M., Fleming, P.C., Smith, S.S. and Lane, J. (1986): Evaluation of a blood- free, charcoal- based, selective medium for the isolation of *Campylobacter* organisms from feces. J. Clin. Microbiol. 23, 456-459
- Kollowa, T. und Kollowa, C. (1989): Vorkommen und Überlebensverhalten von *Campylobacter jejuni* auf der Schalenoberfläche von Hühnereiern. Mh. Vet.- Med. 44, 63-65
- Konkel, M.E., Christensen, J.E., Keech, A.M., Monteville, M.R., Klena, J.D. and Garvis, S.G. (2005): Identification of a fibronectin- binding domain within the *Campylobacter jejuni* CadF protein. Mol. Microbiol. 57, 1022-1035
- Konkel, M.E., Klena, J.D., Rivera- Amill, V., Montevill, M.R., Biswas, D., Raphael, B. and Mickelson, J. (2004): Secretion of virulence proteins from *Campylobacter jejuni* is dependent on a functional flagellar export apparatus. J. Bacteriol. 186, 3296-3303
- Kordinas, V., Nicolaou, C., Ioannidis, A., Papvasileiou, E., John Legakis, N. and Chatzipanagiotou, S. (2005): Prevalence of four virulence genes in *Campylobacter jejuni* determined by PCR and sequence analysis. Mol. Diagn. 9, 211-215
- Korolik, V., Alderton, M.R., Smith, S.C., Chang, J. and Coloe, P.J. (1998): Isolation and molecular analysis of colonising and non- colonising strains of *Campylobacter jejuni* and *Campylobacter coli* following experimental infection of young chickens. Vet. Microbiol. 60, 239-249
- Krausse, R. and Ullmann, U. (2003): In vitro activities of new fluoroquinolones against *Campylobacter jejuni* and *Campylobacter coli* isolates obtained from humans in 1980 to 1982 and 1997 to 2001. Antimicrob. Agents Chemother. 47, 2946-2950
- Kuusi, M., Nuorti, J.P., Hanninen, M.L., Koskela, M., Jussila, V., Kela, E., Miettinen, I. and Ruutu, P. (2005): A large outbreak of Campylobacteriosis associated with a municipal water supply in Finland. Epidemiol. Infect. 133, 593-601
- Lachance, N., Gaudreau, C., Lamothe, F. and Turgeon, F. (1993): Susceptibilities of β -lactamase- positive and -negative strains of *Campylobacter coli* to β - lactam agents. Antimicrob. Agents Chemother. 37, 1174-1176
- Lachance, N., Gaudreau, C., Lamothe, F. and Larivière, L.A. (1991): Role of β -lactamase of *Campylobacter jejuni* in resistance to β - lactam agents. Antimicrob. Agents Chemother. 35, 813-818

- LaGier, M.J., Joseph, L.A., Passaretti, T.V., Musser, K.A. and Cirino, N.M. (2004): A real-time multiplexed PCR assay for rapid detection and differentiation of *Campylobacter jejuni* and *Campylobacter coli*. Mol. Cell. Probes 18, 275-282
- Lauwers, S., de Boeck, M. and Butzler, J.P. (1978): *Campylobacter enteritis* in Brussels. Lancet i, 604-605
- Lee, A., Smith, S.C. and Coloe, P.J. (1998): Survival and growth of *Campylobacter jejuni* after artificial inoculation onto chicken skin as a function of temperature and packaging conditions. J. Food Prot. 61, 1609-1614
- Lee, M., Sebranek, J.G., Olson, D.G. and Dickson, J.S. (1995): Irradiation and packaging of fresh meat and poultry. J. Food Prot. 59, 62-72
- Lee, R.B., Hassane, D.C., Cottle, D.L. and Pickett, C.L. (2003): Interactions of *Campylobacter jejuni* cytolethal distending toxin subunits CdtA and CdtC with HeLa cells. Infect. Immun. 71, 4883-4890
- Lehtopolku, M., Hakanen, A.J., Siitonen, A., Huovinen, P. and Kotilainen, P. (2005): In vitro activities of 11 fluoroquinolones against 226 *Campylobacter jejuni* strains isolated from Finnish patients, with special reference to ciprofloxacin resistance. J. Antimicrob. Chemother. 56, 1134-1138
- Leirisalo- Repo, M. (2005): Early arthritis and infection. Curr. Opin. Rheumatol. 17, 433-439
- Lillehaug, A. Monceyron, Jonassen, C., Bergsjo, B., Hofshagen, M., Tharaldsen, J., Nesse, L.L. and Handeland, K. (2005): Screening of feral pigeon (*Columba livia*), mallard (*Anas platyrhynchos*) and graylag goose (*Anser anser*) populations for *Campylobacter* spp., *Salmonella* spp., avian influenza virus and avian paramyxovirus. Acta Vet. Scand. 46, 193-202
- Lin, J., Cagliero, C., Guo, B., Barton, Y.W., Maurel, M.C., Payot, S. and Zhang, Q. (2005): Bile salts modulate expression of the CmeABC multidrug efflux pump in *Campylobacter jejuni*. J. Bacteriol. 187, 7417-7424
- Lin, J., Sahin, O., Michel, L.O. and Zhang, Q. (2003): Critical role of multidrug efflux pump CmeABC in bile resistance and in vivo colonization of *Campylobacter jejuni*. Infect. Immun. 71, 4250-4259
- Lindblom, G.B., Kaijser, B. and Sjögren, E. (1989): Enterotoxin production and serogroups of *Campylobacter jejuni* and *Campylobacter coli* from patients with diarrhea and from healthy laying hens. J. Clin. Microbiol. 27, 1272-1276

- Lindstedt, B.A., Heir, E., Vardund, T., Melby, K.K. and Kapperud, G. (2000): Comparative fingerprinting analysis of *Campylobacter jejuni* subsp. *jejuni* strains by amplified- fragment lenght polymorphism genotyping. J. Clin. Microbiol. 38, 3379-3387
- Lior, H., Woodward, D.L., Edgar, J.A., Laroche, L.J. and Gill, P. (1982): Serotyping of *Campylobacter jejuni* by slide agglutination based on heat- labile antigenic factors. J. Clin. Microbiol. 15, 761-768
- Loewenherz- Lüning, K., Heitmann, M. und Hildebrandt, G. (1996): Untersuchungen zum Vorkommen von *Campylobacter jejuni* in verschiedenen Lebensmitteln tierischen Ursprungs. Fleischwirtschaft 76, 958-961
- Lovett, J., Francis, D.W. and Hunt, J.M. (1983): Isolation of *Campylobacter jejuni* from raw milk. Appl. Environ. Microbiol. 46, 459-462
- Luber, P., Brynestad, S., Topsch, D., Scherer, K. and Bartelt, E. (2006): Quantification of *Campylobacter* species cross- contamination during handling of contaminated fresh chicken parts in kitchens. Appl. Environ. Microbiol. 72, 66-70
- Luber, P., Bartelt, E., Genschow, E., Wagner, J. and Hahn, H. (2003a): Comparison of broth dilution , E test, and agar dilution methods for antibiotic susceptibility testing of *Campylobacter jejuni* and *Campylobacter coli*. J. Clin. Microbiol. 41, 1062-1068
- Luber, P., Wagner, J., Hahn, H. and Bartelt, E. (2003b): Antimicrobial resistance in *Campylobacter jejuni* and *Campylobacter coli* strains isolated in 1991 and 2001- 2002 from poultry and humans in Berlin, Germany. Antimicrob. Agents Chemother. 47, 3825-3830
- Luechtefeld, N.W., Wang, W.L., Blaser, M.J. and Reller, L.B. (1981): Evaluation of transport and storage techniques for isolation of *Campylobacter fetus* subsp. *jejuni* from turkey cecal specimens. J. Clin. Microbiol. 13, 438-443
- Luo, N., Pereira, S., Sahin, O., Lin, J., Huang, S., Michel, L. and Zhang, Q. (2005): Enhanced in vivo fitness of fluoroquinolone- resistant *Campylobacter jejuni* in the absence of antibiotic selection pressure. Proc. Natl. Acad. Sci. USA 102, 541-546
- Mac Callum, A., Hardy, S.P. and Everest, P.H. (2005): *Campylobacter jejuni* inhibits the absorptive transport functions of Caco- 2 cells and disrupts cellular tight junctions. Microbiol. 151, 2451-2458
- Macuch, P.J. and Tanner, A.C. (2000): *Campylobacter* species in health, gingivitis, and periodontitis. J. Dental Research. 79, 785-792

- Mamelli, L., Prouzet- Mauleon, V., Pages, J.M., Megraud, F. and Bolla, J.M. (2005): Molecular basis of macrolide resistance in *Campylobacter*: role of efflux pumps and target mutations. *J. Antimicrob. Chemother.* 56, 491-497
- Manning, G., Dowson, C.G., Bagnall, M.C., Ahmed, I.H., West, M. and Newell, D.G. (2003): Multilocus sequence typing for comparison of veterinary and human isolates of *Campylobacter jejuni*. *Appl. Environ. Microbiol.* 69, 6370-6379
- Manning, G., Duim, B., Wassenaar, T., Wagenaar, J.A., Ridley, A. and Newell, D.G. (2001): Evidence for a genetically stable strain of *Campylobacter jejuni*. *Appl. Environ. Microbiol.* 67, 1185-1189
- Martinez- Rodriguez, A. and Mackey, B.M. (2005): Factors affecting the pressure resistance of some *Campylobacter* species. *Lett. Appl. Microbiol.* 41, 321-326
- Mateo, E., Carcamo, J., Urquijo, M., Perales, I., Fernandes- Astorga, A. (2005): Evaluation of a PCR assay for the detection and identification of *Campylobacter jejuni* and *Campylobacter coli* in retail poultry products. *Res. Microbiol.* 156, 568-574
- McIver, C., Hogan, T., White, P. and Tapsall, J. (2004): Patterns of quinolone susceptibility in *Campylobacter jejuni* associated with different gyrA mutations. *Pathology* 36, 166-169
- McSweeney, E. and Walker, R.I. (1986): Identification and characterisation of two *Campylobacter jejuni* adhesins for cellular and mucos substrates. *Infect. Immun.* 53, 141-148
- Medema, G.J., Schets, F.M., van de Giessen, A.W. and Havelaar, A.H. (1992): Lack of colonization of 1 day old chicks by viable, non- culturable *Campylobacter jejuni*. *J. Appl. Bacteriol.* 72, 512-516
- Meerburg, B.G., Jacobs- Reitsma, W.F., Wagenaar, J.A. and Kijlstra, A. (2006): Presence of *Salmonella* and *Campylobacter* spp. in wild small mammals on organic farms. *Appl. Environ. Microbiol.* 72, 960-962
- Meldrum, R.J., Griffiths, J.K., Smith, R.M. and Evans, M.R. (2005): The seasonality of human *Campylobacter* infection and *Campylobacter* isolates from fresh, retail chicken in Wales. *Epidemiol. Infect.* 133, 49-52
- Michaud, S., Menard, S. and Arbeit, R.D. (2004): Campylobacteriosis, Eastern Townships, Quebec. *Emerg. Infect. Dis.* 10, 1844-1847

- Michaud, S., Menard, S., Gaudreau, C. and Arbeit, R.D. (2001): Comparison of *Sma*I-defined genotypes of *Campylobacter jejuni* examined by *Kpn*I: a population- based study. *J. Med. Microbiol.* 50, 1075-1081
- Miller, W.G., On, S.L., Wang, G., Fontanoz, S., Lastovica, A.J. and Mandrell, R.E. (2005): Extended multilocus sequence typing system for *Campylobacter coli*, *C. lari*, *C. upsaliensis*, and *C. helveticus*. *J. Clin. Microbiol.* 43, 2315-2329
- Mirelis, B., Llovet, T., Muñoz, C., Navarro, F. and Prats, G. (1999): Resistance of *Salmonella* and *Campylobacter* species to antimicrobial agents. *Eur. J. Clin. Microbiol. Infect. Dis.* 18, 312
- Mohammed, K.A., Miles, R.J. and Halablab, M.A. (2005): Simple method to grow enteric *Campylobacters* in unsupplemented liquid medium without the need for microaerophilic kits. *J. Microbiol. Methods* 61, 273-276
- Mohammed, K.A., Miles, R.J. and Halablab, M.A. (2004): The pattern and kinetics of substrate metabolism of *Campylobacter jejuni* und *Campylobacter coli*. *Lett. Appl. Microbiol.* 39, 261-266
- Müller, A.E. and Müller, H.E. (1997): Comparative investigation of selective media for *Campylobacter*. *Clin. Lab.* 43, 263-268
- Nachamkin, I., Yang, X. and Stern, N.J. (1993): Role of *Campylobacter jejuni* flagella as colonization factors for three- day- old chicks: analysis with flagellar mutants. *Appl. Environ. Microbiol.* 59, 1269-1273
- Nannapaneni, R., Story, R., Wiggins, K.C. and Johnson, M.G. (2005): Concurrent quantitation of total *Campylobacter* and total ciprofloxacin- resistant *Campylobacter* loads in rinses from retail raw chicken carcasses from 2001 to 2003 by direct plating at 42°C. *Appl. Environ. Microbiol.* 71, 4510-4515
- Nauta, M., van der Fels- Klerx, I. and Havelaar, A. (2005): A poultry- processing model for quantitative microbiological risk assessment. *Risk. Anal.* 25, 85-98
- Nelson, J.M., Smith, K.E., Vugia, D.J., Rabatsky- Ehr, T., Segler, S.D., Kassenborg, H.D., Zansky, S.M., Joyce, K., Marano, N., Hoekstra, R.M. and Angulo, F.J. (2004): Prolonged diarrhea due to ciprofloxacin- resistant *Campylobacter* infection. *J. Infect. Dis.* 190, 1150-1157
- Newell, D.G. and Fearnley, C. (2003): Sources of *Campylobacter* colonization in broiler chickens. *Appl. Environ. Microbiol.* 69, 4343-4351

- Newell, D.G., Shreeve, J.E., Toszeghy, M., Doningue, G. Bull, S., Humphrey, T. and Mead, G. (2001): Changes in the carriage of *Campylobacter* strains by poultry carcasses during processing in abattoirs. *Appl. Environ. Microbiol.* 67, 2636-2640
- Nichols, G.L. (2005): Fly transmission of *Campylobacter*. *Emerg. Infect. Dis.* 11, 361-364
- Nielsen, E.M., Fussing, V., Engberg, J., Nielsen, N.L. and Neimann, J. (2005): Most *Campylobacter* subtypes from sporadic infections can be found in retail poultry products and food animals. *Epidemiol. Infect.* 29, 1-10
- Nielsen, E.M., Engberg, J. and Madsen, M. (1997): Distribution of serotypes of *Campylobacter jejuni* and *C. coli* from Danish patients, poultry, cattle and swine. *FEMS Immunol. Med. Microbiol.* 19, 47-56
- Nygard, K., Gondrosen, B. and Lund, V. (2004): Water- borne disease outbreaks in Norway. *Tidsskr. Nor. Laegeforen* 123, 3410-3413
- Obiri- Danso, K., Paul, N. and Jones, K. (2001): The effects of UVB and temperature on the survival of natural populations and pure cultures of *Campylobacter jejuni*, *Camp. coli*, *Camp. lari* and urease- positive thermophilic *Campylobacters* (UPTC) in surface waters. *J. Appl. Microbiol.* 90, 256-267
- Oliveira, T.C., Barbut, S. and Griffiths, M.W. (2005): A robotic DNA purification protocol and real- time PCR for the detection of *Campylobacter jejuni* in foods. *J. Food Prot.* 68, 2131-2135
- On, S.L.W. and Harrington, C.S. (2000): Identification of taxonomic and epidemiological relationships among *Campylobacter* species by numerical analysis of AFLP profiles. *FEMS Microbiol. Lett.* 193, 161-169
- On, S.L.W. and Holmes, B. (1995): Classification and identification of *Campylobacters*, *Helicobacters* and allied taxa by numerical analysis of phenotypic characters. *Syst. Appl. Microbiol.* 18, 374-390
- O'Reilly, L.C., Inglis, T.J. and Unicomb, L.; the Australien *Campylobacter* Subtyping Study Group (2006): Australian multicentre comparison of subtyping methods for the investigation of *Campylobacter* infections. *Epidemiol. Infect.* 25, 1-12
- Oyarzabal, O.A., Conner, D.E. and Hoerr, F.J. (1995): Incidence of *Campylobacters* in the intestine of avian species in Alabama. *Avian Dis.* 39, 147-151
- Padungtod, P. and Kaneene, J.B. (2005): *Campylobacter* in food animals and humans in northern Thailand. *J. Food Prot.* 68, 2519-2526

- Papp- Szabo, E., Kanipes, M.I., Guerry, P. and Monteiro, M.A. (2005): Cell- surface alpha- glucan in *Campylobacter jejuni* 81-176. Carbohydr. Res. 340, 2218-2221
- Park, C.E. and Sanders, G.W. (1991): A sensitive enrichment procedure for the isolation of *Campylobacter jejuni* from frozen foods. In: Riuz- Palacois, G.M., Calva, F., Ruiz- Palacois, B.R. (Editors) *Campylobacter V*, Proc 5th International Workshop of *Campylobacter* Infections, National Institute of Nutrition, Puerto Vallarta, Mexico, 102.
- Park, C.E., Stankiewicz, Z.K., Lovett, J. and Hunt, J. (1981): Incidence of *Campylobacter jejuni* in fresh eviscerated whole chickens. Can. J. Microbiol. 27, 841-842
- Patrick, M.E., Christiansen, L.E., Wainø, M., Ethelberg, S., Madsen, H. and Wegener, H.C. (2004): Effects of climate on incidence of *Campylobacter* spp. in humans and prevalence in broiler flocks in Denmark. Appl. Environ. Microbiol. 70, 7474-7480
- Patterson, M.F. (1995): Sensitivity of *Campylobacter* spp. to irradiation in poultry meat. Lett. Appl. Microbiol. 20, 338-340
- Payne, R.E., Lee, M.D., Dreesen, D.W. and Barnhart, H.M. (1999): Molecular epidemiology of *Campylobacter jejuni* in broiler flocks using randomly amplified polymorphic DNA- PCR and 23S rRNA- PCR and role of litter in its transmission. Appl. Environ. Microbiol. 65, 260-263
- Pearson, A.D., Greenwood, M., Healing, T.D., Rollins, D., Shahamat, M., Donaldson, J. and Colwell, R.R. (1993): Colonization of broiler chickens by waterborne *Campylobacter jejuni*. Appl. Environ. Microbiol. 59, 987-996
- Penner, J.L. and Hennessy, J.N. (1980): Passive hemagglutination technique for serotyping *Campylobacter fetus* subsp. *jejuni* on the basis of soluble heat- stable antigens. J. Clin. Microbiol. 12, 732-737
- Persson, S. and Olsen, K.E. (2005): Multiplex PCR for identification of *Campylobacter coli* and *Campylobacter jejuni* from pure cultures and directly on stool samples. J. Med. Microbiol. 54, 1043-1047
- Petersen, L. and Wedderkopp, A. (2001): Evidence that certain clones of *Campylobacter jejuni* persist during successive broiler flock rotations. Appl. Environ. Microbiol. 67, 2739-2745
- Petersen, L., Nielsen, E.M. and On, S.L.W. (2001): Serotype and genotype diversity and hatchery transmission of *Campylobacter jejuni* in commercial poultry flocks. Vet. Microbiol. 82, 141-154

- Pezzotti, G., Serafin, A., Luzzi, I., Mioni, R., Milan, M. and Perin, R. (2003): Occurrence and resistance to antibiotics of *Campylobacter jejuni* and *Campylobacter coli* in animals and meat in northeastern Italy. Int. J. Food Microbiol. 82, 281-287
- Pratt, A. and Korolik, V. (2005): Tetracycline resistance of Australian *Campylobacter jejuni* and *Campylobacter coli* isolates. J. Antimicrob. Chemother. 55, 452-460
- Prescott, J.F. and Gellner, O.S. (1984): Intestinal carriage of *Campylobacter jejuni* and *Salmonella* by chicken flocks at slaughter. Can. J. Comp. Med. 48, 329-331
- Price, L.B., Johnson, E., Vailes, R. and Silbergeld, E. (2005): Fluoroquinolone-resistant *Campylobacter* isolates from conventional and antibiotic-free chicken products. Environ. Health Perspect. 113, 557-560
- Pschyrembel, W. (1994): Klinisches Wörterbuch. 257. Auflage, Walter de Gruyter, Berlin, New York, 79
- Ramabu, S.S., Boxall N.S., Madie, P. and Fenwick, S.G. (2004): Some potential sources for transmission of *Campylobacter jejuni* to broiler chickens. Lett. Appl. Microbiol. 39, 252-256
- Raphael, B.H., Pereira, S., Flom, G.A., Zhang, Q., Ketley, J.M. and Konkel, M.E. (2005): The *Campylobacter jejuni* response regulator, CbrR, modulates sodium deoxycholate resistance and chicken colonization. J. Bacteriol. 187, 3662-3670
- Rasschaert, G., Houf, K., Van Hende, J. and De Zutter, L. (2006): *Campylobacter* contamination during poultry slaughter in Belgium. J. Food Prot. 69, 27-33
- Rastall, R.A. (2004): Bacteria in the gut: friends and foes and how to alter the balance. J. Nutr. 134, 2022S-2026S
- Rautelin, H., Jusufovic, J. and Hanninen, M.L. (1999): Identification of hippurate-negative thermophilic *Campylobacters*. Diagn. Microbiol. Infect. Dis. 35, 9-12
- Refrégier- Petton, J., Rose, N., Denis, M. and Salvat, G. (2001): Risk factors for *Campylobacter* spp. contamination in French broiler-chicken flocks at the end of the rearing period. Prev. Vet. Med. 50, 89-100
- Ring, M., Zychowska, M.A. and Stephan, R. (2005): Dynamics of *Campylobacter* spp. spread investigated in 14 broiler flocks in Switzerland. Avian Dis. 49, 390-396
- Ringoir, D.D. and Korolik, V. (2003): Colonisation phenotype and colonisation potential differences in *Campylobacter jejuni* strains in chickens before and after passage in vivo. Vet. Microbiol. 92, 225-235

Rivoal, K., Ragimbeau, C., Salvat, G., Colin, P. and Ermel, G. (2005): Genomic diversity of *Campylobacter coli* and *Campylobacter jejuni* isolates recovered from free-range broiler farms and comparison with isolates of various origins. *Appl. Environ. Microbiol.* 71, 6216-6227

RKI (Robert Koch Institut) (2006): Aktuelle Statistik meldepflichtiger Infektionskrankheiten. *Epidemiol. Bulletin* 3, 26-27

RKI (Robert Koch Institut) (2005): RKI- Ratgeber Infektionskrankheiten - Merkblätter für Ärzte. www.rki.de/cln_006/nr_226738/DE/Content/Infekt/EpiBull/Merkblaetter/Ratgeber_Mbl_Campylobacter.html

RKI (Robert Koch Institut) (2000): Zwei Gastroenteritis- Ausbrüche durch *Campylobacter jejuni* nach dem Genuss von Rohmilch. *Epidemiol. Bulletin* 18, 143-145

Robinson, D.A. (1981): Infective dose of *Campylobacter jejuni* in milk. *Brit. Med. J.* 282, 1584

Rönner, A.C., Olssen Engvall, E., Andersson, L. and Kaijser, B. (2004): Species identification by genotyping and determination of antibiotic resistance in *Campylobacter jejuni* and *Campylobacter coli* from humans and chickens in Sweden. *Int. J. Food Microbiol.* 96, 173-179

Rosenquist, H., Sommer, H.M., Nielsen, N.L. and Christensen, B.B. (2006): The effect of slaughter operations on the contamination of chicken carcasses with thermotolerant *Campylobacter*. *Int. J. Food Microbiol.* 108, 226-232

Rozynek, E., Dzierzanowska- Fangrat, K., Jozwiak, P., Popowski, J., Korsak, D. and Dzierzanowska, D. (2005): Prevalence of potential virulence markers in Polish *Campylobacter jejuni* and *Campylobacter coli* isolates obtained from hospitalized children and from chicken carcasses. *J. Med. Microbiol.* 54, 615-619

Ruiz, J., Moreno, A., Jimenez de Anta, M.T. and Vila, J. (2005): A double mutation in the *gyrA* gene is necessary to produce high levels of resistance to moxifloxacin in *Campylobacter* spp. clinical isolates. *Int. J. Antimicrob. Agents* 25, 542-545

Ruiz- Palcios, G.M., Torres, J., Torres, N.I., Escamilla, E., Ruiz- Palacios, B.R. and Tamayo, J. (1983): Cholera- like enterotoxin produced by *Campylobacter jejuni*. Characterisation and clinical significance. *Lancet* 2, 250-253

Russa, A.D., Bouma, A., Vernooij, J.C.M., Jacobs- Reitsma, W. and Stegeman, J.A. (2005): No association between partial depopulation and *Campylobacter* spp. colonization of Dutch broiler flocks. *Appl. Environ. Microbiol.* 41, 280-285

- Sandberg, M., Østensvik, Ø., Aunsmo, A.L., Skjerve, E. and Hofshagen, M. (2005): An evaluation of sampling- and culturing methods in the Norwegian action plan against *Campylobacter* in broilers. Int. J. Food Microbiol. 106, 313-317
- Sanéz, Y., Zarazaga, M., Lantero. M., Gastañares, M.J., Baquero, F. and Torres, C. (2000): Antibiotic resistance in *Campylobacter* strains isolated from animals, foods, and humans in spain in 1997-1998. Antimicrob. Agents Chemother. 44, 267-271
- Savelkoul, P.H.M., Aarts, H.J.M., de Haas, J., Dijkshoorn, L., Duim, B., Otsen, M., Rademaker, J.L.W., Schouls, L. and Lenstra, J.A. (1999): Amplified- fragment length polymorphism analysis: the state of an art. J. Clin. Microbiol. 37, 3083-3091
- Schmidt- Ott, R., Pohl, S., Burghard, S., Weig, M. and Gross, U. (2005): Identification and characterization of a major subgroup of conjugative *Campylobacter jejuni* plasmids. J. Infect. 50, 12-21
- Schouls, L.M., Reulen, S., Duim, B., Wagenaar, J.A., Willems, R.J.L., Dingle, K.E., Colles, F.M. and Van Embden, J.D.A. (2003): Comparative genotyping of *Campylobacter jejuni* by amplified fragment length polymorphism, multilocus sequence typing, and short repeat sequencing: strain diversity, host range, and recombination. J. Clin. Microbiol. 41, 15-26
- Sebald, M., and Véron, M. (1963): Teneur en bases de l'AND et classification des vibrions. Ann. Inst. Pasteur. 105, 897-910
- Shreeve, J.E., Toszeghy, M., Ridley, A. and Newell, D.G. (2002): The carry- over of *Campylobacter* isolates between sequential poultry flocks. Avian Dis. 46, 378-385
- Siemer, B.L., Nielsen, E.M. and On, S.L.W. (2005): Identification and molecular epidemiology of *Campylobacter coli* isolates from human gastroenteritis, food, and animal sources by amplified fragment length polymorphism analysis and Penner serotyping. Appl. Environ. Microbiol. 71, 1953-1958
- Siemer, B.L., Harrington, C.S., Nielsen, E.M., Borck, B., Nielsen, N.L., Engberg, J. and On, S.L.W. (2004): Genetic relatedness among *Campylobacter jejuni* serotyped isolates of diverse origin as determined by numerical analysis of amplified fragment length polymorphism (AFLP) profiles. J. Appl. Microbiol. 96, 795-802
- Sizemore, D.R., Warner, B., Lawrence, J., Jones, A. and Killeen, K.P. (2005): Live, attenuated *Salmonella typhimurium* vectoring *Campylobacter* antigens. Vaccine 24, 3793-3803
- Skirrow, M.B. (1977): *Campylobacter* enteritis: A "new" disease. Br. Med. J. 2, 9-11

- Skow, M.N., Spencer, A.G., Hald, B., Petersen, L., Nauerby, B., Cartensen B. and Madsen, M. (2004): The role of litter beetles as potential reservoir for *Salmonella enterica* and thermophilic *Campylobacter* spp. between broiler flocks. Avian Dis. 48, 9-18
- Snelling, W.J., McKenna, J.P., Lecky, D.M. and Dooley, J.S.G. (2005): Survival of *Campylobacter jejuni* in waterborne protozoa. Appl. Environ. Microbiol. 71, 5560-5571
- Solomon, E.B. and Hoover, D.G. (2004): Inactivation of *Campylobacter jejuni* by high hydrostatic pressure. Lett. Appl. Microbiol. 38, 505-509
- Soonthornchaikul, N., Garellick, H., Jones, H., Jacobs, J., Ball, D. and Choudhury, M. (2006): Resistance to three antimicrobial agents of *Campylobacter* isolated from organically- and intensively- reared chickens purchased from retail outlets. Int. J. Antimicrob. Agents 27, 125-130
- Stas, T. (1999): Experimental infection of chickens with *Campylobacter jejuni*: strains differ in their capacity to colonize the intestine. Avian Pathol. 28, 61-64
- Steele, T.W. and McDermott, S.N. (1984): The use of membrane filters applied directly to the surface of agar plates for the isolation of *Campylobacter jejuni* from feces. Path. 16, 263-265
- Stern, N.J., Svetoch, E.A., Eruslanov, B.V., Kovalev, Y.N., Volodina, L.I., Perelygin, V.V., Mitsevich, E.V., Mitsevich, I.P. and Levchuk, V.P. (2005): Paenibacillus polymyxa purified bacteriocin to control *Campylobacter jejuni* in chickens. J. Food Prot. 68, 1450-1453
- Stock, I., Machka, K., Rodloff, A. und Wiedemann, B. (2001): Qualitätssicherung und Qualitätskontrollen in der Antibiotika- Empfindlichkeitsbestimmung von Bakterien mit der Mikrodilution. Chemother. J. 3, 78-98
- Strother, K.O., Steelman, C.D. and Gbur, E.E. (2005): Reservoir competence of lesser mealworm (Coleoptera: Tenebrionidae) for *Campylobacter jejuni* (*Campylobacterales: Campylobacteraceae*). J. Med. Entomol. 42, 42-47
- Suerbaum, S., Lohrengel, M., Sonnevend, A., Ruberg, F. and Kist, M. (2001): Allelic diversity and recombination in *Campylobacter jejuni*. J. Bacteriol. 183, 2553-2559
- Svetoch, E.A., Stern, N.J., Eruslanov, B.V., Kovalev, Y.N., Volodina, L.I., Perelygin, V.V., Mitsevich, E.V., Mitsevich, I.P., Pokhilenco, V.D., Borzenkov, V.N., Levchuk, V.P., Svetoch, O.E. and Kudriavtseva, T.Y. (2005): Isolation of *Bacillus circulans* and *Paenibacillus polymyxa* strains inhibitory to *Campylobacter jejuni* and characterization of associated bacteriocins. J. Food Prot. 68, 11-17

Tajada, P., Gomez- Garces, J.L., Alós, J.I., Balas, D. and Cogollos, R. (1996): Antimicrobial susceptibilities of *Campylobacter jejuni* and *Campylobacter coli* to 12 β -lactam agents and combinations with β - lactamase inhibitors. *Antimicrob. Agents Chemother.* 40, 1924-1925

Takahashi, T., Ishihara, K., Kojima, A., Asai, T., Harada, K. and Tamura, Y. (2005): Emergence of fluoroquinolone resistance in *Campylobacter jejuni* in chickens exposed to enrofloxacin treatment at the inherent dosage licensed in Japan. *J. Vet. Med. B.* 52, 460-464

Takayama, S., Satake, S. and Ishihara, K. (2005): Antimicrobial susceptibility of *Campylobacter jejuni* and *Campylobacter coli* isolated from human diarrheic samples. *Kansenshogaku Zasshi* 79, 169-175

Tarkowski, J.A., Stoffer, S.C.C., Beumer, R.R. and Kampelmacher, E.H. (1984): Low dose gamma irradiation of raw meat. I. Bacteriological and sensory quality effects in artificially contaminated samples. *Int. J. Food Microbiol.* 13, 13-23

Tenover, F.C., Arbeit, R.D., Goering, R.V., Mickelsen, P.A., Murray, B.E., Persing, D.H., Swaminathan, B. (1995): Interpreting chromosomal DNA restriction patterns produced by pulsed- field gel electrophoresis: criteria for bacterial strain typing. *J. Clin. Microbiol.* 33, 2233-2239

Thakur, S. and Gebreyes, W.A. (2005): Prevalence and antimicrobial resistance of *Campylobacter* in antimicrobial- free and conventional pig production systems. *J. Food Prot.* 68, 2402-2410

Tholozan, J.L., Cappelier, J.M., Tissier, J.P., Delattre, G. and Federighi, M. (1999): Physiological characterization of viable- but- nonculturable *Campylobacter jejuni* cells. *Appl. Environ. Microbiol.* 65, 1110-1116

Thurm, V., Stark, R., Mäde, D., Fanghänel, S., Berger, W., Knobloch, H., Lange, D. (2000): Rohmilch als Ursache lebensmittelbedingter *Campylobacter*- Infektionen - infektionsepidemiologische Aspekte der Ursachenermittlung, Überwachung und Prävention bei Ausbrüchen durch *Campylobacter jejuni*. *Bundesgesundheitsbl.* 43, 777-780

Thurm, U. und Dinger, E. (1998): Lebensmittelbedingte *Campylobacter*infektionen. *Infektionsepidemiol. Forschung II*, 6-10

Thormar, H., Hilmarsson, H. and Bergsson, G. (2006): Stable concentrated emulsions of the 1- monoglyceride of capric acid (monocaprin) with microbial activities against the

food- borne bacteria *Campylobacter jejuni*, *Salmonella* spp., and *Escherichia coli*. Appl. Environ. Microbiol. 72, 522-526

Totten, P.A., Patton, C.M., Tenover, F.C., Barrett, T.J., Stamm, W.E., Steigerwalt, A.G., Lin, J.Y., Holmes, K.K. and Brenner, D.J. (1987): Prevalence and characterization of hippurate- negative *Campylobacter jejuni* in King County, Washington. J. Clin. Microbiol. 25, 1747-1752

Tracz, D.M., Keelan, M., Ahmed- Bentley, J., Gibreel, A., Kowalewska- Grochowska, K. and Taylor, D.E. (2005): pVir and bloody diarrhea in *Campylobacter jejuni* enteritis. Emerg. Infect. Dis. 11, 838-843

Triebel, C.A. and Taylor, D.E. (2000): Mechanisms of antibiotic resistance in *Campylobacter*. In: I. Nachamkin and M.J. Blaser (editors), *Campylobacter*, 2nd Edition, American Society for Microbiology, Washington, D.C., 441-454

Tsai, H.J. and Hsiang, P.H. (2005): The prevalence and antimicrobial susceptibilities of *Salmonella* and *Campylobacter* in ducks in Taiwan. J. Vet. Med. Sci. 76, 7-12

Uzoigwe, C. (2005): *Campylobacter* infections of the pericardium and myocardium. Clin. Microbiol. Infect. 11, 253-255

Vacher, S., Menard, A., Bernard, E., Santos, A. and Megraud, F. (2005): Detection of mutations associated with macrolide resistance in thermophilic *Campylobacter* spp. by real- time PCR. Microb. Drug Resist. 11, 40-47

Van Boven, M., Veldman, K.T., de Jong, M.C.M. and Mevius, D.J. (2003): Rapid selection of quinolone resistance in *Campylobacter jejuni* but not in *Escherichia coli* in individually housed broilers. J. Antimicrob. Chemother. 52, 719-723

Van der Auwera, P. and Scorneaux, B. (1985): In vitro susceptibility of *Campylobacter jejuni* to 27 antimicrobial agents and various combinations of β- lactams with clavulanic acid or sulbactam. Antimicrob. Agents Chemother. 28, 37-40

Van de Giessen, A.W., Tilburg, J.J.H.C., Ritmeester, W.S. and van der Plas, J. (1998): Reduction of *Campylobacter* infections in broiler flocks by application of hygiene measures. Epidemiol. Infect. 121, 57-66

Van de Giessen, A.W., Bloemberg, B.P.M., Ritmeester, W.S. and Tilburg, J.J.H.C. (1996): Epidemiological study on risk factors and risk reducing measures for *Campylobacter* infections in Dutch broiler flocks. Epidemiol. Infect. 117, 245-250

- Van de Giessen, A.W., Mazurier, S.I., Jacobs- Reitsma, W., Jansen, W., Berkers, P., Ritmeester, W. and Wernars, K. (1992) Study on the epidemiology and control of *Campylobacter jejuni* in poultry broiler flocks. Appl Environ Microbiol 58, 1913-1917.
- Van der Wal, P.G. and Mulder, R.W.A.W. (1996): Modern scalding technology for pigs and poultry. In: M.H. Hinton and C. Rowlings (editors), Factors affecting the microbial quality of meat. 2. Slaughter and dressing, University of Bristol Press, Bristol, 107-111
- Van Gerwe, T.J.W.M., Bouma, A., Jacobs- Reitsma, W.F., van den Broek, J., Klinkenberg, D., Stegeman, J.A. and Heesterbeek, J.A.P. (2005): Quantifying transmission of *Campylobacter* spp. among broilers. Appl. Environ. Microbiol. 71, 5765-5770
- Wagenaar, J.A., Van Bergen, M.A.P., Mueller, M.A., Wassenaar, T.M. and Carlton, R.M. (2005): Phage therapy reduces *Campylobacter jejuni* colonization in broilers. Vet. Microbiol. 109, 275-283
- Wang, G., Clark, C.G., Taylor, T.M., Pucknell, C., Barton, C., Price, L., Woodward, D.L. and Rodgers, F.G. (2002): Colony multiplex PCR assay for identification and differentiation of *Campylobacter jejuni*, *C. coli*, *C. lari*, *C. upsaliensis*, and *C. fetus* subsp. *fetus*. J. Clin. Microbiol. 40, 4744-4747
- Wang, W.L.L., Powers, B.W., Luechtfeld, N.W. and Blaser, M.J. (1983): Effects of disinfectants on *Campylobacter jejuni*. Appl. Environ. Microbiol. 45, 1202-1205
- Wallace, J.S., Stanley, K.N., Currie, J.E., Diggle, P.J. and Jones, K. (1997): Seasonality of thermophilic *Campylobacter* populations in chickens. J. Appl. Microbiol. 82, 219-224
- Wassenaar, T.M. (2005): Use of antimicrobial agents in veterinary medicine and implications for human health. Crit. Rev. Microbiol. 31, 155-169
- Wassenaar, T.M. (2000): Molekularmethoden als Nachweis, Spezifizierung und Subtypisierung von *Campylobacter* spp. Lohmann Information 2, 17-24
- Wassenaar, T.M. and Newell, D.G. (2000): Genotyping of *Campylobacter* spp. Appl. Environ. Microbiol. 66, 1-9
- Wassenaar, T.M., Geilhausen, B. and Newell, D.G. (1998): Evidence of genomic instability in *Campylobacter jejuni* isolated from poultry. Appl. Environ. Microbiol. 64, 1816-1821
- Wassenaar, T.M. (1997): Toxin production by *Campylobacter* spp. Clin. Microbiol. Rev. 10, 466-476

- Watson, R.O. and Galan, J.E. (2005): Signal transduction in *Campylobacter jejuni*-induced cytokine production. *Cell. Microbiol.* 7, 655-665
- Weber, R. (2000): Prüfung wechselseitiger Hemmeffekte verschiedener *Campylobacter jejuni*-Stämme bei der Kolonisation des Hühnerdarmes. *Vet. Dissertation Tierärztliche Hochschule Hannover*
- Wedderkopp, A., Rattenborg, E. and Madsen, M. (2000): National surveillance of *Campylobacter* in broilers at slaughter in Denmark in 1998. *Avian Dis.* 44, 993-999
- Whyte, P., Collins, J.D., McGill, K., Monahan, C. and O'Mahony, H. (2001): The effect of transportation stress on excretion rates of *Campylobacters* in market- age broilers. *Poult. Sci.* 80, 817-820
- Wieland, B., Wittwer, M., Regula, G., Wassenaar, T.M., Burnens, A.P., Keller, J. and Stärk, K.D. (2006): Phenon cluster analysis as a method to investigate epidemiological relatedness between sources of *Campylobacter jejuni*. *J. Appl. Microbiol.* 100, 316-324
- Wieland, B., Regula, G., Danuser, J., Wittwer, M., Burnens, A.P., Wassenaar, T.M. and Stärk, K.D. (2005): *Campylobacter* spp. in dogs and cats in Switzerland: risk factor analysis and molecular characterization with AFLP. *J. Vet. Med. B. Infect. Dis. Vet. Public Health* 52, 183-189
- Wilson, I.G. (2004): Airborne *Campylobacter* infection in a poultry worker: case report and review of the literature. *Commun. Dis. Public Health* 7, 349-353
- Wilson, I.G. and Moore, J.E. (1996): Presence of *Salmonella* spp. and *Campylobacter* spp. in shellfish. *Epidemiol. Infect.* 116, 147-153
- Wittwer, M., Keller, J., Wassenaar, T.M., Stephan, R., Howald, D., Regula, G. and Bissig- Choisat, B. (2005): Genetic diversity and antibiotic resistance patterns in a *Campylobacter* population isolated from poultry farms in Switzerland. *Appl. J. Environ. Microbiol.* 71, 2840-2847
- Workman, S.N., Mathison, G.E. and Lavoie, M.C. (2005): Pet dogs and chicken meat as reservoirs of *Campylobacter* spp. in Barbados. *J. Clin. Microbiol.* 43, 2642-2650
- Wolffs, P., Norling, B., Hoorfar, J., Griffiths, M. and Radstrom, P. (2005): Quantification of *Campylobacter* spp. in chicken rinse samples by using flotation prior to real- time PCR. *Appl. Environ. Microbiol.* 71, 5759-5764
- Wyszyńska, A., Raczkó, A., Lis, M. and Jaguszyn- Krynicka, E.K. (2004): Oral immunization of chickens with avirulent *Salmonella* vaccine strain carrying *C. jejuni*

72Dz/92 *cjaA* gene elicits specific humoral immune response associated with protection against challenge with wild-type *Campylobacter*. Vaccine 22, 1379-1389

Yang, C., Jiang, Y., Huang, K., Zhu, C. and Yin, Y. (2003): Application of real-time PCR for quantitative detection of *Campylobacter jejuni* in poultry, milk and environmental water. FEMS Immun. Med. Microbiol. 38, 265-271

Ziprin, R.L., Hume, M.E., Andrews, K., Droleskey, R.E., Harvey, R.B. and Sheffield, C.L. (2005): News and notes: An atypical *Campylobacter coli* exhibiting unusual morphology. Curr. Microbiol. 51, 161-163

Ziprin, R.L. and Harvey, R.B. (2004): Inability of cecal microflora to promote reversion of viable nonculturable *Campylobacter jejuni*. Avian Dis. 48, 647-650