

8 Literaturverzeichnis

- ALDOVA, E., E. SVANDOVA, J. VOTYPKA, J. SOUREK (1990) Comparative study of culture methods to detect *Yersinia enterocolitica* serogroup O:3 on swine tongues. Zbl. Bakt. **272**, 306-312
- ALEKSIC, S., J. BOCKENMÜHL (1990) Mikrobiologie und Epidemiologie der Yersiniosen. Immun. Infekt. **18**, 178-185
- AL-MASHAT, R. R., D. J. TAYLOR (1980) Production of diarrhea and dysentery in experimental calves by feeding pure culture of *Campylobacter fetus* subspecies *jejuni*. Vet. Rec. **107**, 459-464
- AL-MASHAT, R. R., D. J. TAYLOR (1983) Production of enteritis in calves by the oral inoculation of pure culture of *Campylobacter fetus* subspecies *intestinalis*. Vet. Rec. **112**, 54-58
- ANDERSON, B. C. (1981) Pattern of shedding of cryptosporidial oocysts in Idaho calves. J. Am. Vet. Assoc. **178**, 982-984
- ANONYMUS (2004) Impfstoffe und Sera für Tiere. Tierärztl. Umschau spezial **8**, 22-23
- ARGENZIO, R. A., S. C. WHIPP (1980) Pathophysiology of Diarrhea. In: N. V., Anderson (Hrsg.): Veterinary Gastroenterology. Lea and Febiger, Philadelphia
- AURICH, J. E., I. DOBRINSKI, E. GRUNERT (1990) Intestinal cryptosporidiosis in calves on dairy farms. Vet. Rec. **13**, 380-381
- ATABAY, H. I., J. E. L. CORRY (1998) The isolation and prevalence of campylobacters from dairy cattle using a variety of methods. J. Appl. Microbiol. **84**, 733-740

ATWILL, E. R., J. A. HARP, T. JONES, P. W. JARDON, S. CHECEL, M. ZYLSTRA (1998) Evaluation of periparturient dairy cows and contact surfaces as a reservoir of cryptosporidium parvum for calfhood infection. Am. J. Vet. Res. **59**, 1116-1121

AVID-MITTEILUNGEN I (1999): Tiere als Infektionsquelle für den Menschen? Persönliche Mitteilung von Dezember 2000

BACHMANN, P. A. (1977) Neue virale Durchfallerreger beim Kalb. Tierärztl. Umschau **32**, 524-526

BALJER, G. (1985) Pathogenese, Klinik und Diagnose der wichtigsten bakteriell bedingten Enteritiden beim Tier. Tierärztl. Prax. **13**, 141-150

BALJER, G., L. WIELER (1989) Ätiologie, Pathogenese und Immunprophylaxe der neonatalen Durchfallerkrankungen der Kälber. Sonderdruck aus Vet **5/89**

BANATVALA, M. D., I. L. CHRYSTIE, B. M. TOTTERDELL (1978) Rotaviral infections in human neonates. J. Am. Vet. Med. Assoc. **173**, 527-530

BARRANDEGUY, M. E., M. CORNAGLIA, M. GOTTSCHALK, N. FIJTMAN, M. I. PASINI, A. GOMEZ YAFAL, J. R. PARRAUD (1988) Rotavirus, enterotoxigenic *E. coli* and other agents in the feces of dairy calves with and without diarrhea. Rev. Latinoam. Micro. **30**, 239-245

BARRET, T. J., C. M. PATTON, G. K. MORRIS (1988) Differentiation of *Campylobacter* species using phenotypic characterization. Lab. Med. **19**, 96-102

BARTELTT, E. (1999) Campylobacteriose und Q-Fieber. In: Proceedings 27. Seminar Umwelthygiene-Tiere als Infektionsquelle für den Menschen? Fakten-Emotionen. Hannover 26. Februar 1999, pp. 43-50

BARTLING, C., U. TRUYEN, G. ISA, H. NEUBAUER (2004) Investigations on the prevalence of *yersinia*-specific antibodies in cattle in Bavaria. Berl. Münch. Tierärztl. Wschr. **117**, 499-507

BARUTZKI, D. (2001) Jungtiererkrankung Kryptosporidienenteritis. Persönliche Mitteilung vom 17.10.2001

BERCHTOLD, M., W. ZAREMBA, E. GRUNERT (1990) Kälberkrankheiten. In: Walser, K., H. Bostedt (Hrsg.): Neugeborenen- und Säuglingskunde der Tiere. Enke- Verlag, Stuttgart, pp. 304-313

BISHOP, R. F., P. J. MASENDYCZ, H. C. BUGG, J. B. CARLIN, G. L. BARNES (2001) Epidemiological patterns of Rotaviruses causing severe gastroenteritis in young children throughout Australia from 1993 to 1996. *J. Clin. Microbiol.* **3**, 1085-1091

BISPING, W., G. AMTSBERG (1988) Farbatlas zur Diagnose bakterieller Infektionserreger der Tiere. Verlag Paul Parey, Berlin und Hamburg, pp.171-182

BLACK, R., R. JOHNSON, T. TSAI, M. MEDVESKY, M. SHYEGANI, J. FEELEY (1978) Epidemic *Yersinia enterocolitica* infection due to contaminated chocolate milk. *New Engl. J. Med.* **298**, 76-79

BLACK, R. E., M. D. LEVINE, M. L. CLEMENTS, T. P. HUGHES, M. J. BLASER (1988) Experimental *Campylobacter jejuni* infection in humans. *J. Infect. Dis.* **157**, 472-479

BLASER, M. J., J. CRAVENS, B. W. POWERS, F. M. LAFORCE, W.-L. L. WANG (1979) Campylobacter enteritis associated with unpasteurized milk. *Am. J. Med.* **67**, 715-718

BLASER, M. J., P. F. SMITH, W.-L. L. WANG, J. C. HOFF (1986) Inactivation of *Campylobacter jejuni* by chlorine and monochloramine. *Appl. Environment. Microbiol.* **51**, 307-311

BOEHM, R. (1993) Verhalten ausgewählter Salmonellen in der Umwelt. *Dtsch. Tierärztl. Wschr.* **100**, 275-278

BOLTON, F. J., L. ROBERTSON (1982) A selective medium for isolation *Campylobacter jejuni/coli*. *J. Clin. Pathol.* **35**, 462-467

- BOLTON, F. J., D. COATES, P. M. HINLIFFE, L. ROBERTSON (1983) Comparison of selective media for isolation of *Campylobacter jejuni/coli*. *J. Clin. Pathol.* **36**, 78-83
- BOLTON, F. J., D. N. HUTCHINSON, D. COATES (1984) Blood-free selective medium for isolation of *Campylobacter jejuni* from feces. *J. Clin. Microbiol.* **19**, 169-171
- BOTTONE, E. J. (1997) *Yersinia enterocolitica*: The charisma continues. *Clin. Microbiol. Rev.* **10**, 257-276
- BRENNER, F. W. R. G., F. J. VILLAR, R. ANGULO, B. TAUXE, B. SWAMINATHAN (2000) *Salmonella* Nomenclature. *J. Clin. Microbiol.* **7**, 2465-2467
- BROCKMANN, S., R. OEHME, C. DREWECK, E. RUCKABERLE, C. SEEH, R. STING, P. KIMMIG (2000) Gruppenerkrankungen von Gastroenteritis nach dem Genuss von Rohmilch. *Campylobacter jejuni*-Nachweis bei Erkrankten und bei Kühen. Landesgesundheitsamt Baden-Württemberg
- BRYAN, F. L. (1980) Foodborne diseases in the United States associated with meat and poultry. *J. Food Protec.* **43**, 140-150
- BUSATO, A., T. LENTZE, D. HOFER, A. BURNENS, C. GAILLARD (1998) A case control study of potential enteric pathogens for calves raised in cow-calf herds. *Vet. Med. B* **45**, 519-528
- BUSATO, A., D. HOFER, T. LENTZE, C. GAILLARD, A. BURNENS (1999) Prevalence and infection risks of zoonotic enteropathogenic bacteria in Swiss cow-calf farms. *Vet. Microbiol.* **69**, 251-263
- BUTLER, T. (1983) Plaque and other *Yersinia* Infections. Plenum Med. Book and Co., New York, London
- BUTZLER, J. P., M. B. SKIRROW (1979) *Campylobacter* enteritis. *Clin. Gastroenterol.* **8**, 737-765

- CACCIO, S., W. HOMAN, R. CAMILLI, G. TRALDI, T. KORTBEEK, E. POZIO (2000) A microsatellite marker reveals population heterogeneity within human and animal genotypes of *Cryptosporidium parvum*. Parasitol. **120**, 237-244
- GALLAWAY, T. R., R. C. ANDERSON, T. S. EDRINGTON, K. J. GENOVESE, R. B. HARVEY, T. L. POOLE, D. J. NISBET (2004) Recent pre-harvest supplementation strategies to reduce carriage and shedding of zoonotic enteric bacterial pathogens in food animals. Anim. Health Res. Rev. **5**, 35-47
- CHACON, O., L. E. BERMUDEZ, R. G. BARLETTA (2004) Johne's disease, inflammatory bowel disease, and *Mycobacterium paratuberculosis*. Annu. Rev. Microbiol. **58**, 329-363
- CHANG, K. O., V. PARWANI, D. SMITH, L. J. DAIS (1997) Detection of group BH rotaviruses in fecal samples from diarrheic calves and adult cows and characterization of their VP 7 genes. J. Clin. Microbiol. **8**, 2107-2110
- CHERCHI, G. B., S. COSSELLU, L. PACIFICO, I. GALLISAI, A. DE RANUCCI, S. ZANETTI, G. FADDA, C. CHIESA (1995) Incidence and outcome of *Yersinia enterocolitica* infection in thalassemic patients. Contrib. Microbiol. Immunol. **13**, 16-18
- CHASEY, D., P. DAVIS (1984) Atypical rotaviruses in pigs and cattle. Vet. Rec. **114**, 16-17
- CRAVEN, P. C., D. C. MACKEL, W. B. BAINE, W. H. BARKER, E. J. GANGAROSA, M. GOLDFIELD, H. ROSENFIELD, R. ALTMANN, G. LACHAPELLE, J. W. DAVIS, R. C. SWANSON (1975) International outbreak of *Salmonella* eastbourne infection traced to contaminated chocolate. Lancet **1**, 788-792
- DEDIÉ, K., J. BOCKEMÜHL, H. KÜHN, K.-J. VOLKMER, T. WEINKE (Hrsg.) (1993) Bakterielle Zoonosen bei Tier und Mensch. Enke-Verlag, Stuttgart

- DELEEUW, P. W., D. J. ELLENS, P. J. STRAVER, J. A. M. VAN BALKEN, A. MOERMANN, T. BAANVINGER (1980) Rotavirus infection in calves in dairy herds. Res. Vet. Sci. **29**, 135-141
- DERBYSHIRE, J. B., G. N. WOODE (1978) Classification of Rotaviruses: Report from the World Health Organization/Food and Agriculture Organization Comparative Virology Program. J. Am. Vet. Med. Assoc. **173**, 519-521
- DE RYCKE, J., S. BERNARD, J. LAPORTE, M. NACIRI, M. R. POPOFF, A. RODOLAKIS (1986) Prevalence of various enteropathogens in the feces of diarrheic and healthy calves. Ann. Rec. Vet. **17**, 59-168
- DE VERDIER KLINGENBERG, K. (2000) Enhancement of clinical signs in experimentally rotavirus infected calves by combined viral infections. The Vet. Rec. **147**, 717-719
- DINTER, Z., B. MOREIN (eds.) (1990) Virus Infections of Ruminants. Elsevier, Amsterdam
- DOLL, K., P. WEIRATHER, H.-M. KÜCHLE (1995) Kälberdurchfall als Bestandsproblem: Betriebsinterne Faktoren und häufige Behandlungsfehler. Der praktische Tierarzt **11**, 995-1004
- DOYLE, M. P. (1944) A vibrio associated with swine dysentery. Am. J. Vet. Res. **5**, 3-5
- DOYLE, M. P., D. J. ROMAN (1981) Growth and survival of *Campylobacter fetus* subsp. *jejuni* as a function of temperature and pH. J. Food Protect. **44**, 596-601
- DRAFT – REPORT ON (2000) Trends and sources of zoonotic agents in the European Union and Norway, 2000. Ann. Intern. Med. **132** (3), 109-144
- ELZE K., ST. SCHARFE, C. OPPERMANN, J. GRUHLE, E. HERZOG (1994) Herdendiagnostische Aspekte bei der neonatalen Kälberdiarrhoe in einer 400er Milchviehanlage. Der praktische Tierarzt **1**, 48-56

ERICKSON, J. P. (1995) Behavior of *Yersinia enterocolitica* in commercially pasteurized liquid eggs at 2, 6, 7 and 12,8 degrees C. *Contrib. Microbiol. Immunol.* **13**, 83-85

EUBISCH, ST. (1993) Kälberdurchfall – Ursachen, Krankheitsbild, Behandlung. *Milchpraxis* **3**, 130-132

EUZEBY, J. B. (2002) List of Bacterial Names with Standing in Nomenclature. www.bacterio.cict.fr

FAUBERT, G. M., Y. LITVINSKY (2000) Natural transmission of *cryptosporidium parvum* between dams and calves on a dairy farm. *J. Parasitol.* **86**, 495-500

FAYER, R., C. ANDREWS, B. L. P. UNGER, B. BLAGBURN (1989) Efficacy of hyperimmune bovine colostrum for prophylaxe of cryptosporidiosis in neonatal calves. *J. Parasitol.* **75**, 393-397

FAYER, R., E. A. SPEER, J. P. DUBLEY (eds.) (1997) *Cryptosporidium and cryptosporidiosis*. CRC Press, Boca Raton, Florida

FENG, X., S. M. RICH, D. AKIYOSHI, J. K. TUMWINE, A. KEKITIINWA, N. NABUKEERA, S. TZIPORI, G. WIDMER (2000) Extensive polymorphism in *Cryptosporidium parvum* identified by multilocus microsatellite analysis. *Appl. Environ. Microbiol.* **66**, 3344-3349

FINLAY, B. B., S. FALKOW (1997) Common themes in microbial pathogenicity revisited. *Microbiology and Molecular Biology Reviews* **61**, 136-169

FIREHAMMER B. D., L.L. MYERS (1980) Is possible significance in enteric disease of calves and lambs? *Am. J. Vet. Res.* **42**, 918-922

FIJTMANN, N. L., M. E. BARRANDEGUY, E. M. CORNAGLIA, A. A. SCHUDEL (1987) Variations and persistency of electropherotypes of bovine rotavirus field isolates. *Arch. Virol.* **96**, 275-281

- FORSHELL, L. P., I. EKESBO (1993) Survival of *Salmonella* in composted and not composted solid animal manures. Zentralbl. Veterinärmed. B. **40**, 654-658
- FROST, A. J., A. P. BLAND, T. S. WALLIS (1997) The early dynamic response of the calf ileal epithelium to *Salmonella typhimurium*. Vet. Pathol. **34**, 369-386
- FUKUSHIMA, H. (1987) New selective agar medium for isolation of virulent *Yersinia enterocolitica*. J. Clin. Microbiol. **25**, 1068-1073
- FULLER, R. (1991) Probiotics in human medicine. Gut **32**, 439-442
- GALBRAITH, N. S., P. FORBES, C. CLIFFORD (1982) Communicable disease associated with milk and dairy products in England and Wales 1951-1980. Br. Med. J. **1**, 1761-1765
- GARBER, L. P., M. D. SALMAN, H. S. HURD, D. KEEFE, J. D. SCHLATER (1994) Potential risk factors for *cryptosporidium* infection in dairy calves. J. Am. Vet. Med. Assoc. **205**, 86-91
- GEWIRTZ, A. T., A. M. SIBER, J. L. MADARA, B. A. MCCORMICK (1999) Orchestration of neutrophil movement by intestinal epithelial cells in response to *Salmonella typhimurium* can be uncoupled from bacterial internalization. Inf. Immun. **67**, 608-617
- GIACOBONI, G. I. K., K. ITOH, E. HIRAYAMA, T. TAKAHASHI, MITSOUKA (1993) Comparison of fecal *Campylobacter* in calves and cattle of different ages in Japan. Jap. J. Vet. Med. **55**, 555-559
- GLÜNDER, G. (2000) Tenazität von *Campylobacter* in Abhängigkeit von Trägermaterial, Temperatur und Luftfeuchte. 2. Campylobacter-Workshop der Fachgruppen: „Gastrointestinale Infektionen“ der Deutschen Gesellschaft für Hygiene und Mikrobiologie und „Bakteriologie und Mykologie“ der Deutschen Veterinärmedizinischen Gesellschaft. Freising, 11.-12. März 2000

GÖBEL, E. (1987) Diagnose und Therapie der akuten Kryptosporidiose beim Kalb. Tierärztl. Umschau **42**, 863-869

GOOSSENS, H., M. DE BOECK, J.-P. BUTZLER (1983) A new selective media for the isolation of *Campylobacter jejuni* from human faeces. Eur. J. Clin. Microbiol. **2**, 389-394

GOOSSENS, H., M. DE BOECK, H. COIGNAU, L. VLAES, C. VAN DEN BOORE, J.-P. BUTZLER (1986) Modified selective medium for isolation of *Campylobacter* spp. from feces: Comparison with Preston medium, a blood-free medium and a filtration system. J. Clin. Microbiol. **24**, 840-843

GOOSSENS, H., J.-P. BUTZLER (1992) Isolation and identification of *Campylobacter* spp. In: I. Nachamkin, M.J. Blaser, L.S. Tompkins (eds.) *Campylobacter jejuni* current status and future trends. Am. Soc. Microbiol., Washington D.C., pp. 93-109

GORDON, F., J. BEYTOUT, A. REYNAUD, J.-P. ROMANZKO, D. PERRE, P. THEODORE, H. SOUBELET, J. SIROT (1999) Human and animals epidemic of *Yersinia enterocolitica* O:9, 1989-1997, Auvergne, France. Emerg. Infect. Dis. **5**, 719-721

GRACZYK, T. K., M. R. CRANFIELD, R. FAYER, H. BIXLER (1999) House flies (*Musca domestica*) as transport hosts of *cryptosporidium parvum*. Am. J. Trop. Med. Hyg. **61**, 500-504

GRAJEWSKI, B. A., J. W. KUSEK, H. M. GELFAND (1985) Development of a bacteriophage typing system for *Campylobacter jejuni* and *Campylobacter coli*. J. Clin Microbiol. **22**, 13-18

GUTZWILLER, A. (2002) Effect of colostrum intake on diarrhoea incidence in new-born calves. Schweiz. Arch. Tierheilkd., **144**, 59-64

HARTUNG, M., K. GERIGK (1991) *Yersinia* effluents from the food-processing industry. Rev. Sci. Tech. Off. Int. Epiz. **10**, 799-811

HAYASHIDANI, H., Y. OTHOMO, Y. TOYOKAWA (1995) Sources of sporadic human infection with *Yersinia enterocolitica* serovar 0:8 in Aomori Prefecture, Japan. Contributions to Microbiology and Immunology. In: Cruse, J. M., Lewis, Jr., R. E. (eds.) *Yersiniosis: Present and Future*. Karger, Basel, pp. 29-32

HECKERT, H. P. (2002) Verbesserung der Kälberaufzucht und Vermeidung von Kälberverlusten. Vortrag gehalten auf der Veranstaltung „Verbesserung der Kälberaufzucht und Vermeidung von Kälberverlusten“ am 17.01.2002 im Göritzscher Hof

HEESEMANN, J., M. HENSEL (2000) Infektionsmodelle: Yersinien, Salmonellen, Shigellen und Listerien. In: Hacker, J., Heesemann, J. (Hrsg.): *Molekulare Infektionsbiologie*. Spektrum Akademischer Verlag, Gustav Fischer Verlag, Stuttgart, pp. 215-217

HEINE, J. (1982) Eine einfache Nachweismethode für Kryptosporidien im Kot. Zbl. Vet. Med. **B 29**, 324-327

HEINE, J., J. F. POHLENZ, H. W. MOON (1984) Enteric lesions and diarrhea in gnotobiotics calves monoinfected with *cryptosporidium* species. J. Infect. Dis. **150**, 768-775

HODGE, D. S., R. TERRO (1984) Comparative efficacy of liquid enrichment medium for isolation of *Campylobacter jejuni*. J. Clin. Microbiol. **19**, 434

HOEBEN, D., H. DOSOGNE, R. HEYNEMAN, C. BURVENICH (1997) Effect of antibiotics on the phagocytotic and respiratory burst activity of bovine granulocytes. Eur. J. Pharmacol. **332**, 289-297

HOLLAND, R. E. (1990) Some infectious causes of diarrhea in young farm animals. Clin. Microbiol. Rev. **3**, 345-375

HOOK, E. D. (1990) *Salmonella* species (including typhoid fever). In: G. L. Mandell, R. G., Douglas, J. E. A. Bennett (eds.): *Principles and Practice of Infectious Diseases*. Churchill Livingstone, New York, pp. 1700-1716

- HOSHINO, Y., R. G. WYATT, H. B. GREENBERG, J. FLORES, A. Z. KAPIKIAN (1984) Serotypic similarity and diversity of rotavirus of mammalian and avian origin as studied by plaque-reduction neutralization. *J. Infect. Dis.* **149**, 694-702
- HUETINK, R. E. C., J. W. B. VAN DER GIJSEN, J. P. T. NOORDHUIZEN, H. W. PLOEGE (2001) Epidemiology of *Cryptosporidium* spp. and *Giardia duodenalis* on a dairy farm. *Vet. Parasitol.* **102**, 53-67
- HUTCHINSON, D. N., F. J. BOLTON (1983) Is enrichment culture necessary for the isolation of *Campylobacter jejuni* from faeces? *J. Clin. Pathol.* **36**, 1350-1352
- HUMPHREY, T. J., P. BECKETT (1987) *Campylobacter jejuni* in dairy cows and raw milk. *Epidemiol. Infect.* **98**, 263-269
- HUMPHREY, T. (2000) Public-health aspects of *Salmonella* infections. In: C. Wray (ed.): *Salmonella in domestic animals*. CABI Publishing, Wallingford, pp. 245-263
- HUYSMANS, M. B., J. D. TURNIDGE, J. H. WILLIAMS (1995) Evaluation of API Campy in comparison with conventional methods for identification of thermophilic Campylobacters. *J. Clin. Microbiol.* **33**, 3345-3346
- IBEN, B. (2001) Kälberdurchfälle (4. Teil). Bakteriell bedingte Durchfälle. *Großtierpraxis* **10**, 17-27
- IBRAHIM, A., B. M. GOEBEL, W. LIESACK, M. GRIFFITHS, E. STACKEBRANDT (1993) The phylogeny of the genus *Yersinia* based on the 16S rRNA sequences. *FEMS Microbiol. Lett.* **114**, 173-178
- JANAKIRAMAN, A., J. M. SLAUCH (2000) The putative iron transport system Sit ABCD encoded on SPI1 is required for full virulence of *Salmonella typhimurium*. *Molecular Microbiology* **35**, 1146-1155
- JAYARAO B. M., D. R. HENNING (2001) Prevalence of foodborne pathogens in bulk tank milk. *J. Dairy Sci.* **84**, 2157-2162

- JONES, F. S., R. B. LITTLE (1931) *Vibrio jejuni*. Journal of Medicine **53**, 845-851
- JUBB, K. V. F., P. C. KENNEDY, N. PALMER (1992) Diarrhea. In: K. V. F. Jubb (ed): Pathology of Domestic Animals. Academic Press, London, pp.113-116
- KAJSER, B., F. MÉGRAUD (1992) Diagnosis of Campylobacter infections. In: Nachamkin, M. J. Blaser, L. J. Tompkins (eds): *Campylobacter jejuni* current status and future trends. Am. Soc. Microbiol. Washington D. C., pp. 89-92
- KARMALI, K. A., A. E. SIMOR, M. ROSCOE, P. C. FLEMING, S. S. SMITH, J. LANE (1986) Evaluation of a blood-free, charcoal based selective medium for the isolation of *Campylobacter* organisms from feces. J. Clin. Microbiol. **23**, 456-459
- KASARI, T. R. (1999) Metabolic acidosis in calves. Vet. Cin. North America Food Animal Practice **15**, 473-486
- KASKE, M. (1993) Physiologische Funktionen des Gastrointestinaltrakts und pathophysiologische Veränderungen bei neonataler Diarrhoe des Kalbes. Dtsch. tierärztl. Wschr. **100**, 434-439
- KAUFMANN, W., G.-W. LÖHR (Hrsg.) (1992) Pathophysiologie. Georg Thieme Verlag Stuttgart, New York, pp. 82-184
- KETLEY, J. M. (1997) Pathogenesis of enteric infection by campylobacter. Microbiol. **143**, 5-21
- KEET, E. E. (1974) *Y. enterocolitica* septicemia, source of infection and incubation periods identified. NY-State J. Med. **74**, 2226-2230
- KHAKHRIA, R., H. LIOR (1992) Extended phage-typing scheme for *Campylobacter jejuni* and *Campylobacter coli*. Epidemiol. Infect. **108**, 403-414
- KIESEWALTER, J. (1992) Klinische und epidemiologische Bedeutung von *Yersinia enterocolitica* für Mensch und Tier. Bundesgesetzblatt **10**, 495-500

- KIST, M. (1983) Infektionen durch *Campylobacter jejuni/coli*. Dtsch. Med. Wschr. **108**, 67-72
- KIST, M. (1986) Wer entdeckte *Campylobacter jejuni/coli*? Eine Zusammenfassung unberücksichtigter Literaturquellen. Zbl. f. Bakt. Hyg. A **261**, 177-186.
- KIST, M. (1994) Die Gattungen *Streptobacillus*, *Campylobacter* und *Helicobacter*. In: H. Brandis, W. Köhler, H.J. Eggers, G. Pulverer (Hrsg.): Lehrbuch der medizinischen Mikrobiologie. G. Fischer Verlag, Stuttgart, Jena, New York, pp. 489-495
- KODITUWAKKU, S. N., D. A. HARBOUR (1990) Persistent excretion of rotavirus by pregnant cows. Vet. Rec. **126**, 547-549
- KOHARA, J., T. HIRAI, K. MORI, H. ISHIZAKI, H. TSUNEMEITSU (1997) Enhancement of passive immunity with maternal vaccine against newborn calf diarrhea. J. Vet. Med. Sci. **59**, 1023-1025
- KRUSE, V. (1970) Absorption of immunoglobulins from colostrum in newborn calves. Anim. Prod. **12**, 627-638
- KRUSE, V. (1972) Aetiology of diarrhoea in three to 15-day-old calves. Vet. Rec. **91**, 362-363
- KRUSE, P. E. (1983) The importance of colostral immunoglobulins and their absorption from the intestine of the newborn animals. Ann. Rech. Vet. **14**, 349-353
- KUSHAL, R., S. K. ANAND (1999) Repair and recovery of thermally injured cells of *Yersinia enterocolitica* in milk. J. Food Prot. **62**, 1203-1205
- LANG, H. P. (1980) Kälberdurchfall hat zahlreiche Ursachen. Rinderwelt **4**, 143-145
- LATURNUS, C., J. JORES, I. MOSER, P. SCHWERK, L. H. WIELER (2005) Long-term clonal lineages within *Campylobacter jejuni* 0:2 strains from different geographical regions and hosts. Int. J. Med. Microbiol. **294**, 521-524

LIEBERMANN, H. (Hrsg.)(1992) Lehrbuch der veterinärmedizinischen Virologie. Gustav Fischer Verlag, Jena, Stuttgart

LIOR, H., D. L. WOODWARD, J. A. EDGAR, L. J. LAROCHE, P. GILL (1982) Serotyping of *Campylobacter jejuni* by slide-agglutination based on heat-labile antigenic factors. *J. Clin. Microbiol.* **15**, 761-768

LITTLE, C. L., S. KNOCHEL (1999) Growth and survival of *Yersinia enterocolitica*, *Salmonella* and *Bacillus cereus* in Brie stored at 4,8 and 20°C. *Int. J. Food Microbiol.* **24**, 137-145

LOTHAMMER, K. H. (1982) Umweltbedingte Fruchtbarkeitsstörungen. In: Grunert, E. und Berchtold, M. (Hrsg): Fertilitätsstörungen beim weiblichen Rind. Verlag Paul Parey, Berlin und Hamburg, pp. 143-151

MACKENZIE, W. R., N. J. HOXIE, M. E. PROCTOR (1994) A massive break in Milwaukee of *Cryptosporidium* infection transmitted through the public water supply. *N. Engl. Med.* **331**, 161-167

MADELEY, C. R., B. P. COSGROVE (1975) Letter: 28 nm particles in faeces of infantile gastroenteritis. *Lancet* **2**, 451-452

MAGUIRE, H., J. COWDEN, M. JACOB, B. ROWE, D. ROBERTS, J. BRUCE, E. MITCHELL (1992) An outbreak of *Salmonella dublin* infection in England and Wales associated with a soft unpasteurized cow's milk cheese. *Epidemiol. Infect.* **109**, 389-396

MALHERBE, H. H. (1978) Comments on the pathogenesis of rotaviral infections. *J. Am.Vet. Med. Assoc.* **173**, 546-547

MANN, E. D., L. H. SEKLA, G. P. S. MAYAR, C. KOSCHIK (1985) Infection with *Cryptosporidia* spp. in humans and cattle in Manitoba. *Can. J. Vet. Res.* **50**, 174-178

- MARTIN, W. T., C. M. PATTON, G. K. MORRIS, M. E. POTTER, N. D. PUHR (1983) Selective enrichment broth medium for isolation of *Campylobacter jejuni*. J. Clin. Microbiol. **17**, 853-855
- MAYR, A. (2002) Grundlagen der Allgemeinen Mikrobiologie, Infektions- und Seuchenlehre. In: Rolle, M., Mayr, A. (Hrsg.): Medizinische Mikrobiologie, Infektions- und Seuchenlehre. Enke Verlag, Stuttgart, pp. 1-56
- MC NULTY, M. S. (1983) The etiology, pathology and epidemiology of viral gastroenteritis. Rotavirus infection in calves. Am. Rech. Vet. **14**, 427-432
- MC NULTY, M. S., E. F. LOGAN (1983) Longitudinal survey of rotavirus infection in calves. Vet. Rec. **113**, 333-335
- MCKAY, A. M. (1992) Viable but non-cultural forms of potentially pathogenic bacteria in water. Lett. Appl. Microbiol. **14**, 129-135
- MEBUS, C. A., N. R. UNDERDAHL, M. B. RHODES (1969) Calf diarrhea (scours): Reproduced with a virus from a field outbreak. University of Nebraska Research Bulletin no. **233**
- MEBUS, C. A., R. G. WHITE, E. P. BASS, M. J. TWIEHAUS (1973) Immunity of neonatal calf diarrhea virus. J. Am. Vet. Med. Assoc. **163**, 880-883
- MEYER, H., J. KAMPHUES (1990) Fütterungspraxis. In: Meyer, H., J. Kamphues (Hrsg.): Neugeborenen- und Säuglingskunde der Tiere. Ferdinand Enke Verlag, Stuttgart, pp. 132-137
- MEYER, H. (1999) Tiere als Infektionsquellen für den Menschen-Salmonellosen. Dtsch. Tierärztl. Wschr. **106**, 344-351
- MIDDLETON, J. (1978) Pathogenesis of rotaviral infection. J. Am. Vet. Med. Assoc. **173**, 544-546

MITSCHERLICH, E. (1977) Grundlagen der Immunitätsbildung und der Immunprophylaxe beim neugeborenen Kalb. Tierärztliche Praxis **5**, 45-57

MOON, H. W., A. W. MCCLURKIN, R. E. ISAACSON, J. POHLENZ, S. M. SKARTVEDT, K. G. GILLETTE, A. L. BAETZ (1978) Pathogenic relationship of rotavirus, *escherichia coli*, and other agents in mixed infections in calves. J. Am. Vet. Med. Assoc. **173**, 577-582

MORGAN, J. H., G. A. HALL, D. J. REYNOLDS (1986) The association of *Campylobacter* species with calf diarrhoea. Fourteenth World Congress on Diseases of Cattle, Dublin, Ireland, Proceedings 1, pp. 325-330

MORIN, M., S. LAIVIERE, R. LALLIER (1976) Pathological and microbiological observations made on spontaneous cases of acute neonatal calf diarrhea. Can. J. Comp. Med. **40**, 228-240

MYERS L. L., B. D. FIREHAMMER, M., M. BORDER, D. S. SHOOP (1984) Prevalence of enteric pathogens in feces of healthy beef calves. Am. J. Vet. Res. **45**, 1544-1548

NACIRI, M., M. P. LEFAY, R. MANCASSOLA, P. POIRIER, R. CHERMETTE (1999) Role of *Cryptosporidium parvum* as a pathogen in neonatal diarrhoe complex in suckling and dairy calves in France. Vet. Parasitol. **85**, 245-257

NEUBAUER, H., U. REISCHL, J. KÖSTLER, S. ALEKSIC, E.-J. FINKE, H. MEYER (1999) Variation in the 16S RNA gene sequenze of *Yersinia enterocolitica* isolates influence the specificity of molecular identification systems. Zentralbl. Bakt. **289**, 329-337

NEUBAUER, H., A. HENSEL, S. ALEKSIC, E.-J. FINKE, H. MEYER (2000) *Yersinia enterocolitica* 16S RNA gene types belong to the same genospecies but from three different homology clusters. Int. J. Med. Microbiol. **290**, 61-64

NEUBAUER, H., L. D. SPRAGUE, H. SCHOLZ, A. HENSEL (2001a) Die Diagnostik der *Yersinia enterocolitica*-Infektionen: Eine Übersicht über klassische Nachweistechniken und neue molekularbiologische Methoden. Berl. Münch. Tierärztl. Wschr. **114**, 1-7

NEUBAUER, H., L. D. SPRAGUE, H. SCHOLZ, A. HENSEL (2001b) *Yersinia-enterocolitica*-Infektionen: 1. Bedeutung bei Tieren. Berl. Münch. Wschr. **114**, 8-12

NEUBAUER, H., L. D. SPRAGUE, H. SCHOLZ, A. HENSEL (2001c) *Yersinia-enterocolitica*-Infektionen: Bedeutung bei Menschen. Berl. Münch. Tierärztl. Wschr. **114**, 81-87

NOCEK, J. E., D. G. BRAUND, R. G. WARNER (1984) Influence of neonatal colostrum administration, immunoglobuline, and continued feeding of colostrum on calf gain, health and serum protein. J. Dairy Sci. **67**, 319-333

NIEDERGANG, F., J.-C. SIARD, C. T. Blanc, J.-P. Krahenbuhl (2000) Entry and survival of *Salmonella typhimurium* in dendritic cells and presentation of recombinant antigens do not require macrophage-specific virulence factors. PNAS **97**, 14650-14655

OELSCHLAEGER, T., J. HACKER (2000) Proteinsekretionssysteme. In: Hacker, J. Heesemann, J. (Hrsg.): Molekulare Infektionsbiologie. Spektrum Akademischer Verlag, Gustav Fischer, Stuttgart, pp. 91-97

O'HANDLEY, R. M., C. COCKWILL, T. A. MC ALLISTER, M. JELINSKI, D. W. MORCK, M. E. ORSON (1999) Duration of naturally acquired giardiasis and cryptosporidiosis in dairy calves and their association with diarrhea. J. Am. Vet. Med. Assoc. **214**, 381-396

PANCIERA, R. J., R. THOMASSEN, F. M. GARNER (1971) Cryptosporidial infection in a calf. Vet. Pathol. **8**, 479-484

PATTON, C. M., S. W. MITCHELL, M. E. POTTER, A. F. KAUFMANN (1981) Comparison of selective media for primary isolation of *Campylobacter fetus* subsp. *jejuni*. J. Clin. Microbiol. **13**, 326-330

PETRY, F. (2000) Clinical and epidemiological aspects of cryptosporidiosis. 19. Tagung der Deutschen Gesellschaft für Parasitologie e. V. Stuttgart-Hohenheim 28.03.-01.04.2000

PITZSCH, O. (1981) Salmonella In: H. Blobel, Th. Schliesser (Hrsg.): Handbuch der bakteriellen Infektionen bei Tieren, Band III. G. Fischer Verlag, Stuttgart, New York, pp. 344-452

POHLENZ, J., W. MOON, N. F. CHEVILLE, W. J. BEMRICK (1978) Cryptosporidioses as a problem factor in neonatal diarrhea of calves. J. Am. Vet. Med. Assoc. **172**, 452-457

POHLENZ, J. F. L., N. F. CHEVILLE, G. N. WOOD, A. H. MOKRESH (1984) Cellular lesions in intestinal mucosa of gnotobiotic calves experimentally infected with a new unclassified bovine virus (Breda Virus). Vet. Pathol. **21**, 407-417

POPOFF, M.-Y., L. LE MINOR (1997) Antigenic formulars of the *salmonella* serovars, 7th revision. WHO Collaborating Centre for Reference and Research of Salmonella. Institute Pasteur, Paris

POPOFF, M.-Y., J. BOCKEMÜHL, F. W. BRENNER (1998) Supplement 1997 (no. 41) to the Kauffmann-White scheme. Res. Microbiol. **149**, 601-604

POPOFF , M.-Y., J. BOCKEMÜHL, F. W. BRENNER (2000) Supplement 1998 (no. 42) to the Kauffmann-White scheme. Res. Microbiol. **151**, 63-65

POSPI SCHIL, A. (1989) Pathologie und Pathogenese infektiöser Durchfall-erkrankungen beim Kalb. Vet. **5**, 27-31

PREScott, J. F., C. W. BRUIN- MOSCH (1981) Carriage of *Campylobacter jejuni* in healthy and diarrhoic animals. Am. J. Vet. Res. **42**, 164-165

PRICE, D. L. (1994) Procedure manual of the diagnosis of intestinal parasites. CRC Press, Boca Raton, Florida

- QUIGLEY, J. E., K. R. MARTIN, D. A. BREMIS, LN. D. POTGIETER, C. R. REINEMEYER, B. W. ROHRBACH, H. R. DOWLEN, K. C. LAMAR (1995) Effects of housing and colostrum feeding on serum immunoglobulins, growth and fecal scores of jersey calves. *J. Dairy Sci.* **78**, 893-901
- QUILEZ, J., C. SANCHEZ-ACEDO, E. DEL CACHO, A. CLAVEL, A. C. CAUSAPÉ (1996) Prevalence of *Cryptosporidium* and *Giardia* infections in cattle in Aragon (northeastern Spain). *Vet. Parasitol.* **66**, 139-146
- RADEMACHER, G. (2000) Kälberkrankheiten. Verlag BLV, München
- RADEMACHER, G., I. LORENZ, W. KLEE (2002) Tränkung und Behandlung von Kälbern mit Neugeborenendurchfall. *Tierärztl. Umschau* **57**, 177-189
- RAJ, P. A., A. R. DENTINO (2002) Current status of defensins and their role in innate and adaptive immunity. *FEMS Microbiol. Lett.* **206**, 9-18
- RAMBACH, A. (1990) New plate medium for facilitated differentiation of *Salmonella* spp. from *Proteus* spp. and other enteric bacteria. *Appl. Environment. Microbiol.* **56**, 301-303
- REYNOLDS, D. J., G. H. HALL, T. G. DEBNEY, K. R. PARSONS (1985) Pathology of natural rotavirus infections in clinically normal calves. *Res. Vet. Sci.* **38**, 264-269
- ROBERT-KOCH-INSTITUT (2004) Aktuelle Statistik meldepflichtiger Infektionskrankheiten. *Epidemiologisches Bulletin Nr.* **50**, 442-444
- ROBINSON, D.A. (1981) Infective dose of *campylobacter* in milk. *Br. Med. J.* **282**, 1584
- ROBINSON, D. A. (1982) *Campylobacter* infection in milking herds. In: D. G. Newell (ed.) *Campylobacter* epidemiology, pathogenesis and biochemistry. MTP Press Limited, Lancaster, p. 274

ROLLE, A., A. MAYR (Hrsg.) (2002) Medizinische Mikrobiologie, Infektions- und Seuchentlehre. Enke Verlag, Stuttgart

ROMMEL, M., J. ECKHERT, E. KUTZER, W. KÖRTING, T. SCHNIEDER (2000) Parasiten der Wiederkäuer. In: M. Rommel, R. Supperer (Hrsg.): Veterinärmedizinische Parasitologie, Parey Buchverlag, Berlin, pp. 144-148

ROSE J. B. (1997) Environmental ecology of *cryptosporidium* and public health implications. Annu. Rev. Public Health **18**, 135-161

ROSZAK, D. B., D. J. GRIMES, R. R. COLWELL (1984) Viable but non-recoverable stage of *salmonella enteritidis* in aquatic systems. Can. J. Microbiol. **30**, 334-338

ROUSSEL, A. J., M. C. LIBAL, R. L. WHITLOCK, T. B. HAIRGROVE, K. S. BARLING, J. D. THOMPSON (2005) Prevalence of and risk factors for paratuberculosis in pure-bred beef cattle. J. Am. Vet. Med. Assoc. **226**, 773-778

SAEED, A. M., N. V. HARRIS, R. F. DIGIACOMO (1993) The role of exposure to animals in the etiology of *Campylobacter jejuni/coli* enteritis. Am. J. Epidemiol. **137**, 108-114

SAGARA, H., A. MOCHIZUKI, N. OKAMURA, R. NAKAYA (1987) Antimicrobial resistance of *Campylobacter jejuni* and *Campylobacter coli* with special reference to plasmid profiles of japanese clinical isolates. Antimicrob. Agents Chemother. **31**, 713-719

SALAMA, S. M., F. J. BOLTON, D. N. HUTCHINSON (1990) Application of a new phagotyping scheme to *Campylobacters* isolated during outbreaks. Epidemiol. Infect. **104**, 405-411

SAARI, T. N., G. P. JANSEN (Hrsg.) (1979) Waterborne *Yersinia entercolitica* in the mid-west United States. Contr. Mikrobiol. Immunol. Karger, Basel, pp. 185-196

SANFORD, S. E., G. K. A. JOSEPHSON (1982) Bovine Cryptosporidiosis: Clinical and pathological findings in fourty-two scouring neonatal calves. Can. Vet. J. **23**, 343-347

SCHLERKA, G., S. GÜTLER, W: BAUMGARTNER (2002) Retrospektive Studie über Erregerspektrum, Klinik, Labordiagnostik und Therapie bei an Durchfall erkrankten Milchkälbern aus dem Patientengut der Klinik von 1996-2000. Tierärztl. Umschau **57**, 189-194

SCHULZE, V. W. (1986) Die bovine Kryptosporidiose: Nachweis und Bedeutung. Monatsschr. Vet. Med. **41**, 330-335

SCHULZE, F. (1992) *Campylobacter* als Durchfallerreger beim Kalb. Dtsch. Tierärztl. Wschr. **99**, 433-472

SEBALD, M., M. VERON (1963) Teneur en bases de l'ADN et classification des vibrios. Ann. Inst. Pasteur **105**, 897-910

SELBITZ, H.-J., H.-J. SINELL, A. SZIEGOLEIT, J. KLEER (Hrsg.) (1995) Das Salmonellen-Problem. Salmonellen als Erreger von Tierseuchen und Zoonosen. VET spezial, Gustav Fischer Verlag, Jena, Stuttgart

SELMAN, I. E., A. D. MC EWANS, E. W. FISHER (1971) Absorption of immune lactoglobuline by newborn dairy calves. Attempt to produce consistent immune lactoglobuline absorptions in newborn dairy calves using standardized methods of colostrum feeding and management. Res. Vet. Sci. **12**, 205-210

SINELL, H.-J., J. KLEER (1995) Lebensmittel als Infektionsquelle. In: H.-J. Sinell, A. Sziegoleit (Hrsg.): Das Salmonellenproblem. G. Fischer Verlag, Jena, Stuttgart, pp. 133-169

SIMON, O., L. H. WIELER (2001) Probiotika, Anwendungsgebiete und Wirkungsmechanismen. In: E. Wiesner, Sonderdruck aus Handlexikon der tierärztlichen Praxis, **209**, 681r-681y

SKIRROW, M. B. (1977) *Campylobacter enteritis*: a „new“ disease. Br. Med. J. **2**, 9-11

SKIRROX, M. B. (1990) Foodborne illness. Lancet **336**, 921-923

- SKIRROW, M. B., M. J. BLASER (1992) Clinical and epidemiologic considerations. In: Nachamkin, M. J. Blaser, L. J. Tompkins (eds.) *Campylobacter jejuni* current status and future trends. Am. Soc. Microbiol. Washington D. C., pp. 3-8
- SLEE, K. J., P. BRIGHTLING, R. J. SEILER (1988) Enteritis in cattle due to Yersinia pseudotuberculosis infections. Aust. Vet. J. **65**, 271-275
- SMITH, B., PH, G.W., DILLING, L. DARODEN, B. A. D. STOCKER (1993) Vaccination of calves with orally administered aromatic-dependent *Salmonella* Dublin. Am. J. Vet. Res. **54**, 1249-1255
- SNODGRASS, D. R., J. A. HERRING (1977) The action of desinfection on lamb rotavirus. Vet. Rec. **101**, 81
- SNODGRASS, D. R., A. J. HERRING, I. CAMPBELL (1984) Comparison of atypical rotaviruses from calves, piglets, lambs and man. J. Gen. Virol. **65**, 909-914
- SNOOGRASS, D. R., H. R. TERZOLO, D. SHERWOOD, I. CAMPBELL, J. D. MENZIES, B. A. SYNGE (1986) Etiology of diarrhea in young calves. Vet. Rec. **119**, 31-34
- SORDILLO, L. M., K. L. STREICHER (2002) Mammary gland immunity and mastitis susceptibility. J. Mammary Gland Biol. Neoplasia, **7**, 135-146
- STAIR, E. L., M. B. RHODES, R. G. WHITE, A. MEBUS (1972) Neonatal calf diarrhea. Purification and electron microscopy of a corona-virus-like agent. Am. J. Vet. Res. **33**, 1147-1158
- STANLEY, K., R. CUNNINGHAM, K. JONES (1998) Isolation of *Campylobacter jejuni* from groundwater. J. Appl. Microbiol. **85**, 187-191
- STEINER L., A. BUSATO, A. BURNENS, C. GAILLARD (1997) Frequency and etiology of calf losses and calf diseases before weaning in cow-calf farms. II. microbiological and parasitological diagnosis in diarrheic calves. Deutsche Tierärzl. Wschr. **104**, 169-73

- SUZUKI, Y., M. ISHIHARA, M. FUNABASHI, R. SUZUKI, S. ISOMURA, T. YOKOCHI (1993) Pulsed-field gel electrophoretic analysis of *Campylobacter jejuni* DNA for use in epidemiological studies. *J. Infect.* **27**, 39-42
- SZIEGOLEIT, A. (1995) Salmonellen-Enteritidis des Menschen. In: Selbitz, H.-J., Sinell, A., Sziegoleit (Hrsg.). Das Salmonellenproblem. G. Fischer Verlag, Jena, Stuttgart, pp. 171-183
- TAUXE, R. V., R. L. VOGT, H. E. SOURS, T. BARETT, R. A. FELDMAN, R. J. DICKONSON, L. WITHERELL (1982) *Campylobacter* enteritis associated with contaminated water. *Ann. Intern. Med.* **96**, 292-296
- TAUXE, R. V. (1992) Epidemiology of *Campylobacter jejuni* infections in the United States and other industrialized nations. In: Nachamkin, M. J., Blaser, L. J., Tompkins (eds.) *Campylobacter jejuni* current status and future trends. Am. Soc. Microbiol. Washington D. C., pp. 9-19
- TERZOLO, H. R., G. H. LAWSON, K. W. ANGUS, D. R. SNODGRASS (1987) Enteric campylobacter infection in gnotobiotic calves and lambs. *Res. Vet. Sci.* **43**, 72-77
- TOMKINS, T., D. J. SOWINSKI (1992) Use of non medicated oral rehydration therapy to treat diarrhea and scouring in the young calf. Proc. XVII World Buiatrics Congr., St. Paul, Minnesota, Vol. 3, pp. 127-131
- TORRES-MEDINA, A., D. H. SCHLAFER, C. A. MEBUS (1985) Rotaviral and coronaviral diarrhea. *Vet. Clin. North Am. Food Anim. Pract.* **1**, 471- 493
- TSOLIS, R. M., L. G. ADAMS, M. J. HANTMANN, C. A. SCHERER, T. KIMBROUGH, R. A. KINGSLEY, T. A. FICHT, S. I. MILLER, A. J. BÄUMLER (2000) SspA is required for lethal *Salmonella enterica* Serovar Typhimurium infections in calves but is not essential for diarrhea. *Infection and Immunity* **668**, 3158-3163
- TYZZER, F. G. (1907) A sporozoan found in the peptid glands of the common mouse. *Proc. Soc. Exp. Biol. Med.* **5**, 12

TZIPORI, S. (1981) The aetiology and diagnosis of calf diarrhea. *Vet. Rec.* **108**, 510-515

TZIPORI, S., M. SMITH, C. HALPIN, K. W. ANGUS, D. SHERWOOD, I. CAMPBELL (1983) Experimental cryptosporidiosis in calves: Clinical manifestations and pathological findings. *Vet. Rec.* **5**, 116-120

VANDAMME, P., H. GOSSENS (1992) Taxonomy of *Campylobacter*, *Arcobacter* and *Helicobacter*: a review. *Zbl. Bakt.* **276**, 447-472

VAN DE GIESSEN, A. W., J. B. DUFRENNE, W. S. RITTMEESTER, P. A. T. A. BERKERS, W. J. LEEUWEN, S. H. W. NOTERMANN (1992) The identification of *Salmonella enteritidis*-infected poultry flocks associated with an outbreak of human salmonellosis. *Epidemiol. Infect.* **109**, 405-411

VANDAMME, P., J. DELEY (1991) Proposal of a new family, *Campylobacteriaceae*. *Int. J. Syst. Bacteriol.* **41**, 451-455

VERORDNUNG ZUM SCHUTZ LANDWIRTSCHAFTLICHER NUTZTIERE UND ANDERE ERZEUGUNG TIERISCHER PRODUKTE GEHALTENER TIERE BEI IHRER HALTUNG (TIERSCHUTZ-NUTZTIERVERORDNUNG - Tierschutztv)
Vom 25. Oktober 2001, Bundesanzeiger

WANG, W.-L. L., B. W. POWERS, N. W. LUECHTEFELD, M. J. BLASER (1983) Effects of disinfectants on *Campylobacter jejuni*. *Appl. Environment. Microbiol.* **45**, 1202-1205

WAUTERS, G., K. KANDOLO, M. JANSSENS (1987) Revised biogrouping scheme of *Yersinia enterocolitica*. *Contrib. Microbiol. Immunol.* **9**, 14-21

WEBER, A., I. BERGMANN, K. BAUER (1984) Nachweis von *Campylobacter jejuni* in Kotproben von Kälbern mit und ohne Enteritiden. *Berl. Münch. Tierärztl. Wschr.* **97**, 10-13.

- WELLS, J. G., C. A. BOPP, M. J. BLASER (1982) Evaluation of selective media for the isolation of *Campylobacter jejuni*. In: D. G. Newell (ed.): *Campylobacter* epidemiology, pathogenesis and biochemistry. MTP Press Limited, Lancaster, pp. 80-82
- WELLS, S. J., S. J. OTT, A. H. SEITZINGER (1998) Key health issues for dairy cattle – New and old. Symposium: emerging health issues. *J. Dairy Sci.* **81**, 3029-3035
- WEYNANTS, V., A. TIBOR, P. A. DENOEL, C. SAEGERMAN, J. GODFROID, P. THIANGE, J. J. LETESSON (1996) Infection of cattle with *Yersinia enterocolitica* O:9: A cause of false positive serological reaction in bovine brucellosis diagnostic tests. *Vet. Microbiol.* **48**, 101-112
- WESLEY, I. V., S. J. WELLS, K. M. HARMON, A. GREEN, L. SCHROEDER-TUCKER, M. GLOVER, I. SIDDIQUE (2000). Fecal shedding of *Campylobacter* and *Arcobacter* spp. in dairy cattle. *Appl. Environ. Microbiol.* **66**, 1994-2000.
- WIELER, L. H., G. BALJER (1999) Antibiotika und Resistenzproblematik: Hygienische und immunologische Alternativen. *Tierärztliche Praxis* **27**, 341-347
- WIELER, L. H., C. LATURNUS (2003) Classification and typing of *Campylobacter*: Application of genotypical methods in veterinary medicine. *Genome letters* **2**, 53-61
- WOODE, G. N., J. JONES, J. BRIDGER (1975) Levels of colostral antibodies against neonatal calf diarrhoea virus. *Vet. Rec.* **97**, 148-149
- WOODE G. N., C. BRIDGER, G. HALL, M. J. DENNIS (1974) The isolation of a reovirus-like agent associated with diarrhoea in colostrum-deprived calves in Great Britain. *Res. Vet. Sci.* **16**, 102-105
- WOODE G. N., C. F. CROUCH (1978) Naturally occurring and experimentally induced rotavirus section of domestic and laboratory animals. *J. Am. Vet. Med. Assoc.* **173**, 522-526

- WOODE, G. N. (1978) Epizootiology of bovine rotavirus infections. *Vet. Rec.* **102**, 44
- ZAREMBA, W. (1983) Fütterungstechnik und ihre Bedeutung für den Gesundheitszustand neugeborener Kälber unter besonderer Berücksichtigung der Diarrhoen. *Praktischer Tierarzt* **11**, 977-992
- ZAREMBA, W., M. HODEMAKER (1996) Postnatale Phase. In: E. Grunert (ed.): *Buiatrik*. Verlag M. u. H. Scharper Alfred, Hannover, pp. 198-120
- ZASTROW, K.-D., I. SCHÖNEBERG (1994) Lebensmittelbedingte Infektionen und Intoxikationen in der Bundesrepublik Deutschland Ausbrüche in 1992. *Bundesgesundhbl.* **37**, 247-251
- ZEN-YOJI, H., S. SAKAL, T. MARUYAMA, Y. YANAGAWA (1978) Isolation of *Yersinia enterocolitica* and *Yersinia pseudotuberculosis* from swine, cattle and rats at an abattoir. *Jpn. J. Mikrobiol.* **18**, 103-105
- ZHANG, S., R. A. KINGSLEY, R. L. SANTOS, H. ANDREWS-POLYMENIS, M. RAFFATELLU, J. FIGUEIREDO, J. NUNES, R. M. TSOLIS, G. ADAMS, J. ANDREAS (2003) Molecular pathogenesis of *Salmonella enterica* Serotype *Thyphimurium* induced diarrhea. *Inf. Immun.* **71**, 1-12
- ZHAO, T., M. P. DOYLE, B. G. HARMON, C. A. BROWN, P. O. E. MUELLER, A. H. PARKS (1998) Reduction of carriage of enterohemorrhagic *Escherichia coli* 0157:H7 in cattle by inoculation with probiotic bacteria. *J. Clin. Microbiol.* **36**, 641-647