

## 6 Literaturverzeichnis

- 1 Adams RD, Victor M, Ropper AH (1999) Principles of Neurology. MC Graw-Hill New York
- 2 Alam TA, Chaudhry V, Cornblath DR (1998) Electrophysiological studies in the Guillain-Barré syndrome: Distinguishing subtypes by published criteria. Muscle Nerve 21, 1275-1279
- 3 Albers JW, Donofrio PD, McGonagle TK (1985) Sequential electrodiagnostic abnormalities in acute inflammatory demyelinating polyradiculoneuropathy. Muscle Nerve 8, 528-539
- 4 Alter M, (1990) The epidemiology of Guillain-Barré syndrome. Ann Neurol 27(suppl), S7 – S12
- 5 Ang CW, Jacobs DC, Laman JD (2004) The Guillain-Barré syndrome: a true case of molecular mimicry syndrome. Trends Immunol 25 No2, 61-66
- 6 Arnason B, Soliven B Acute inflammatory demyelinating polyradiculoneuropathy. In : Dyck PJ, Thomas PK, Griffin, JW, Low PA, Podusol JF, (Eds.) (1993) Peripheral Neuropathy, 3<sup>rd</sup> edn. Saunders, Philadelphia, pp 1437-1497
- 7 Asbury AK (1981) Diagnostic considerations in Guillain-Barré syndrome. Ann Neurol 9(suppl.), 1-5
- 8 Asbury AK (2000) New Concepts of Guillain-Barré Syndrome. J Child Neurol 15, 183-191
- 9 Asbury AK, Arnason BG, Adams RD (1969) The inflammatory lesion in idiopathic polyneuritis. Medicine (Baltimore) 48, 173-215
- 10 Asbury AK, Arnason BG, Karp HR, McFarlin DE (1978) Criteria for the diagnosis of Guillain-Barré syndrome. Ann Neurol 3, Announcement
- 11 Asbury AK, Cornblath DR (1990) Assessment of current diagnostic criteria for Guillain-Barré syndrome. Ann Neurol 27(suppl.), 1123-1129
- 12 Bak P (1985) Guillain-Barré syndrome in a Danish county. Neurology 35, 207-211
- 13 Beghi E, Kurland LT, Mulder DW, Wiederholt WC (1985) Clinicoepidemiologic features and effect of influenza vaccine. Arch Neurol 42, 1053-1057
- 14 Berciano J, Coria F, Monton F, Calleja J, Figols J, LaForga M (1993) Axonal form of Guillain-Barré syndrome: evidence for macrophage-associated demyelination. Muscle Nerve 16, 744-751
- 15 Berciano J, Coria F, Monton F, Calleja J, Figols J, LaForga M (1993) Axonal form of Guillain-Barré syndrome: evidence for macrophage-associated demyelination. Muscle Nerve 16, 744-751
- 16 Berger AR, Logigian EL, Shahani BT. (1988) Reversible proximal conduction block underlies rapid recovery in Guillain-Barré syndrome. Muscle nerve 11, 1039-1042
- 17 Bernsen RA, de Jager AE, Schmitz PM, van der Meche FGA. (1999) Residual physical outcome and daily living 3 to 6 years after Guillain-Barré syndrome. Neurology 53, 409-410
- 18 Bischoff C, Schulte-Mattler W, Conrad B (1995) Das EMG-Buch, Thieme Verlag, Stuttgart
- 19 Brandt T, Dickgans J, Diener HC (2003) Therapie und Verlauf neurologischer Erkrankungen. Kohlhammer Verlag Stuttgart
- 20 Breslow N. (1970) A generalized Kruskal- Wallis Test for comparing k samples subject to unequal patterns of censorhip. Biometrika; 57, 579- 94
- 21 Brown WF, Feasby TE (1984) Conduction block and denervation in Guillain-Barré polyneuropathy. Brain 107, 219-239

- 22 Brown WF, in Brown WF, Bolton, CF (eds) (1993) *Acute and Chronic Inflammatory Demyelinating Polyneuropathies*, Clinical Electromyography (2<sup>nd</sup> ed), Boston, Butterworth-Heinemann
- 23 Brown WF, Snow R (1991) Patterns and severity of conduction abnormalities in Guillain-Barré syndrome. *J Neurol Neurosurg Psychiatry* 54, 768-74
- 24 Chaudhry V, Cornblath DR. (1992) Wallerian degeneration in human nerves: serial electrophysiological studies. *Muscle Nerve* 15, 687-693
- 25 Cheng BC, Chang WN, Chen JB et al. (2003) Long –term prognosis for Guillain-Barré syndrome: Evaluation of prognostic factors and clinical experience of automated double filtration plasmapheresis. *J Clin Apheresis* 18(4), 175-180
- 26 Cheng Q, Jiang GX, Press R et al, (2000) Clinical epidemiology of Guillain-Barré syndrome in adults in Sweden 1996-97: a prospective study. *Eur J Neurol* 7, 685-692
- 27 Clouston PD, Kiers L, Zuniga G, Cros D. (1994) Quantitative analysis of the compound muscle action potential in early acute inflammatory demyelinating polyneuropathy. *Electroencephalogr-Clin-Neurophysiol* 93, 245-254
- 28 Cornblath DR (1990) Electrophysiology in Guillain-Barré syndrome. *Ann Neurol* 27(suppl.), S17-S20
- 29 Cornblath DR, Mellits ED, Griffin JW, McKhann GM, Albers JW, Miller RG, Feasby TE, Quaskey SA, The Guillain-Barré Syndrome Study Group (1988) Motor conduction studies in Guillain-Barré syndrome: description and prognostic value. *Ann Neurol* 23, 354-359
- 30 De Jager AEJ, Sluiter HJ. (1991) Clinical signs in severe Guillain-Barré syndrome: analysis of 63 patients. *J Neurol Sci* 104, 143-150
- 31 Eisen A, Humphreys P (1974) The Guillain-Barré syndrome. *Arch Neurol* 30, 438-443
- 32 Emilia-Romagna Study Group on Clinical and Epidemiological Problems in Neurology (1999) Risk factors for Guillain-Barré syndrome: a population-based case-control study. *J Neurol* 246, 1004-1009
- 33 Feasby TE, Gilbert JJ, Brown WF, et al. (1985) An acute axonal form of Guillain-Barre polyneuropathy. *Brain* 109, 1115-1126
- 34 Feasby TE, Hahn AF, Brown WF, Bolton CF, Gilbert FF (1988) Two types of axonal degeneration in acute Guillain-Barré syndrome. *J Neurol* 235
- 35 Feasby TE, Hahn AF, Brown WF, Bolton CF, Gilbert JJ, Koopman WJ (1993) Severe axonal degeneration in acute Guillain-Barre syndrome : evidence of two different mechanisms? *J Neurol Sci* 116, 185-192
- 36 Fletcher DD, Lawn ND, Wolter TD, Wijdicks EFM. (2000) Long-term outcome in patients with Guillain-Barré syndrome requiring mechanical ventilation. *Neurology* 54, 2311-2315
- 37 French Cooperative Group on Plasma Exchange in Guillain-Barré-Syndrome. (1987) Efficiency of plasma exchange in Guillain-Barré-syndrome: Role of replacement fluids. *Ann Neurol* 22, 753-761
- 38 Fuller GN, Jacobs JM, Lewis PD, Lane RJ. (1992) Pseudoaxonal Guillain-Barré syndrome: severe demyelination mimicking axonopathy. A case with pupillary involvement. *J Neurol Neurosurg Psychiatry* 55, 1079-1083
- 39 Gabriel CM (2005) Prognosis in the acute motor axonal form of Guillain-Barré syndrome *J Neurol Neurosurg Psychiat* 76, 622
- 40 Gilchrist JM, Sachs GM (2004) Electrodiagnostic studies in the management and prognosis of neuromuscular disorders *Muscle nerve* 29(2), 165-190
- 41 Griffin JW, Li CY, Ho TW, et al. (1996) Pathology of the motorsensory axonal Guillain-Barre syndrome. *Ann Neurol* 39, 17-28

- 42 Griffin JW, Li CY, Ho TW, Xue P, Macko C, Gao CY, Yang, C Tian, Mishu B, Cornblath DR (1995) Guillain-Barré syndrome in northern china: The spectrum of neuropathologic changes in clinically defined cases. *Brain* 118, 577-595
- 43 Griffin JW, Li CY, Macko C et al. (1996) Early nodal changes in the acute motor axonal neuropathy pattern of the Guillain-Barré syndrome. *J Neurocytol* 25, 33-51
- 44 Guillain G, Barré J, Strohl A. (1916) Sur un syndrome de radiculonevrite avec hyperalbuminose du liquide cephaloarachidien sans réaction cellulaire: remarques sur les caractères cliniques et graphiques des reflexes tendineux. *Bull Soc Med Hop Paris* 40:1462
- 45 Hadden RDM, Cornblath DR, Hughes RAC, Zielasek J, Hartung HP, Toyka KV, Swan AV The Plasma Exchange/Sandoglobulin Guillain-Barré syndrome Trial Group, (1998) Electrophysiological classification of Guillain-Barré syndrome: clinical associations and outcome. *Ann Neurol* 44, 780-788
- 46 Hadden RDM, Karch H, Hartung HP, Zielasek J, Weissbrich B, Schubert J, Weishaupt A, Cornblath DR, Swan AV, Hughes RAC, Toyka KV, Plasma Exchange/Sandoglobulin Guillain-Barré Syndrome Trial Group. (2001) Preceding infections, immune factors, and outcome in Guillain-Barré syndrome. *Neurology*; 56, 758 – 765
- 47 Hafer-Macko C, Hsieh S-T, Li CY, et al. (1996) Acute motor axonal neuropathy: an antibody-mediated attack on axolemma. *Ann Neurol* 40, 635-644
- 48 Hankey GJ (1987) Guillain-Barré syndrome in Western Australia, 1980-1985. *Med J Aust* 146, 130-133
- 49 Hao Q, Saida T, Kuroki S Nishimura M Nukina M Obayashi H, Saida K (1998) Antibodies to gangliosides and galactocerebroside in patients with Guillain-Barré syndrome with preceding *Campylobacter jejuni* and other identified infections. *J Neuroimmuno* 81, 116-126
- 50 Hartung HP (1999) Infections and the Guillain-Barré syndrome. *J neurol Neurosurg Psychiatry* 66, 277,
- 51 Hartung HP, Kieseier RC (1999) Antibody responses in the Guillain Barré syndrome. *J Neurol Sci* 168(2), 75-77
- 52 Hausmanova-Petrusewicz I, Emeryk B, Rowinska-Marcinoska K, Jedrzejowska H (1979) Nerve conduction in the Guillain-Barré-Strohl syndrome. *J Neurol* 220, 169-184
- 53 Haymaker W, Kernohan JW (1949) The Landry-Guillain-Barré syndrome. *Medicine (Baltimore)* 28, 59-141
- 54 Hiraga A, Mori M, Ogawara K, et al. (1995) Recovery patterns and long term prognosis for axonal Guillain-Barré syndrome. *J Neurol Neurosurg Psychiatry* 76, 719-722
- 55 Ho TW, Hsieh S-T, Nachamkin I, et al. (1997) Motor nerve terminal degeneration provides a potential mechanism for rapid recovery in acute motor axonal neuropathy after *campylobacter* infection. *Neurology* 48, 717-724
- 56 Ho TW, Li CY, Cornbath DR et al (1997) Patterns of recovery in the Guillain-Barré syndromes *Neurol* 48, 695-700
- 57 Ho TW, Mishu B, Li CY, Gao CY, Cornblath DR, Griffin JW, Asbury AK, Blaser MJ, McKhann GM (1995) Guillain-Barré syndrome in northern China. Relationship to *Campylobacter jejuni* infection and anti-glycolipid antibodies, *Brain* 118, 597-605
- 58 Ho TW, Willison HJ Nachamkin I, Li CY, Veitch J, Ung H, Wang GR, Liu RC, Cornblath, DR, Asbury AK, Griffin JW, McKhann GM (1999) Anti-GD1a antibody is associated with axonal but not demyelinating forms of Guillain-Barré syndrome. *Ann Neurol* 45, 168-173
- 59 Hopf HC, Deuschl G, Diener HC (1999) *Neurologie in Praxis und Klinik*. Thieme Verlag Stuttgart
- 60 Hughes RAC (1990) *Guillain-Barré Syndrome*, Heidelberg, Springer-Verlag

- 61 Hughes RAC., Hadden RDM, Gregson NA, Smith KJ (1999) Pathogenesis of Guillain-Barré syndrome. *J Neuroimmunol.*100, 74-97
- 62 Jacobs BC, Groeneveld JH, Tio-Gille AP, van der Meché FG. (1997) Cytomegalovirus infections and anti-GM2 antibodies in Guillain-Barré syndrome. *J Neurol Neurosurg Psychiatry* 62, 641-643
- 63 Jacobs BC, van Doorn PA, Schmitz PI, Tio-Gillen AP, Herbrink P, Visser LH, Hooijkass H, van der Meche FG (1996) *Campylobacter jejuni* infections and anti-GM1 antibodies in Guillain-Barre syndrome. *Ann Neurol* 40, 181-187
- 64 Jaspert A, Claus D, Grehl H, Kerling F, Neundörfer B. (1995) Wertigkeit der proximalen Leitungsblockuntersuchung in der Diagnostik entzündlicher Neuropathien *Nervenarzt* 66; 445- 454
- 65 Kaldor J, Speed BR (1984) Guillain-Barré syndrome and *Campylobacter jejuni*: a serological study. *Br Med J*; 288, 1867- 1870
- 66 Kaplan EL, Meier P. (1958) Nonparametric estimation from incomplete observations. *J AM Statist Assoc* 53, 457- 81
- 67 Kiers L, Clouston P, Zuniga G, Cros D.(1994) Quantitative studies of F responses in Guillain-Barré syndrome and chronic inflammatory demyelinating polyneuropathy. *Electroencephalogr-Clin-Neurophysiol* 93(4), 255-264
- 68 Kimura J (1978) Proximal versus distal slowing of motor nerve conduction velocity in the Guillain- Barré syndrome. *Ann Neurol* 3, 344- 350
- 69 Köller H, Kieseier BC Jander S, Hartung HP (2003) Akute und chronisch entzündliche Neuropathien – Diagnostik *Dtsch med Wochenschr* 128, 1357- 1360
- 70 Kuroki S, Saida T, Nukina M, et al (1993) *Campylobacter jejuni* strains from patients with Guillain-Barré syndrome belong mostly to Penner Serogroup 19 and contain b-N-acetylglucosamine residues. *Ann Neurol* 33, 243-247
- 71 Kuwabara S, Mori M Ogawara K, Hattori T, Yuki N (2001) Indicators of rapid clinical recovery in Guillain-Barré syndrome. *J Neurol Neurosurg Psychiatry* 70, 560-562
- 72 Landry, O. (1859) Note sur la paralysie ascendante. *Gaz Hebdom Med Chir.* 6, 472-486
- 73 Larsen JP, Kvale G, Nyland H (1985) Epidemiology of the Guillain-Barré syndrome in the county of Hordaland, Western Norway. *Acta Neurol Scand* 71, 43-47
- 74 Lastovica AJ, Goddard EA, Argent AC (1997) Guillain-Barré syndrome in South Africa associated with *Campylobacter jejuni*. *J Infect Dis* 176, S139-S143
- 75 Leger JM (2004) Value of electrophysiology in the follow-up of dyimmune polyneuropathies *Rev Med Liege* 59 suppl. 1, 124-132
- 76 Loffel NB, Rossi LN, Mumenthaler M, Lutschg J, Ludin HP (1977) The Landry-Guillain-Barré syndrome: Complications prognosis and natural histotory in 123 cases. *J Neurol SCi* 33, 71-79
- 77 Ludin, H (1988) *Praktische Elektromyographie.* Enke. Stuttgart
- 78 Mamoli B, Ackerl M. (1991) Elektrophysiologische Untersuchungen beim akuten Guillain-Barré-Syndrom. *Wien klin Wochenschr* 190(suppl), 8-12
- 79 Mc Khann GM Cornblath DR, Griffin JW, Ho TW, Li CY, Jiang Z, Wu HS, Zhaori G, Liu Y Jou LP (1993) Acute motor axonal neuropathy: a frequent cause of acute flaccid paralysis in China. *Ann Neurol* 33, 333-342
- 80 McKhann GM, Griffin JW, Cornblath DR (1988) Plasmapheresis and Guillain-Barré syndrome: analysis of prognostic factors and the effect of Plasmapheresis. *Ann Neurol* 23, 347-353
- 81 McLeod JG (1981) Electrophysiological studies in the Guillain-Barré syndrome. *Ann Neurol* 9(suppl), 20-27
- 82 McLeod JG, Walsh JC, Prineas JW, Pollard JD (1976) Acute idiopathic polyneuritis: a clinical and electrophysiological follow-up study. *J Neurol Sci* 27, 145-162

- 83 Medical Research Council. (1976) Aids to the examination of the peripheral nervous system. Memorandum No. 45. London: Her Majesty's Stationary Office
- 84 Meulstee J, van der Meché, and the Dutch Guillain-Barré Study Group (1995) Electrodiagnostic criteria for polyneuropathy and demyelination: application in 135 patients with Guillain-Barré syndrome. *J Neurol Neurosurg Psychiatry* 59, 482-486
- 85 Miller RG, Peterson C, Rosenberg NL. (1987) Electrophysiologic evidence of severe distal nerve segment pathology in the Guillain-Barré syndrome. *Muscle Nerve* 10, 524-529
- 86 Miller RG, Peterson GW, Daube JR, Albers JW (1988) Prognostic value of electrodiagnosis in Guillain-Barré syndrome. *Muscle and Nerve* 11, 769-774
- 87 Nagpal S, Benstead T, Shumak K, Rock G, Brown M, Anderson DR (1999) Treatment of Guillain-Barré syndrome: A Cost-Effectiveness Analysis. *J Clin Apheresis* 12, 165-170
- 88 Pfeiffer G, Schiller B, Kruse J, Netzer J (1999) Indicators of dysautonomia in severe Guillain-Barré syndrome. *J Neurol* 246, 1015-1022
- 89 Plasma Exchange/Sandoglobulin Guillain-Barré Syndrome Trial Group. (1997) Randomised trial of plasma exchange, intravenous immunoglobulin, and combined treatments in Guillain-Barré syndrome. *Lancet* 349, 225-230
- 90 Poeck, Hacke (2001) *Neurologie*. Springer Verlag Berlin
- 91 Raman PT, Taori FM (1976) Prognostic significance of electrodiagnostic studies in the Guillain-Barré syndrome. *J Neurol Neurosurg Psychiatry* 39, 163-170
- 92 Ravn H (1967) The Landry-Guillain-Barré syndrome: A survey and a clinical report of 127 cases. *Acta Neurol Scand (Suppl)* 43, 1-64
- 93 Rees JH, Thompson RD, Smeeton NC, Hughes RA (1998) Epidemiological study of Guillain-Barré syndrome in south east England. *J Neurol Neurosurg Psychiatry* 64(1), 74-77
- 94 Ropper A, Wijdicks E, Shahani B (1990) Electrodiagnostic abnormalities in 113 consecutive patients with Guillain-Barré syndrome. *Arch Neurol* 47, 881-887
- 95 Ropper A, Wijdicks E, Truax B. *Guillain-Barré syndrome*. Davis Company, Philadelphia 1991
- 96 Ropper AH, Wijdicks EFM, Truax BT (1995) The Guillain-Barré Syndrome – current concepts. *New Engl J Med*
- 97 Shahani BT, Sumner AJ (1981) Electrophysiological studies in peripheral neuropathy: Early detection and monitoring. In Stalberg, Young RR (eds.) *Clinical Neurophysiology*. Butterworths, London p 117
- 98 Singh NK, Jaiswal AK, Misra S, Srivastava PK (1987) Assessment of autonomic dysfunction in Guillain-Barré syndrome and its prognostic implications. *Acta Neurol Scand* 75, 101-105
- 99 Smith GD, Hughes RAC. (1992) Plasma exchange treatment and prognosis of Guillain-Barré syndrome. *Q F Med* 85, 751-760
- 100 Takeuchi H, Takahashi M, Kang J, Ueno S, Yamada A, Miki H, Tarui S. (1984) The Guillain-Barré syndrome: clinical and electroneuromyographic studies. *J Neurol* 231, 6-10
- 101 The Dutch Guillain-Barré Study Group. (1994) Treatment of Guillain-Barré syndrome with high-dose immune globulins combined with methylprednisolone: a pilot study. *Ann Neurol* 35, 749-752
- 102 The Guillain-Barré Syndrome Study Group. Plasmapheresis and acute Guillain-Barre syndrome. (1985) *Neurology* 35, 1096-1104
- 103 The Italian Guillain-Barré Study Group (1996) The prognosis and main prognostic indicators of Guillain-Barré syndrome. *Brain* 119, 2053-2061
- 104 Trampisch H.J. Windeler J. (1997) *Medizinische Statistik*. Springer Verlag Berlin

- 105 Van der Meche FGA, Schmitz PIM, Dutch Guillain-Barre Study Group. (1992) A randomized trial comparing intravenous immune globulin and plasma exchange in Guillain-Barre syndrome. *N Engl J Med* 326, 1123-1129
- 106 Van Koningsveld R. epidemiological and clinical aspects of the Guillain – Barré syndrome. 2001
- 107 Vedeler CA, Wik E, Nyland H. The long-term prognosis of Guillain-Barré syndrome. (1997) Evaluation of prognostic factors including plasma exchange. *Acta Neurol Scand* 95, 298-302
- 108 Ven C van der, Haupt WF, Rosenow F, Gibbels E, Borberg H. (1996) Klinisch rein motorische Variante der Polyneuritis Guillain-Barré. *Nervenarzt* 67, 1020-1022
- 109 Visser LH, Schmitz PIM, Meulstee J, van Doorn PA, van der Meché FGA, for the Dutch Guillain-Barré Study Group (1999) Prognostic factors of Guillain-Barré syndrome after intravenous immunoglobulin or plasma exchange. *Neurology* 53, 598-604
- 110 Visser LH, van der Meche FG, Meulstree J, Rothbarth PP, Jacobs BC, Schmitz PI, van Doorn PA (1996) Cytomegalovirus infection and Guillain-Barre syndrome: the clinical, electrophysiologic, and prognostic features. Dutch Guillain-Barre Group. *Neurology* 47, 668-673
- 111 Visser LH, van der Meche FG, van Doorn PA, Meulstree J, Jacobs BC, Oomes PG, Kleyweg RP (1995) Guillain-Barre syndrome without sensory loss (acute motor neuropathy). A subgroup with specific clinical, electrodiagnostic and laboratory features. Dutch Guillain-Barre Study Group. *Brain* 118, 841-847
- 112 Walsh JC, Yiannikas C, McLeod JG (1984) Abnormalities of proximal conduction in acute idiopathic polyneuritis: Comparison of short latency evoked potentials and F-waves. *J Neurol Neurosurg Psychiatry* 47, 197-200
- 113 Wernecke K.-D. (2001) Medizinische Biometrie; Planung und Auswertung medizinischer Studien. Institut für medizinische Biometrie, Berlin
- 114 Winer J, Hughes R, Osmond C (1988) A prospective study of acute neuropathy. I: Clinical features and their prognostic value. *J Neurol Neurosurg Psychiat* 51, 605-612
- 115 Winer JB, Hughes RAC, Greenwood RJ, et al. (1985) Prognosis in Guillain-Barré syndrome. *Lancet* 1, 1202-1204
- 116 Yuki N, (1994) Pathogenesis of axonal Guillain-Barre syndrome: hypothesis. *Muscle nerve* 17, 680-682
- 117 Yuki N, Ang CW, Koga M, Jacobs BC, van Doorn PA, Hirata K, Van der Meché FGA. (2000) Clinical features and response to treatment in Guillain-Barré syndrome associated with antibodies to GM1b ganglioside. *Ann neurol* 47, 314-321
- 118 Zeitlhofer J, Mamoli B, Mayr N, Maida E.M. (1984) Zur Prognose des Guillain- Barré-Syndroms anhand elektroneurographischer und klinischer Untersuchungen. In Gerstenbrandt F, Mamoli B (Hrsg.): *Metabolische und entzündliche Polyneuropathien*, Springer, Berlin S. 175- 178